


Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Check AboutUs in lenskart application	23.952 s	1	0	1	0	9	0	1	8	
Follow page	27.033 s	3	2	1	0	12	11	1	0	

FAIL & SKIP SCENARIOS -- 3 --


#	Feature Name	Scenario Name
1	Check AboutUs in lenskart application	Checking AboutUs features in lenskart application
2	Follow page	To follow on instagram

TAG Scena						Fea	ture	
Name	T	P	F	S	T	P	F	S
@AboutUs	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	Check AboutUs in lenskart application	1	0	1	0	23.952 s
2	Follow page	3	2	1	0	27.033 s

SCENARIOS SUMMARY -- 6




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check AboutUs in lenskart application	Checking AboutUs features in lenskart application	9	0	1	8	23.948 s
2	Follow page	To follow on facebook	4	4	0	0	12.236 s
3		To follow on instagram	4	3	1	0	9.085 s
4		To follow on twitter	4	4	0	0	5.689 s

DETAILED SECTION -- 7 --

## **Check AboutUs in lenskart application**

FAILED	DURATION - 23.952 s	Scenarios		Steps	
		Total - 1		Total - 9	
/ 3:50:52.869 PM // 3	3:51:16.821 PM /	Pass - 0	1	Pass - 0	9
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 8	

### **Checking AboutUs features in lenskart application**



#	Step / Hook Details	Status	Duration
1	Given User goes to lenskart webpage	FAILED	0.008 s
	io.cucumber.core.exception.CucumberException: Failed to instantiate class Definitions.AboutUsStepDef		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:67)		
	at io.cucumber.core.backend.DefaultObjectFactory.getInstance(DefaultObjectFactory.java:45)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)		
	$at\ io. cucumber. core. runtime. Rethrowing Throwable Collector. execute And Throw (Rethrowing Throwable Collector. java: 23)$		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)		
	at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		
	Caused by: java.lang.reflect.InvocationTargetException		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at io.cucumber.core.backend.DefaultObjectFactory.cacheNewInstance(DefaultObjectFactory.java:53)		
	45 more Caused by: java.lang.NullPointerException: inStream parameter is null		
	at java.base/java.util.Objects.requireNonNull(Objects.java:233)		
	at java.base/java.util.Properties.load(Properties.java:407)		
	at Utility.RegisterUtility.registerData(RegisterUtility.java:33)		

DETAILED SECTION -- 9 --


Step / Hook Details	Status	Duration
at Utility.RegisterUtility. <init>(RegisterUtility.java:18) at Definitions.AboutUsStepDef.<init>(AboutUsStepDef.java:13)</init></init>		
When User goes to about us and clicks We are hiring	SKIPPED	0.001 s
Then User should be able to see the we are hiring page	SKIPPED	0.001 s
When User clicks Refer and Earn	SKIPPED	0.000 s
Then User should be able to see the Refer and Earn page	SKIPPED	0.000 s
When User clicks About us	SKIPPED	0.000 s
Then User should be able to see the About us page	SKIPPED	0.000 s
When User clicks lenskart coupons	SKIPPED	0.000 s
Then User should be able to see the lenskart coupons page	SKIPPED	0.000 s
AFTER - Definitions.HookLogin.tearDown(io.cucumber.java.Scenario)	PASSED	0.139 s
Checking AboutUs features in lenskart application		
	at Utility.RegisterUtility. <init>(RegisterUtility.java:18) at Definitions.AboutUsStepDef.<init>(AboutUsStepDef.java:13)  When User goes to about us and clicks We are hiring Then User should be able to see the we are hiring page  When User clicks Refer and Earn Then User should be able to see the Refer and Earn page  When User clicks About us Then User should be able to see the About us page  When User clicks lenskart coupons Then User should be able to see the lenskart coupons page  AFTER - Definitions.HookLogin.tearDown(io.cucumber.java.Scenario)</init></init>	at Utility.RegisterUtility. <init>(RegisterUtility.java:18) at Definitions.AboutUsStepDef.<init>(AboutUsStepDef.java:13)  When User goes to about us and clicks We are hiring Then User should be able to see the we are hiring page  When User clicks Refer and Earn Then User should be able to see the Refer and Earn page  When User clicks About us  Then User should be able to see the Refer and Earn page  When User clicks About us  Then User should be able to see the About us page  When User clicks lenskart coupons  Then User should be able to see the lenskart coupons page  AFTER - Definitions.HookLogin.tearDown(io.cucumber.java.Scenario)  PASSED</init></init>

# **Follow page**



To follow on facebook

DETAILED SECTION -- 10 --



#	Step / Hook Details	Status	Duration
1	Given Home page of Lenskart	PASSED	8.997 s
2	When Scroll Down	PASSED	0.021 s
3	And Click on FaceBook	PASSED	0.171 s
4	Then Goes to Facebook page	PASSED	3.046 s


### To follow on instagram

FAILED DURATION - 9.085 s	4	5 7				_	Steps	
/ 2/51/20 001 PM // 2/51/20 17C PM /	4	4-	<u> </u>				Total - 4	
/ 3:51:29.091 PM // 3:51:38.176 PM /	3	3		- +			Pass - 3	
Follow page		2					Fail - 1	4
	1	1-					Skip - 0	
	(	0 -1	1	1	1 9	4		
			1	2	3	*		

#	Step / Hook Details	Status	Duration
1	Given Home page of Lenskart	PASSED	3.828 s
2	When Scroll Down	PASSED	0.009 s
3	And Click on instagram icon	PASSED	0.173 s
4	Then Goes to instagram page	FAILED	4.760 s
	java.lang.AssertionError: expected [https://www.instagram.com] but found [https://www.instagram.com/lenskart/] at org.testng.Assert.fail(Assert.java:111) at org.testng.Assert.failNotEquals(Assert.java:1578) at org.testng.Assert.assertEqualsImpl(Assert.java:150) at org.testng.Assert.assertEquals(Assert.java:132) at org.testng.Assert.assertEquals(Assert.java:656)		

#	Step / Hook Details	Status	Duration
	at org.testng.Assert.assertEquals(Assert.java:666) at Definitions.FollowDef.goes_to_instagram_page(FollowDef.java:51) at ?.Goes to instagram page(file:///C:/Users/osaravanakarthikeyan/TestDreamers_Lenskart/src/test/resources/Feature/FollowUs.feature:13) * Not displayable characters are replaced by '?'.		
	AFTER - Definitions.HookLogin.tearDown(io.cucumber.java.Scenario)  To follow on instagram	PASSED	0.312 s
	TO IOIIOW OIT IIIstacy can be a second and the seco		

#### To follow on twitter



#	Step / Hook Details	Status	Duration
1	Given Home page of Lenskart	PASSED	2.614 s
2	When Scroll Down	PASSED	0.018 s
3	And Click on twitter icon	PASSED	0.198 s
4	Then Goes to twitter page	PASSED	2.857 s