

# Cucumber Report

Nov 20, 2023, 10:32:23 AM

Start : Nov 20, 10:31:13.668 AM

End : Nov 20, 10:32:14.433 AM

Duration : 1 m 0.765 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 5  
FAILED - 1  
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Buy an item in lenskart application</u>	1 m 0.765 s	1	0	1	0	6	5	1	0

#	Feature Name	Scenario Name
1	<u>Buy an item in lenskart application</u>	<u>Buying a computerglass item</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@ComputerGlassesCategory	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Buy an item in lenskart application</u>	1	0	1	0	1 m 0.765 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Buy an item in lenskart application</u>	<u>Buying a computerglass item</u>	6	5	1	0	1 m 0.761 s

## Buy an item in lenskart application

<b>FAILED</b>	DURATION - 1 m 0.765 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0	
/ 10:31:13.668 AM // 10:32:14.433 AM /					

## Buying a computerglass item

<div>FAILED</div> <div>DURATION - 1 m 0.761 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 10:31:13.672 AM // 10:32:14.433 AM /				
Buy an item in lenskart application				
@ComputerGlassesCategory				

#	Step / Hook Details	Status	Duration
1	Given User goes to the lenskart webpage	PASSED	13.064 s
2	When User clicks the computerglasses	PASSED	12.542 s
3	And User clicks sortby	PASSED	0.717 s
4	And User clicks the product	PASSED	0.585 s
5	And User clicks the buy now	PASSED	11.791 s
6	Then User should be able to buy the product successfully	FAILED	10.133 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[text()='Bill Details']"} (Session info: MicrosoftEdge=119.0.2151.72) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.18' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [f23e904ade9b549f5b6a33557d2bb954, findElement {using=xpath, value=//div[text()='Bill Details']}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.72, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:60163}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47..., userDataDir: C:\Users\dmulinti\AppData\Local\Microsoft\Edge\User Data\Default\Profile 1\Extensions\...), networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:60163/devtools, se.cdpVersion: 119.0.2151.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f23e904ade9b549f5b6a33557d2bb954 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

#	Step / Hook Details	Status	Duration
	<p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p> <p>at com.sun.proxy.\$Proxy21.getText(Unknown Source)</p> <p>at Actions.ComputerGlassActions.getbilldetails(ComputerGlassActions.java:39)</p> <p>at Definitions.ComputerGlassStepDef.user_should_be_able_to_buy_the_product_successfully(ComputerGlassStepDef.java:48)</p> <p>at ?.User should be able to buy the product successfully(file:///C:/Users/dmulinti/TestDreamers_Lenskart/src/test/resources/Feature/ComputerGlass.feature:11)</p> <p>* Not displayable characters are replaced by '?'. </p>		