

Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Check AboutUs in lenskart application	14.397 s	1	0	1	0	9	0	0	9	
Buy an item in lenskart application	26.767 s	1	0	1	0	9	0	1	8	

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Check AboutUs in lenskart application	Checking AboutUs features in lenskart application
2	Buy an item in lenskart application	Buying a computerglass item


TAG		Scer	nario		Feature			
Name	T	P	F	S	T	P	F	S
@AboutUs	1	0	1	0	1	0	1	0
@ComputerGlassesCategory	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Check AboutUs in lenskart application	1	0	1	0	14.397 s
2	Buy an item in lenskart application	1	0	1	0	26.767 s

SCENARIOS SUMMARY -- 6




#	# Feature Name	Scenario Name	T	P	F	S	Duration
1	Check AboutUs in lenskart application	Checking AboutUs features in lenskart application	9	0	0	9	14.392 s
2	Buy an item in lenskart application	Buying a computerglass item	9	0	1	8	26.766 s

DETAILED SECTION -- 7 --

## **Check AboutUs in lenskart application**

FAILED	DURATION - 14.397 s	Scenarios		Steps	
		Total - 1		Total - 9	
/ 6:29:11.065 PM // (	6:29:25.462 PM /	Pass - 0	1	Pass - 0	9
		Fail - 1		Fail - 0	🖊 ് 📙
		Skip - 0		Skip - 9	

## **Checking AboutUs features in lenskart application**




#	Step / Hook Details	Status	Duration
	BEFORE - Definitions.HookLogin.setUp()	FAILED	14.373 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: MicrosoftEdge=119.0.2151.72) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.18' Driver info: org.openqa.selenium.edge.EdgeDriver Command: [2948b153a6a32e0701af2618c2bcc96d, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.72, fedcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:52046}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47, userDataDir: C:\Users\dmullinti\AppData\L}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 2948b153a6a32e0701af2618c2bcc96d		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		


DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:675)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:679)		
	at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:1073)		
	at Utility.HelperClass. <init>(HelperClass.java:24) at Utility.HelperClass.SetUpDriver(HelperClass.java:39)</init>		
	at Offinitions.HookLogin.setUp(HookLogin.java:11)		
		OLUBBER	0.004
1	Given User goes to lenskart webpage	SKIPPED	0.001 s
2	When User goes to about us and clicks We are hiring	SKIPPED	0.001 s
3	Then User should be able to see the we are hiring page	SKIPPED	0.000 s
4	When User clicks Refer and Earn	SKIPPED	0.000 s
5	Then User should be able to see the Refer and Earn page	SKIPPED	0.000 s
6	When User clicks About us	SKIPPED	0.000 s
7	Then User should be able to see the About us page	SKIPPED	0.000 s
8	When User clicks lenskart coupons	SKIPPED	0.001 s
9	Then User should be able to see the lenskart coupons page	SKIPPED	0.000 s

## Buy an item in lenskart application



**Buying a computerglass item** 



#	Step / Hook Details	Status	Duration
1	Given User goes to the lenskart webpage	FAILED	21.243 s
	org.openqa.selenium.WebDriverException: unknown error: cannot determine loading status from target frame detached (Session info: MicrosoftEdge=119.0.2151.72) Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '11.0.18' Driver info: org.openqa.selenium.edge_EdgeDriver Command: [b16e510b49fe76e6e8b41a398310b91d, get {url=https://www.lenskart.com}] Capabilities {acceptInsecureCerts: false, browserName: msedge, browserVersion: 119.0.2151.72, fetdcm:accounts: true, ms:edgeOptions: {debuggerAddress: localhost:52078}, msedge: {msedgedriverVersion: 119.0.2151.72 (e8225cce8e47, userDataDir: C:\Users\dmilinti\AppData\L}), networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:52078/devtoo, se:cdpVersion: 119.0.2151.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehadivor: dismiss and notify, webauthn:extension:redBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true) Session ID: b16e510b49fe76e6e8b41a398310b91d at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor, java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:22) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:175) at org.openqa.selenium.remot		
	* Not displayable characters are replaced by '?'.		
2	When User clicks the computerglasses	SKIPPED	0.001 s
3	And User clicks sortby	SKIPPED	0.000 s
4	And User clicks the product	SKIPPED	0.000 s

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
5	And User clicks the buy now	SKIPPED	0.000 s
6	Then User should be able to buy the product successfully	SKIPPED	0.000 s
7	When User clicks the remove	SKIPPED	0.001 s
8	And User clicks yes,remove	SKIPPED	0.000 s
9	Then User should be able to see the cart is empty	SKIPPED	0.001 s