Cucumber Report

| Start : Nov 20, 3:29:06.023 pm	End : Nov 20, 3:29:54.910 pm	Duration : 48.887 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 6 FAILED - 2 SKIPPED - 3

Features: 1

Scenarios: 2

Steps: 11

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 54 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login page	*48.887 s*	2	0	2	0	11	6	2	3

#	Feature Name	Scenario Name
1	Login page	Checking credentials on Login
2		Checking Forgot password

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@ValidCredentials	1	0	1	0	1	0	1	0
@ForgotPassword	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Login page	2	0	2	0	48.887 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login page	Checking credentials on Login	6	5	1	0	38.639 s
2		Checking Forgot password	5	1	1	3	10.129 s

Login page

FAILED	DURATION - 48.887 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0	Steps Total - 11 Pass - 6 Fail - 2 Skip - 3
/ 3:29:06.023 pm // 3:29:54.910 pm /			

Checking credentials on Login

FAILED	DURATION - 38.639 s		Steps Total - 6 Pass - 5 Fail - 1 Skip - 0
/ 3:29:06.029 pm // 3:29:44.668 pm /			
Login page			
@ValidCredentials			

#	Step / Hook Details	Status	Duration
1	Given Login page URL of Lenskart	PASSED	24.222 s
2	When User enters username	PASSED	0.162 s
	email arpi.angya@gmail.com		
3	And user clicks next	PASSED	0.102 s
4	And User enters password	PASSED	0.466 s
	password Sunflower123		
5	And User clicks login and goes to home	PASSED	0.105 s
6	Then User will logout	FAILED	10.493 s
	org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [96d58044c3f3cfb49227a95f770c1ede, actions {actions=[org.openqa.selenium.interactions.Sequence@7173ae5b]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ASHEKH~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:61976}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61976/devtoo...,		

| #	Step / Hook Details	Status	Duration

	se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 96d58044c3f3cfb49227a95f770c1ede
	  at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:520)
	  at org.openqa.selenium.json.JsonOutput.lambdanew16(JsonOutput.java:182)
	  at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409)
	  at org.openqa.selenium.json.JsonOutput.lambdanew22(JsonOutput.java:204)
	  at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.accept(ForEachOps.java:183)
	  at java.base/java.util.stream.ReferencePipeline$2$1.accept(ReferencePipeline.java:179)
	  at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)
	  at java.base/java.util.Spliterators$IteratorSpliterator.forEachRemaining(Spliterators.java:1845)
	  at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)
	  at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)
	  at java.base/java.util.stream.ForEachOps$ForEachOp.evaluateSequential(ForEachOps.java:150)
	  at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.evaluateSequential(ForEachOps.java:173)
	  at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)
	  at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596)
	  at org.openqa.selenium.json.JsonOutput.lambdanew23(JsonOutput.java:204)
	  at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409)
	  at org.openqa.selenium.json.JsonOutput.lambdanew24(JsonOutput.java:222)
	  at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68)
	  at org.openqa.selenium.json.JsonOutput.lambdanew25(JsonOutput.java:217)
	  at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409)
	  at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:400)
	  at org.openqa.selenium.json.Json.toJson(Json.java:133)
	  at org.openqa.selenium.json.Json.toJson(Json.java:119)
	  at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273)
	  at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:688)
	  at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:605)
	  at Actions.LoginPage.logout(LoginPage.java:73)
	  at Definitions.LoginDef.user_will_login_or_fails(LoginDef.java:65)
	  at ?.User will logout(file:///C:/Users/ashekharangya/Git%20Lenskart/TestDreamers_Lenskart/src/test/resources/Feature/Login.feature:19)
	  Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:431) at org.openqa.selenium.json.Json.		

#	Step / Hook Details	Status	Duration

	toJson(Json.java:131) at org.openqa.selenium.json.Json.toJson(Json.java:119) at org.openqa.selenium.remote.codec. AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273) at org.openqa.selenium.remote.codec. AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127) at org.openqa.selenium.remote.HttpCommandExecutor. execute(HttpCommandExecutor.java:179) at org.openqa.selenium.remote.service.DriverCommandExecutor. invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor. execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:688) at org.openqa.selenium.interactions. Actions$BuiltAction.perform(Actions.java:605) at Actions.LoginPage.logout(LoginPage.java:73) at Definitions.LoginDef. user_will_login_or_fails(LoginDef.java:65) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java. base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect. DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method. java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io. cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition. execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io. cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner. ExecutionMode$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io. cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io. cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151) at io.cucumber.core.runtime. CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime. RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime. CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners$NoStepDescriptions. run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144) at io.cucumber.junit. FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331) at org.junit. runners.ParentRunner$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66) at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io. cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331) at org.junit. runners.ParentRunner$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66) at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runFeatures$6(CucumberExecutionContext.java:148) at io.cucumber. core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime. CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber$StartAndFinishTestRun. evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306) at org.junit.runners. ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner. runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner. RemoteTestRunner.main(RemoteTestRunner.java:210) Caused by: java.lang.reflect.InvocationTargetException
	   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	   at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	   at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:516)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.json.JsonOutput.lambdanew16(JsonOutput.java:182)		
	at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409)		
	at org.openqa.selenium.json.JsonOutput.lambdanew22(JsonOutput.java:204)		
	at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.accept(ForEachOps.java:183)		
	at java.base/java.util.stream.ReferencePipeline$2$1.accept(ReferencePipeline.java:179)		
	at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133)		
	at java.base/java.util.Spliterators$IteratorSpliterator.forEachRemaining(Spliterators.java:1845)		
	at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)		
	at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)		
	at java.base/java.util.stream.ForEachOps$ForEachOp.evaluateSequential(ForEachOps.java:150)		
	at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.evaluateSequential(ForEachOps.java:173)		
	at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)		
	at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596)		
	at org.openqa.selenium.json.JsonOutput.lambdanew23(JsonOutput.java:204)		
	at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409)		
	at org.openqa.selenium.json.JsonOutput.lambdanew24(JsonOutput.java:222)		
	at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:68)		
	at org.openqa.selenium.json.JsonOutput.lambdanew25(JsonOutput.java:217)		
	at org.openqa.selenium.json.JsonOutput.write0(JsonOutput.java:409)		
	at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:400)		
	at org.openqa.selenium.json.Json.toJson(Json.java:133)		
	at org.openqa.selenium.json.Json.toJson(Json.java:119)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:273)		
	at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:179)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:688)		
	at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:605)		
	at Actions.LoginPage.logout(LoginPage.java:73)		
	at Definitions.LoginDef.user_will_login_or_fails(LoginDef.java:65)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.lambdarun0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.junit.PickleRunners$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196)		
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89)		
	at org.junit.runners.ParentRunner$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:293)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runFeatures$6(CucumberExecutionContext.java:148)		
	at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146)		
	at io.cucumber.junit.Cucumber$StartAndFinishTestRun.evaluate(Cucumber.java:226)		
	at org.junit.runners.ParentRunner$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93)		
	at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452)		
	at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		

#	Step / Hook Details	Status	Duration

	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text()='Logout']"} (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [96d58044c3f3cfb49227a95f770c1ede, findElement {using=xpath, value=//a[text()='Logout']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ASHEKH~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:61976}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61976/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 96d58044c3f3cfb49227a95f770c1ede
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy21.getWrappedElement(Unknown Source)
	  at org.openqa.selenium.interactions.PointerInput$Origin.asArg(PointerInput.java:259)
	  at org.openqa.selenium.interactions.PointerInput$Move.encode(PointerInput.java:208)
	  at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:72)
	  at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:81)
	* Not displayable characters are replaced by '?'.		

Checking Forgot password

FAILED	DURATION - 10.129 s
/ 3:29:44.781 pm // 3:29:54.910 pm /	
Login page	
@ForgotPassword	

Steps
Total - 5
Pass - 1
Fail - 1
Skip - 3

5

#	Step / Hook Details	Status	Duration
1	Given goes to Lenskart URL	PASSED	0.073 s
2	When User enters email1 or phone number	FAILED	10.049 s

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='emailOrPhone']"}   (Session info: chrome=114.0.5735.199) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.14.1', revision: '03f8ede370' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8.1' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [96d58044c3f3cfb49227a95f770c1ede, findElement {using=name, value=emailOrPhone}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ASHEKH~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:61976}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61976/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 96d58044c3f3cfb49227a95f770c1ede

    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:359)
    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:353)
    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy21.sendKeys(Unknown Source) at Actions.LoginPage.setUserName(LoginPage.java:89) at Actions.LoginPage.email(LoginPage.java:93) at Definitions.LoginDef.user_enters_email1_or_phone_number(LoginDef.java:76) at ?.User enters email1 or phone number(file:///C:/Users/ashekharangya/Git%20Lenskart/TestDreamers_Lenskart/src/test/resources/Feature/Login.feature:28) * Not displayable characters are replaced by '?'.		
3	And clicks next	SKIPPED	0.002 s
4	And clicks on forgot password	SKIPPED	0.000 s
5	Then User clicks to send link for reset	SKIPPED	0.001 s