# **COMPSOFT TECHNOLOGIES**

Bengaluru, Karnataka, India



AN INTERNSHIP REPORT ON

"Storemyresults"

**Bachelor of Engineering** 

In Computer Science and Engineering

**Submitted by: ARPITHA G (1JT18CS012)** 



JYOTHY INSTITUTE OF TECHNOLOGY 2021

#### **ABOUT THE COMPANY**

The race for digital transformation is on. In this globally connected on-demand world with rapid advancements in internet technologies, businesses worldwide are under constant pressure to add innovative real-time capabilities to their applications to respond to market opportunities.

Every business worldwide is building event-driven, real-time applications - from financial services, transportation, and energy, to retail, healthcare, and Gaming companies.

Our endeavour is to make it easy to develop innovative real-time applications and efficient to operate them in production.

We have a proven record of building highly scalable, world-class consulting processes that offer tremendous business advantages to our clients in the form of huge cost-benefits, definitive results and consistent project deliveries across the globe.

We prominently strive to improve your business by delivering the full range of competencies including operational performance, developing and applying business strategies to improve financial reports, defining strategic goals and measure and manage those goals along with measuring and managing them.

We are committed to going the extra mile to bring success to the clients consistently

We are dedicated to delivering the right people, solutions, and services to the clients that they require to meet their technology challenges and business goals.

Optimizing client satisfaction with quality services

Delivering the most efficient and the best solution to our clients to every client leveraging leading technologies & industry best practices.

# TABLE OF CONTENTS

Table of contents	i
 Overview of the Project About STOREMYRESULTS	1
Use of Storemyresults.com	3
Tools Used	۷
Implementation	4
Snapshots	53
Bibliography	60

## **OVERVIEW OF THE PROJECT**

**Project Name:** Storemyresults

**Team Members:** ARPITHA G

ANUSHREE G

KEERTHANA M

VAISHNAVI RAO

This project is based on Web Development And its Applications. The main objective of this project is to learn the implementation of HTML, CSS, JavaScript and MySQL. The basic webpage of this project is created using HTML and styling of the webpage is done using CSS. JavaScript is used for creating web pages and makes responsive design easier.

This webpage is about one of the greatest companies of all time Storemyresults.com

#### ABOUT STOREMYRESULTS

Search engine results pages are web pages served to users when they search for their results using a search engine, such as Google. The user enters their University Seat Number (USN), upon which the search engine presents them with their results.

storemyresults.com, in this web page the candidates should enter their USN to view their results, after viewing the results, the candidates can save and download the results sheet.

The web page can also be accessed by the graduates by entering their USN and can download the result sheet.

storemyresults.com basically contains the results of candidates and they can download and save the PDF.

Student report generator is a web based application designed and engineering colleges that need to manage results across multiple branches students that need to track, manage and report results. This application can run on any kind of operating system. At a time we can see all the years result in a single sheet and we can see the individual candidate's results separately.

## **Uses of Storemyresults.com**

#### **Faster Results**

This is the most obvious advantage of exam result management. Generally, the traditional paper-based result management system takes time as the teachers need to collate the results, manually calculate, input it into the system and wait until the reports are them printed.

This system can take up weeks – during which times the students have forgotten the context and the content of the exam questions.

However, with an online system, the test results are calculated automatically and then results are ready to view or email within minutes.

#### **Error Free Results**

For many teachers, the examination period also is a time of stress and anxiety. This is because of the tiresome process of manually collecting the results, marking them, converting the marks into grades, and keeping them safe until the day the parents (or students) get to see them.

One of the biggest downsides of the traditional form of result management, it that this entire system is prone to human errors and miscalculations. While handling the manual exam papers, there is also a high chance of losing them, or damaging them due to unforeseen environmental situations.

However, the online result management system eliminates all these problems. The automatic calculation and storage of the exam results reduces the burden on the educators and saves the results from any human errors or damages.

It Motivates Students And Gives Them An Accurate Indication Of Their Academic Performance.

The immediate results not only help to reduce the stress of the students waiting for their results. When they do receive their marks and scores, the faster results also help the students to realize their errors, work on relearning their concepts, and seek improvement before their next text.

The online system is able to generate an analytical report of the student's performance. This report can give the teachers and the parents an accurate understanding of the strengths and weaknesses of the child, their academic interests, and the topics on which they might need additional tutoring.

## **TOOLS USED**

## **Software Requirements**

- Visual Studio Code 2019.
- Google Chrome or Microsoft Edge of latest version.
- Front End: HTML, CSS, JS
- Back End: MySQL
- Linux 7.1 or Windows XP/7/8/10 OS or Mac OS

### **Hardware Requirements**

- Pentium 200-MHz computer with a minimum of 64 MB of RAM (128 MB of RAM recommended).
- Monitor with a refresh rate of at least 40Hz for a smooth GUI experience (optional).

### **IMPLEMENTATION**

# Source Code (P1.HTML): 1<sup>st</sup> page.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>storemyresults.com</title>
    k rel="stylesheet" href="1stpge.css">
    <link rel="icon" href="pics/logo.png">
  </head>
  <body background="pics/background.jpg" >
    <div class="box">
      <header>
         <div class="navigation">
           <div class="logo">
             <h1> <a href="#">storemyresults</a> </h1>
             <img src="pics/logo.png" height="70" width="80">
           </div>
           <nav><h1>
             <a href="1stpage.html">Home</a>
             <a href="clgcode.html">College Code</a>
             <a href="ABOUT.HTML">About</a>
           </h1></nav>
         </div>
      </header>
      <div class="banner">
         <br>
         <br>
         <h1>ALL THE BEST FOR YOUR RESULTS!!!!</h1>
         <br>
         <br>
         <br>
         <br/>br>
         <a href="2ndpage.html"><button class="button">save your
result</button>>
         <br>
```

```
\langle BR \rangle
<a href="result.html"><button class="buttons">view result</button>
         < bR >
           <br>
           <br>
           <br/>br>
       </div>
    </div>
  </body>
  <script type="text/javascript" src="1stpage.js"></script>
</html>
2<sup>nd</sup>page.html
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>storemyresults.com</title>
    <link rel="stylesheet" href="2ndpage.css">
    <link rel="icon" href="pics/logo.png">
  </head>
  <body background="pics/background.jpg" >
    <div class="box">
       <header>
         <div class="navigation">
           <div class="logo">
             <h1> <a href="#">storemyresults</a> </h1>
             <img src="pics/logo.png" height="70" width="80">
           </div>
           <nav><h1>
              <a href="1stpage.html">Home</a>
              <a href="clgcode.html">College Code</a>
              <a href="ABOUT.HTML">About</a>
           </h1></nav>
         </div>
       </header>
       >
       <div class="courses">
         <LEFT><h2>
           t>
           <a href="cse.html">COMPUTER SCIENCE ENGINEERING</a>
```

```
[CS]<br></a>
        <a href="ise.html">INFORMATION SCIENCE</a>
ENGINEERING [IS]
        <a href="me.html">MECHANICAL ENGINEERING
[ME]<br></a>
        <a href="cv.html">CIVIL ENGINEERING [CV]
        <a href="ec.html">ELECTRONICS AND COMMUNICATION
ENGINEERING [EC]
       </list>
       </h2>
       </LEFT>
     </div>
   </div>
 </body>
 <script type="text/javascript" src="1stpage.js"></script>
</html>
```

## **ABOUT.html**

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>storemyresults.com</title>
    <link rel="stylesheet" href="ABOUT.css">
    <link rel="icon" href="pics/logo.png">
  </head>
  <body background="pics/background.jpg" >
    <div class="box">
      <header>
         <div class="navigation">
           <div class="logo">
             <h1> <a href="#">storemyresults</a> </h1>
             <img src="pics/logo.png" height="70" width="80">
           </div>
           <nav><h1>
             <a href="1stpage.html">Home</a>
             <a href="clgcode.html">College Code</a>
             <a href="ABOUT.HTML">About</a>
           </h1></nav>
```

Generally, the traditional paper-based result management system takes time as the teachers need to collate the results, manually calculate, input it into the system and wait until

the reports are printed.

This system can take up weeks – during which times the students have forgotten the context and the content of the exam questions.

However, with an online system, the test results are calculated automatically and then results are ready to view or email within minutes.

```
</hd>
</hd>
</hd>
</hd>
</hd>
</kd>
</kr>
</k>

Contact Interest of the property and the property and
```

This is because of the tiresome process of manually collecting the results, marking them, converting the marks into grades, and keeping them safe until the day the parents (or students) get to see them.

One of the biggest downsides of the traditional form of result management, it that this entire system is prone to human errors and miscalculations.

While handling the manual exam papers, there is also a high chance of losing them, or damaging them due to unforeseen environmental situations.

However, the online result management system eliminates all these problems.

The automatic calculation and storage of the exam results reduces the burden on the educators and saves the results from any human errors or damages.

```
</h3> 
</br>
<br/>
<
```

<BR>

 $\langle BR \rangle$ 

<h2><BOLD>3.It Motivates Students And Gives Them An Accurate Indication Of Their Academic Performance.</BOLD></h2><BR>

<P><h3>The immediate results not only help to reduce the stress of the students waiting for their results.

When they do receive their marks and scores, the faster results also help the students to realize their errors, work on relearning their concepts, and seek improvement before their next text.

The online system is able to generate an analytical report of the student's performance.

This report can give the teachers and the parents an accurate understanding of the strengths and weaknesses of the child, their academic interests, and the topics on which they might need additional tutoring.</h>

Marks</BOLD></h2><BR>

system.

<P><h3>The lack of human intervention in the online result management system ensures that the student results are free from personal biases and prejudices.

Most often, these biases can creep in unknowingly, but they affect the marks and the morale of the student.

On the other hand, the online result management system is free from any such biases towards any student.

Student report generator is a web based application designed and engineering colleges that need to manage results across multiple branches students that need to track, manage and report results.

This application can run on any kind of operating

At a time we can see all the years result in a single sheet and we can see the individual candidate's results separately.

<h1><bold><u>How to use storemyresults.com</u></bold></h1> <br> < h3 >□ Search engine results pages are web pages served to users when they search for their results using a search engine, such as Google. The user enters their University Seat Number (USN), upon which the search engine presents them with their results. <br> □ storemyresults.com, In this web page the candidates should enter their USN to view their results, after viewing the results, the candidates can save and download the results sheet. <br/> ☐ The web page can also be accessed by the graduates by entering their USN and can download the result sheet.<br/> ☐ The web page can also be accessed by the graduates by entering their USN and can download the result sheet.<br/> □storemyresults.com basically contains the results of candidates and the candidates can download the same. <br> <br><br>><br>> <hr> <br>><br>> <br><br><br><br>> <hr> <h1><bold><u>About CST</u></bold></h1><br <h2><bold>Compsoft Technologies<br> Providing a Complete Suite of IT Services </bold></h2><BR><br>>br>< < h3 >The race for digital transformation is on. In this globally connected on-demand world with rapid advancements in internet technologies, businesses worldwide are under constant pressure to add innovative real-time capabilities to their applications to respond to market opportunities. Every business worldwide is building event-driven. real-time applications - from financial services, transportation, and energy, to retail, healthcare, and Gaming companies. Our endeavour is to make it easy to develop innovative real-time applications and efficient to operate them in production. Our endeavour is to make it easy to develop innovative real-time applications and efficient to operate them in production. We prominently strive to improve your business by

delivering the full range of competencies including operational performance, developing and applying business strategies to improve financial reports, defining strategic goals and measure and manage those goals along with measuring and managing them.

## clgcode.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>storemyresults.com</title>
    <link rel="stylesheet" href="clgcode.css">
    <link rel="icon" href="pics/logo.png">
  </head>
  <body background="pics/background.jpg" >
    <div class="box">
      <header>
         <div class="navigation">
           <div class="logo">
             <h1> <a href="#">storemyresults</a> </h1>
             <img src="pics/logo.png" height="70" width="80">
           </div>
           <nav><h1>
             <a href="1stpage.html">Home</a>
             <a href="clgcode.html">College Code</a>
```

```
<a href="ABOUT.HTML">About</a>
      </h1>
      </nav>
     </div>
   </header>
   <div class="tables">
    <div class="tab">
      < h2 >
   COLLEGE NAME
      COLLEGE CODE
    A.P.S COLLEGE OF ENGINEERING
    1AP
     ACHARAYA INSTITUTE OF TECHNOLOGY
      1AY
      ACHARYS NRV SCHOOL OF ARCHITECTURE
                                      1AA 
       ACHUTHA INSTITUTE OF TECHNOLOGY
        1AO
        ACS COLLEGE OF ENGINEERING
          1AH 
         ADARSH INSTITUTE OF TECHNOLOGY
         1AJ
         AMC ENGINEEERING COLLEGE
         1AM
          B.N.M INSTITUTE OF TECHNOLOGY
         1BG
         BANGALORE COLLEGE OF ENGINEERING
AND TECHNOLOGY1BC
         <TR><TD>
           BANGALORE INSTITUTE OF
```

#### TECHNOLOGY</TD><TD>1BI</TD></TR>

<TR><TD>BANGALORE TECHNOLOGICAL

INSTITUTE</TD><TD> 1BH</TD></TR>

<TR><TD>BMS COLLEGE OF

ENGINEERING</TD><TD>1BM</TD></TR>

<TR><TD>BMS EVENING COLLEGE OF

ENGINEERING</TD><TD>1BE</TD></TR>

<TR><TD>BMS INSTITUTE OF TECHNOLOGY

</TD><TD>1BY</TD></TR>

<TR><TD>BRINDAVAN COLLEGE OF ENGG

</TD><TD>1BO</TD></TR>

<TR><TD>C.M.R INSTITUTE OF TECHNOLOGY

</TD><TD>1CR</TD></TR>

<TR><TD>CAMBRIDGE INSTITUTE OF TECHNOLOGY

</TD><TD>1CD</TD></TR>

<TR><TD>CHANNA BASAVESHWARA INSTITUTE OF TECHNOLOGY

</TD><TD>1CG</TD></TR>

<TR><TD>CITY ENGINEERING COLLEGE

</TD><TD>1CE</TD></TR>

<TR><TD>BMS COLLEGE OF ENGINEERING</TD><TD>

1BM</TD></TR>

<TR><TD>DAYANANDA SAGAR ACADEMY OF TECHNOLOGY AND

MGMT</TD><TD> 1DT</TD></TR>

<TR><TD>DAYANANDA SAGAR COLLEGE OF

ENGINEERING</TD><TD>1DS</TD></TR>

<TR><TD>DON BOSCO INSTITUTE OF TECHNOLOGY</TD><TD>

1DB</TD></TR>

<TR><TD>EAST WEST COLLEGE OF ENGG</TD><TD>

1EE</TD></TR>

<TR><TD>EAST WEST INSTITUTE OF TECHNOLOGY</TD><TD>

1EW</TD></TR>

<TR><TD>GHOUSIA COLLEGE OF ENGINEERING</TD><TD>

1GC</TD></TR>

<TR><TD>GLOBAL ACADEMY OF TECHNOLOGY</TD><TD>

1GA</TD></TR>

<TR><TD>GOPALAN COLLEGE OF ENGINEERING

MANAGEMENT</TD><TD> 1GD</TD></TR>

<TR><TD>GOVERNMENT S.K.S.J.T. INSTITUTE OF

TECHNOLOGY</TD><TD> 1SK</TD></TR>

<TR><TD>GOVERNMENT SKSJT EVENING COLLEGE</TD><TD>

1SE</TD></TR>

<TR><TD>GOVT. ENGINEERING COLLEGE RAMNAGAR</TD><TD>

1GG</TD></TR> <TR><TD>HKBK COLLEGE OF ENGINEERING</TD><TD> 1HK</TD></TR> <TR><TD>HMS INSTITUTE OF TECHNOLOGY</TD><TD> 1HM < /TD > < /TR ><TR><TD>ISLAMIAH INSTITUTE OF TECHNOLOGY</TD><TD> 1II</TD></TR> <TR><TD>JNANA VIKAS INSTITUTE OF TENCNOLOGY</TD><TD> 1JV</TD></TR> <TR><TD>JSS ACADEMY OF TECHNICIAL EDUCATION</TD><TD> 1JS < /TD > < /TR ><TR><TD>JYOTHY INSTITUTE OF TECHNOLOGY</TD><TD> 1 J</TD></TR> <TR><TD>K.S SCHOOL OF ENGG & MGMT</TD><TD> 1KG</TD></TR> <TR><TD>K.S.INSTITUTE OF TECHNOLOGY</TD><TD> 1KS</TD></TR> <TR><TD>M.S.ENGINEERING COLLEGE</TD><TD> 1ME</TD></TR> <TR><TD>M.S.RAMAIAH INSTITUTE OF TECHNIOLOGY</TD><TD> 1MS</TD></TR> <TR><TD>MVJ COLLEGE OF ENGINEERING</TD><TD> 1MJ</TD></TR> <TR><TD>NAGARJUNA COLLEGE OF ENGINEERING AND TECHNOLOGY</TD><TD> 1NC</TD></TR> <TR><TD>NEW HORIZON COLLEGE OF ENGINEERING</TD><TD> 1NH</TD></TR> <TR><TD>NITTE MEENAKSHI INSTITUTE OF TECHNOLOGY</TD><TD> 1NT</TD></TR> <TR><TD>OXFORD COLLEGE OF ENGINEERING</TD><TD> 1OX</TD></TR> <TR><TD>PES INSTITUTE OF TECHNOLOGY</TD><TD> 1PI</TD></TR> <TR><TD>PES SCHOOL OF ENGINEERING</TD><TD> 1PE</TD></TR> <TR><TD>R.V.COLLEGE OF ENGINEERING</TD><TD> 1RV</TD></TR> <TR><TD>RAJARAJESWARI COLLEGE OF ENGINEERING</TD><TD> 1RR</TD></TR> <TR><TD>RAJIV GANDHI INSTITUTE OF TECHNOLOGY</TD><TD> 1RG < /TD > < /TR ><TR><TD>REVA INSTITUTE OF TECHNOLOGY & MANAGEMENT</TD><TD> 1RE</TD></TR> <TR><TD>RNS INSTITUTE OF TECHNOLOGY</TD><TD> 1RN</TD></TR>

```
<TR><TD>S.J.C INSTITUTE OF TECHNOLOGY</TD><TD>
     1SJ</TD></TR>
<TR><TD>SAPTHAGIRI COLLEGE OF ENGINEERING</TD><TD>
     1SG</TD></TR>
<TR><TD>SIDDAGANGA INSTITUTE OF TECHNOLOGY</TD><TD>
     1SI</TD></TR>
<TR><TD>SIR M. VISVESVARAYA INSTITUTE OF
TECHNOLOGY</TD><TD>
                            1MV</TD></TR>
<TR><TD>SJB INSTITUTE OF TECHNOLOGY</TD><TD>
     1JB</TD></TR>
<TR><TD>SRI KRISHNA INSTITUTE OF TECHNOLOGY</TD><TD>
     1KT</TD></TR>
<TR><TD>SRI SAIRAM COLLEGE OF ENGINEERING
     </TD><TD>1SB</TD></TR>
<TR><TD>SRI VENKATESHWARA COLLEGE OF ENGINEERING
     </TD><TD>1VE</TD></TR>
<TR><TD>VIVEKANANDA INSTITUTE OF TECHNOLOGY</TD><TD>
     1VK</TD></TR>
<TR><TD>YELLAMMA DASAPPA INSTITUTE OF TECHNOLOGY
     </TD><TD>1YD</TD></TR>
      </h2>
      </div>
      </div>
   </div>
</body>
</html>
cse.html
!DOCTYPE html>
<html lang="en">
 <head>
   <meta charset="UTF-8">
   <title>storemyresults.com</title>
   <link rel="stylesheet" href="cse.css">
   <link rel="icon" href="pics/logo.png">
  </head>
  <body background="pics/background.jpg" >
   <div class="box">
     <header>
       <div class="navigation">
```

```
<div class="logo">
            <h1> <a href="#">storemyresults</a> </h1>
            <img src="pics/logo.png" height="70" width="80">
           </div>
           <nav><h1>
             <a href="1stpage.html">Home</a>
             <a href="clgcode.html">College Code</a>
             <a href="ABOUT.HTML">About</a>
           </h1></nav>
        </div>
      </header>
      <div class="login"><h2>Enter the details</h2></div>
      <div class="main">
         <form>
             <h3 class="name">Name</h3>
             <input class="names" type="text" name="name"><br>
             <h3 class="name">USN</h3>
             <input class="usn" type="text" name="USN"><br>
             <h3 class="name">Sem</h3>
             <input class="semister" type="text" name="Sem"><br>
             <h3 class="name">Marks 1</h3>
             <input class="marks" type="text" name="Marks"><br>
             <h3 class="name">Marks 2</h3>
             <input class="marks" type="text" name="Marks"><br>
             <h3 class="name">Marks 3</h3>
             <input class="marks" type="text" name="Marks"><br>
             <h3 class="name">Marks 4</h3>
             <input class="marks" type="text" name="Marks"><br>
             <h3 class="name">Marks 5</h3>
             <input class="marks" type="text" name="Marks"><br>
             <h3 class="name">Marks 6</h3>
             <input class="marks" type="text" name="Marks"><br>
             <h3 class="name">Marks 7</h3>
             <input class="marks" type="text" name="Marks"><br>
             <h3 class="name">Marks 8</h3>
             <input class="marks" type="text" name="Marks"><br>
             <center><button type="submit">SUBMIT AND PRINT
PDF</button></center>
           </form>
         </div>
    </div>
</body>
<script type="text/javascript" src="cse.js"></script>
</html>
```

#### cv.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>storemyresults.com</title>
    <link rel="stylesheet" href="cv.css">
    <link rel="icon" href="pics/logo.png">
  </head>
  <body background="pics/background.jpg" >
    <div class="box">
      <header>
         <div class="navigation">
           <div class="logo">
            <h1> <a href="#">storemyresults</a> </h1>
             <img src="pics/logo.png" height="70" width="80">
           </div>
           <nav><h1>
             <a href="1stpage.html">Home</a>
             <a href="clgcode.html">College Code</a>
             <a href="ABOUT.HTML">About</a>
           </h1></nav>
         </div>
      </header>
      <div class="login"><h2>Enter the details</h2></div>
      <div class="main">
         <form>
             <h3 class="name">Name</h3>
             <input class="names" type="text" name="name"><br>
             <h3 class="name">USN</h3>
             <input class="usn" type="text" name="USN"><br>
             <h3 class="name">Sem</h3>
             <input class="semister" type="text" name="Sem"><br>
             <h3 class="name">Marks 1</h3>
             <input class="marks" type="text" name="Marks"><br>
             <h3 class="name">Marks 2</h3>
             <input class="marks" type="text" name="Marks"><br>
             <h3 class="name">Marks 3</h3>
             <input class="marks" type="text" name="Marks"><br>
             <h3 class="name">Marks 4</h3>
             <input class="marks" type="text" name="Marks"><br>
```

```
<h3 class="name">Marks 5</h3>
             <input class="marks" type="text" name="Marks"><br>
             <h3 class="name">Marks 6</h3>
             <input class="marks" type="text" name="Marks"><br>
             <h3 class="name">Marks 7</h3>
             <input class="marks" type="text" name="Marks"><br>
             <h3 class="name">Marks 8</h3>
             <input class="marks" type="text" name="Marks"><br>
             <center><button type="submit">SUBMIT AND PRINT
PDF</button></center>
           </form>
         </div>
    </div>
</body>
</html>
ec.html
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>storemyresults.com</title>
    <link rel="stylesheet" href="cv.css">
    <link rel="icon" href="pics/logo.png">
  </head>
  <body background="pics/background.jpg" >
    <div class="box">
      <header>
         <div class="navigation">
           <div class="logo">
             <h1> <a href="#">storemyresults</a> </h1>
             <img src="pics/logo.png" height="70" width="80">
           </div>
           <nav><h1>
             <a href="1stpage.html">Home</a>
             <a href="clgcode.html">College Code</a>
             <a href="ABOUT.HTML">About</a>
           </h1></nav>
         </div>
      </header>
      <div class="login"><h2>Enter the details</h2></div>
```

```
<div class="main">
        <form>
             <h3 class="name">Name</h3>
             <input class="names" type="text" name="name"><br>
             <h3 class="name">USN</h3>
             <input class="usn" type="text" name="USN"><br>
             <h3 class="name">Sem</h3>
             <input class="semister" type="text" name="Sem"><br>
             <h3 class="name">Marks 1</h3>
             <input class="marks" type="text" name="Marks"><br>
             <h3 class="name">Marks 2</h3>
             <input class="marks" type="text" name="Marks"><br>
             <h3 class="name">Marks 3</h3>
             <input class="marks" type="text" name="Marks"><br>
             <h3 class="name">Marks 4</h3>
             <input class="marks" type="text" name="Marks"><br>
             <h3 class="name">Marks 5</h3>
             <input class="marks" type="text" name="Marks"><br>
             <h3 class="name">Marks 6</h3>
             <input class="marks" type="text" name="Marks"><br>
             <h3 class="name">Marks 7</h3>
             <input class="marks" type="text" name="Marks"><br>
             <h3 class="name">Marks 8</h3>
             <input class="marks" type="text" name="Marks"><br>
             <center><button type="submit">SUBMIT AND PRINT
PDF</button></center>
           </form>
        </div>
    </div>
</body>
</html>
ise.html
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>storemyresults.com</title>
    <link rel="stylesheet" href="cv.css">
    <link rel="icon" href="pics/logo.png">
  </head>
  <body background="pics/background.jpg" >
```

```
<div class="box">
      <header>
         <div class="navigation">
           <div class="logo">
            <h1> <a href="#">storemyresults</a> </h1>
             <img src="pics/logo.png" height="70" width="80">
           </div>
           <nav><h1>
             <a href="1stpage.html">Home</a>
             <a href="clgcode.html">College Code</a>
             <a href="ABOUT.HTML">About</a>
           </h1></nav>
        </div>
      </header>
      <div class="login"><h2>Enter the details</h2></div>
      <div class="main">
         <form>
             <h3 class="name">Name</h3>
             <input class="names" type="text" name="name"><br>
             <h3 class="name">USN</h3>
             <input class="usn" type="text" name="USN"><br>
             <h3 class="name">Sem</h3>
             <input class="semister" type="text" name="Sem"><br>
             <h3 class="name">Marks 1</h3>
             <input class="marks" type="text" name="Marks"><br>
             <h3 class="name">Marks 2</h3>
             <input class="marks" type="text" name="Marks"><br>
             <h3 class="name">Marks 3</h3>
             <input class="marks" type="text" name="Marks"><br>
             <h3 class="name">Marks 4</h3>
             <input class="marks" type="text" name="Marks"><br>
             <h3 class="name">Marks 5</h3>
             <input class="marks" type="text" name="Marks"><br>
             <h3 class="name">Marks 6</h3>
             <input class="marks" type="text" name="Marks"><br>
             <h3 class="name">Marks 7</h3>
             <input class="marks" type="text" name="Marks"><br>
             <h3 class="name">Marks 8</h3>
             <input class="marks" type="text" name="Marks"><br>
             <center><button type="submit">SUBMIT AND PRINT
PDF</button></center>
           </form>
         </div>
    </div>
```

```
</body>
```

#### me.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>storemyresults.com</title>
    <link rel="stylesheet" href="cv.css">
    <link rel="icon" href="pics/logo.png">
  </head>
  <body background="pics/background.jpg" >
    <div class="box">
      <header>
        <div class="navigation">
           <div class="logo">
            <h1> <a href="#">storemyresults</a> </h1>
             <img src="pics/logo.png" height="70" width="80">
           </div>
           <nav><h1>
             <a href="1stpage.html">Home</a>
             <a href="clgcode.html">College Code</a>
             <a href="ABOUT.HTML">About</a>
           </h1></nav>
        </div>
      </header>
      <div class="login"><h2>Enter the details</h2></div>
      <div class="main">
         <form>
             <h3 class="name">Name</h3>
             <input class="names" type="text" name="name"><br>
             <h3 class="name">USN</h3>
             <input class="usn" type="text" name="USN"><br>
             <h3 class="name">Sem</h3>
             <input class="semister" type="text" name="Sem"><br>
             <h3 class="name">Marks 1</h3>
             <input class="marks" type="text" name="Marks"><br>
             <h3 class="name">Marks 2</h3>
             <input class="marks" type="text" name="Marks"><br>
             <h3 class="name">Marks 3</h3>
```

```
<input class="marks" type="text" name="Marks"><br>
             <h3 class="name">Marks 4</h3>
             <input class="marks" type="text" name="Marks"><br>
             <h3 class="name">Marks 5</h3>
             <input class="marks" type="text" name="Marks"><br>
             <h3 class="name">Marks 6</h3>
             <input class="marks" type="text" name="Marks"><br>
             <h3 class="name">Marks 7</h3>
             <input class="marks" type="text" name="Marks"><br>
             <h3 class="name">Marks 8</h3>
             <input class="marks" type="text" name="Marks"><br>
             <center><button type="submit">SUBMIT AND PRINT
PDF</button></center>
           </form>
         </div>
    </div>
</body>
</html>
```

#### result.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <title>storemyresults.com</title>
    <link rel="stylesheet" href="result.css">
    <link rel="icon" href="pics/logo.png">
  </head>
  <body background="pics/background.jpg" >
    <div class="box">
      <header>
         <div class="navigation">
           <div class="logo">
             <h1> <a href="#">storemyresults</a> </h1>
             <img src="pics/logo.png" height="70" width="80">
           </div>
           <nav><h1>
             <a href="1stpage.html">Home</a>
             <a href="clgcode.html">College Code</a>
             <a href="#">About</a>
           </h1></nav>
```

```
</div>
      </header>
      <div class="login"><h2>Enter the details</h2></div>
      <div class="main">
         <form>
             <h3 class="name">Name</h3>
             <input class="names" type="text" name="name"><br>
             <h3 class="name">USN</h3>
             <input class="usn" type="text" name="USN"><br>
             <h3 class="name">Sem</h3>
             <input class="semister" type="text" name="Sem"><br>
             <center><button type="submit">SUBMIT</button></center>
           </form>
         </div>
      </div>
  </body>
  <script type="text/javascript" src="1stpage.js"></script>
</html>
```

## **IMPLEMENTATION**

## **Source Code (P1.CSS+P1.JS(if used)):**

# 1stpage.css

```
*{
  margin: auto;
  padding: auto;
body{
  text-align: center;
header{
  height: 135px;
  background-color: dimgrey;
  width: 100%;
  z-index: 12;
  position: fixed;
}
.logo{
  width: 30%;
  float: left;
  line-height: 50px;
}
.logo a{
  text-decoration: none;
  font-size: 50px;
  font-family: 'Times New Roman', Times, serif;
  color: lightblue;
  letter-spacing: 5px;
}
nav{
  float: right;
  line-height: 125px;
}
nav a{
  text-decoration: none;
  font-family: Cambria, Cochin, Georgia, Times, 'Times New Roman', serif;
  letter-spacing: 1px;
```

```
font-size: 30px;
  margin: 0 10px;
  color: lightblue;
}
.banner{
  width: 100%;
  height: 500px;
  position: absolute;
  top: 100px;
.banner h1{
  padding-top: 10%;
  font-size: 60px;
  font-family: Impact, Haettenschweiler, 'Arial Narrow Bold', sans-serif;
  text-transform: uppercase;
  color: black;
.button{
  width: 700px;
  height: 125px;
  font-size: 50px;
  font-family: 'Times New Roman', Times, serif;
  background-color: silver;
  color:black;
  border: 1px soliD plum;
  text-transform: uppercase;
  box-shadow:10px 10px darkgray;
}
.buttons{
  width: 700px;
  height: 125px;
  font-size: 50px;
  font-family: 'Times New Roman', Times, serif;
  background-color: silver;
  color:black;
  border: 1px soliD plum;
  text-transform: uppercase;
  margin-top: 20PX;
  box-shadow:10px 10px darkgray;
}
```

## 2ndpage.css

```
*{
  margin: auto;
  padding: auto;
body{
  text-align: center;
header{
  height: 135px;
  background-color: dimgrey;
  width: 100%;
  z-index: 12;
  position: fixed;
.logo{
  width: 30%;
  float: left;
  line-height: 50px;
.logo a{
  text-decoration: none;
  font-size: 50px;
  font-family: 'Times New Roman', Times, serif;
  color: lightblue;
  letter-spacing: 5px;
nav{
  float: right;
  line-height: 125px;
}
nav a{
  text-decoration: none;
  font-family: Cambria, Cochin, Georgia, Times, 'Times New Roman', serif;
  letter-spacing: 1px;
  font-size: 30px;
  margin: 0 10px;
  color: lightblue;
.courses{
  width: 5000px;
```

```
position: absolute;
  top: 0px;
.courses h2{
  padding-top: 5%;
  font-size: 30px;
  font-family: Times New Roman', Times, serif;
  text-transform: uppercase;
  color: black;
  padding-left: 1%;
  text-align: left;
ABOUT.css
*{
  margin: auto;
  padding: auto;
body
  text-align: center;
header{
  height: 135px;
  background-color: dimgrey;
  width: 100%;
  z-index: 12;
  position: fixed;
.logo{
  width: 30%;
  float: left;
  line-height: 50px;
.logo a{
  text-decoration: none;
  font-size: 50px;
  font-family: 'Times New Roman', Times, serif;
  color: lightblue;
  letter-spacing: 5px;
```

```
nav{
  float: right;
  line-height: 125px;
}
nav a{
  text-decoration: none;
  font-family: Cambria, Cochin, Georgia, Times, 'Times New Roman', serif;
  letter-spacing: 1px;
  font-size: 30px;
  margin: 0 10px;
  color: lightblue;
.about{
  top: 150px;
  position: absolute;
  overflow:visible;
.about h1{
  padding-top: 3%;
  font-size: 50px;
  font-family: 'Times New Roman', Times, serif;
  color: black;
  padding-left: 10px;
  text-align: justify;
.about h2{
  font-size: 25px;
  font-family: 'Times New Roman', Times, serif;
  color: black;
  padding-left: 10px;
  text-align: justify;
  position: absolute;
  width: 1530px;
  font-weight: 550;
  padding-right: 1%;
  text-transform: uppercase;
.about h3{
  font-size: 20px;
  font-family: 'Times New Roman', Times, serif;
  color: black;
  padding-left: 30px;
  text-align: justify;
```

```
position: absolute;
  width: 1490px;
padding-top: 10px;
  font-weight:520;
}
clgcode.css
*{
  margin: auto;
  padding: auto;
body{
  text-align: center;
header{
  height: 135px;
  background-color: dimgrey;
  width: 100%;
  z-index: 12;
  position: fixed;
.logo{
  width: 30%;
  float: left;
  line-height: 50px;
}
.logo a{
  text-decoration: none;
  font-size: 50px;
  font-family: 'Times New Roman', Times, serif;
  color: lightblue;
  letter-spacing: 5px;
}
nav{
  float: right;
  line-height: 125px;
}
nav a{
  text-decoration: none;
```

```
font-family: Cambria, Cochin, Georgia, Times, 'Times New Roman', serif;
  letter-spacing: 1px;
  font-size: 30px;
margin: 0 10px;
  color: lightblue;
.tab{
  width: unset;
  font: small-caps;
.tables{
  width: auto;
  position: relative;
  top: 100px;
  height: 100px;
.tables h2{
  font-family: 'Times New Roman', Times, serif;
  letter-spacing: 1px;
  padding-top: 100px;
  font-size: 20px;
  margin: 0;
  padding-bottom: 100px;
.tables table th{
  text-align: center;
  background-color:black;
  color:silver;
  padding: 4px 30px 4px 8px;
  width: 600px;
.tables table td{
  border: 1px solid black;
  background-color: silver;
  padding: 4px 8px;
.tables table tr:nth-child(odd) td{
  background-color: rgb(146, 146, 211);
```

#### cse.css

```
*{
  margin: auto;
  padding: auto;
body{
  text-align: center;
header{
  height: 135px;
  background-color: dimgrey;
  width: 100%;
  z-index: 12;
  position: fixed;
.logo{
  width: 30%;
  float: left;
  line-height: 50px;
}
.logo a{
  text-decoration: none;
  font-size: 50px;
  font-family: 'Times New Roman', Times, serif;
  color: lightblue;
  letter-spacing: 5px;
nav{
  float: right;
  line-height: 125px;
}
nav a{
  text-decoration: none;
  font-family: Cambria, Cochin, Georgia, Times, 'Times New Roman', serif;
  letter-spacing: 1px;
  font-size: 30px;
  margin: 0 10px;
  color: lightblue;
.main{
```

```
background-color: rgb(0,0,0,0.5);
  width: 1200px;
  height: 1700px;
  margin-top: 50px;
  padding-top: 0.5px;
  margin-bottom: 50px;
}
.form{
  padding: 100px;
.login h2 {
  width: 800px;
  background-color: cornflowerblue;
  margin: auto;
  color: black;
  padding: 10px 10px 10px 10px;
  text-align: center;
  font-family: 'Times New Roman', Times, serif;
  font-size: 50px;
.name{
  margin-left: 50px;
  margin-top: 70px;
  width: 100px;
  color: #000;
  font-size: 25px;
  font-weight: 800;
  white-space: normal;
}
.names{
  position: relative;
  left: 200px;
  top:-37px;
  line-height: 30px;
  width: 500px;
  border-radius: 6px;
  padding: 0 22px;
  font-size: 22px;
  color:#555;
}
.usn{
```

```
position: relative;
  left: 200px;
  top:-37px;
  line-height: 40px;
  width: 500px;
  border-radius: 6px;
  padding: 0 22px;
  font-size: 22px;
  color:#555;
.semister{
position: relative;
  left: 200px;
  top:-37px;
line-height: 40px;
  width: 500px;
  border-radius: 6px;
  padding: 0 22px;
  font-size: 22px;
  color:#555;
}
.marks{
     position: relative;
     left: 200px;
     top:-37px;
     line-height: 40px;
     width: 500px;
     border-radius: 6px;
     padding: 0 22px;
     font-size: 22px;
     color:#555;
}
button{
  background-color:silver;
  display: block;
  margin: 20px 0px 0px 20px;
  text-align: center;
  border-radius: 12px;
  border:2px solid aquamarine;
  padding: 14px 110px;
```

```
outline: none;
  color:black;
  cursor: pointer;
  transition: 0.25px;
  font-weight: 700;
  font-size: 25px;
  font-family: 'Times New Roman', Times, serif;
}
cv.css
*{
margin: auto;
  padding: auto;
body{
  text-align: center;
header{
  height: 135px;
  background-color: dimgrey;
  width: 100%;
  z-index: 12;
  position: fixed;
.logo{
  width: 30%;
  float: left;
  line-height: 50px;
}
.logo a{
  text-decoration: none;
  font-size: 50px;
  font-family: 'Times New Roman', Times, serif;
  color: lightblue;
  letter-spacing: 5px;
}
nav{
  float: right;
  line-height: 125px;
```

```
nav a{
  text-decoration: none;
  font-family: Cambria, Cochin, Georgia, Times, 'Times New Roman', serif;
  letter-spacing: 1px;
  font-size: 30px;
  margin: 0 10px;
  color: lightblue;
}
.main{
  background-color: rgb(0,0,0,0.5);
  width: 1200px;
  height: 1700px;
  margin-top: 50px;
  padding-top: 0.5px;
margin-bottom: 50px;
.form{
  padding: 100px;
.login h2 {
  width: 800px;
  background-color: cornflowerblue;
  margin: auto;
  color: black;
  padding: 10px 10px 10px 10px;
  text-align: center;
  font-family: 'Times New Roman', Times, serif;
  font-size: 50px;
.name{
  margin-left: 50px;
  margin-top: 70px;
  width: 100px;
  color: #000;
  font-size: 25px;
  font-weight: 800;
  white-space: normal;
```

```
.names{
  position: relative;
  left: 200px;
  top:-37px;
  line-height: 30px;
  width: 500px;
  border-radius: 6px;
  padding: 0 22px;
  font-size: 22px;
  color:#555;
}
.usn{
  position: relative;
  left: 200px;
  top:-37px;
  line-height: 40px;
  width: 500px;
border-radius: 6px;
  padding: 0 22px;
  font-size: 22px;
  color:#555;
}
.semister{
position: relative;
  left: 200px;
  top:-37px;
  line-height: 40px;
  width: 500px;
  border-radius: 6px;
  padding: 0 22px;
  font-size: 22px;
  color:#555;
}
.marks{
     position: relative;
     left: 200px;
     top:-37px;
     line-height: 40px;
     width: 500px;
     border-radius: 6px;
```

```
padding: 0 22px;
    font-size: 22px;
    color:#555;
}
button{
  background-color:silver;
  display: block;
  margin: 20px 0px 0px 20px;
  text-align: center;
  border-radius: 12px;
  border:2px solid aquamarine;
  padding: 14px 110px;
  outline: none;
  color:black;
  cursor: pointer;
  transition: 0.25px;
  font-weight: 700;
  font-size: 25px;
  font-family: 'Times New Roman', Times, serif;
}
ec.css
*{
  margin: auto;
  padding: auto;
}
body{
  text-align: center;
header{
  height: 135px;
  background-color: dimgrey;
  width: 100%;
  z-index: 12;
  position: fixed;
.logo{
  width: 30%;
  float: left;
  line-height: 50px;
```

```
.logo a{
  text-decoration: none;
  font-size: 50px;
  font-family: 'Times New Roman', Times, serif;
  color: lightblue;
  letter-spacing: 5px;
nav{
  float: right;
  line-height: 125px;
}
nav a{
  text-decoration: none;
  font-family: Cambria, Cochin, Georgia, Times, 'Times New Roman', serif;
  letter-spacing: 1px;
  font-size: 30px;
  margin: 0 10px;
  color: lightblue;
}
.main{
  background-color: rgb(0,0,0,0.5);
  width: 1200px;
  height: 1700px;
  margin-top: 50px;
  padding-top: 0.5px;
  margin-bottom: 50px;
.form{
  padding: 100px;
}
.login h2 {
  width: 800px;
  background-color: cornflowerblue;
  margin: auto;
  color: black;
  padding: 10px 10px 10px 10px;
  text-align: center;
  font-family: 'Times New Roman', Times, serif;
  font-size: 50px;
```

```
.name{
  margin-left: 50px;
  margin-top: 70px;
  width: 100px;
  color: #000;
  font-size: 25px;
  font-weight: 800;
  white-space: normal;
}
.names{
  position: relative;
  left: 200px;
  top:-37px;
  line-height: 30px;
  width: 500px;
  border-radius: 6px;
  padding: 0 22px;
  font-size: 22px;
  color:#555;
}
.usn{
  position: relative;
left: 200px;
  top:-37px;
  line-height: 40px;
  width: 500px;
  border-radius: 6px;
  padding: 0 22px;
  font-size: 22px;
  color:#555;
}
.semister{
  position: relative;
  left: 200px;
  top:-37px;
  line-height: 40px;
  width: 500px;
  border-radius: 6px;
  padding: 0 22px;
  font-size: 22px;
  color:#555;
```

```
.marks{
    position: relative;
    left: 200px;
    top:-37px;
    line-height: 40px;
    width: 500px;
    border-radius: 6px;
    padding: 0 22px;
    font-size: 22px;
    color:#555;
button{
  background-color:silver;
  display: block;
  margin: 20px 0px 0px 20px;
  text-align: center;
  border-radius: 12px;
  border:2px solid aquamarine;
  padding: 14px 110px;
  outline: none;
  color:black;
  cursor: pointer;
  transition: 0.25px;
  font-weight: 700;
  font-size: 25px;
  font-family: 'Times New Roman', Times, serif;
}
.main{
  background-color: rgb(0,0,0,0.5);
  width: 1200px;
  height: 1700px;
  margin-top: 50px;
  padding-top: 0.5px;
  margin-bottom: 50px;
.form{
  padding: 100px;
}
.login h2 {
  width: 800px;
```

```
background-color: cornflowerblue;
  margin: auto;
  color: black;
  padding: 10px 10px 10px 10px;
  text-align: center;
  font-family: 'Times New Roman', Times, serif;
  font-size: 50px;
.name{
  margin-left: 50px;
  margin-top: 70px;
  width: 100px;
  color: #000;
  font-size: 25px;
  font-weight: 800;
  white-space: normal;
}
.names{
  position: relative;
  left: 200px;
  top:-37px;
  line-height: 30px;
  width: 500px;
  border-radius: 6px;
  padding: 0 22px;
  font-size: 22px;
  color:#555;
}
.usn{
  position: relative;
left: 200px;
  top:-37px;
  line-height: 40px;
  width: 500px;
  border-radius: 6px;
  padding: 0 22px;
  font-size: 22px;
  color:#555;
.semister{
  position: relative;
  left: 200px;
```

```
top:-37px;
  line-height: 40px;
  width: 500px;
  border-radius: 6px;
  padding: 0 22px;
  font-size: 22px;
  color:#555;
.marks{
    position: relative;
     left: 200px;
     top:-37px;
     line-height: 40px;
     width: 500px;
     border-radius: 6px;
     padding: 0 22px;
     font-size: 22px;
     color:#555;
}
button{
  background-color:silver;
  display: block;
  margin: 20px 0px 0px 20px;
  text-align: center;
  border-radius: 12px;
  border:2px solid aquamarine;
  padding: 14px 110px;
  outline: none;
  color:black;
  cursor: pointer;
  transition: 0.25px;
  font-weight: 700;
  font-size: 25px;
  font-family: 'Times New Roman', Times, serif;
}
ise.css
*{
  margin: auto;
  padding: auto;
```

```
body{
  text-align: center;
header{
  height: 135px;
  background-color: dimgrey;
  width: 100%;
  z-index: 12;
  position: fixed;
.logo{
  width: 30%;
  float: left;
  line-height: 50px;
}
.logo a{
  text-decoration: none;
  font-size: 50px;
  font-family: 'Times New Roman', Times, serif;
  color: lightblue;
  letter-spacing: 5px;
}
nav{
  float: right;
  line-height: 125px;
}
nav a{
  text-decoration: none;
  font-family: Cambria, Cochin, Georgia, Times, 'Times New Roman', serif;
  letter-spacing: 1px;
font-size: 30px;
  margin: 0 10px;
  color: lightblue;
}
.main{
  background-color: rgb(0,0,0,0.5);
  width: 1200px;
  height: 1700px;
  margin-top: 50px;
  padding-top: 0.5px;
```

```
margin-bottom: 50px;
.form{
  padding: 100px;
}
.login h2 {
  width: 800px;
  background-color: cornflowerblue;
  margin: auto;
  color: black;
  padding: 10px 10px 10px 10px;
  text-align: center;
  font-family: 'Times New Roman', Times, serif;
  font-size: 50px;
}
.name{
  margin-left: 50px;
  margin-top: 70px;
  width: 100px;
  color: #000;
  font-size: 25px;
  font-weight: 800;
  white-space: normal;
}
.names{
  position: relative;
  left: 200px;
  top:-37px;
  line-height: 30px;
  width: 500px;
  border-radius: 6px;
  padding: 0 22px;
font-size: 22px;
  color:#555;
}
.usn{
  position: relative;
  left: 200px;
  top:-37px;
  line-height: 40px;
  width: 500px;
```

```
border-radius: 6px;
  padding: 0 22px;
  font-size: 22px;
  color:#555;
}
.semister{
  position: relative;
  left: 200px;
  top:-37px;
  line-height: 40px;
  width: 500px;
  border-radius: 6px;
  padding: 0 22px;
  font-size: 22px;
  color:#555;
}
.marks{
     position: relative;
     left: 200px;
     top:-37px;
     line-height: 40px;
     width: 500px;
     border-radius: 6px;
     padding: 0 22px;
     font-size: 22px;
     color:#555;
}
button{
  background-color:silver;
  display: block;
  margin: 20px 0px 0px 20px;
  text-align: center;
  border-radius: 12px;
  border:2px solid aquamarine;
  padding: 14px 110px;
outline: none;
  color:black;
  cursor: pointer;
  transition: 0.25px;
```

font-weight: 700;

```
font-size: 25px;
  font-family: 'Times New Roman', Times, serif;
me.css
*{
  margin: auto;
  padding: auto;
body{
  text-align: center;
header{
  height: 135px;
  background-color: dimgrey;
  width: 100%;
  z-index: 12;
  position: fixed;
}
.logo{
  width: 30%;
  float: left;
  line-height: 50px;
.logo a{
  text-decoration: none;
  font-size: 50px;
  font-family: 'Times New Roman', Times, serif;
  color: lightblue;
  letter-spacing: 5px;
}
nav{
  float: right;
  line-height: 125px;
}
nav a{
  text-decoration: none;
  font-family: Cambria, Cochin, Georgia, Times, 'Times New Roman', serif;
  letter-spacing: 1px;
```

```
font-size: 30px;
  margin: 0 10px;
  color: lightblue;
}
.main{
  background-color: rgb(0,0,0,0.5);
  width: 1200px;
  height: 1700px;
  margin-top: 50px;
  padding-top: 0.5px;
  margin-bottom: 50px;
}
.form{
  padding: 100px;
.login h2 {
  width: 800px;
  background-color: cornflowerblue;
  margin: auto;
  color: black;
  padding: 10px 10px 10px 10px;
  text-align: center;
  font-family: 'Times New Roman', Times, serif;
  font-size: 50px;
}
.name{
  margin-left: 50px;
  margin-top: 70px;
  width: 100px;
  color: #000;
  font-size: 25px;
  font-weight: 800;
  white-space: normal;
.names{
  position: relative;
  left: 200px;
top:-37px;
  line-height: 30px;
```

```
width: 500px;
  border-radius: 6px;
  padding: 0 22px;
  font-size: 22px;
  color:#555;
}
.usn{
  position: relative;
  left: 200px;
  top:-37px;
  line-height: 40px;
  width: 500px;
  border-radius: 6px;
  padding: 0 22px;
  font-size: 22px;
  color:#555;
}
.semister{
  position: relative;
  left: 200px;
  top:-37px;
  line-height: 40px;
  width: 500px;
  border-radius: 6px;
  padding: 0 22px;
  font-size: 22px;
  color:#555;
}
.marks{
     position: relative;
     left: 200px;
     top:-37px;
     line-height: 40px;
     width: 500px;
     border-radius: 6px;
     padding: 0 22px;
     font-size: 22px;
     color:#555;
button{
background-color:silver;
  display: block;
  margin: 20px 0px 0px 20px;
```

```
text-align: center;
  border-radius: 12px;
  border:2px solid aquamarine;
padding: 14px 110px;
  outline: none;
  color:black;
  cursor: pointer;
  transition: 0.25px;
  font-weight: 700;
  font-size: 25px;
  font-family: 'Times New Roman', Times, serif;
}
results.css
*{
  margin: auto;
  padding: auto;
body{
  text-align: center;
}
header{
  height: 135px;
  background-color: dimgrey;
  width: 100%;
  z-index: 12;
  position: fixed;
.logo{
  width: 30%;
  float: left;
  line-height: 50px;
.logo a{
  text-decoration: none;
  font-size: 50px;
```

font-family: 'Times New Roman', Times, serif;

```
color: lightblue;
  letter-spacing: 5px;
nav{
  float: right;
  line-height: 125px;
}
nav a{
  text-decoration: none;
  font-family: Cambria, Cochin, Georgia, Times, 'Times New Roman', serif;
  letter-spacing: 1px;
  font-size: 30px;
  margin: 0 10px;
  color: lightblue;
}
.main{
  background-color: rgb(0,0,0,0.5);
  width: 1200px;
  height: 550px;
  margin-top: 100px;
  padding-top: 0.5px;
  margin-bottom: 50px;
.form{
  padding: 100px;
}
.login h2 {
  width: 800px;
  background-color: cornflowerblue;
  margin: auto;
  color: black;
  padding: 10px 10px 10px 10px;
  text-align: center;
  font-family: 'Times New Roman', Times, serif;
  font-size: 50px;
}
.name{
  margin-left: 50px;
  margin-top: 70px;
  width: 100px;
  color: #000;
  font-size: 30px;
  font-weight: 800;
```

```
white-space: normal;
}
.names{
  position: relative;
  left: 200px;
  top:-37px;
  line-height: 30px;
  width: 500px;
  border-radius: 6px;
  padding: 0 22px;
  font-size: 22px;
  color:#555;
}
.usn{
  position: relative;
  left: 200px;
  top:-37px;
  line-height: 40px;
  width: 500px;
  border-radius: 6px;
  padding: 0 22px;
  font-size: 22px;
  color:#555;
.semister{
  position: relative;
  left: 200px;
  top:-37px;
  line-height: 40px;
  width: 500px;
  border-radius: 6px;
  padding: 0 22px;
  font-size: 22px;
  color:#555;
}
button{
  background-color:silver;
  display: block;
  margin: 20px 0px 0px 20px;
  text-align: center;
  border-radius: 12px;
  border:2px solid aquamarine;
```

```
padding: 14px 110px;
  outline: none;
  color:black;
  cursor: pointer;
  transition: 0.25px;


font-weight: 700;
  font-size: 25px;
  font-family: 'Times New Roman', Times, serif;
}
```


## **IMPLEMENTATION**


## Snapshots:




































## **BIBLIOGRAPHY**

- $\bullet \quad https://www.w3schools.com$
- https://www.geeksforgeeks.org
- https://freefrontend.com

## **About my TEAM**

VAISHNAVI RAO executed the code in appropriate format using all the tags to create the website and was successful in creating the JavaScript.

ANUSHREE G searched the information about the student result and created JavaScript ARPITHA G took part in coding corrections and helped in providing information and pictures, backend code and JavaScript.

KEERTHANA M Suggested the Idea of the website and involved in coding part and created Backend.