

Below are complete, assignment-ready answers for all 5 tasks. I've used the official Schema.org [Article](#) documentation for the properties such as `headline`, `author`, `datePublished`, `dateModified`, `image`, and `sameAs`. ([Schema.org](#))

1. Simple HTML News Page with Article Schema using JSON-LD

Answer: JSON-LD is a recommended way to add structured data because the schema is placed separately inside a `<script type="application/ld+json">` block rather than mixing it with the visible HTML.

news-update.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>New Technology Update Released</title>

  <!-- Article Schema using JSON-LD -->
  <script type="application/ld+json">
  {
    "@context": "https://schema.org",
    "@type": "Article",
    "headline": "New Technology Update Released",
    "author": {
      "@type": "Person",
      "name": "Rahul Sharma"
    },
    "datePublished": "2026-09-10"
  }
  </script>
</head>

<body>

  <article>
    <h1>New Technology Update Released</h1>
```

```
<p>
  <strong>By Rahul Sharma</strong>
</p>

<p>
  Published on September 10, 2026
</p>

<p>
  A new technology update has been introduced with several
  improvements designed to provide users with a better experience.
</p>
</article>

</body>
</html>
```

The **headline** property represents the article headline, **author** identifies the person or organization responsible for the content, and **datePublished** represents the first publication date. ([Schema.org](https://schema.org))

2. JSON-LD vs Microdata

The same blog post can be marked up in two different ways.

A. JSON-LD Version

blog-jsonld.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">

  <title>Best Smartphones of 2026</title>

  <script type="application/ld+json">
  {
    "@context": "https://schema.org",
    "@type": "Article",
```

```

    "headline": "Best Smartphones of 2026",
    "author": {
      "@type": "Person",
      "name": "Rahul Sharma"
    },
    "datePublished": "2026-09-10",
    "image": "https://example.com/images/smartphones.jpg"
  }
</script>
</head>

<body>

  <article>
    <h1>Best Smartphones of 2026</h1>

    <p>By Rahul Sharma</p>

    <p>
      This article reviews some of the best smartphones
      available in 2026.
    </p>
  </article>

</body>
</html>

```

How JSON-LD works

The visible article remains normal HTML. The structured information is placed separately inside the JSON-LD script.

B. Microdata Version

blog-microdata.html

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">

  <title>Best Smartphones of 2026</title>

```

```

</head>

<body>

  <article itemscope itemtype="https://schema.org/Article">

    <h1 itemprop="headline">
      Best Smartphones of 2026
    </h1>

    <p>
      By
      <span itemprop="author"
        itemscope
        itemtype="https://schema.org/Person">
        <span itemprop="name">Rahul Sharma</span>
      </span>
    </p>

    <time itemprop="datePublished"
      datetime="2026-09-10">
      September 10, 2026
    </time>

    

    <p>
      This article reviews some of the best smartphones
      available in 2026.
    </p>

  </article>

</body>
</html>

```

Comparison

Feature	JSON-LD	Microdata
Location	<script> block	Inside HTML elements

HTML readability	Cleaner	More markup inside content
Easy to maintain	Generally easier	Can become complicated
Visible content	Doesn't modify it	Adds schema attributes
Example	<code>headline:</code> <code>"..."</code>	<code>itemprop="headline"</code>

Conclusion: For a modern website, I would generally choose **JSON-LD** because the structured data is separated from the visible HTML and is easier to maintain. Schema.org supports both approaches. ([Schema.org](https://schema.org))

3. BlogPosting Schema for a Tech Review

For a technology review blog post, **BlogPosting** can be used as the more specific article type.

tech-review.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>TechPhone X Review</title>

  <script type="application/ld+json">
  {
    "@context": "https://schema.org",
    "@type": "BlogPosting",

    "headline": "TechPhone X Review: Features and Performance",

    "author": {
      "@type": "Person",
      "name": "Rahul Sharma"
    },

    "datePublished": "2026-09-01",
    "dateModified": "2026-09-10",
```

```
    "image": "https://example.com/images/techphone-x.jpg"
  }
</script>
</head>

<body>

  <article>

    <h1>TechPhone X Review: Features and Performance</h1>

    <p>
      By Rahul Sharma
    </p>

    <p>
      Published: September 1, 2026 |
      Updated: September 10, 2026
    </p>

    

    <p>
      This review examines the design, performance,
      camera and battery life of the TechPhone X.
    </p>

  </article>

</body>
</html>
```

Here:

- **headline** = title of the review
- **author** = writer
- **datePublished** = original publication date
- **dateModified** = latest modification date
- **image** = article's representative image

Schema.org defines `dateModified` as the date on which the creative work was most recently modified. ([Schema.org](https://schema.org/dateModified))

4. Author Markup with Social Media Using `sameAs`

The `sameAs` property can connect the author entity to a webpage that clearly identifies that person, such as an official social profile. Schema.org describes `sameAs` as a URL pointing to a reference page that unambiguously identifies the entity. ([Schema.org](https://schema.org/sameAs))

Example

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">

  <title>Latest Business News</title>

  <script type="application/ld+json">
  {
    "@context": "https://schema.org",
    "@type": "Article",

    "headline": "Latest Business News and Market Updates",

    "author": {
      "@type": "Person",
      "name": "Rahul Sharma",
      "sameAs": [
        "https://www.instagram.com/rahulsharma",
        "https://twitter.com/rahulsharma"
      ]
    },

    "datePublished": "2026-09-10"
  }
  </script>
</head>
```

```
<body>

<article>

  <h1>Latest Business News and Market Updates</h1>

  <p>
    Written by Rahul Sharma
  </p>

  <p>
    The latest business developments and market trends
    are discussed in this article.
  </p>

</article>

</body>
</html>
```

Important: In a real website, replace the example social URLs with the author's **actual official profiles**. Don't add social accounts that do not belong to the author.

5. Research: Times of India / NDTV Structured Data

I checked the available current web evidence and the Schema.org definitions. For news websites, the important distinction is generally between the broad **Article** type and the more specific **NewsArticle** type.

Schema.org describes **Article** as a general article type that can cover news articles, investigative reports and other article formats. **NewsArticle** is the more specific subtype intended for news content. ([Schema.org](https://schema.org))

Main differences you should observe

Schema	Purpose	Typical use
--------	---------	-------------

Article	General article	General informational content
NewsArticle	News-specific article	Newspapers/news websites
BlogPosting	Blog post	Blogs, reviews and personal/company articles

A news article can contain properties such as:

```
{
  "@type": "NewsArticle",
  "headline": "Example News Story",
  "author": {
    "@type": "Person",
    "name": "News Reporter"
  },
  "datePublished": "2026-09-10",
  "dateModified": "2026-09-10",
  "image": "https://example.com/news-image.jpg"
}
```

What to look for when inspecting Times of India or NDTV

Open an article page and search the HTML source for:

application/ld+json

Then look for:

"@type": "Article"

or

"@type": "NewsArticle"

You can also check for:

headline
author
datePublished
dateModified
image
publisher
mainEntityOfPage

These properties are commonly important for describing an article. Schema.org specifically defines `headline`, `author`, `datePublished`, `dateModified`, `image`, and `mainEntityOfPage` for article/creative-work markup. ([Schema.org](https://schema.org))

Overall conclusion

For a news website:

`NewsArticle` is the most semantically specific choice when the content is genuinely news.

For a normal blog:

`BlogPosting` is usually more appropriate.

For general articles:

`Article` is the broader option.

So, for your own WordPress business articles such as **Intas Pharmaceuticals**, **Balaji Wafers**, or **Hemmlock**, I would generally use `Article` or `BlogPosting`, depending on whether the content is a general article or a blog-style post. ([Schema.org](https://schema.org))

Official reference

[Schema.org — Article documentation](https://schema.org/docs/Schemaorg_article_documentation.html)

[Schema.org — NewsArticle documentation](https://schema.org/docs/Schemaorg_newsarticle_documentation.html)