

Application of Microservice Architecture to B2B Processes

(IBM Watson Customer Engagement)

by

Arpit Jain
(2015047)

Supervisor(s):

External

Mr. Atul A. Gohad
(IBM ISL, Bangalore)

Internal

Dr. Aparajita Ojha
(PDPM IITDM Jabalpur)



Computer Science and Engineering

**INDIAN INSTITUTE OF INFORMATION TECHNOLOGY, DESIGN
AND MANUFACTURING JABALPUR**

(11st July 2018 – 26th July 2018)

Introduction

The International Business Machines Corporation (IBM) is an American multinational technology company headquartered in Armonk, New York, United States, with operations in over 170 countries. IBM manufactures and markets computer hardware, middleware and software, and provides hosting and consulting services in areas ranging from mainframe computers to nanotechnology.

IBM aims to bring Businesses closer and smarter than ever with the help of their state of the art enterprise software product called B2B Sterling Integrator. IBM B2B Integrator helps companies integrate complex B2B (Business to Business) / EDI (Electronic Data Exchange) processes with their partner communities. IBM aims to transform the B2B Sterling product into Microservice architecture.

Brief Overview

During the duration of my last report, I got myself acquainted with the Sterling Integrator product and deployed a Sample WAR (Web Application Archive) file on this platform. Using the knowledge of deployment of this WAR file, I deployed B2Bi services WAR package to the sterling Integrator enhancing its functionality.


Report on the Present Investigation

(Progress during this 15-days period)

Deploying B2Bi packaged WAR file on the B2B SI server

B2B Sterling Integrator 5.2.6.1 introduced a new REST API interface to provide support for the recently released Partner Engagement Manager (formerly Multi-Enterprise Relationship Management (MRM)). The REST API provides a more efficient mechanism for onboarding trading partners.

On the successful installation of B2B Sterling Integrator, B2Bi services WAR file is generated in the installation directory. For the deployment of this WAR file, a HTTP Server Adapter service is to be created for Binding the APIs to an URI (endpoint).



Step 2 : Bind the New URI to the B2Bi WAR Source file.

Administration Menu

- Business Processes
- Trading Partner
- Deployment
- Installation/Setup
 - Configuration
 - Schedules
 - Maps
 - Standards
 - Extended Rule Libraries
 - XSLT
 - Web Extensions
 - Schemas
 - Mailboxes
 - Global Mailbox
 - EDML
 - Resource Manager
 - Adapter Utilities
 - SSH Host Identity Key
 - Web Services
 - elrvoicing
 - EBICS
 - Operations
 - Accounts
 - Standards Processing Engine

Services Configuration

Http Server Adapter: URI: URI Config

URI: /B2BiAPIs

Launch BP Or WAR

- Business Process
- War File

Back Next Cancel Save

Services Configuration

Select Node node1

Services 1-10 of 10

Enabled	Select	Name	Type	Advanced State
<input checked="" type="checkbox"/>		EBICS Http Server Adapter	HTTP Server Adapter	Enabled
<input checked="" type="checkbox"/>		ebXML Http Server Adapter	HTTP Server Adapter	Enabled
<input checked="" type="checkbox"/>		Http Server Adapter	HTTP Server Adapter	Enabled
<input checked="" type="checkbox"/>		Map Test Http Server Adapter	HTTP Server Adapter	Enabled
<input checked="" type="checkbox"/>		REST Http Server Adapter	HTTP Server Adapter	Enabled
<input checked="" type="checkbox"/>		RN Http Server Adapter	HTTP Server Adapter	Enabled
<input checked="" type="checkbox"/>		SOA Http Server Adapter	HTTP Server Adapter	Stopped
<input checked="" type="checkbox"/>		SOA SSL Http Server Adapter	HTTP Server Adapter	Enabled
<input checked="" type="checkbox"/>		SWIFTNet Http Server Adapter	HTTP Server Adapter	Enabled
<input checked="" type="checkbox"/>		SWIFTNet7 Http Server Adapter	HTTP Server Adapter	Enabled

URI

URI: /B2BiAPIs

War File Path: /ais_local/share/swathb13/gis_CAT_5263_5_60600/platform_core/install/noapp/deploy/b2biAPIs.war

URI

URI: /b2bhttp/certificate/report

Business Process: CertificateReport

Send Raw Messages: No

Run BP in Sync Mode: No

URI

URI: /b2bhttp/inbound/as2

Business Process: EDINTParse

Send Raw Messages: Yes

Run BP in Sync Mode: No

URI

URI: /B2BiAPIs

War File Path: /ais_local/share/swathb13/gis_CAT_5263_5_60600/platform_core/install/noapp/deploy/b2biAPIs.war

Now, after the successful creation of the HTTP Adapter service, Web.xml file is to be edited to set the default page to open. In the case of B2Bi APIs, is called `/svc/*`. After making this change, the WAR package is transferred to the `install/noapp/deploy` directory on the SI server. Also, the WAR package is unpacked for the SI to recognize the link of the new URI (created in the previous step) to this unpacked directory.

Step 3 : Update the Web.xml file to set the base/default page to open. Step 4 : Copy the WAR file to the Deploy Directory.

new 1

microservices key notes.txt

combackofundit.txt

JSONService.java

Product.java

NetClientGet.java

NetClientPost.java

vthomkar.txt

SocketClientAdapter.xml

web.xml

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

<?xml version="1.0" encoding="UTF-8"?>

<web-app id="WebApp_ID" version="3.0" xmlns="http://java.sun.com/xml/ns/javaee" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://java.sun.com/xml/ns/javaee http://java.sun.com/xml/ns/javaee/web-app_3_0.xsd">

<display-name>B2BiAPIs</display-name>

<welcome-file-list>

<welcome-file>index.html</welcome-file>

<welcome-file>index.htm</welcome-file>

<welcome-file>index.jsp</welcome-file>

<welcome-file>default.html</welcome-file>

<welcome-file>default.htm</welcome-file>

<welcome-file>default.jsp</welcome-file>

</welcome-file-list>

<servlet>

<servlet-name>svc</servlet-name>

<servlet-class>com.ibm.b2b.api.IntegratorWebServiceServlet</servlet-class>

<load-on-startup>0</load-on-startup>

</servlet>

<servlet-mapping>

<servlet-name>svc</servlet-name>

<url-pattern>/svc/*</url-pattern>

</servlet-mapping>

<resource-ref>

<description>10x Connection Pool</description>

<res-ref-name>jdbc/tank</res-ref-name>

<res-type>javax.sql.DataSource</res-type>


<res-auth>Container</res-auth>

</resource-ref>

```

-sh-4.2$ cd install/noapp/deploy/
-sh-4.2$ ls
admin          backups.war
admin.war      certwiz
aft            certwiz.war
aft.war        communitymanagement
b2bhttp        communitymanagement.war
b2bhttp.war    dashboard
b2biAPIs       dashboard.war
b2biAPIs.war   demosuite
backups        demosuite.war
-sh-4.2$

```



Finally, after the deployment of the B2Bi WAR file (nearly takes 2-3 Hours), the APIs can be accessed at the previously specified URI. The web interface thus opened, shows the list of all the APIs along with their Call methods.

Results and Discussions

The core of B2Bi is composed of multiple business processes which are used to automate the operation of B2B services (Mailbox, Invoice, Order; etc). Separate microservices can be deployed on the B2B SI platform server to enhance its functionality. By the deployment of B2Bi APIs on the sterling integrator platform, REST API calls can be placed to interact with the product.

B2Bi APIs are composed of a set of multiple APIs like mailbox, certificates, codelists, useraccounts; etc. Services in the sterling Integrator are utilised using these APIs only. My next aim is to automate this invocation of REST services using a REST API Client business process which will place calls to the B2Bi APIs.

Conclusions

During past few weeks, I got acquainted to the Deployment models on the B2B Sterling Integrator. I also researched about the B2B processes and learned to code them using XML semantics. Using the knowledge of Sample WAR deployment during the previous report session, I deployed B2B standard services to the server of Sterling Integrator.

Next Target

My target for the next 15 days is to create a REST API Client service and Business process for the Sterling Integrator B2Bi Services. This will help in the automation of **CRUD (Create/ Read/ Update/ Delete)** operations on the B2B APIs (which I deployed in this report).