

1. Which is not one of the roles defined in SOAP's message exchange model?
 - a. Node
 - b. Intermediary
 - c. Actor
 - d. Sender & receiver
 - e. Client & Server

2. _____ is intended to be used to identify unique items (viz. – SOAP action or namespace). It need not resolve to a physical location
 - a. URN
 - b. URI
 - c. URL
 - d. Both (a) & (b)
 - e. Both (b) & (c)

3. What kind of change can be made to a Webservices Description Language (WSDL) document without breaking an existing requester?
 - a. Adding new XML schema types
 - b. Changing the parameters of an operation, in data type or order
 - c. Renaming an operation
 - d. Changing the structure of a complex data type
 - e. None of the above

4. JAXM supports
 - a. Synchronous communication
 - b. Asynchronous communication
 - c. Both (a) & (b)
 - d. None of the above

5. In JAXM , if the onMessage() wants to process request & response then the JAXM servlet should implement the following listener
 - a. OnewayListener
 - b. ReqRespListener
 - c. Both (a) & (b)
 - d. None of the above

6. WSDL can be used to:
 - a. Describe endpoints and their messages
 - b. Treat messages as abstract descriptions of the data being exchanged
 - c. Treat port types as abstract collections of a web services' operations
 - d. All of the above

7. Which of these transmission primitives are defined in WSDL specification?

- a. Request-response
- b. Solicit-response
- c. One-way
- d. All of the above

8. WSDL defines binding extensions for:

- a. SOAP 1.1
- b. HTTP GET
- c. HTTP POST
- d. MIME
- e. All of the above

9. XML namespace is not

- a. a name that qualifies element and attribute names
- b. who provides an alias to use within the current XML document for referring to the rules defined in a separate XML schema document
- c. a qualifier for tags
- d. a physical document which contains schema

10. An XML namespace qualified in an XML document through a

- a. QNAME
- b. XNS
- c. XMS
- d. Any of the above

Answer Key

1	e
2	d
3	a
4	c
5	b
6	d
7	d
8	e
9	d
10	a