1. Creating and renaming files/directories

Mkdir test_dr  #create a new directory named test_dir.
Cd test_dir  # changes the current directory to test_dir.
touch example.txt  #create an empty file named example.txt.
Mv example.txt renamed_example.txt  #this command mv renames example.txt to renamed example.txt



2. Viewing file contents

Cat /etc/passwd #display the contents of the /etc/passwd file.
Head -5 /etc/passwd #displays the first 5 lines of the /etc/passwd file.
Tail -5 /etc/passwd #displays the last 5 lines of the /etc/passwd file.






3. Searching for patterns:

Grep “root” /etc/passwd #search for lines containing the word root in the /etc/passwd file.



4. Zipping and unzipping:

Zip -r test_dir.zip test_dir #compresses the test_dir directory into a zip file named test_dir.zip.
Unzip test_dir.zip -d unzipped_dir #extracts the contents of test_dir.zip into the unzipped_dir directory.




5. Downloading files:

Wget https://example-files.online-convert.com/document/txt/example.txt #download the file from the given url using wget.



6. Changing permission:

Touch secure.txt #creates an empty file named secure.txt .

Chmod 444 secure.txt #changes the permission of secure.txt to read-only for everyone.




7. Environment variables:

Export MY_VAR="hello, linux!" #creates an environment variables named MY_VAR.

Echo $MY_VAR #displays the value stored in the MY_VAR environment variable.