

M3R

*A Project Report Submitted
In Partial Fulfillment
for award of Bachelor of Technology*

**In
COMPUTER SCIENCE ENGINEERING
(Internet of Things)**

By

**ARPIT RAJ (Roll No.2101331550019)
UNNATI MISHRA (Roll No. 2101331550076)
CHHATISH KUMAR (Roll No. 2101331550024)
AVANISH PRATAP SINGH (Roll No. 2101331550021)**

**Under the Supervision of
Mr. MAYANK DEEP KHARE
HoD, CSE - (IoT)**



**COMPUTER SCIENCE & ENGINEERING (IoT)
NOIDA INSTITUTE OF ENGINEERING AND TECHNOLOGY,
GREATER NOIDA
(An Autonomous Institute)
Affiliated to
DR. A.P.J. ABDUL KALAM TECHNICAL UNIVERSITY, LUCKNOW
May, 2024**

DECLARATION

We hereby declare that the work presented in this report entitled “**M3R**”, was carried out by us. We have not submitted the matter embodied in this report for the award of any other degree or diploma of any other University or Institute. We have given due credit to the original authors/sources for all the words, ideas, diagrams, graphics, computer programs, experiments, results, that are not my original contribution. We have used quotation marks to identify verbatim sentences and given credit to the original authors/sources.

We affirm that no portion of our work is plagiarized, and the experiments and results reported in the report are not manipulated. In the event of a complaint of plagiarism and the manipulation of the experiments and results, we shall be fully responsible and answerable.

Name : Arpit Raj
Roll Number : 2101331550019

Name : Unnati Mishra
Roll Number : 2101331550076

Name : Chhatish Kumar
Roll Number : 2101331550024

Name : Avanish Pratap Singh
Roll Number : 2101331550021

CERTIFICATE

Certified that **Arpit Raj, Unnati Mishra, Chhatish Kumar, Avanish Pratap Singh** (Roll numbers: 2101331550019, 2101331550076, 2101331550024, 2101331550021) have carried out the research work presented in this Project Report entitled “**M3R**” for the award of **Bachelor of Technology, CSE-(IoT)** from Dr. APJ Abdul Kalam Technical University, Lucknow under our supervision. The Project Report embodies results of original work, and studies are carried out by the students herself/himself. The contents of the Project Report do not form the basis for the award of any other degree to the candidate or to anybody else from this or any other University/Institution.

Signature

(Mr. Mayank Deep Khare)

(HoD)

(CSE-(IoT)

NIET Greater Noida

Date: May 15, 2024

ACKNOWLEDGEMENTS

We would like to express my gratitude towards **Mr. Mayank Deep Khare** for their guidance and constant supervision as well as for providing necessary information regarding the project & also for their support in completing the project.

Our thanks and appreciations to respected HOD, for their motivation and support throughout.

ABSTRACT

The M3R is a project that combines the principles of Metering, Monitoring, and Mechanization (3 M's) to provide an efficient and automated solution for building management. The project utilizes the power of Internet of Things (IoT) and retrofitting techniques to transform traditional buildings into smart, connected structures.

The key components of the system include ESP32 microcontroller, ZMPT101B voltage sensor, SCT013 current sensor, relays, buzzer, LEDs, LCD display, and various other electronic components. These components work together to measure and monitor important parameters such as voltage, current, power, and energy consumption in the building.

The system enables real-time monitoring of energy usage, allowing building owners or facility managers to gain insights into energy consumption patterns and make informed decisions for energy optimization. The data collected from the sensors is transmitted wirelessly to a central control system through the ESP32 microcontroller, which acts as a gateway between the sensors and the internet.

The project also incorporates mechanization aspects by utilizing relays, LEDs, and a buzzer for implementing control actions based on predefined thresholds or user-defined rules. For example, based on the monitored data, the system can automatically switch on or off specific appliances or devices, activate alarms or alerts in case of abnormal conditions, and provide visual indications through LEDs or an LCD display.

The M3R offers several benefits, including improved energy efficiency, reduced costs, enhanced comfort and safety, and increased automation and control over building operations. It provides a scalable and customizable solution that can be adapted to different building types and sizes.

Overall, this project demonstrates the potential of IoT and retrofitting technologies in creating intelligent and efficient building management systems. By combining Metering, Monitoring, and Mechanization, it enables effective energy management, promotes sustainability, and enhances the overall user experience in buildings.

TABLE OF CONTENTS

	Page No.
Declaration	i
Certificate	ii
Acknowledgements	iii
Abstract	iv, v
List of Tables	vi
List of Figures	vii
CHAPTER 1: INTRODUCTION	1-2
CHAPTER 2: LITERATURE REVIEW	3-4
CHAPTER 3: REQUIREMENTS	5-7
CHAPTER 4: PROPOSED METHODOLOGY	8-12
CHAPTER 5: RESULTS	13-14
CHAPTER 6: CONCLUSION AND FUTURE WORK	15-16
REFERENCES	17

Name: Arpit Raj

Roll No: 2101331550019

Name: Unnati Mishra

Roll No: 2101331550076

Name: Chhatish Kumar

Roll No: 2101331550024

Name: Avanish Pratap Singh

Roll No: 2101331550021

LIST OF TABLES

Table No.	Table Caption	Page No
2.1	Literature Survey	3-4

LIST OF FIGURES

Fig No	Caption	Page No
4.1	Smart Energy Monitoring System Circuit	9
4.2	Wiring in the Circuit	10
4.3	Prototype of the device	10
4.4	Flowcharts	11-12

CHAPTER 1

INTRODUCTION:

The increasing focus on energy efficiency, cost reduction, and sustainable practices has led to the emergence of IoT-based solutions in various domains. In the context of buildings, monitoring and optimizing energy consumption have become crucial for achieving energy efficiency targets and ensuring occupant comfort and safety. Retrofitting existing buildings with smart technologies offers a viable approach to implement energy-efficient systems without the need for extensive construction or major infrastructure changes.

This project presents an M3R that integrates metering, monitoring, and mechanization to enhance energy management and control in buildings. The primary objective of this project is to create a centralized control system that collects data from different sensors, processes it, and presents it to users in a user-friendly manner. The collected data includes real-time energy consumption, power quality parameters, and other relevant information. By visualizing this data through the LCD display or remotely accessing it through a mobile application, users can monitor their building's energy usage and make informed decisions to optimize energy consumption.

Additionally, the system incorporates mechanisms for automation and mechanization. By using relays, electrical devices such as lighting, HVAC systems, and appliances can be remotely controlled based on predefined rules or user commands. This automation capability enhances convenience, energy efficiency, and comfort for building occupants.

Overall, this M3R offers a comprehensive solution for energy management and control in buildings. By combining Metering, Monitoring, and Mechanization, it empowers users to optimize energy consumption, reduce costs, enhance comfort and safety, and contribute to a sustainable and efficient future.

Reason behind Why we are doing this? The current energy management practices in buildings lack real-time monitoring, automation, and optimization capabilities, resulting in inefficient energy consumption, increased costs, and suboptimal occupant comfort. This problem is particularly challenging in existing buildings where implementing energy-efficient systems without major construction or infrastructure changes is difficult. The lack of an efficient and scalable solution for real-time metering, monitoring, and mechanization further increase the issue. Manual utility meter readings, limited data availability, and inadequate automation contribute to inefficient energy consumption and higher expenses.

To address these challenges and optimize energy management in buildings, there is a critical need for an integrated solution. This solution should enable seamless metering, monitoring, and mechanization, leveraging IoT-based technologies. Retrofitting existing buildings with a comprehensive Building Monitoring System that integrates various components, sensors, and remote-control capabilities is essential. Such a solution would facilitate real-time monitoring, automation, and optimization of energy consumption, resulting in improved efficiency, cost savings, and enhanced occupant comfort.

CHAPTER 2

LITERATURE REVIEW:

Year	Author	Publisher	Content
2022	Muhammad Uzair, Salah Yacoub Al-Kafrawi, Karam Manaf Al-Janadi, and Ibrahim Abdulrahman Al-Bulushi	IJECES	IoT Building Management System: Arduino Mega, Raspberry Pi, MQTT for efficiency.[1]
2022	K.Aljumaili, M.Gupta, et al	Energy Reports	IoT, machine learning integration enhances building energy efficiency.[2]
2021	M. Weitkemper, F. Michahelles	IEEE Internet of Things Journal	Smart buildings integrate IoT for energy management, efficiency, cost reduction.[3]
2021	N.H.A. Kamarudin, M.F.A. Rasid, et al	IEEE Access	IoT in building energy management, sensors, analytics, challenges, opportunities.[4]
2020	Muhammad Saidu Aliero, Muhammad Asif, Imran Ghani, Muhammad Fermi Pasha and Seung Ryul Jeong	MDPI	IoT architectures, applications in building management, sensors, communication protocols.[5]
2019	Peter Minarčík, Hynek Procházka, Martin Gulan	Elsevier	Signal analysis, advanced supervision for smart building, industrial control.[6]
2018	Z. Zhong, Y. Lin, et al.	Renewable and Sustainable Energy Reviews	Comprehensive review explores IoT for smart energy management in buildings, emphasizing real-time monitoring and optimization.[7]

2018	Sohraby, K., Minoli, D., & Occhiogrosso, B.	IEEE Internet of Things Journal	IoT-based system optimizes energy use in buildings through sensor data and automation for efficiency.[8]
------	---	---------------------------------	--

Table 2.1: Reference Researches

CHAPTER 3

REQUIREMENTS:

3.1 Hardware

1. **ESP32:** The ESP32 is a powerful microcontroller that serves as the main control unit in the system. It provides Wi-Fi and Bluetooth connectivity, allowing the system to connect to the internet and communicate with other devices.
2. **ZMPT101B Voltage Sensor:** The ZMPT101B is a voltage sensor used to measure the AC voltage in the building's electrical system. It provides an analog output that can be read by the ESP32 to monitor the voltage levels.
3. **SCT013 Current Sensor:** The SCT013 is a current sensor that measures the AC current flowing through the electrical circuits. It is a non-invasive sensor that can be clamped around a wire to measure the current. The sensor output is read by the ESP32 to monitor the current consumption.
4. **Relays:** Relays are used to control electrical devices and appliances in the building. They are connected to the ESP32 and can be switched on or off remotely. The relays enable the automation and remote control of various systems, such as lighting, HVAC, and power outlets.
5. **Buzzer:** The buzzer is used for audible alerts and notifications. It can be activated by the ESP32 to indicate specific events or alarms, providing feedback to the users.
6. **LEDs:** LEDs (Light Emitting Diodes) are used as visual indicators in the system. They can be controlled by the ESP32 to display status information, such as power on/off, system status, or alerts.
7. **LCD Display:** An LCD (Liquid Crystal Display) is used to provide visual feedback and information to the users. It can display various parameters, such as voltage, current, power consumption, and system status, allowing users to monitor the building's energy usage.

These hardware components work together to enable real-time monitoring, automation, and control of the building's energy systems. The ESP32 acts as the central controller, collecting data from sensors, making decisions based on predefined rules or user inputs, and controlling

the relays, buzzer, LEDs, and LCD display accordingly. The system facilitates efficient energy management, remote monitoring, and optimization of energy consumption in the building.

3.2 Software

The software component of the M3R project plays a crucial role in collecting, analyzing, and managing the data from various hardware components. It enables real-time monitoring, data visualization, automation, and remote-control capabilities.

The software functionalities include:

1. **Data Acquisition:** The software interacts with the ESP32 microcontroller to collect data from the connected sensors such as the ZMPT101B voltage sensor and SCT013 current sensor. It retrieves the voltage, current, and other relevant measurements at regular intervals.
2. **Data Processing and Analysis:** The software processes the collected data to calculate power consumption, energy usage, and other derived parameters. It performs data analysis to identify patterns, trends, and anomalies in energy consumption, enabling users to gain insights into their building's energy usage.
3. **Real-time Monitoring:** The software provides a real-time monitoring interface that displays the current voltage, current, power consumption, and other parameters on a graphical dashboard. Users can visualize the energy usage patterns and monitor the performance of their building's energy systems in real-time.
4. **Alarms and Alerts:** The software incorporates an alarm and alert system to notify users about critical events or abnormal conditions. For example, it can detect high energy consumption, voltage fluctuations, or system failures and trigger alarms through visual indicators, sound alerts using the buzzer, or notifications on a mobile device.
5. **Data Logging and Storage:** The software stores the collected data in a database for historical analysis and long-term monitoring. It enables users to access past energy consumption records, generate reports, and identify energy-saving opportunities based on historical trends.
6. **Automation and Control:** The software allows users to define rules and set automation parameters to optimize energy management. For instance, users can schedule the activation and deactivation of specific devices or appliances using the relays, based on time of day, occupancy, or energy demand.

7. Remote Access and Control: The software enables remote access and control of the building's energy systems. Users can monitor and control the connected devices, such as turning lights on/off, adjusting temperature settings, or managing power outlets, from anywhere using a mobile app or a web interface.

Overall, the software component complements the hardware by providing advanced functionalities for data management, analysis, visualization, automation, and remote control. It empowers users to make informed decisions, optimize energy usage, and improve the overall energy efficiency and comfort of the building.

CHAPTER 4

PROPOSED METHODOLOGY:

The methodology of the M3R project involves several key steps and processes. Here is an overview of the methodology:

1. **Requirement Analysis:** The project begins with a comprehensive analysis of the requirements and objectives. This includes identifying the specific metering, monitoring, and mechanization needs of the building, understanding energy management challenges, and defining the desired outcomes of the project.
2. **System Design:** Based on the requirements analysis, a system design is created. This involves selecting appropriate hardware components such as ESP32, ZMPT101B, SCT013, relays, LEDs, and LCD display. The design also includes defining the communication protocols, connectivity options, and sensor configurations.
3. **Hardware Implementation:** The selected hardware components are assembled and integrated according to the system design. This involves connecting sensors, actuators, and other peripherals to the ESP32 microcontroller. Careful attention is given to the wiring, power supply, and physical placement of the hardware components.
4. **Software Development:** The software part of the project involves developing the firmware for the ESP32 microcontroller. This includes programming the ESP32 to collect data from the sensors, process the data, and control the actuators based on predefined logic and algorithms. The software also includes the integration with the Blynk platform for remote monitoring and control.
5. **Testing and Validation:** The implemented system is thoroughly tested to ensure its functionality, reliability, and accuracy. This includes validating the sensor readings, verifying the control actions of the actuators, and testing the remote monitoring and control capabilities through the Blynk platform. Any issues or bugs are identified and resolved during this stage.
6. **Deployment and Integration:** Once the system is tested and validated, it is deployed in the building environment. This involves integrating the system with the existing electrical infrastructure, ensuring proper connections and compatibility. The system is installed and configured to gather real-time data and perform automated control operations.
7. **Data Analysis and Optimization:** The collected data from the sensors is analyzed to gain insights into energy consumption patterns, identify areas of improvement, and optimize

energy management strategies. Data visualization techniques and analytics tools may be used to interpret the data and make informed decisions for energy optimization.

8. **Monitoring and Maintenance:** The deployed system is continuously monitored to ensure its proper functioning and performance. Regular maintenance activities such as sensor calibration, firmware updates, and hardware inspections are carried out to maintain the system's efficiency and reliability.

Throughout the methodology, considerations for scalability, flexibility, and compatibility with future expansions are taken into account to accommodate future enhancements and developments in the building monitoring system.

By following this methodology, the project ensures a systematic and structured approach to designing, implementing, and deploying the M3R, leading to effective energy management and optimization in buildings.




Fig4.1: Smart Energy Monitoring System Circuit




Fig4.2: Wiring in the Circuit






Fig4.3: Prototype of the device


FLOWCHARTS EXPLAINING PROPOSED METHODOLOGY



1



2



CHAPTER 5

RESULT:

The result of the M3R project is a comprehensive and efficient solution for metering, monitoring, and mechanization in buildings. By implementing this system, several positive outcomes can be achieved:

1. **Real-time Energy Monitoring:** The project enables real-time monitoring of energy consumption, providing accurate and up-to-date information on voltage, current, power usage, and energy consumption. This empowers users to make informed decisions and take necessary actions to optimize energy usage.
2. **Energy Efficiency Optimization:** With access to real-time energy data and insights, building owners and operators can identify energy-saving opportunities and implement energy efficiency measures. This can result in reduced energy consumption, lower utility bills, and a smaller carbon footprint.
3. **Cost Savings:** By optimizing energy usage and implementing energy-efficient practices, the project helps reduce operational costs associated with energy consumption. Building owners can save on electricity expenses and improve their overall financial performance.
4. **Enhanced Occupant Comfort:** The project's monitoring capabilities enable users to identify comfort-related issues such as temperature fluctuations or inadequate lighting. By addressing these issues, building occupants can enjoy improved comfort and productivity.
5. **Remote Control and Automation:** The project's software component enables remote control and automation of various building systems. Users can remotely manage devices, adjust settings, and schedule operations, providing convenience and flexibility in building management.
6. **Early Detection of Anomalies:** The system's alarm and alert functionalities notify users about abnormal conditions such as high energy consumption, voltage fluctuations, or system failures. This enables proactive maintenance and troubleshooting, minimizing downtime and potential damages.
7. **Data-driven Decision Making:** The project's software provides data logging and storage capabilities, allowing users to access historical energy consumption records and

generate reports. This data-driven approach facilitates informed decision-making, energy planning, and performance analysis.

In conclusion, the M3R project delivers tangible results in terms of energy efficiency, cost savings, occupant comfort, and remote management capabilities. It empowers building owners and operators with the tools and insights necessary to optimize energy usage, reduce costs, and enhance the overall performance of the building.

CHAPTER 6

CONCLUSION and FUTURE WORK:

In conclusion, the M3R project successfully addresses the challenges faced in energy management practices in buildings. By integrating metering, monitoring, and mechanization capabilities, the project offers a comprehensive solution that enables real-time energy monitoring, optimization, and remote control.

Through the implementation of this system, building owners and operators can achieve significant benefits. These include improved energy efficiency, cost savings, enhanced occupant comfort, and data-driven decision-making. The project empowers users to make informed choices regarding energy consumption, identify energy-saving opportunities, and optimize building systems for optimal performance.

Furthermore, the project highlights the importance of retrofitting existing buildings with smart technologies to overcome the limitations of traditional energy management practices. It demonstrates the potential of IoT and retrofitting solutions in transforming buildings into energy-efficient and sustainable spaces.

Overall, the M3R project contributes to the advancement of energy management practices in buildings and provides a foundation for future research and development in this field. With its successful implementation, it opens doors for further innovation and enhancements in energy efficiency, automation, and remote control capabilities in the built environment.

The M3R project offers several potential avenues for future development and expansion.

Some of the key future scopes of this project include:

1. **Advanced Data Analytics:** The project can be enhanced by implementing advanced data analytics techniques to gain deeper insights into energy consumption patterns, identify trends, and optimize energy management strategies. Machine learning algorithms and predictive analytics can be employed to develop intelligent energy optimization models.
2. **Integration with Renewable Energy Sources:** The system can be extended to incorporate renewable energy sources such as solar panels or wind turbines. Integration with renewable energy generation systems would enable real-time monitoring of energy production, consumption, and balance, fostering a more sustainable and self-sufficient building environment.

3. **Smart Grid Integration:** Integration with the smart grid infrastructure can enable bidirectional communication and energy exchange between the building and the utility grid. This integration can facilitate dynamic demand response mechanisms, peak load management, and participation in energy market programs, leading to further energy optimization and cost savings.
4. **Energy Demand Forecasting:** By incorporating weather data, occupancy patterns, and historical energy consumption data, the system can develop energy demand forecasting models. Accurate demand forecasting can help optimize energy supply, storage, and distribution, ensuring efficient energy utilization and reducing reliance on the grid.
5. **User Engagement and Feedback:** The project can be expanded to include user engagement features such as energy consumption feedback, personalized energy-saving recommendations, and gamification elements. This would encourage building occupants to actively participate in energy conservation efforts and promote a culture of sustainable behaviour.
6. **Integration with Building Management Systems (BMS):** Integration with existing building management systems can enable seamless control and coordination of various building systems such as HVAC, lighting, and security. This integration would enhance overall building automation and optimization, further improving energy efficiency and occupant comfort.
7. **Scalability and Deployment in Smart Cities:** The project can be scaled up for deployment in smart city initiatives. By integrating with city-wide infrastructure and data platforms, the system can contribute to the creation of energy-efficient, interconnected urban ecosystems, where buildings actively participate in energy management and grid stability.

These future scopes expand the possibilities for the M3R project, showcasing its potential for ongoing innovation, increased energy efficiency, and sustainable building practices.

REFERENCES

- [1] [Muhammad Uzair, Salah Yacoub Al-Kafrawi, Karam Manaf Al-Janadi, and Ibrahim Abdulrahman Al-Bulushi]. (2022). A Low-Cost IoT Based Buildings Management System (BMS). International Journal of Electronics and Communication Engineering & Technology (IJECEs).
- [2] [K.Aljumaili, M.Gupta, et al]. (2022). Integration of IoT and Machine Learning for Building Energy Management. Energy Reports.
- [3] [M. Weitkemper, F. Michahelles]. (2021). Smart Buildings and the Internet of Things. IEEE Internet of Things Journal.
- [4] [N.H.A. Kamarudin, M.F.A. Rasid, et al]. (2021). A Survey on IoT Applications in Building Energy Management Systems. IEEE Access.
- [5] [Muhammad Saidu Aliero,Muhammad Asif,Imran Ghani,Muhammad Fermi Pasha andSeung Ryul Jeong]. (2020). Systematic Review Analysis on Smart Building: Challenges and Opportunities. MDPI.
- [6] [Peter Minarčík, Hynek Procházka, Martin Gulán]. (2020). Advanced Supervision of Smart Buildings. Elsevier.
- [7] [Z. Zhong, Y. Lin, et al.]. (2018). Internet of Things for Smart Energy Management Systems in Buildings: A Review of Recent Progresses and Future Challenges. Renewable and Sustainable Energy Reviews.
- [8] [Sohraby, K., Minoli, D., & Occhiogrosso, B.]. (2018). IoT-based Smart Building Energy Management System. IEEE Internet of Things Journal.

PUBLICATIONS

To be communicated

