CS754 Assignment 3 Report

Arpon Basu Shashwat Garg

Spring 2022

Contents

1	Problem 1	2
2	Problem 2	2
3	Problem 3	2
4	Problem 4	2
5	Problem 5	2
6	Problem 6	3

Introduction

Welcome to our report on CS754 Assignment 3. We have tried to make this report comprehensive and self-contained. We hope reading this would give you a proper flowing description of our work, methods used and the results obtained.

Hope you enjoy reading the report. Here we go!

- 1 Problem 1
- 2 Problem 2
- 3 Problem 3
- 4 Problem 4
- 5 Problem 5

We know that Radon Transform is given by-

$$R_{\theta}(f) = g(\rho, \theta) = \int_{-\infty}^{+\infty} f(\rho cos\theta - zsin\theta, \rho sin\theta + zcos\theta) dz$$

We can write the same as-

$$R_{\theta}(f) = g(\rho, \theta) = \int_{-\infty}^{+\infty} \int_{-\infty}^{+\infty} f(x, y) \delta(x \cos \theta + y \sin \theta - \rho) dx dy$$

Let the scaled image be denoted by h(x.y) = f(ax, ay). This is the same image as original, but scaled by a factor of a, in both x and y directions.

We can write the same Radon Transform as-

$$R_{\theta}(h) = g'(\rho, \theta) = \int_{-\infty}^{+\infty} \int_{-\infty}^{+\infty} h(x, y) \delta(x \cos\theta + y \sin\theta - \rho) dx dy$$

$$R_{\theta}(h) = g'(\rho, \theta) = \int_{-\infty}^{+\infty} \int_{-\infty}^{+\infty} f(ax, ay) \delta(x \cos\theta + y \sin\theta - \rho) dx dy$$

$$R_{\theta}(h) = g'(\rho, \theta) = \int_{-\infty}^{+\infty} \int_{-\infty}^{+\infty} f(x', y') \delta\left(\frac{x' \cos\theta + y' \sin\theta - a\rho}{a}\right) \frac{dx'}{a} \frac{dy'}{a}$$

Since $\delta(ax) = \delta(x)/a$, we get-

$$R_{\theta}(h) = g'(\rho, \theta) = \frac{1}{a} \int_{-\infty}^{+\infty} \int_{-\infty}^{+\infty} f(x', y') \delta(x' \cos \theta + y' \sin \theta - a\rho) dx' dy'$$
$$R_{\theta}(h) = g'(\rho, \theta) = \frac{1}{a} g(a\rho, \theta)$$

Thus, we can see that the Radon transform of the scaled image is also scaled by a factor of a in the size of projection, but the intensity of each projection has reduced by a as well.

6 Problem 6