Version: 0.2

Status: for approval **Date:** 20201210

**Author:** Gustav Hansson

Contact: gushan-6@student.ltu.se



## Arrowhead C# Client library SoS

### **Abstract**

This document defines the template for the System-of-Systems Description of Arrowhead compliant System-of-Systems.

It will contain an abstract high level view, describing the System-of-Systems main functionalities and architecture

This document will mainly be used to describe one System-of-Systems in an abstract way, i.e. without instantiating into any specific technologies. In Arrowhead such document will be used to describe a pilot.

All Arrowhead System-of-Systems should be specified using this template and stored on a common repository (available on the SVN server), in order to document and formalize the pilot demonstrators and the common Arrowhead framework.

Version: 0.2

Status: for approval **Date:** 20201210

**Author**: Gustav Hansson

Contact: gushan-6@student.ltu.se



### Table of contents

1	System of Systems Overview	3
	Systems	
	Use-cases	
4	Behavior diagrams	5
5	Non-functional requirements	5
6	Security	5
7	References	6
	Revision history	
	8.1 Amendments	

Version: 0.2

Status: for approval **Date:** 20201210

Author: Gustav Hansson

Contact: gushan-6@student.ltu.se



## 1 System of Systems Overview

This document describes a small example system-of-systems to give an example on how to use the C# Client library. It consists of a Producer and a Consumer, both using the library to communicate with the Arrowhead Core Systems.

# 2 Systems

#### Table 1 Pointers to the SysD documents

System name	Path
Test_Consumer	"./SySD Test Consumer.docx"
Test_Producer	"./SySD Test Producer.docx"

### 3 Use-cases

### Table 2 Use-case description table

1. Register Service to the ServiceRegistry

2. Start HTTP server and REST api

**SETUP Test Consumer:** 

# Example use of C# Client library ID: 1 Brief description: Setup and run of the system-of-systems Primary actors: Test Consumer Secondary actors: Test Producer Preconditions: Up and running mandatory core systems. Correctly configured certificates Main flow: SETUP Test Producer:

Version: 0.2

Status: for approval **Date:** 20201210

**Author**: Gustav Hansson

Contact: gushan-6@student.ltu.se



1. Register Service to the ServiceRegistry

SETUP Authorization and Orchestration entries (Admin access to mgmt. endpoints, can be done via Management Tools)

- 2. Get necessary information about the provider that should be consumed
- 3. Create intracloud ruleset in the Authorization Core System
- 4. Create store entry in the Orchestrator Core System

### **RUN Test Consumer**

- 5. Start Static Orchestration by calling the Orchestrator
- 6. Call Producer API and get example data

7. Repeat step 6
Postconditions:
None.
Alternative flows:
None

Version: 0.2


Status: for approval **Date:** 20201210

Author: Gustav Hansson

Contact: gushan-6@student.ltu.se



# 4 Behavior diagrams



# 5 Non-functional requirements

None.

# 6 Security

The mandatory core systems run in secure mode and thus the clients need a client certificate for the communication to these systems. The Consumer also uses the Admin module of the library which is

Version: 0.2

Status: for approval **Date:** 20201210

**Author**: Gustav Hansson

Contact: gushan-6@student.ltu.se



used for access to the management endpoints of the Authorization and Orchestration Core Systems. This access is fully optional but requires a sysop.p12 certificate in addition to the client certificate.

### 7 References

Arrowhead Core Systems: https://github.com/eclipse-arrowhead/core-java-spring

# 8 Revision history

### 8.1 Amendments

No.	Date	Version	Subject of Amendments	Author
1	2020-12-10	0.1	Initial Draft	Gustav Hansson
2	2020-12-28	0.2	Fix Table of Content and add references	Gustav Hansson