

MOBILE FORENSIC EXAMINATION REPORT

Android Device / Logical Evidence Set

Examiner	Muhammad Aarsal
Email	arsalmuhammed19@gmail.com
Report Date	15 August 2026
Forensic Platform	Autopsy 4.23.1

Prepared from the forensic examination screenshots and evidence details
supplied for this internship exercise.

1. Executive Summary

This report documents the examination of an Android mobile evidence set using ADB and Autopsy 4.23.1. The supplied material shows a connected Google Pixel 3 running Android 12, a locally stored evidence directory, SHA-256 hash inventory information, and multiple Autopsy analysis views. The evidence set contained 83 files when the SHA256_Hashes.csv file was excluded from the count, with a calculated evidence size of 202.93 MB.

Autopsy identified 25 image files, 2 video files, and 6 audio files by extension. It also displayed 11 EXIF metadata results and 2 metadata artifacts: a Horizon Driving Simulator v2.8.2 MOD APK and an MP3 file named Nain Tere(KoshalWorld.Com).mp3. The image evidence was largely located in the DCIM/Camera area and included filenames beginning with .trashed-, indicating that the files were stored under a trashed-style naming convention; this alone does not establish the exact deletion mechanism.

The supplied geolocation view reported no geolocation artifacts, and the deleted-files view reported zero results. The communications visualization was not populated with identifiable communication records in the supplied screenshot. Timeline activity was visible for 6–14 August 2026, but the screenshots alone do not establish a complete event chronology.

Overall, the screenshots provide a coherent record of a forensic analysis workflow and several relevant artifacts, while also showing areas where the available evidence is incomplete. This report therefore distinguishes direct observations from interpretations and does not claim findings that cannot be established from the supplied material.

2. Examiner and Case Information

Examiner	Muhammad Arsal
Email	arsalmuhammed19@gmail.com
Examination date	15 August 2026
Primary forensic software	Autopsy 4.23.1
Evidence root	D:\Mobile_Forensics_Evidence

Scope note: This report was prepared solely from the screenshots and information supplied in the conversation. It does not independently access, re-hash, or alter the underlying device or evidence directory.

3. Device Identification and ADB Verification

The supplied PowerShell output shows a single Android device connected through ADB. The displayed device identifier was 8CHX1PFSV and its state was reported as 'device'. Separate device-information output identified the model as Google Pixel 3 and the Android release as 12. The security-patch command is visible, but the supplied screenshot does not show a returned security-patch value.

```
Windows PowerShell
PS C:\Users\arsal> adb devices
List of devices attached
8CHX1PFSV    device
PS C:\Users\arsal> |
```

Figure 1. ADB device verification. The connected device is shown as 8CHX1PFSV in the device state.

```
=== SS-02: DEVICE INFORMATION ===
PS C:\Users\arsal> Write-Host "Model:"
Model:
PS C:\Users\arsal> adb shell getprop ro.product.model
Pixel 3
PS C:\Users\arsal>
PS C:\Users\arsal> Write-Host "Android Version:"
Android Version:
PS C:\Users\arsal> adb shell getprop ro.build.version.release
12
PS C:\Users\arsal>
PS C:\Users\arsal> Write-Host "Security Patch:"
Security Patch:
PS C:\Users\arsal> adb shell getprop ro.build.version.security_patch
```

Figure 2. Device information output showing Pixel 3 and Android 12. The security-patch value was not captured in the supplied view.

4. Evidence Inventory and Integrity Indicators

PowerShell inventory of D:\Mobile_Forensics_Evidence showed four top-level directories: DCIM, Documents, Download, and Trash_Storage. The recursive file count was 83 after excluding SHA256_Hashes.csv. The calculated size of those files was 202.93 MB.

```
PS C:\Users\arsal> Write-Host "Evidence folder:"
Evidence folder:
PS C:\Users\arsal> Get-ChildItem D:\Mobile_Forensics_Evidence -Directory |
>>     Select-Object Name, LastWriteTime

Name                LastWriteTime
-----
DCIM                 8/15/2026 4:33:32 PM
Documents            8/15/2026 4:34:41 PM
Download             8/15/2026 4:34:05 PM
Trash_Storage        8/15/2026 4:43:19 PM

PS C:\Users\arsal>
PS C:\Users\arsal> Write-Host "`nEvidence file count:"

Evidence file count:
PS C:\Users\arsal> (Get-ChildItem -Recurse -File D:\Mobile_Forensics_Evidence
>>     Where-Object { $_.Name -ne "SHA256_Hashes.csv" }).Count
83
```

Figure 3. Evidence directory structure and recursive file-count calculation.

```
Evidence size:
PS C:\Users\arsal> "{0:N2} MB" -f ((Get-ChildItem -Recurse -File D:\Mobile_Forensics_Evidence |
>>     Where-Object { $_.Name -ne "SHA256_Hashes.csv" } |
>>     Measure-Object Length -Sum).Sum / 1MB)
202.93 MB
PS C:\Users\arsal>
PS C:\Users\arsal> Write-Host "`nSHA-256 hash file:"

SHA-256 hash file:
PS C:\Users\arsal> Get-Item D:\Mobile_Forensics_Evidence\SHA256_Hashes.csv |
>>     Select-Object FullName, Length, LastWriteTime

FullName                Length LastWriteTime
-----
D:\Mobile_Forensics_Evidence\SHA256_Hashes.csv 13757 8/15/2026 4:44:26 PM
```

Figure 4. Evidence-size calculation and SHA256_Hashes.csv file details. The hash inventory file is 13,757 bytes and was last written on 15 August 2026 at 4:44:26 PM.

An SHA256_Hashes.csv file was present in the evidence root. The supplied screenshots do not show the complete contents of this CSV, so this report does not claim an independent re-computation of every evidence-file hash. The presence of the hash inventory is nevertheless an important integrity indicator.

5. Examination Methodology

The documented workflow consisted of the following stages:

- ADB connectivity verification and device identification.
- Verification of the evidence directory, file count, total size, and SHA-256 hash inventory file.
- Loading and reviewing the logical evidence set in Autopsy 4.23.1.

- Review of file types, media gallery content, EXIF metadata, file metadata and hashes.
- Review of metadata artifacts, deleted-file results, timeline activity, geolocation artifacts, and communications visualization.
- Selection of representative screenshots for reporting and preservation of the original observations.

6. Autopsy Evidence Structure and Media Findings

Autopsy displayed the logical evidence source as a hierarchy containing Mobile_Forensics_Evidence with DCIM, Documents, Download, and Trash_Storage branches. The DCIM/Camera area contained the principal image evidence reviewed in the gallery and EXIF views.




Figure 5. Autopsy Image/Video Gallery showing media under the Camera path, including trashed-style filenames.




Figure 6. Autopsy EXIF Metadata analysis showing 11 results associated with the camera media.

The image gallery showed 26 files in the Camera group. Several filenames used a .trashed- prefix, and the detailed metadata view confirmed that at least one such item was allocated and analyzable as a JPEG. These observations are consistent with media retained under a trash-related naming convention, but they should not be interpreted as proof of a specific deletion event without additional filesystem or application-level evidence.

7. File Metadata, EXIF, and Hash Observations




Figure 7. Detailed metadata for a representative JPEG, including MIME type, size, MD5, SHA-256, camera make, and camera model.

The representative JPEG shown in Autopsy had MIME type image/jpeg, a size of 3,217,202 bytes, and a local path under D:\Mobile_Forensics_Evidence\DCIM\DCIM\Camera. The displayed MD5 was 6fd112c76fde2c55ea7b2b347b8cd92c and the displayed SHA-256 was ab7be94c33f085a7c40b59f8ba014d918c2386062e8ba0770f99483854dea7ed. Autopsy also displayed camera make Google and camera model Pixel 3 for the selected media.

Because the displayed EXIF list contained 11 results, the evidence supports the conclusion that metadata-bearing image records were identified. The screenshots do not provide enough detail to characterize every EXIF field for all 11 records.

8. File-Type Distribution




Figure 8. Autopsy File Types by Extension.

The Autopsy file-type view reported 25 image files, 2 video files, and 6 audio files. Archives and databases were displayed as zero in the supplied view. The screenshot lists multiple recognized extensions under each category; the report relies on the displayed category counts rather than inferring additional counts from the extension lists.

The presence of multimedia content is consistent with the camera/gallery findings and the separate audio artifact identified under Metadata.

9. Additional Metadata Artifacts




Figure 9. Autopsy Metadata results showing two named artifacts.

Two metadata artifacts were visible: (1) 'Horizon Driving Simulator v2.8.2 MOD APK (Unlimi...)' and (2) 'Nain Tere(KoshaWorld.Com).mp3'. The APK entry showed a created date of 8 August 2026 at 13:58:01 PKT and an owner value displayed as 'Saved by Blink'. The supplied screenshot does not establish whether the APK was installed, executed, or downloaded by a particular user, so no such conclusion is made here.

The MP3 artifact is likewise reported as an identified file record only. Its presence should not be treated as proof of playback or user authorship.

10. Deleted Files and Recovery Results




Figure 10. Autopsy Deleted Files view reporting zero results in both File System and All categories.

The supplied Autopsy view showed Deleted Files with File System (0) and All (0). Accordingly, no deleted-file results were visible in this analysis view. This does not by itself prove that no deleted data ever existed on the device; it establishes only that the supplied Autopsy view returned zero deleted-file results.

11. Timeline Findings




Figure 11. Autopsy Timeline Counts view covering 6–14 August 2026.

The timeline view covered 6 August 2026 through 14 August 2026. Visible activity bars occurred on 6, 7, 8, and 14 August. The view is configured in local time and uses a logarithmic event-count scale. The screenshot alone does not identify the individual events represented by each bar; therefore, no specific user action is attributed to those dates in this report.

12. Geolocation Findings




Figure 12. Autopsy Geolocation view reporting no geolocation artifacts.

Autopsy displayed the message 'No Geolocation artifacts found' and stated that no data sources with geolocation artifacts were found. Therefore, the supplied examination does not establish a recoverable GPS/location artifact from the reviewed evidence set.

A coordinate string is visible in the status area of the screenshot, but it is not presented by Autopsy as a recovered geolocation artifact. It is therefore excluded from the factual location findings of this report.

13. Communications Findings




Figure 13. Communications Visualization with no populated device/account record visible in the supplied view.

The Communications Visualization window did not show a populated device/account selection or identifiable message, call-log, contact, or attachment records in the supplied screenshot. The view alone is insufficient to conclude that the underlying device contained no communications; it only documents that no populated communication results were visible in the supplied analysis state.

14. Limitations and Evidentiary Cautions

- The report is based on screenshots and supplied textual details rather than direct access to the original device or evidence files.
- The complete contents of SHA256_Hashes.csv were not supplied; therefore, a full hash verification is not claimed.
- The screenshots do not document a complete chain-of-custody record, acquisition log, write-blocking process, or examiner notes.
- The geolocation and communications conclusions are limited to what was visible in the supplied Autopsy views.
- The presence of a MOD APK, MP3, trashed-style filenames, or EXIF metadata does not by itself establish installation, execution, deletion by a specific person, ownership, intent, or authorship.
- The timeline screenshot provides aggregate counts rather than a complete event-by-event chronology.

15. Conclusion

The supplied evidence demonstrates a documented Android forensic examination of a Google Pixel 3 running Android 12. The evidence set was organized under D:\Mobile_Forensics_Evidence, contained 83 files excluding the SHA256_Hashes.csv inventory, and occupied 202.93 MB according to the supplied PowerShell calculations. Autopsy 4.23.1 identified significant multimedia content, including 25 images, 2 videos, 6 audio files, 11 EXIF metadata results, and two named metadata artifacts.

The examination also documented a representative JPEG with Google/Pixel 3 camera metadata and displayed cryptographic hashes, while the Deleted Files and Geolocation views returned zero and no artifacts respectively. The timeline showed activity across 6–14 August 2026, with visible event-count bars on 6, 7, 8, and 14 August. Communications data was not populated in the supplied visualization.

Taken together, these findings provide a professional internship-level record of the forensic workflow and the observable evidence. Any investigative or legal conclusion beyond these observations should be based on the original evidence, complete hash records, full Autopsy case data, and a documented chain of custody.

Appendix A — Selected Examination Screenshots

Figure A1. ADB connectivity

```
Windows PowerShell
PS C:\Users\arsal> adb devices
List of devices attached
8CHX1PFSV    device
PS C:\Users\arsal> |
```

Figure A2. Device model and Android version

```
=== SS-02: DEVICE INFORMATION ===
PS C:\Users\arsal> Write-Host "Model:"
Model:
PS C:\Users\arsal> adb shell getprop ro.product.model
Pixel 3
PS C:\Users\arsal>
PS C:\Users\arsal> Write-Host "Android Version:"
Android Version:
PS C:\Users\arsal> adb shell getprop ro.build.version.release
12
PS C:\Users\arsal>
PS C:\Users\arsal> Write-Host "Security Patch:"
Security Patch:
PS C:\Users\arsal> adb shell getprop ro.build.version.security_patch
```

Figure A3. Evidence directory and file count

```
PS C:\Users\arsal> Write-Host "Evidence folder:"
Evidence folder:
PS C:\Users\arsal> Get-ChildItem D:\Mobile_Forensics_Evidence -Directory |
>>     Select-Object Name, LastWriteTime

Name                LastWriteTime
----                -
DCIM                 8/15/2026 4:33:32 PM
Documents            8/15/2026 4:34:41 PM
Download             8/15/2026 4:34:05 PM
Trash_Storage        8/15/2026 4:43:19 PM

PS C:\Users\arsal>
PS C:\Users\arsal> Write-Host "`nEvidence file count:"

Evidence file count:
PS C:\Users\arsal> (Get-ChildItem -Recurse -File D:\Mobile_Forensics_Evidence
>>     Where-Object { $_.Name -ne "SHA256_Hashes.csv" }).Count
83
```

Figure A4. Evidence size and hash inventory file

```

Evidence size:
PS C:\Users\arsal> "{0:N2} MB" -f ((Get-ChildItem -Recurse -File D:\Mobile_Forensics_Evidence |
>> Where-Object { $_.Name -ne "SHA256_Hashes.csv" } |
>> Measure-Object Length -Sum).Sum / 1MB)
202.93 MB
PS C:\Users\arsal>
PS C:\Users\arsal> Write-Host "`nSHA-256 hash file:"

SHA-256 hash file:
PS C:\Users\arsal> Get-Item D:\Mobile_Forensics_Evidence\SHA256_Hashes.csv |
>> Select-Object FullName, Length, LastWriteTime

FullName                                     Length LastWriteTime
-----
D:\Mobile_Forensics_Evidence\SHA256_Hashes.csv 13757 8/15/2026 4:44:26 PM

```

Figure A5. EXIF metadata results

Source Name	S	C	O	Source Type	Score	Conclusion	Configuration	Justification	Date Created
trashed-1788539633-PXL_20260805_163347253.jpg			0	File	Not Notable				2026-08-06 02
trashed-1788539635-PXL_20260805_163334407.A			0	File	Not Notable				2026-08-06 02
trashed-1788539649-PXL_20260805_163403091.P			0	File	Not Notable				2026-08-06 02
trashed-1788539668-PXL_20260805_163422790.P			0	File	Not Notable				2026-08-06 02
trashed-1788539688-PXL_20260805_163435438.P			0	File	Not Notable				2026-08-06 02
trashed-1788539736-PXL_20260805_163520037.P			0	File	Not Notable				2026-08-06 02
trashed-1788540056-PXL_20260805_164047579.jpg			0	File	Not Notable				2026-08-06 02
trashed-1788540122-PXL_20260805_164105629.P			0	File	Not Notable				2026-08-06 02
trashed-1788617644-PXL_20260806_141358711.jpg			0	File	Not Notable				2026-08-07 00
trashed-1788617669-PXL_20260806_141417838.jpg			0	File	Not Notable				2026-08-07 00
trashed-1788617754-PXL_20260806_141538811.P			0	File	Not Notable				2026-08-07 00

Figure A6. Representative file metadata and hashes

Name	Type	MIME Type	Size	File Name Allocation	Metadata Allocation	Modified	Accessed	Created	Changed	MD5	SHA-256	Hash Lookup Results
/LogicalFileSet1/Mobile_Forensics_Evidence/DCIM/DCIM/Camera/trashed-1788539633-PXL_20260805_163347253.jpg	Local	image/jpeg	3217202	Allocated	Allocated	0000-00-00 00:00:00	0000-00-00 00:00:00	0000-00-00 00:00:00	0000-00-00 00:00:00	6fd112c76fde2c5ea7b2b347b8cd92c	ab7be94c33f085a7c40b59f8ba014d918c2386062e8ba0770f99483854dea7ed	UNKNOWN

Figure A7. Metadata artifacts




Figure A8. File types by extension




Figure A9. Deleted files




Figure A10. Timeline




Figure A11. Geolocation




Figure A12. Communications visualization




Figure A13. Image/video gallery

