Snyk Code - Static Code Analysis (SAST)

orangehrm/orangehrm (main) — 187 finding(s)

Severity	Rule	File	Line	Message
HIGH	HardcodedNonCryptoSecret	src/client/src/orangehrmCoreOAuthPlugin/pages	139	Avoid hardcoding values that are meant to be secret. Found a
LOW	NoHardcodedCredentials/test	src/test/functional/cypress/e2e/integration/f	121	Do not hardcode credentials in code. Found hardcoded credent
LOW	ServerLeak/test	src/test/phpunit/Util/TestDataService.php	104	An exception object flows to the echo statement and is leake
LOW	ServerLeak/test	src/test/phpunit/Util/TestDataService.php	300	An exception object flows to the echo statement and is leake
LOW	ServerLeak/test	src/test/phpunit/Util/bootstrap.php	48	An exception object flows to the echo statement and is leake
LOW	ServerLeak/test	src/test/phpunit/Util/bootstrap.php	54	An exception object flows to die/exit and is leaked to the a
LOW	HardcodedCredential/test	src/plugins/orangehrmAdminPlugin/test/DaoUse	75	Do not hardcode credentials in code. Found a hardcoded crede
LOW	HardcodedCredential/test	src/plugins/orangehrmAdminPlugin/test/Service	69	Do not hardcode credentials in code. Found a hardcoded crede
LOW	HardcodedCredential/test	src/plugins/orangehrmAdminPlugin/test/Service	94	Do not hardcode credentials in code. Found a hardcoded crede
LOW	HardcodedCredential/test	src/plugins/orangehrmAdminPlugin/test/Service	146	Do not hardcode credentials in code. Found a hardcoded crede
LOW	HardcodedCredential/test	src/plugins/orangehrmAdminPlugin/test/Service	169	Do not hardcode credentials in code. Found a hardcoded crede
LOW	HardcodedCredential/test	src/plugins/orangehrmAdminPlugin/test/Service	196	Do not hardcode credentials in code. Found a hardcoded crede
LOW	HardcodedCredential/test	src/plugins/orangehrmAdminPlugin/test/Service	224	Do not hardcode credentials in code. Found a hardcoded crede
LOW	HardcodedCredential/test	src/plugins/orangehrmAdminPlugin/test/Service	272	Do not hardcode credentials in code. Found a hardcoded crede
LOW	HardcodedCredential/test	src/plugins/orangehrmAdminPlugin/test/Service	316	Do not hardcode credentials in code. Found a hardcoded crede
LOW	HardcodedCredential/test	src/plugins/orangehrmAdminPlugin/test/Service	354	Do not hardcode credentials in code. Found a hardcoded crede
LOW	HardcodedCredential/test	src/plugins/orangehrmAuthenticationPlugin/tes	67	Do not hardcode credentials in code. Found a hardcoded crede
LOW	HardcodedCredential/test	src/plugins/orangehrmAuthenticationPlugin/tes	125	Do not hardcode credentials in code. Found a hardcoded crede
LOW	HardcodedCredential/test	src/plugins/orangehrmPimPlugin/test/Api/Emplo	380	Do not hardcode credentials in code. Found a hardcoded crede
LOW	HardcodedCredential/test	src/plugins/orangehrmPimPlugin/test/Api/Emplo	694	Do not hardcode credentials in code. Found a hardcoded crede
LOW	HardcodedCredential/test	src/plugins/orangehrmAuthenticationPlugin/tes	181	Do not hardcode credentials in code. Found a hardcoded crede
LOW	HardcodedCredential/test	src/plugins/orangehrmLDAPAuthenticationPlugin	38	Do not hardcode credentials in code. Found a hardcoded crede
LOW	HardcodedCredential/test	src/plugins/orangehrmLDAPAuthenticationPlugin	85	Do not hardcode credentials in code. Found a hardcoded crede
LOW	HardcodedCredential/test	src/plugins/orangehrmOpenidAuthenticationPlug	191	Do not hardcode credentials in code. Found a hardcoded crede
LOW	HardcodedCredential/test	src/plugins/orangehrmOpenidAuthenticationPlug	197	Do not hardcode credentials in code. Found a hardcoded crede
LOW	HardcodedCredential/test	src/plugins/orangehrmOpenidAuthenticationPlug	196	Do not hardcode credentials in code. Found a hardcoded crede
LOW	HardcodedCredential/test	src/plugins/orangehrmOpenidAuthenticationPlug	191	Do not hardcode credentials in code. Found a hardcoded crede
MEDIUM	HardcodedPassword	installer/Util/AppSetupUtility.php	322	Do not hardcode passwords in code. Found a hardcoded passwor
LOW	HardcodedPassword/test	src/plugins/orangehrmAuthenticationPlugin/tes	183	Do not hardcode passwords in code. Found a hardcoded passwor
LOW	InsecureHash	devTools/load/general/load-employees.php	155	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	156	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	157	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	158	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	159	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	160	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	161	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	162	MD5 hash (used in md5) is insecure. Consider changing it to

Severity	Rule	File	Line	Message
LOW	InsecureHash	devTools/load/general/load-employees.php	163	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	164	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	165	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	166	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	167	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	168	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	169	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	170	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	171	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	172	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	173	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	174	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	175	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	176	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	177	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	178	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	179	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	180	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	181	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	182	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	183	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	184	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	185	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	186	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	187	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	188	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	189	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	190	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	191	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	192	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	193	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	194	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	195	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	196	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	197	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	198	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	199	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	200	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	201	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	202	MD5 hash (used in md5) is insecure. Consider changing it to

Severity	Rule	File	Line	Message
LOW	InsecureHash	devTools/load/general/load-employees.php	203	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	204	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	205	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	206	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	207	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	208	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	209	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	210	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	211	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	212	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	213	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	214	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	215	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	216	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	217	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	218	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	219	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	220	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	221	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	222	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	223	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	224	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	225	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	226	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	227	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	228	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	229	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	230	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	231	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	232	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	233	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	234	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	235	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	236	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	237	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	238	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	239	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	240	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	241	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	242	MD5 hash (used in md5) is insecure. Consider changing it to

Severity	Rule	File	Line	Message
LOW	InsecureHash	devTools/load/general/load-employees.php	243	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	244	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	245	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	246	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	247	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	248	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	249	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	250	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	251	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	252	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	253	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	254	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	255	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	256	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	257	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	258	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	259	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	260	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	261	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	262	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	263	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	devTools/load/general/load-employees.php	264	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	src/plugins/orangehrmAdminPlugin/Service/User	245	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	src/plugins/orangehrmCorePlugin/Service/Mail	387	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	src/plugins/orangehrmCorePlugin/Utility/Key.ha	44	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	src/plugins/orangehrmLDAPAuthenticationPlugin	261	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	src/plugins/orangehrmLDAPAuthenticationPlugin	407	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash	src/plugins/orangehrmLeavePlugin/Service/Abst	92	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash/test	src/plugins/orangehrmAdminPlugin/test/Service	191	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash/test	src/plugins/orangehrmAdminPlugin/test/Service	310	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash/test	src/plugins/orangehrmLDAPAuthenticationPlugin	246	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash/test	src/plugins/orangehrmLDAPAuthenticationPlugin	262	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash/test	src/plugins/orangehrmLDAPAuthenticationPlugin	317	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash/test	src/plugins/orangehrmLDAPAuthenticationPlugin	340	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash/test	src/plugins/orangehrmLDAPAuthenticationPlugin	350	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash/test	src/plugins/orangehrmLDAPAuthenticationPlugin	360	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash/test	src/plugins/orangehrmLDAPAuthenticationPlugin	370	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash/test	src/plugins/orangehrmLDAPAuthenticationPlugin	397	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash/test	src/plugins/orangehrmLDAPAuthenticationPlugin	407	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash/test	src/plugins/orangehrmLDAPAuthenticationPlugin	417	MD5 hash (used in md5) is insecure. Consider changing it to

Severity	Rule	File	Line	Message
LOW	InsecureHash/test	src/plugins/orangehrmLDAPAuthenticationPlugin	181	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash/test	src/plugins/orangehrmLDAPAuthenticationPlugin	189	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash/test	src/plugins/orangehrmLDAPAuthenticationPlugin	197	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash/test	src/plugins/orangehrmLDAPAuthenticationPlugin	206	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash/test	src/plugins/orangehrmLDAPAuthenticationPlugin	215	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash/test	src/plugins/orangehrmLDAPAuthenticationPlugin	223	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash/test	src/plugins/orangehrmLDAPAuthenticationPlugin	231	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash/test	src/plugins/orangehrmLDAPAuthenticationPlugin	240	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash/test	src/plugins/orangehrmLDAPAuthenticationPlugin	248	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash/test	src/plugins/orangehrmLDAPAuthenticationPlugin	257	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash/test	src/plugins/orangehrmLDAPAuthenticationPlugin	265	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash/test	src/plugins/orangehrmLDAPAuthenticationPlugin	273	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash/test	src/plugins/orangehrmLDAPAuthenticationPlugin	281	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash/test	src/plugins/orangehrmLDAPAuthenticationPlugin	289	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash/test	src/plugins/orangehrmLDAPAuthenticationPlugin	297	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash/test	src/plugins/orangehrmLDAPAuthenticationPlugin	305	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash/test	src/plugins/orangehrmLDAPAuthenticationPlugin	314	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash/test	src/plugins/orangehrmLDAPAuthenticationPlugin	323	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash/test	src/plugins/orangehrmLDAPAuthenticationPlugin	332	MD5 hash (used in md5) is insecure. Consider changing it to
LOW	InsecureHash/test	src/plugins/orangehrmLDAPAuthenticationPlugin	340	MD5 hash (used in md5) is insecure. Consider changing it to
MEDIUM	ServerLeak	devTools/load/general/load-employees.php	32	An MySQLi error object flows to the echo statement and is le
MEDIUM	ServerLeak	devTools/load/general/load-employees.php	38	An MySQLi error object flows to the echo statement and is le
MEDIUM	ServerLeak	devTools/load/general/load-employees.php	39	An MySQLi error object flows to the echo statement and is le
MEDIUM	ServerLeak	devTools/load/general/load-employees.php	40	An MySQLi error object flows to the echo statement and is le
MEDIUM	ServerLeak	devTools/load/general/load-employees.php	314	An MySQLi error object flows to the echo statement and is le
MEDIUM	ServerLeak	devTools/load/general/load-employees.php	320	An MySQLi error object flows to the echo statement and is le
MEDIUM	ServerLeak	devTools/load/general/load-employees.php	333	An MySQLi error object flows to the echo statement and is le
MEDIUM	ServerLeak	devTools/load/general/load-employees.php	336	An MySQLi error object flows to the echo statement and is le
MEDIUM	ServerLeak	devTools/load/recruitment/load-candidates.php	96	An MySQLi error object flows to the echo statement and is le
MEDIUM	ServerLeak	installer/index.php	70	An exception object flows to die/exit and is leaked to the a