Gitleaks (Secret Scan)

Target: orangehrm/orangehrm (main)
Project: orangehrm
Secrets found: **358** (deduplicated per file, line, and rule) · across 65 file(s)

Raw findings	379	**Affected commits**	28
Scope	full git history	**Secret value**	redacted

Gitleaks scans **the entire git history** (all commits), not just HEAD. A secret that was committed and later deleted is still stored in the git objects and can be retrieved by anyone with read access to the repo. Secret values in this report are redacted.

REMEDIATION

- **Treat as compromised:** rotate / revoke the password, token, or key first. Removing it from the repo alone is not enough.
- **Remove from code:** load the secret from an environment variable or secret manager.
- **Prevent recurrence:** add .env, DB dumps (*.sql), and credential files to .gitignore; commit only a template (e.g. .env.example) with dummy values. Consider a pre-commit gitleaks hook.
- **Purge history** (git filter-repo / BFG) if needed, coordinated with the team since it rewrites git history (force push).

SUMMARY PER FILE

File	Rule	Count	Status
`orangehrm-3.1.3/symfony/data/fixtures/data.yml`	generic-api-key	**86**	**FOUND**
`orangehrm-3.2.1/symfony/data/fixtures/data.yml`	generic-api-key	**86**	**FOUND**
`php/orangehrm/symfony/data/fixtures/data.yml`	generic-api-key	**86**	**FOUND**
`src/plugins/orangehrmCoreOAuthPlugin/test/fixtures/BearerTokenValidatorTest.yaml`	generic-api-key	**8**	**FOUND**
`src/plugins/orangehrmCoreOAuthPlugin/test/fixtures/testcases/OAuthClientAPITestCases.yaml`	generic-api-key	**8**	**FOUND**
`src/plugins/orangehrmCoreOAuthPlugin/test/fixtures/RefreshTokenRepositoryTest.yaml`	generic-api-key	**4**	**FOUND**
`src/plugins/orangehrmOpenidAuthenticationPlugin/test/fixtures/testcases/ProviderAPITestCases.yaml`	generic-api-key	**4**	**FOUND**
`src/plugins/orangehrmCoreOAuthPlugin/test/Repository/AccessTokenRepositoryTest.php`	generic-api-key	**3**	**FOUND**
`src/plugins/orangehrmOpenidAuthenticationPlugin/test/fixtures/ProviderAPITest.yml`	generic-api-key	**3**	**FOUND**
`symfony/plugins/orangehrmCoreWebServicePlugin/test/lib/utility/WSHelperTest.php`	generic-api-key	**3**	**FOUND**
`orangehrm-3.1.3/symfony/lib/vendor/phpseclib/Crypt/RSA.php`	private-key	**2**	**FOUND**
`orangehrm-3.2.1/symfony/lib/vendor/phpseclib/Crypt/RSA.php`	private-key	**2**	**FOUND**
`php/orangehrm/scripts/yui/calendar/calendar-debug.js`	generic-api-key	**2**	**FOUND**
`php/orangehrm/scripts/yui/calendar/calendar-min.js`	generic-api-key	**2**	**FOUND**
`php/orangehrm/scripts/yui/calendar/calendar.js`	generic-api-key	**2**	**FOUND**
`php/orangehrm/symfony/lib/vendor/phpseclib/Crypt/RSA.php`	private-key	**2**	**FOUND**
`src/plugins/orangehrmCoreOAuthPlugin/test/Repository/RefreshTokenRepositoryTest.php`	generic-api-key	**2**	**FOUND**
`src/plugins/orangehrmCoreOAuthPlugin/test/fixtures/AccessTokenRepositoryTest.yaml`	generic-api-key	**2**	**FOUND**
`src/plugins/orangehrmCoreOAuthPlugin/test/fixtures/OAuthClient.yml`	generic-api-key	**2**	**FOUND**
`src/plugins/orangehrmCoreOAuthPlugin/test/fixtures/OAuthClientAPITest.yaml`	generic-api-key	**2**	**FOUND**
`src/plugins/orangehrmOpenidAuthenticationPlugin/test/fixtures/AuthProviderDao.yml`	generic-api-key	**2**	**FOUND**

File	Rule	Count	Status
src/plugins/orangehrmPimPlugin/test/fixtures/EmployeeContactDetailsAPI.yml	generic-api-key	2	FOUND
.github/workflows/4x_dumps/V4_0.sql	generic-api-key	1	FOUND
.github/workflows/4x_dumps/V4_1.sql	generic-api-key	1	FOUND
.github/workflows/4x_dumps/V4_10.sql	generic-api-key	1	FOUND
.github/workflows/4x_dumps/V4_10_1.sql	generic-api-key	1	FOUND
.github/workflows/4x_dumps/V4_1_1.sql	generic-api-key	1	FOUND
.github/workflows/4x_dumps/V4_1_2.sql	generic-api-key	1	FOUND
.github/workflows/4x_dumps/V4_1_2_1.sql	generic-api-key	1	FOUND
.github/workflows/4x_dumps/V4_2_0_1.sql	generic-api-key	1	FOUND
.github/workflows/4x_dumps/V4_3.sql	generic-api-key	1	FOUND
.github/workflows/4x_dumps/V4_3_1.sql	generic-api-key	1	FOUND
.github/workflows/4x_dumps/V4_3_2.sql	generic-api-key	1	FOUND
.github/workflows/4x_dumps/V4_3_3.sql	generic-api-key	1	FOUND
.github/workflows/4x_dumps/V4_3_4.sql	generic-api-key	1	FOUND
.github/workflows/4x_dumps/V4_3_5.sql	generic-api-key	1	FOUND
.github/workflows/4x_dumps/V4_4.sql	generic-api-key	1	FOUND
.github/workflows/4x_dumps/V4_5.sql	generic-api-key	1	FOUND
.github/workflows/4x_dumps/V4_6.sql	generic-api-key	1	FOUND
.github/workflows/4x_dumps/V4_6_0_1.sql	generic-api-key	1	FOUND
.github/workflows/4x_dumps/V4_7.sql	generic-api-key	1	FOUND
.github/workflows/4x_dumps/V4_8.sql	generic-api-key	1	FOUND
.github/workflows/4x_dumps/V4_9.sql	generic-api-key	1	FOUND
dbscript/dbscript-2.sql	generic-api-key	1	FOUND
installer/client/.yarn/releases/yarn-3.3.0.cjs	generic-api-key	1	FOUND
orangehrm-3.1.3/symfony/lib/vendor/symfony/lib/plugins/sfDoctrinePlugin/test/functional/Ticket/5269Test.php	generic-api-key	1	FOUND
orangehrm-3.1.3/symfony/test/lib/utility/EncryptionListenerTest.php	generic-api-key	1	FOUND
orangehrm-3.2.1/symfony/lib/vendor/symfony/lib/plugins/sfDoctrinePlugin/test/functional/Ticket/5269Test.php	generic-api-key	1	FOUND
orangehrm-3.2.1/symfony/test/lib/utility/EncryptionListenerTest.php	generic-api-key	1	FOUND
php/orangehrm/orangehrm/scripts/yui/calendar/calendar-debug.js	generic-api-key	1	FOUND
php/orangehrm/orangehrm/scripts/yui/calendar/calendar-min.js	generic-api-key	1	FOUND
php/orangehrm/orangehrm/scripts/yui/calendar/calendar.js	generic-api-key	1	FOUND
php/orangehrm/symfony/lib/vendor/symfony/doc/12-Caching.txt	generic-api-key	1	FOUND
php/orangehrm/symfony/lib/vendor/symfony/lib/plugins/sfDoctrinePlugin/test/functional/Ticket/5269Test.php	generic-api-key	1	FOUND
php/orangehrm/symfony/test/lib/utility/EncryptionListenerTest.php	generic-api-key	1	FOUND
src/client/.yarn/releases/yarn-3.3.0.cjs	generic-api-key	1	FOUND
src/plugins/orangehrmAdminPlugin/test/fixtures/UserAPI.yaml	generic-api-key	1	FOUND
src/plugins/orangehrmCoreOAuthPlugin/Server/OAuthServer.php	generic-api-key	1	FOUND
src/plugins/orangehrmCoreOAuthPlugin/Subscriber/OAuthSubscriber.php	generic-api-key	1	FOUND
src/plugins/orangehrmCoreOAuthPlugin/test/Api/Model/OAuthClientModelTest.php	generic-api-key	1	FOUND

File	Rule	Count	Status
src/plugins/orangehrmCoreOAuthPlugin/test/Server/BearerTokenValidatorTest.php	generic-api-key	1	FOUND
src/plugins/orangehrmCorePlugin/test/Utility/CryptographerTest.php	generic-api-key	1	FOUND
src/plugins/orangehrmOpenidAuthenticationPlugin/test/fixtures/AuthProviderExtraDetails.yml	generic-api-key	1	FOUND
src/plugins/orangehrmPimPlugin/test/fixtures/EmployeeOtherEmailValidation.yml	generic-api-key	1	FOUND
symfony/plugins/orangehrmMarketPlacePlugin/install/dbscript.sql	generic-api-key	1	FOUND

FINDING DETAILS (65 file × rule)

SECRET

orangehrm-3.1.3/symfony/data/fixtures/data.yml

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	86 line(s)	Entropy 3.84

Match (redacted) `user_password: REDACTED`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
10015:6-52	f8a2484124	chathura-ak	2014-09-26 04:12	creating tag for orangehrm-3.1.3 with beacon
10037:6-52	f8a2484124	chathura-ak	2014-09-26 04:12	creating tag for orangehrm-3.1.3 with beacon
10048:6-52	f8a2484124	chathura-ak	2014-09-26 04:12	creating tag for orangehrm-3.1.3 with beacon
10059:6-52	f8a2484124	chathura-ak	2014-09-26 04:12	creating tag for orangehrm-3.1.3 with beacon
10070:6-52	f8a2484124	chathura-ak	2014-09-26 04:12	creating tag for orangehrm-3.1.3 with beacon
10081:6-52	f8a2484124	chathura-ak	2014-09-26 04:12	creating tag for orangehrm-3.1.3 with beacon
10092:6-52	f8a2484124	chathura-ak	2014-09-26 04:12	creating tag for orangehrm-3.1.3 with beacon
10103:6-52	f8a2484124	chathura-ak	2014-09-26 04:12	creating tag for orangehrm-3.1.3 with beacon
10114:6-52	f8a2484124	chathura-ak	2014-09-26 04:12	creating tag for orangehrm-3.1.3 with beacon
10136:6-52	f8a2484124	chathura-ak	2014-09-26 04:12	creating tag for orangehrm-3.1.3 with beacon
10147:6-52	f8a2484124	chathura-ak	2014-09-26 04:12	creating tag for orangehrm-3.1.3 with beacon
10169:6-52	f8a2484124	chathura-ak	2014-09-26 04:12	creating tag for orangehrm-3.1.3 with beacon
10180:6-52	f8a2484124	chathura-ak	2014-09-26 04:12	creating tag for orangehrm-3.1.3 with beacon
10191:6-52	f8a2484124	chathura-ak	2014-09-26 04:12	creating tag for orangehrm-3.1.3 with beacon
10202:6-52	f8a2484124	chathura-ak	2014-09-26 04:12	creating tag for orangehrm-3.1.3 with beacon

71 other line(s) in the same file: `10213, 10224, 10235, 10246, 10257, 10268, 10290, 10312, 10323, 10334, 10345, 10356, 10367, 10378, 10400, 10411, 10422, 10444, 10455, 10477, 10488, 10499, 10510, 10521, 10532, 10554, 10565, 10587, 10598, 10620, 10642, 10653, 10664, 10686, 10708, 10719, 10741, 10752, 10763, 10774, 10785, 10818, 10829, 10840, 10851, 10862, 10873, 10895, 10906, 10917, 10928, 10950, 10972, 10983, 10994, 11005, 11016, 11027, 11038, 11049, 11060, 11093, 11115, 11126, 11137, 11148, 11170, 11181, 11192, 11203, 11225`

Investigate in repo

```
git log --oneline -- "orangehrm-3.1.3/symfony/data/fixtures/data.yml"
git show f8a2484124 -- "orangehrm-3.1.3/symfony/data/fixtures/data.yml"
```

SECRET

orangehrm-3.2.1/symfony/data/fixtures/data.yml

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	86 line(s)	Entropy 3.84

Match (redacted) `user_password: REDACTED`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
10015:6-52	565803aa26	chathura-ak	2014-10-28 11:38	creating tag for orangehrm 3.2.1
10037:6-52	565803aa26	chathura-ak	2014-10-28 11:38	creating tag for orangehrm 3.2.1
10048:6-52	565803aa26	chathura-ak	2014-10-28 11:38	creating tag for orangehrm 3.2.1
10059:6-52	565803aa26	chathura-ak	2014-10-28 11:38	creating tag for orangehrm 3.2.1
10070:6-52	565803aa26	chathura-ak	2014-10-28 11:38	creating tag for orangehrm 3.2.1
10081:6-52	565803aa26	chathura-ak	2014-10-28 11:38	creating tag for orangehrm 3.2.1
10092:6-52	565803aa26	chathura-ak	2014-10-28 11:38	creating tag for orangehrm 3.2.1
10103:6-52	565803aa26	chathura-ak	2014-10-28 11:38	creating tag for orangehrm 3.2.1
10114:6-52	565803aa26	chathura-ak	2014-10-28 11:38	creating tag for orangehrm 3.2.1
10136:6-52	565803aa26	chathura-ak	2014-10-28 11:38	creating tag for orangehrm 3.2.1
10147:6-52	565803aa26	chathura-ak	2014-10-28 11:38	creating tag for orangehrm 3.2.1
10169:6-52	565803aa26	chathura-ak	2014-10-28 11:38	creating tag for orangehrm 3.2.1
10180:6-52	565803aa26	chathura-ak	2014-10-28 11:38	creating tag for orangehrm 3.2.1
10191:6-52	565803aa26	chathura-ak	2014-10-28 11:38	creating tag for orangehrm 3.2.1
10202:6-52	565803aa26	chathura-ak	2014-10-28 11:38	creating tag for orangehrm 3.2.1

71 other line(s) in the same file: `10213, 10224, 10235, 10246, 10257, 10268, 10290, 10312, 10323, 10334, 10345, 10356, 10367, 10378, 10400, 10411, 10422, 10444, 10455, 10477, 10488, 10499, 10510, 10521, 10532, 10554, 10565, 10587, 10598, 10620, 10642, 10653, 10664, 10686, 10708, 10719, 10741, 10752, 10763, 10774, 10785, 10818, 10829, 10840, 10851, 10862, 10873, 10895, 10906, 10917, 10928, 10950, 10972, 10983, 10994, 11005, 11016, 11027, 11038, 11049, 11060, 11093, 11115, 11126, 11137, 11148, 11170, 11181, 11192, 11203, 11225`

Investigate in repo

```
git log --oneline -- "orangehrm-3.2.1/symfony/data/fixtures/data.yml"
git show 565803aa26 -- "orangehrm-3.2.1/symfony/data/fixtures/data.yml"
```

SECRET

php/orangehrm/symfony/data/fixtures/data.yml

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	86 line(s)	Entropy 3.84

Match (redacted) `user_password: REDACTED`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
10015:6-52	058e5444f8	rtamarasinghe	2013-05-02 11:38	Merge of branch 2012-ui. Command used: svn merge --reinte...
10037:6-52	058e5444f8	rtamarasinghe	2013-05-02 11:38	Merge of branch 2012-ui. Command used: svn merge --reinte...
10048:6-52	058e5444f8	rtamarasinghe	2013-05-02 11:38	Merge of branch 2012-ui. Command used: svn merge --reinte...
10059:6-52	058e5444f8	rtamarasinghe	2013-05-02 11:38	Merge of branch 2012-ui. Command used: svn merge --reinte...
10070:6-52	058e5444f8	rtamarasinghe	2013-05-02 11:38	Merge of branch 2012-ui. Command used: svn merge --reinte...
10081:6-52	058e5444f8	rtamarasinghe	2013-05-02 11:38	Merge of branch 2012-ui. Command used: svn merge --reinte...
10092:6-52	058e5444f8	rtamarasinghe	2013-05-02 11:38	Merge of branch 2012-ui. Command used: svn merge --reinte...
10103:6-52	058e5444f8	rtamarasinghe	2013-05-02 11:38	Merge of branch 2012-ui. Command used: svn merge --reinte...
10114:6-52	058e5444f8	rtamarasinghe	2013-05-02 11:38	Merge of branch 2012-ui. Command used: svn merge --reinte...
10136:6-52	058e5444f8	rtamarasinghe	2013-05-02 11:38	Merge of branch 2012-ui. Command used: svn merge --reinte...
10147:6-52	058e5444f8	rtamarasinghe	2013-05-02 11:38	Merge of branch 2012-ui. Command used: svn merge --reinte...
10169:6-52	058e5444f8	rtamarasinghe	2013-05-02 11:38	Merge of branch 2012-ui. Command used: svn merge --reinte...
10180:6-52	058e5444f8	rtamarasinghe	2013-05-02 11:38	Merge of branch 2012-ui. Command used: svn merge --reinte...
10191:6-52	058e5444f8	rtamarasinghe	2013-05-02 11:38	Merge of branch 2012-ui. Command used: svn merge --reinte...
10202:6-52	058e5444f8	rtamarasinghe	2013-05-02 11:38	Merge of branch 2012-ui. Command used: svn merge --reinte...

71 other line(s) in the same file: 10213, 10224, 10235, 10246, 10257, 10268, 10290, 10312, 10323, 10334, 10345, 10356, 10367, 10378, 10400, 10411, 10422, 10444, 10455, 10477, 10488, 10499, 10510, 10521, 10532, 10554, 10565, 10587, 10598, 10620, 10642, 10653, 10664, 10686, 10708, 10719, 10741, 10752, 10763, 10774, 10785, 10818, 10829, 10840, 10851, 10862, 10873, 10895, 10906, 10917, 10928, 10950, 10972, 10983, 10994, 11005, 11016, 11027, 11038, 11049, 11060, 11093, 11115, 11126, 11137, 11148, 11170, 11181, 11192, 11203, 11225

Investigate in repo

```
git log --oneline -- "php/orangehrm/symfony/data/fixtures/data.yml"
git show 058e5444f8 -- "php/orangehrm/symfony/data/fixtures/data.yml"
```

SECRET

src/plugins/orangehrmCoreOAuthPlugin/test/fixtures/BearerTokenValidatorTest.yaml

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	8 line(s)	Entropy 3.90

Match (redacted) `access_token": "REDACTED"`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
21:17-113	3c39f52c00	Rajitha Kumara	2023-06-29 05:11	OHRM5X-2166: Complete oauth unit tests (#1683)
22:17-113	3c39f52c00	Rajitha Kumara	2023-06-29 05:11	OHRM5X-2166: Complete oauth unit tests (#1683)
24:17-113	3c39f52c00	Rajitha Kumara	2023-06-29 05:11	OHRM5X-2166: Complete oauth unit tests (#1683)
25:17-113	3c39f52c00	Rajitha Kumara	2023-06-29 05:11	OHRM5X-2166: Complete oauth unit tests (#1683)
28:17-114	3c39f52c00	Rajitha Kumara	2023-06-29 05:11	OHRM5X-2166: Complete oauth unit tests (#1683)
29:17-114	3c39f52c00	Rajitha Kumara	2023-06-29 05:11	OHRM5X-2166: Complete oauth unit tests (#1683)
30:17-114	3c39f52c00	Rajitha Kumara	2023-06-29 05:11	OHRM5X-2166: Complete oauth unit tests (#1683)
31:17-114	3c39f52c00	Rajitha Kumara	2023-06-29 05:11	OHRM5X-2166: Complete oauth unit tests (#1683)

Investigate in repo

```
git log --oneline -- "src/plugins/orangehrmCoreOAuthPlugin/test/fixtures/BearerTokenValidatorTest.yaml"
git show 3c39f52c00 -- "src/plugins/orangehrmCoreOAuthPlugin/test/fixtures/BearerTokenValidatorTest.yaml"
```

SECRET

src/plugins/orangehrmCoreOAuthPlugin/test/fixtures/testcases/OAuthClientAPITestCases.yaml

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	8 line(s)	Entropy 4.97

Match (redacted) `clientSecret": "REDACTED"`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
11:11-91	295452968f	devishke-orange	2023-03-03 13:48	OHRM5X-2069: Develop oauth - register OAuth 2 clients (#1...
19:11-91	295452968f	devishke-orange	2023-03-03 13:48	OHRM5X-2069: Develop oauth - register OAuth 2 clients (#1...
38:11-91	295452968f	devishke-orange	2023-03-03 13:48	OHRM5X-2069: Develop oauth - register OAuth 2 clients (#1...
58:11-91	295452968f	devishke-orange	2023-03-03 13:48	OHRM5X-2069: Develop oauth - register OAuth 2 clients (#1...
66:11-91	295452968f	devishke-orange	2023-03-03 13:48	OHRM5X-2069: Develop oauth - register OAuth 2 clients (#1...
89:11-91	295452968f	devishke-orange	2023-03-03 13:48	OHRM5X-2069: Develop oauth - register OAuth 2 clients (#1...
94:9-69	fc381b4c24	Rajitha Kumara	2023-03-10 02:29	OHRM5X-2106: Hash oauth - client secret (#1639)
166:11-91	295452968f	devishke-orange	2023-03-03 13:48	OHRM5X-2069: Develop oauth - register OAuth 2 clients (#1...

Investigate in repo

```
git log --oneline -- "src/plugins/orangehrmCoreOAuthPlugin/test/fixtures/testcases/OAuthClientAPITestCases.yaml"
git show 295452968f -- "src/plugins/orangehrmCoreOAuthPlugin/test/fixtures/testcases/OAuthClientAPITestCases.yaml"
```

SECRET

src/plugins/orangehrmCoreOAuthPlugin/test/fixtures/RefreshTokenRepositoryTest.yaml

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	4 line(s)	Entropy 3.90

Match (redacted) `access_token": "REDACTED"`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
19:17-113	194a51291a	Rajitha Kumara	2023-03-20 05:28	OHRM5X-2071: Refactor use in-memory session storage for t...
20:17-113	194a51291a	Rajitha Kumara	2023-03-20 05:28	OHRM5X-2071: Refactor use in-memory session storage for t...
24:17-114	194a51291a	Rajitha Kumara	2023-03-20 05:28	OHRM5X-2071: Refactor use in-memory session storage for t...
25:17-114	194a51291a	Rajitha Kumara	2023-03-20 05:28	OHRM5X-2071: Refactor use in-memory session storage for t...

Investigate in repo

```
git log --oneline -- "src/plugins/orangehrmCoreOAuthPlugin/test/fixtures/RefreshTokenRepositoryTest.yaml"
git show 194a51291a -- "src/plugins/orangehrmCoreOAuthPlugin/test/fixtures/RefreshTokenRepositoryTest.yaml"
```

SECRET

src/plugins/orangehrmOpenidAuthenticationPlugin/test/fixtures/testcases/ProviderAPITestCases.yaml

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	4 line(s)	Entropy 3.69

Match (redacted) `clientSecret: 'REDACTED'`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
106:8-49	af66498a3a	Manul Madara	2023-12-05 03:58	OHRM5X-2405: Develop OpenID - auth providers API (#1775)
125:8-49	af66498a3a	Manul Madara	2023-12-05 03:58	OHRM5X-2405: Develop OpenID - auth providers API (#1775)
141:8-49	af66498a3a	Manul Madara	2023-12-05 03:58	OHRM5X-2405: Develop OpenID - auth providers API (#1775)
156:8-63	af66498a3a	Manul Madara	2023-12-05 03:58	OHRM5X-2405: Develop OpenID - auth providers API (#1775)

Investigate in repo

```
git log --oneline -- "src/plugins/orangehrmOpenidAuthenticationPlugin/test/fixtures/testcases/ProviderAPITestCases.yaml"
git show af66498a3a -- "src/plugins/orangehrmOpenidAuthenticationPlugin/test/fixtures/testcases/ProviderAPITestCases.yaml"
```

SECRET

src/plugins/orangehrmCoreOAuthPlugin/test/Repository/AccessTokenRepositoryTest.php

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	3 line(s)	Entropy 5.03

Match (redacted) `encryptionKey = 'REDACTED'`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
55:17-78	194a51291a	Rajitha Kumara	2023-03-20 05:28	OHRM5X-2071: Refactor use in-memory session storage for t...
193:11-100	194a51291a	Rajitha Kumara	2023-03-20 05:28	OHRM5X-2071: Refactor use in-memory session storage for t...
209:11-100	194a51291a	Rajitha Kumara	2023-03-20 05:28	OHRM5X-2071: Refactor use in-memory session storage for t...

Investigate in repo

```
git log --oneline -- "src/plugins/orangehrmCoreOAuthPlugin/test/Repository/AccessTokenRepositoryTest.php"
git show 194a51291a -- "src/plugins/orangehrmCoreOAuthPlugin/test/Repository/AccessTokenRepositoryTest.php"
```

SECRET

src/plugins/orangehrmOpenidAuthenticationPlugin/test/fixtures/ProviderAPITest.yml

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	3 line(s)	Entropy 4.57

Match (redacted) `client_secret: 'REDACTED'`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
34:119-170	af66498a3a	Manul Madara	2023-12-05 03:58	OHRM5X-2405: Develop OpenID - auth providers API (#1775)
35:65-117	af66498a3a	Manul Madara	2023-12-05 03:58	OHRM5X-2405: Develop OpenID - auth providers API (#1775)
36:70-118	af66498a3a	Manul Madara	2023-12-05 03:58	OHRM5X-2405: Develop OpenID - auth providers API (#1775)

Investigate in repo

```
git log --oneline -- "src/plugins/orangehrmOpenidAuthenticationPlugin/test/fixtures/ProviderAPITest.yml"
git show af66498a3a -- "src/plugins/orangehrmOpenidAuthenticationPlugin/test/fixtures/ProviderAPITest.yml"
```

SECRET

symfony/plugins/orangehrmCoreWebServicePlugin/test/lib/utility/WSHelperTest.php

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	3 line(s)	Entropy 3.77

Match (redacted) `session_token' => 'REDACTED'`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
65:93-136	1605e0356a	orangehrmnirmal	2015-03-12 10:30	corprate directory web services added to trunk
80:77-120	1605e0356a	orangehrmnirmal	2015-03-12 10:30	corprate directory web services added to trunk
121:75-118	1605e0356a	orangehrmnirmal	2015-03-12 10:30	corprate directory web services added to trunk

Investigate in repo

```
git log --oneline -- "symfony/plugins/orangehrmCoreWebServicePlugin/test/lib/utility/WSHelperTest.php"
git show 1605e0356a -- "symfony/plugins/orangehrmCoreWebServicePlugin/test/lib/utility/WSHelperTest.php"
```

SECRET

orangehrm-3.1.3/symfony/lib/vendor/phpseclib/Crypt/RSA.php

Identified a Private Key, which may compromise cryptographic security and sensitive data encryption.

private-key	2 line(s)	Entropy 3.80

Match (redacted) `REDACTED`

Description

Private key (RSA/EC/SSH/PGP). Whoever holds the key can impersonate, decrypt, or sign on behalf of its owner.

Remediation

Generate a new key pair, revoke the old public key on the server/service, store the new key in a secret manager / KMS.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
644:40-68	f8a2484124	chathura-ak	2014-09-26 04:12	creating tag for orangehrm-3.1.3 with beacon
651:40-68	f8a2484124	chathura-ak	2014-09-26 04:12	creating tag for orangehrm-3.1.3 with beacon

Investigate in repo

```
git log --oneline -- "orangehrm-3.1.3/symfony/lib/vendor/phpseclib/Crypt/RSA.php"
git show f8a2484124 -- "orangehrm-3.1.3/symfony/lib/vendor/phpseclib/Crypt/RSA.php"
```

SECRET

orangehrm-3.2.1/symfony/lib/vendor/phpseclib/Crypt/RSA.php

Identified a Private Key, which may compromise cryptographic security and sensitive data encryption.

private-key	2 line(s)	Entropy 3.80

Match (redacted) `REDACTED`

Description

Private key (RSA/EC/SSH/PGP). Whoever holds the key can impersonate, decrypt, or sign on behalf of its owner.

Remediation

Generate a new key pair, revoke the old public key on the server/service, store the new key in a secret manager / KMS.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
`644:40-68`	`565803aa26`	chathura-ak	2014-10-28 11:38	creating tag for orangehrm 3.2.1
`651:40-68`	`565803aa26`	chathura-ak	2014-10-28 11:38	creating tag for orangehrm 3.2.1

Investigate in repo

```
git log --oneline -- "orangehrm-3.2.1/symfony/lib/vendor/phpseclib/Crypt/RSA.php"
git show 565803aa26 -- "orangehrm-3.2.1/symfony/lib/vendor/phpseclib/Crypt/RSA.php"
```

SECRET

php/orangehrm/scripts/yui/calendar/calendar-debug.js

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	2 line(s)	Entropy 3.52

Match (redacted) `key:"REDACTED"`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
`922:20-39`	`e4b0c0f352`	mohanjith	2007-06-28 09:39	Adding Yahoo! UI Libraries
`1137:20-39`	`7612633abe`	webgaya	2012-01-20 11:09	restoring trunk

Investigate in repo

```
git log --oneline -- "php/orangehrm/scripts/yui/calendar/calendar-debug.js"
git show e4b0c0f352 -- "php/orangehrm/scripts/yui/calendar/calendar-debug.js"
```

SECRET

php/orangehrm/scripts/yui/calendar/calendar-min.js

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	2 line(s)	Entropy 3.52

Match (redacted) `key:"REDACTED"`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
26:1821-1840	e4b0c0f352	mohanjith	2007-06-28 09:39	Adding Yahoo! UI Libraries
29:1864-1883	7c28035810	mohanjith	2007-09-21 08:30	Merging 1273 1280

Investigate in repo

```
git log --oneline -- "php/orangehrm/scripts/yui/calendar/calendar-min.js"
git show e4b0c0f352 -- "php/orangehrm/scripts/yui/calendar/calendar-min.js"
```

SECRET

php/orangehrm/scripts/yui/calendar/calendar.js

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	2 line(s)	Entropy 3.52

Match (redacted) `key:"REDACTED"`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
916:20-39	e4b0c0f352	mohanjith	2007-06-28 09:39	Adding Yahoo! UI Libraries
1142:20-39	7612633abe	webgaya	2012-01-20 11:09	restoring trunk

Investigate in repo

```
git log --oneline -- "php/orangehrm/scripts/yui/calendar/calendar.js"
git show e4b0c0f352 -- "php/orangehrm/scripts/yui/calendar/calendar.js"
```

SECRET

php/orangehrm/symfony/lib/vendor/phpseclib/Crypt/RSA.php

Identified a Private Key, which may compromise cryptographic security and sensitive data encryption.

private-key	2 line(s)	Entropy 3.80

Match (redacted) REDACTED

Description

Private key (RSA/EC/SSH/PGP). Whoever holds the key can impersonate, decrypt, or sign on behalf of its owner.

Remediation

Generate a new key pair, revoke the old public key on the server/service, store the new key in a secret manager / KMS.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
644:40-68	8c6cf0e5e9	rtamarasinghe	2011-02-23 05:11	phpseclib from 2.5-refactor branch
651:40-68	8c6cf0e5e9	rtamarasinghe	2011-02-23 05:11	phpseclib from 2.5-refactor branch

Investigate in repo

```
git log --oneline -- "php/orangehrm/symfony/lib/vendor/phpseclib/Crypt/RSA.php"
git show 8c6cf0e5e9 -- "php/orangehrm/symfony/lib/vendor/phpseclib/Crypt/RSA.php"
```

SECRET

src/plugins/orangehrmCoreOAuthPlugin/test/Repository/RefreshTokenRepositoryTest.php

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	2 line(s)	Entropy 3.90

Match (redacted) `token = 'REDACTED'`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
129:11-100	194a51291a	Rajitha Kumara	2023-03-20 05:28	OHRM5X-2071: Refactor use in-memory session storage for t...
145:11-100	194a51291a	Rajitha Kumara	2023-03-20 05:28	OHRM5X-2071: Refactor use in-memory session storage for t...

Investigate in repo

```
git log --oneline -- "src/plugins/orangehrmCoreOAuthPlugin/test/Repository/RefreshTokenRepositoryTest.php"
git show 194a51291a -- "src/plugins/orangehrmCoreOAuthPlugin/test/Repository/RefreshTokenRepositoryTest.php"
```

SECRET

src/plugins/orangehrmCoreOAuthPlugin/test/fixtures/AccessTokenRepositoryTest.yaml

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	2 line(s)	Entropy 3.87

Match (redacted) `access_token": "REDACTED"`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
19:17-113	194a51291a	Rajitha Kumara	2023-03-20 05:28	OHRM5X-2071: Refactor use in-memory session storage for t...
20:17-113	194a51291a	Rajitha Kumara	2023-03-20 05:28	OHRM5X-2071: Refactor use in-memory session storage for t...

Investigate in repo

```
git log --oneline -- "src/plugins/orangehrmCoreOAuthPlugin/test/fixtures/AccessTokenRepositoryTest.yaml"
git show 194a51291a -- "src/plugins/orangehrmCoreOAuthPlugin/test/fixtures/AccessTokenRepositoryTest.yaml"
```

SECRET

src/plugins/orangehrmCoreOAuthPlugin/test/fixtures/OAuthClient.yml

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	2 line(s)	Entropy 3.93

Match (redacted) `client_secret": "REDACTED"`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
2:125-206	295452968f	devishke-orange	2023-03-03 13:48	OHRM5X-2069: Develop oauth - register OAuth 2 clients (#1...
3:120-201	295452968f	devishke-orange	2023-03-03 13:48	OHRM5X-2069: Develop oauth - register OAuth 2 clients (#1...

Investigate in repo

```
git log --oneline -- "src/plugins/orangehrmCoreOAuthPlugin/test/fixtures/OAuthClient.yml"
git show 295452968f -- "src/plugins/orangehrmCoreOAuthPlugin/test/fixtures/OAuthClient.yml"
```

SECRET

src/plugins/orangehrmCoreOAuthPlugin/test/fixtures/OAuthClientAPITest.yaml

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	2 line(s)	Entropy 3.93

Match (redacted) `client_secret": "REDACTED"`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
5:126-207	295452968f	devishke-orange	2023-03-03 13:48	OHRM5X-2069: Develop oauth - register OAuth 2 clients (#1...
6:120-201	295452968f	devishke-orange	2023-03-03 13:48	OHRM5X-2069: Develop oauth - register OAuth 2 clients (#1...

Investigate in repo

```
git log --oneline -- "src/plugins/orangehrmCoreOAuthPlugin/test/fixtures/OAuthClientAPITest.yaml"
git show 295452968f -- "src/plugins/orangehrmCoreOAuthPlugin/test/fixtures/OAuthClientAPITest.yaml"
```

SECRET

src/plugins/orangehrmOpenidAuthenticationPlugin/test/fixtures/AuthProviderDao.yml

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	2 line(s)	Entropy 4.57

Match (redacted) `client_secret: 'REDACTED'`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
8:119-170	af66498a3a	Manul Madara	2023-12-05 03:58	OHRM5X-2405: Develop OpenID - auth providers API (#1775)
9:65-117	af66498a3a	Manul Madara	2023-12-05 03:58	OHRM5X-2405: Develop OpenID - auth providers API (#1775)

Investigate in repo

```
git log --oneline -- "src/plugins/orangehrmOpenidAuthenticationPlugin/test/fixtures/AuthProviderDao
.yml"
git show af66498a3a -- "src/plugins/orangehrmOpenidAuthenticationPlugin/test/fixtures/AuthProviderD
ao.yml"
```

SECRET

src/plugins/orangehrmPimPlugin/test/fixtures/EmployeeContactDetailsAPI.yml

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	2 line(s)	Entropy 3.50

Match (redacted) `user_password": "REDACTED"`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
12:75-124	b141b5f859	devishke-orange	2022-04-20 10:21	OHRM5X-1271: Add unique validation for PIM other email fi...
14:76-125	3cd1cdf0a3	devishke-orange	2022-10-13 15:40	OHRM5X-1754: Fix pim - ESS users unable to download attac...

Investigate in repo

```
git log --oneline -- "src/plugins/orangehrmPimPlugin/test/fixtures/EmployeeContactDetailsAPI.yml"
git show b141b5f859 -- "src/plugins/orangehrmPimPlugin/test/fixtures/EmployeeContactDetailsAPI.yml"
```

SECRET

.github/workflows/4x_dumps/V4_0.sql

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 3.89

Match (redacted) `csrf_secret', 'REDACTED'`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
83:4-129	06767831f7	devishke-orange	2024-05-29 02:52	OHRM5X-2559: Fix upgrader - 4.3.3 migration failure (#1846)

Investigate in repo

```
git log --oneline -- ".github/workflows/4x_dumps/V4_0.sql"
git show 06767831f7 -- ".github/workflows/4x_dumps/V4_0.sql"
```

SECRET

.github/workflows/4x_dumps/V4_1.sql

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 3.94

Match (redacted) `csrf_secret', 'REDACTED'`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
86:4-129	06767831f7	devishke-orange	2024-05-29 02:52	OHRM5X-2559: Fix upgrader - 4.3.3 migration failure (#1846)

Investigate in repo

```
git log --oneline -- ".github/workflows/4x_dumps/V4_1.sql"
git show 06767831f7 -- ".github/workflows/4x_dumps/V4_1.sql"
```

SECRET

.github/workflows/4x_dumps/V4_10.sql

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 3.85

Match (redacted) `csrf_secret', 'REDACTED'`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
101:4-129	06767831f7	devishke-orange	2024-05-29 02:52	OHRM5X-2559: Fix upgrader - 4.3.3 migration failure (#1846)

Investigate in repo

```
git log --oneline -- ".github/workflows/4x_dumps/V4_10.sql"
git show 06767831f7 -- ".github/workflows/4x_dumps/V4_10.sql"
```

SECRET

.github/workflows/4x_dumps/V4_10_1.sql

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 3.90

Match (redacted) `csrf_secret', 'REDACTED'`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
101:4-129	06767831f7	devishke-orange	2024-05-29 02:52	OHRM5X-2559: Fix upgrader - 4.3.3 migration failure (#1846)

Investigate in repo

```
git log --oneline -- ".github/workflows/4x_dumps/V4_10_1.sql"
git show 06767831f7 -- ".github/workflows/4x_dumps/V4_10_1.sql"
```

SECRET

.github/workflows/4x_dumps/V4_1_1.sql

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 3.86

Match (redacted) `csrf_secret', 'REDACTED'`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
86:4-129	06767831f7	devishke-orange	2024-05-29 02:52	OHRM5X-2559: Fix upgrader - 4.3.3 migration failure (#1846)

Investigate in repo

```
git log --oneline -- ".github/workflows/4x_dumps/V4_1_1.sql"
git show 06767831f7 -- ".github/workflows/4x_dumps/V4_1_1.sql"
```

SECRET

.github/workflows/4x_dumps/V4_1_2.sql

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 3.85

Match (redacted) `csrf_secret', 'REDACTED'`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
86:4-129	06767831f7	devishke-orange	2024-05-29 02:52	OHRM5X-2559: Fix upgrader - 4.3.3 migration failure (#1846)

Investigate in repo

```
git log --oneline -- ".github/workflows/4x_dumps/V4_1_2.sql"
git show 06767831f7 -- ".github/workflows/4x_dumps/V4_1_2.sql"
```

SECRET

.github/workflows/4x_dumps/V4_1_2_1.sql

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 3.94

Match (redacted) `csrf_secret','REDACTED'`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
77:808-932	06767831f7	devishke-orange	2024-05-29 02:52	OHRM5X-2559: Fix upgrader - 4.3.3 migration failure (#1846)

Investigate in repo

```
git log --oneline -- ".github/workflows/4x_dumps/V4_1_2_1.sql"
git show 06767831f7 -- ".github/workflows/4x_dumps/V4_1_2_1.sql"
```

SECRET

.github/workflows/4x_dumps/V4_2_0_1.sql

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 3.90

Match (redacted) `csrf_secret', 'REDACTED'`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
86:4-129	06767831f7	devishke-orange	2024-05-29 02:52	OHRM5X-2559: Fix upgrader - 4.3.3 migration failure (#1846)

Investigate in repo

```
git log --oneline -- ".github/workflows/4x_dumps/V4_2_0_1.sql"
git show 06767831f7 -- ".github/workflows/4x_dumps/V4_2_0_1.sql"
```

SECRET

.github/workflows/4x_dumps/V4_3.sql

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 3.86

Match (redacted) `csrf_secret', 'REDACTED'`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
87:4-129	06767831f7	devishke-orange	2024-05-29 02:52	OHRM5X-2559: Fix upgrader - 4.3.3 migration failure (#1846)

Investigate in repo

```
git log --oneline -- ".github/workflows/4x_dumps/V4_3.sql"
git show 06767831f7 -- ".github/workflows/4x_dumps/V4_3.sql"
```

SECRET

.github/workflows/4x_dumps/V4_3_1.sql

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 3.93

Match (redacted) `csrf_secret', 'REDACTED'`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
87:4-129	06767831f7	devishke-orange	2024-05-29 02:52	OHRM5X-2559: Fix upgrader - 4.3.3 migration failure (#1846)

Investigate in repo

```
git log --oneline -- ".github/workflows/4x_dumps/V4_3_1.sql"
git show 06767831f7 -- ".github/workflows/4x_dumps/V4_3_1.sql"
```

SECRET

.github/workflows/4x_dumps/V4_3_2.sql

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 3.95

Match (redacted) `csrf_secret', 'REDACTED'`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
87:4-129	06767831f7	devishke-orange	2024-05-29 02:52	OHRM5X-2559: Fix upgrader - 4.3.3 migration failure (#1846)

Investigate in repo

```
git log --oneline -- ".github/workflows/4x_dumps/V4_3_2.sql"
git show 06767831f7 -- ".github/workflows/4x_dumps/V4_3_2.sql"
```

SECRET

.github/workflows/4x_dumps/V4_3_3.sql

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 3.86

Match (redacted) `csrf_secret', 'REDACTED'`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
87:4-129	06767831f7	devishke-orange	2024-05-29 02:52	OHRM5X-2559: Fix upgrader - 4.3.3 migration failure (#1846)

Investigate in repo

```
git log --oneline -- ".github/workflows/4x_dumps/V4_3_3.sql"
git show 06767831f7 -- ".github/workflows/4x_dumps/V4_3_3.sql"
```

SECRET

.github/workflows/4x_dumps/V4_3_4.sql

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 3.93

Match (redacted) `csrf_secret', 'REDACTED'`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
87:4-129	06767831f7	devishke-orange	2024-05-29 02:52	OHRM5X-2559: Fix upgrader - 4.3.3 migration failure (#1846)

Investigate in repo

```
git log --oneline -- ".github/workflows/4x_dumps/V4_3_4.sql"
git show 06767831f7 -- ".github/workflows/4x_dumps/V4_3_4.sql"
```

SECRET

.github/workflows/4x_dumps/V4_3_5.sql

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 3.92

Match (redacted) `csrf_secret', 'REDACTED'`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
87:4-129	06767831f7	devishke-orange	2024-05-29 02:52	OHRM5X-2559: Fix upgrader - 4.3.3 migration failure (#1846)

Investigate in repo

```
git log --oneline -- ".github/workflows/4x_dumps/V4_3_5.sql"
git show 06767831f7 -- ".github/workflows/4x_dumps/V4_3_5.sql"
```

SECRET

.github/workflows/4x_dumps/V4_4.sql

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 3.96

Match (redacted) `csrf_secret', 'REDACTED'`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
101:4-129	06767831f7	devishke-orange	2024-05-29 02:52	OHRM5X-2559: Fix upgrader - 4.3.3 migration failure (#1846)

Investigate in repo

```
git log --oneline -- ".github/workflows/4x_dumps/V4_4.sql"
git show 06767831f7 -- ".github/workflows/4x_dumps/V4_4.sql"
```

SECRET

.github/workflows/4x_dumps/V4_5.sql

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 3.84

Match (redacted) `csrf_secret', 'REDACTED'`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
101:4-129	06767831f7	devishke-orange	2024-05-29 02:52	OHRM5X-2559: Fix upgrader - 4.3.3 migration failure (#1846)

Investigate in repo

```
git log --oneline -- ".github/workflows/4x_dumps/V4_5.sql"
git show 06767831f7 -- ".github/workflows/4x_dumps/V4_5.sql"
```

SECRET

.github/workflows/4x_dumps/V4_6.sql

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 3.84

Match (redacted) `csrf_secret', 'REDACTED'`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
101:4-129	06767831f7	devishke-orange	2024-05-29 02:52	OHRM5X-2559: Fix upgrader - 4.3.3 migration failure (#1846)

Investigate in repo

```
git log --oneline -- ".github/workflows/4x_dumps/V4_6.sql"
git show 06767831f7 -- ".github/workflows/4x_dumps/V4_6.sql"
```

SECRET

.github/workflows/4x_dumps/V4_6_0_1.sql

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 3.89

Match (redacted) `csrf_secret', 'REDACTED'`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
101:4-129	06767831f7	devishke-orange	2024-05-29 02:52	OHRM5X-2559: Fix upgrader - 4.3.3 migration failure (#1846)

Investigate in repo

```
git log --oneline -- ".github/workflows/4x_dumps/V4_6_0_1.sql"
git show 06767831f7 -- ".github/workflows/4x_dumps/V4_6_0_1.sql"
```

SECRET

.github/workflows/4x_dumps/V4_7.sql

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 3.80

Match (redacted) `csrf_secret', 'REDACTED'`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
101:4-129	06767831f7	devishke-orange	2024-05-29 02:52	OHRM5X-2559: Fix upgrader - 4.3.3 migration failure (#1846)

Investigate in repo

```
git log --oneline -- ".github/workflows/4x_dumps/V4_7.sql"
git show 06767831f7 -- ".github/workflows/4x_dumps/V4_7.sql"
```

SECRET

.github/workflows/4x_dumps/V4_8.sql

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 3.94

Match (redacted) `csrf_secret', 'REDACTED'`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
101:4-129	06767831f7	devishke-orange	2024-05-29 02:52	OHRM5X-2559: Fix upgrader - 4.3.3 migration failure (#1846)

Investigate in repo

```
git log --oneline -- ".github/workflows/4x_dumps/V4_8.sql"
git show 06767831f7 -- ".github/workflows/4x_dumps/V4_8.sql"
```

SECRET

.github/workflows/4x_dumps/V4_9.sql

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 3.92

Match (redacted) `csrf_secret', 'REDACTED'`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
101:4-129	06767831f7	devishke-orange	2024-05-29 02:52	OHRM5X-2559: Fix upgrader - 4.3.3 migration failure (#1846)

Investigate in repo

```
git log --oneline -- ".github/workflows/4x_dumps/V4_9.sql"
git show 06767831f7 -- ".github/workflows/4x_dumps/V4_9.sql"
```

SECRET

dbscript/dbscript-2.sql

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 3.75

Match (redacted) `client_secret', 'REDACTED'`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
2909:4-71	020c394d35	Ashan	2018-12-06 10:15	OHRM-178 : adding functionality in uninstalling and insta...

Investigate in repo

```
git log --oneline -- "dbscript/dbscript-2.sql"
git show 020c394d35 -- "dbscript/dbscript-2.sql"
```

SECRET

installer/client/.yarn/releases/yarn-3.3.0.cjs

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 3.72

Match (redacted) `En.MismatchedTokenException=REDACTED`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
190:28504-28562	50e337a330	Chamara Abesinghe	2022-12-20 06:16	OHRM5X-1898: Update installer/upgrader notice (#1573)

Investigate in repo

```
git log --oneline -- "installer/client/.yarn/releases/yarn-3.3.0.cjs"
git show 50e337a330 -- "installer/client/.yarn/releases/yarn-3.3.0.cjs"
```

SECRET

orangehrm-3.1.3/symfony/lib/vendor/symfony/lib/plugins/sfDoctrinePlugin/test/functional/Ticket/5269Test.php

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 3.68

Match (redacted) `password' => 'REDACTED'`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
45:76-122	f8a2484124	chathura-ak	2014-09-26 04:12	creating tag for orangehrm-3.1.3 with beacon

Investigate in repo

```
git log --oneline -- "orangehrm-3.1.3/symfony/lib/vendor/symfony/lib/plugins/sfDoctrinePlugin/test/functional/Ticket/5269Test.php"
git show f8a2484124 -- "orangehrm-3.1.3/symfony/lib/vendor/symfony/lib/plugins/sfDoctrinePlugin/test/functional/Ticket/5269Test.php"
```

SECRET

orangehrm-3.1.3/symfony/test/lib/utility/EncryptionListenerTest.php

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 3.93

Match (redacted) `key1 = 'REDACTED'`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
11:17-153	f8a2484124	chathura-ak	2014-09-26 04:12	creating tag for orangehrm-3.1.3 with beacon

Investigate in repo

```
git log --oneline -- "orangehrm-3.1.3/symfony/test/lib/utility/EncryptionListenerTest.php"
git show f8a2484124 -- "orangehrm-3.1.3/symfony/test/lib/utility/EncryptionListenerTest.php"
```

SECRET

orangehrm-3.2.1/symfony/lib/vendor/symfony/lib/plugins/sfDoctrinePlugin/test/functional/Ticket/5269Test.php

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 3.68

Match (redacted) `password' => 'REDACTED'`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
45:76-122	565803aa26	chathura-ak	2014-10-28 11:38	creating tag for orangehrm 3.2.1

Investigate in repo

```
git log --oneline -- "orangehrm-3.2.1/symfony/lib/vendor/symfony/lib/plugins/sfDoctrinePlugin/test/functional/Ticket/5269Test.php"
git show 565803aa26 -- "orangehrm-3.2.1/symfony/lib/vendor/symfony/lib/plugins/sfDoctrinePlugin/test/functional/Ticket/5269Test.php"
```

SECRET

orangehrm-3.2.1/symfony/test/lib/utility/EncryptionListenerTest.php

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 3.93

Match (redacted) `key1 = 'REDACTED'`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
11:17-153	565803aa26	chathura-ak	2014-10-28 11:38	creating tag for orangehrm 3.2.1

Investigate in repo

```
git log --oneline -- "orangehrm-3.2.1/symfony/test/lib/utility/EncryptionListenerTest.php"
git show 565803aa26 -- "orangehrm-3.2.1/symfony/test/lib/utility/EncryptionListenerTest.php"
```

SECRET

php/orangehrm/orangehrm/scripts/yui/calendar/calendar-debug.js

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 3.52

Match (redacted) `key:"REDACTED"`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
1137:20-39	fe7c61259f	nilufer	2007-12-04 04:36	Initial import.

Investigate in repo

```
git log --oneline -- "php/orangehrm/orangehrm/scripts/yui/calendar/calendar-debug.js"
git show fe7c61259f -- "php/orangehrm/orangehrm/scripts/yui/calendar/calendar-debug.js"
```

SECRET

php/orangehrm/orangehrm/scripts/yui/calendar/calendar-min.js

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 3.52

Match (redacted) `key:"REDACTED"`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
29:1865-1884	fe7c61259f	nilufer	2007-12-04 04:36	Initial import.

Investigate in repo

```
git log --oneline -- "php/orangehrm/orangehrm/scripts/yui/calendar/calendar-min.js"
git show fe7c61259f -- "php/orangehrm/orangehrm/scripts/yui/calendar/calendar-min.js"
```

SECRET

php/orangehrm/orangehrm/scripts/yui/calendar/calendar.js

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 3.52

Match (redacted) `key:"REDACTED"`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
1142:20-39	fe7c61259f	nilufer	2007-12-04 04:36	Initial import.

Investigate in repo

```
git log --oneline -- "php/orangehrm/orangehrm/scripts/yui/calendar/calendar.js"
git show fe7c61259f -- "php/orangehrm/orangehrm/scripts/yui/calendar/calendar.js"
```

SECRET

php/orangehrm/symfony/lib/vendor/symfony/doc/12-Caching.txt

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 3.60

Match (redacted) `sf_cache_key=REDACTED`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
340:55-99	8d7025ec6c	webgaya	2010-03-11 10:53	Copied Symfony folder from 2.5-branch at revision 4437

Investigate in repo

```
git log --oneline -- "php/orangehrm/symfony/lib/vendor/symfony/doc/12-Caching.txt"
git show 8d7025ec6c -- "php/orangehrm/symfony/lib/vendor/symfony/doc/12-Caching.txt"
```

SECRET

php/orangehrm/symfony/lib/vendor/symfony/lib/plugins/sfDoctrinePlugin/test/functional/Ticket/5269Test.php

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 3.68

Match (redacted) `password' => 'REDACTED'`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
45:76-122	8d7025ec6c	webgaya	2010-03-11 10:53	Copied Symfony folder from 2.5-branch at revision 4437

Investigate in repo

```
git log --oneline -- "php/orangehrm/symfony/lib/vendor/symfony/lib/plugins/sfDoctrinePlugin/test/functional/Ticket/5269Test.php"
git show 8d7025ec6c -- "php/orangehrm/symfony/lib/vendor/symfony/lib/plugins/sfDoctrinePlugin/test/functional/Ticket/5269Test.php"
```

SECRET

php/orangehrm/symfony/test/lib/utility/EncryptionListenerTest.php

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 3.93

Match (redacted) `key1 = 'REDACTED'`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
11:17-153	97331173b4	rtamarasinghe	2011-03-03 04:38	encryption listener test

Investigate in repo

```
git log --oneline -- "php/orangehrm/symfony/test/lib/utility/EncryptionListenerTest.php"
git show 97331173b4 -- "php/orangehrm/symfony/test/lib/utility/EncryptionListenerTest.php"
```

SECRET

src/client/.yarn/releases/yarn-3.3.0.cjs

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 3.72

Match (redacted) `En.MismatchedTokenException=REDACTED`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
190:28504-28562	51e68e6043	Chamara Abesinghe	2022-12-05 11:58	OHRM5X-1863: Add buzz - newsfeed swipe gesture (#1550)

Investigate in repo

```
git log --oneline -- "src/client/.yarn/releases/yarn-3.3.0.cjs"
git show 51e68e6043 -- "src/client/.yarn/releases/yarn-3.3.0.cjs"
```

SECRET

src/plugins/orangehrmAdminPlugin/test/fixtures/UserAPI.yaml

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 4.57

Match (redacted) `client_secret: 'REDACTED'`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
81:94-145	97772dc8ec	Manul Madara	2024-01-23 03:33	OHRM5X-2407: Develop OpenID - authentication flow (#1777)

Investigate in repo

```
git log --oneline -- "src/plugins/orangehrmAdminPlugin/test/fixtures/UserAPI.yaml"
git show 97772dc8ec -- "src/plugins/orangehrmAdminPlugin/test/fixtures/UserAPI.yaml"
```

SECRET

src/plugins/orangehrmCoreOAuthPlugin/Server/OAuthServer.php

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 4.87

Match (redacted) `encryptionKey = 'REDACTED'`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
47:17-82	6833af2d3c	Rajitha Kumara	2023-02-28 08:07	OHRM5X-2065: Develop oauth - authorization code endpoint...

Investigate in repo

```
git log --oneline -- "src/plugins/orangehrmCoreOAuthPlugin/Server/OAuthServer.php"
git show 6833af2d3c -- "src/plugins/orangehrmCoreOAuthPlugin/Server/OAuthServer.php"
```

SECRET

src/plugins/orangehrmCoreOAuthPlugin/Subscriber/OAuthSubscriber.php

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 4.87

Match (redacted) `encryptionKey = 'REDACTED'`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
77:15-80	6833af2d3c	Rajitha Kumara	2023-02-28 08:07	OHRM5X-2065: Develop oauth - authorization code endpoint...

Investigate in repo

```
git log --oneline -- "src/plugins/orangehrmCoreOAuthPlugin/Subscriber/OAuthSubscriber.php"
git show 6833af2d3c -- "src/plugins/orangehrmCoreOAuthPlugin/Subscriber/OAuthSubscriber.php"
```

SECRET

src/plugins/orangehrmCoreOAuthPlugin/test/Api/Model/OAuthClientModelTest.php

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 3.72

Match (redacted) `clientSecret" => "REDACTED"`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
38:15-97	295452968f	devishke-orange	2023-03-03 13:48	OHRM5X-2069: Develop oauth - register OAuth 2 clients (#1...

Investigate in repo

```
git log --oneline -- "src/plugins/orangehrmCoreOAuthPlugin/test/Api/Model/OAuthClientModelTest.php"
git show 295452968f -- "src/plugins/orangehrmCoreOAuthPlugin/test/Api/Model/OAuthClientModelTest.php"
```

SECRET

src/plugins/orangehrmCoreOAuthPlugin/test/Server/BearerTokenValidatorTest.php

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 4.74

Match (redacted) `encryptionKey = 'REDACTED'`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
51:17-78	3c39f52c00	Rajitha Kumara	2023-06-29 05:11	OHRM5X-2166: Complete oauth unit tests (#1683)

Investigate in repo

```
git log --oneline -- "src/plugins/orangehrmCoreOAuthPlugin/test/Server/BearerTokenValidatorTest.php"
git show 3c39f52c00 -- "src/plugins/orangehrmCoreOAuthPlugin/test/Server/BearerTokenValidatorTest.php"
```

SECRET

src/plugins/orangehrmCorePlugin/test/Utility/CryptographerTest.php

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 3.94

Match (redacted) `key = "REDACTED"`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
31:11-146	0a30a8c64d	devishke-orange	2022-08-31 09:01	OHRM5X-1604: Develop installer - supported encryption fie...

Investigate in repo

```
git log --oneline -- "src/plugins/orangehrmCorePlugin/test/Utility/CryptographerTest.php"
git show 0a30a8c64d -- "src/plugins/orangehrmCorePlugin/test/Utility/CryptographerTest.php"
```

SECRET

src/plugins/orangehrmOpenidAuthenticationPlugin/test/fixtures/AuthProviderExtraDetails.yml

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 4.57

Match (redacted) `client_secret: 'REDACTED'`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
8:119-170	af66498a3a	Manul Madara	2023-12-05 03:58	OHRM5X-2405: Develop OpenID - auth providers API (#1775)

Investigate in repo

```
git log --oneline -- "src/plugins/orangehrmOpenidAuthenticationPlugin/test/fixtures/AuthProviderExtraDetails.yml"
git show af66498a3a -- "src/plugins/orangehrmOpenidAuthenticationPlugin/test/fixtures/AuthProviderExtraDetails.yml"
```

SECRET

src/plugins/orangehrmPimPlugin/test/fixtures/EmployeeOtherEmailValidation.yml

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 3.65

Match (redacted) `user_password": "REDACTED"`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
12:75-124	b141b5f859	devishke-orange	2022-04-20 10:21	OHRM5X-1271: Add unique validation for PIM other email fi...

Investigate in repo

```
git log --oneline -- "src/plugins/orangehrmPimPlugin/test/fixtures/EmployeeOtherEmailValidation.yml"
git show b141b5f859 -- "src/plugins/orangehrmPimPlugin/test/fixtures/EmployeeOtherEmailValidation.yml"
```

SECRET

symfony/plugins/orangehrmMarketPlacePlugin/install/dbscript.sql

Detected a Generic API Key, potentially exposing access to various services and sensitive operations.

generic-api-key	1 line(s)	Entropy 3.75

Match (redacted) `client_secret', 'REDACTED'`

Description

Generic secret: identifier contains key/token/secret/password with a high-entropy value.

Remediation

Verify it is not a dummy value. If valid: rotate at the issuer, then load from an environment variable / secret manager.

Location & first introducing commit

Line:column	Commit	Author	Date (UTC)	Commit message
23:4-71	5901cce715	Ashan	2018-12-05 09:41	OHRM-177 : Add-on list page implementation

Investigate in repo

```
git log --oneline -- "symfony/plugins/orangehrmMarketPlacePlugin/install/dbscript.sql"
git show 5901cce715 -- "symfony/plugins/orangehrmMarketPlacePlugin/install/dbscript.sql"
```