Existing vs Our Approach — claim-by-claim verification

current slide me ye comparison hai: “Existing (typical) vs Our approach.” Isme kuch claims strong hain, lekin kuch ko correct krna zaroori hai.

current claim	**Verification**	**Kya change karna chahiye**
Existing systems cases rise hone ke baad recognize karte hain	Partially correct, but too broad. Reactive surveillance exists, but early-warning systems also exist.	“Routine surveillance may identify some surges only after cases rise; earlier warning remains a challenge.”
Weather-based forecasting se 2–4 weeks pehle warning	Existing concept; your target is unvalidated. Indian research has demonstrated malaria/health forecasting at a 2–3 week horizon in Maharashtra.	Claim your target as something you will test, not a new capability or proven result.
District-to-block localized risk	Not inherently new. WHO guidance describes meteorological early warnings at district level and early detection at sub-district level.	Emphasize locally validated risk estimates for Chhattisgarh blocks, conditional on data availability.
Alert → task → owner → deadline → completion ledger	Potential differentiator. Existing platforms already support malaria surveillance, digital reporting, alerts and advisories. FeverTracker is one Indian example.	Focus on the integration of forecast evaluation with an accountable Mitanin-facing task workflow; verify against comparable products.
Forecast skill compared against a seasonal baseline	A defensible technical design choice, not a proven unique invention.	Highlight the skill gate: use weather-informed forecasts only when they outperform the baseline under a defined evaluation protocol.