SPEC® CPU2017 Integer Rate Result Copyright 2017-2019 Standard Performance Evaluation Corporation My Corporation SPECrate2017_int_base = 0.00SPECrate2017_int_peak **∜**ot Run CPU2017 License: nnn (Your SPEC license number) Test Date: Apr-2019 Hardware Availability: **Test Sponsor:** My Corporation Tested by: Software Availability: My Corporation Copies 500.perlbench_r 502.gcc_r 505.mcf_r 520.omnetpp_r 523.xalancbmk_r 525.x264 r 531.deepsjeng_r 541.leela r 548.exchange2_r 557.xz_r Hardware Software CPU Name: Intel Core i5-7500 OS: Ubuntu 18.04.1 LTS Max MHz.: 4.15.0-46-generic C/C++/Fortran: Version 7.2.1 of GCC, the Nominal: Compiler: Enabled: cores, 1 chip, threads/core **GNU Compiler Collection** Orderable: Parallel: Cache L1: Firmware: L2: File System: ext4 System State: Run level 5 (add definition here) L3: Other: Base Pointers: 64-bit 7.677 GB fixme: If using DDR4, the format is: Peak Pointers: Not Applicable Memory: 'N GB (N x N GB nRxn PC4-nnnnX-X)' Other: 841 GB add more disk info here Storage: Other:

Errors

There is no set of valid runs with the same number of copies for base

'reportable' flag not set during run

525.x264_x(base) did not have enough runs!

557.xz_r (base) did not have enough runs!

548.exchange2_r (base) did not have enough runs!

500.perlbench_r (base) did not have enough runs!

541.leela_r (base) did not have enough runs!

520.omnetpp_r (base) did not have enough runs!

523.xalancbmk_r (base) did not have enough runs!

502.gcc_r (base) did not have enough runs!

505.mcf r (base) did not have enough runs!

Copyright 2017-2019 Standard Performance Evaluation Corporation

My Corporation

SPECrate2017_int_base = 0.00

SPECrate2017_int_peak \ndots Not Run

CPU2017 License: nnn (Your SPEC license number)

Test Sponsor: My Corporation **Tested by:** My Corporation

Test Date: Apr-2019

Hardware Availability: Software Availability:

Errors (Continued)

531.deepsjeng_r (base) did not have enough runs!

548.exchange2_r (base) had invalid runs!

Input set must be 'refrate' for a valid run (set to 'test' for this run)

Run of 548.exchange2_r (base) was not valid; status is CE

Results Table

	Base								\ /	Peak					
Benchmark	Copies	Seconds	Ratio	Seconds	Ratio	Sec	conds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
500.perlbench_r	1	26.3	0.00		\setminus	\ \ \	\ \	$\Big)$							
502.gcc_r	1	0.00681	0,00		$\langle \cdot \rangle$										
505.mcf_r	1	12.1	0.00					^							
520.omnetpp_r	1	4.41	0.00				$\sqrt{}$								
523.xalancbmk_r	1	0.0652	0.00)/								
525.x264_r	1	46.4	0.00			1	·								
531.deepsjeng_r	1	7.64	0.00												
541.leela_r	1	6.04	Q.00/		$\mathcal{N}_{\mathscr{N}}$										
548.exchange2_r	1	0.00	0 .00),											
557.xz_r	1	12.2	0.00												

SPECrate2017_int_base

0.00

SPECrate2017_int_peak =

Not Run

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

General Notes

Environment variables set by runcpu before the start of the run: LD_LIBPARY_PATH = "\usr/bin/gcc"

Platform Notes

Systafo program /home/iiitd/Desktop/hwl1/bin/sysiafo

Rev: r5974 of 2018-05-19 9bcde8f2999c33d61f64985e45859ea9

running on iiit-d Sat Apr 6 04:52:04 2019

SUT (System Under Test) info as seen by some common utilities.

For more information on this section, see

https://www.spec.org/cpu2017/Docs/config.html#sysinfo

From /proc/cpuinfo

model name : Intel(R) Core(TM) i5-7500 CPU @ 3.40GHz

- 1 "physical id"s (chips)
- 4 "processors"

Copyright 2017-2019 Standard Performance Evaluation Corporation

My Corporation

SPECrate2017_int_base = 0.00

SPECrate2017_int_peak Not Run

CPU2017 License: nnn (Your SPEC license number)

My Corporation
My Corporation

Test Date: Apr-2019

Hardware Availability: Software Availability:

Platform Notes (Continued)

cores, siblings (Caution: counting these is hw and system dependent. The following excerpts from /proc/cpuinfo might not be reliable. Use with caution.)

cpu cores : 4 siblings : 4 physical 0: co

physical 0: cores 0 1 2 3

From lscpu:

Test Sponsor:

Tested by:

Architecture: x86_64
CPU op-mode(s): 32-bit, 64-bit
Byte Order: Little Endian
CPU(s): 4

On-line CPU(s) list: A-Thread(s) per core: 1
Core(s) per socket: 4
Socket(s): 1
NUMA node(s): 1

Vendor ID: Genuine Intel
CPU family: 6

Model:
Model name:

Model name: Intel(R) Opte(TM) i5-7500 CPU @ 3.40GHz Stepping:

CPU MHz: 3602.902
CPU max MHz: 3800.0000
CPU min MHz: 800.0000
BogoMIPS: 6816.00
VT-x
L1d cache: 32K

L1i cashe: 32K L2 cache: 256K L3 cache: 6144K MUMA node0 CPU(2): 0-3

fpu vme de pse tsc msr pae mce cx8 apic sep mtrr pge mca cmov pat se36 clffush dts acpi mmx fxsr sse sse2 ss ht tm pbe syscall nx pdpe1gb rdtscp lm constant/tsc art arch_perfmon pebs bts rep_good nopl xtopology nonstop_tsc cpuid aperfmperf tsc_known_freq pni pclmulqdq dtes64 monitor ds_cpl vmx smx est tm2 ssse3 sdbg fma cx16 xtpr pdcm pcid sse4_1 sse4_2 x2apic movbe popcnt tsc_deadline_timer aes xsave avx f16c rdrand lahf_lm abm 3dnowprefetch cpuid_fault epb invpcid_single pti sbd ibrs ibpb stibp tpr_shadow vnmi flexpriority ept vpid fsgsbase tsc_adjust bmil hle avx2 smep bmi2 erms invpcid rtm mpx rdseed adx smap clflushopt intel_pt xsaveopt xsavec xgetbv1 xsaves dtherm ida arat pln pts hwp hwp_notify hwp_act_window hwp_epp flush_11d

/proc/cpuinfo cache data
 cache size : 6144 KB

From numactl --hardware WARNING: a numactl 'node' might or might not correspond to a physical chip.

Copyright 2017-2019 Standard Performance Evaluation Corporation

My Corporation

SPECrate2017_int_base = 0.00

SPECrate2017_int_peak Not Run

CPU2017 License: nnn (Your SPEC license number)

Test Sponsor: My Corporation **Tested by:** My Corporation

Test Date: Apr-2019
Hardware Availability:

Software Availability:

Platform Notes (Continued)

```
From /proc/meminfo
```

MemTotal: 8049856 kB HugePages_Total: 128 Hugepagesize: 2048 kB

/usr/bin/lsb_release -d Ubuntu 18.04.1 LTS

From /etc/*release* /etc/*version*
debian_version: buster/sid
os-release:

NAME="Ubuntu"

VERSION="18.04.1 LT% (Bionic Beaver)

ID=ubuntu
ID_LIKE=debian

PRETTY_NAME="Ubuntu 18.04.1 LTS"

VERSION_ID="18.04"

HOME_URL="https://www.ubuntu.com/

SUPPORT_URL="https://help.ubuntu.com/"

uname -a:

Linux iiit-d 4.15 0-46-gener1d #49-Ubuntu SMP Wed Feb 6 09:33:07 UTC 2019 x86_64 x86_64 x86_64 GNU Vinux

Kernel self-reported vulnerability status:

CVE-2017-5754 (Meltdown) Mitigation: PTI

CVE-2017 5753 (Spectre variant 1): Mitigation: _user pointer sanitization

CVE-2017/5715 (Spectre variant 2): Mitigation: Full generic retpoline, IBPB, IBRS_FW

run-level 5 2019-04-05 19:29

SPEC is set to: //home/iiitd/Desktop/hwll

Filesystem / Type Size Used Avail Use% Mounted on

XdevXsda4, ext4 341G 140G 184G 44% /

Additional information from dmidecode follows. WARNING: Use caution when you interpret this section. The 'dmidecode' program reads system data which is "intended to allow hardware to be accurately determined", but the intent may not be met, as there are frequent changes to hardware, firmware, and the "DMTF SMBIOS" standard.

(End of data from sysinfo program)

Copyright 2017-2019 Standard Performance Evaluation Corporation

My Corporation

Test Sponsor:

Tested by:

SPECrate2017_int_base = 0.00

SPECrate2017_int_peak \to Not Run

CPU2017 License: nnn (Your SPEC license number)

My Corporation
My Corporation

Test Date: Apr-2019

Hardware Availability: Software Availability:

Compiler Version Notes

```
______
CXXC 520.omnetpp_r(base) 523.xalancbmk_r(base) 531.deepsjeng_r(base)
     541.leela_r(base)
______
Using built-in specs.
COLLECT GCC=/usr/bin/q++
COLLECT_LTO_WRAPPER=/usr/lib/gcc/x86_64-lippx-gnu/7/lto-wrapper
OFFLOAD_TARGET_NAMES=nvptx-none
OFFLOAD_TARGET_DEFAULT=1
Target: x86_64-linux-gnu
Configured with: ../src/configure -v
                                   --with-pkgvers/ibn='Ubuntu
 7.3.0-27ubuntu1~18.04'
  --with-bugurl=file:///usy/share/doc/gco-7/README.Bugs
  --enable-languages=c,add,c+,go,brig,d,fortran,objc,obj-c++ --prefix=/usr
  --with-gcc-major-version-only --program suffix=-7
  --program-prefix=x86_64-linux-gnu--enable-shared --enable-linker-build-id
  --libexecdir=/usr/lib --without-ncluded-gettext --enable-threads=posix
  --libdir=/usr/lib --enable-rls --with-sysroot=/ --enable-clocale=gnu
  --enable-libstdcxx-debyg --enable-libstdcxx-time=yes
  --with-default-libstddxx-ab/-new--remable-gnu-unique-object
  --disable-vtable-verify --enable-libmpx --enable-plugin
  --enable-default-pie --with-system-zlib --with-target-system-zlib
  --enable-objc-gc=auto --enable-wultiarch --disable-werror
  --with-arch-32zi686 \with-abi m64 --with-multilib-list=m32, m64, mx32
  --enable-multilib --with-tune=generic --enable-offload-targets=nvptx-none
 --without-cuda-driver -- enable-checking=release --build=x86_64-linux-gnu
  --host=x86_64-linux-qnu \--target=x86_64-linux-gnu
Thread model: posix
gcc version 7.3.0 (Ubuntu 7.3.0-27ubuntu1~18.04)
 -----
    500.perlbench (base) 502.gcc_r(base) 505.mcf_r(base) 525.x264_r(base)
     557.xzr(base)
Using built-in specs.
COLLECT GCC=/usr/bin/gcc
COLLECT_ATO_WRAPPER=/usr/lib/gcc/x86_64-linux-gnu/7/lto-wrapper
OFFLOAD_TARGET_NAMES=nvptx-none
OFFLOAD_TARGET_DEFAULT=1
Target: x86_64-linux-gnu
Configured with: ../src/configure -v --with-pkgversion='Ubuntu
  7.3.0-27ubuntu1~18.04'
 --with-bugurl=file:///usr/share/doc/gcc-7/README.Bugs
 --enable-languages=c,ada,c++,go,brig,d,fortran,objc,obj-c++ --prefix=/usr
 --with-gcc-major-version-only --program-suffix=-7
  --program-prefix=x86_64-linux-gnu- --enable-shared --enable-linker-build-id
```

Copyright 2017-2019 Standard Performance Evaluation Corporation

My Corporation

SPECrate2017_int_base = 0.00

SPECrate2017_int_peak Not Run

CPU2017 License: nnn (Your SPEC license number)

Test Sponsor: My Corporation **Tested by:** My Corporation

Test Date: Apr-2019

Hardware Availability: Software Availability:

Compiler Version Notes (Continued)

--libexecdir=/usr/lib --without-included-gettext --enable-threads=posix

--libdir=/usr/lib --enable-nls --with-sysroot=/ --enable-clocale=gnu

--enable-libstdcxx-debug --enable-libstdcxx-time=yes

--with-default-libstdcxx-abi=new --enable-gnu-unique-object

--disable-vtable-verify --enable-libmyx --enable-plugin

--enable-default-pie --with-system-zlib -with-target-system-zlib

--enable-objc-gc=auto --enable-multiarch --disable-werror

--with-arch-32=i686 --with-abi=m64 --with-multilib-list=m32,m64,mx32

--enable-multilib --with-tune=generic --enable-offload-targets=nvptx-none

--without-cuda-driver --enable-thecking release - byild=x86_64-linux-gnu

--host=x86_64-linux-gnu --target=x86_64-linux-gny

Thread model: posix

gcc version 7.3.0 (Ubuntu 7.3.0-27ubuntu 18.04

Base Compiler Invocation

C benchmarks:

gcc

C++ benchmarks:

g++

Base Portability Flags

500.perlbench_T: DSPEC_LINUX_X64 -DSPEC_LP64

502.gcc_r.-DSPEC_LP64

505.mcf_r: -DSPEC LP64

\$20.omhetpp_r: DSPEC_LP64

523 xalancbmk_r: -DSPEC_LINUX -DSPEC_LP64

525.x264_r: -DSPEC_LP64

531.deepsjeng_r: -DSPEC_LP64

541.leela_r: -DSPEC_LP64

557.xz_r: DSPEC LP64

Base Optimization Flags

C benchmarks:

-m64 -std=c99 -g -O3 -march=native -fno-unsafe-math-optimizations -fno-tree-loop-vectorize -fno-strict-aliasing -fgnu89-inline

Copyright 2017-2019 Standard Performance Evaluation Corporation

My Corporation

SPECrate2017_int_base = 0.00

SPECrate2017_int_peak Not Run

CPU2017 License: nnn (Your SPEC license number)

Test Sponsor: My Corporation **Tested by:** My Corporation

Test Date: Apr-2019


Hardware Availability: Software Availability:

Base Optimization Flags (Continued)

C++ benchmarks:

-m64 -std=c++03 -g -03 -march=native -fno-unsafe-math-optimizations

-fno-tree-loop-vectorize



SPEC is a registered trademark of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester. For other inquiries, please contact info@spec.org.

Tested with SPEC CPU2017 v1.0.5 on 2019-04-06 04:52:03+0530.

Report generated on 2019-04-06 04:58:23 by CPU2017 PDF formatter v5866.