

SPEC® CPU2017 Integer Rate Result

Copyright 2017-2019 Standard Performance Evaluation Corporation

My Corporation

SPECrate2017_int_base = 0.00

SPECrate2017_int_peak = 0.00

CPU2017 License: nnn (Your SPEC license number)

Test Sponsor: My Corporation

Tested by: My Corporation

Test Date: Apr-2019

Hardware Availability:

Software Availability:

Copies

500.perlbench_r

502.gcc_r

505.mcf_r

520.omnetpp_r

523.xalancbmk_r

525.x264_r

531.deepsjeng_r

541.leela_r

548.exchange2_r

557.xz_r

Hardware

CPU Name: Intel Core i5-7500

Max MHz.:

Nominal:

Enabled: cores, 1 chip, threads/core

Orderable:

Cache L1:

L2:

L3:

Other:

Memory: 7.677 GB fixme: If using DDR4, the format is:
'N GB (N x N GB nRxn PC4-nnnnX-X)'

Storage: 341 GB add more disk info here

Other:

Software

OS: Ubuntu 18.04.1 LTS

4.15.0-46-generic

Compiler: C/C++: Version 3.9.0 of Clang, the
LLVM Compiler Infrastructure
Fortran: Version 4.8.2 of GCC, the
GNU Compiler Collection
DragonEgg: Version 3.5.2, the
LLVM Compiler Infrastructure

Parallel: No

Firmware:

File System: ext4

System State: Run level 5 (add definition here)

Base Pointers: 64-bit

Peak Pointers: 64-bit

Other:

Errors

Complete set of valid runs for peak rate unavailable (541.leela_r missing)

Complete set of valid runs for peak rate unavailable (505.mcf_r missing)

Complete set of valid runs for peak rate unavailable (557.xz_r missing)

(Continued on next page)

SPEC CPU2017 Integer Rate Result

Copyright 2017-2019 Standard Performance Evaluation Corporation

My Corporation

SPECrate2017_int_base = 0.00

SPECrate2017_int_peak = 0.00

CPU2017 License: nnn (Your SPEC license number)

Test Sponsor: My Corporation

Tested by: My Corporation

Test Date: Apr-2019

Hardware Availability:

Software Availability:

Errors (Continued)

Complete set of valid runs for peak rate unavailable (520.omnetpp_r missing)

Complete set of valid runs for peak rate unavailable (548.exchange2_r missing)

Complete set of valid runs for peak rate unavailable (525.x264_r missing)

Complete set of valid runs for peak rate unavailable (523.xalancbmk_r missing)

Complete set of valid runs for peak rate unavailable (500.perlbench_r missing)

Complete set of valid runs for peak rate unavailable (531.deepsjeng_r missing)

Complete set of valid runs for peak rate unavailable (502.gcc_r missing)

There is no set of valid runs with the same number of copies for base

'reportable' flag not set during run

541.leela_r (base) did not have enough runs!

505.mcf_r (base) did not have enough runs!

557.xz_r (base) did not have enough runs!

520.omnetpp_r (base) did not have enough runs!

548.exchange2_r (base) did not have enough runs!

525.x264_r (base) did not have enough runs!

523.xalancbmk_r (base) did not have enough runs!

500.perlbench_r (base) did not have enough runs!

531.deepsjeng_r (base) did not have enough runs!

502.gcc_r (base) did not have enough runs!

502.gcc_r (base) had invalid runs!

541.leela_r (peak) did not have enough runs!

505.mcf_r (peak) did not have enough runs!

557.xz_r (peak) did not have enough runs!

520.omnetpp_r (peak) did not have enough runs!

548.exchange2_r (peak) did not have enough runs!

525.x264_r (peak) did not have enough runs!

523.xalancbmk_r (peak) did not have enough runs!

500.perlbench_r (peak) did not have enough runs!

531.deepsjeng_r (peak) did not have enough runs!

502.gcc_r (peak) did not have enough runs!

502.gcc_r (peak) had invalid runs!

Input set must be 'refrate' for a valid run (set to 'test' for this run)

Run of 502.gcc_r (base) was not valid; status is RE

Run of 502.gcc_r (peak) was not valid; status is RE

Results Table

Benchmark	Base							Peak						
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
500.perlbench_r														

Table continues on next page. Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

SPEC CPU2017 Integer Rate Result

Copyright 2017-2019 Standard Performance Evaluation Corporation

My Corporation

SPECrate2017_int_base = 0.00

SPECrate2017_int_peak = 0.00

CPU2017 License: nnn (Your SPEC license number)

Test Sponsor: My Corporation

Tested by: My Corporation

Test Date: Apr-2019

Hardware Availability:

Software Availability:

Results Table (Continued)

Benchmark	Base							Peak						
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
502.gcc_r	1	0.000559	0.00					1	0.000578	0.00				
505.mcf_r														
520.omnetpp_r														
523.xalancbmk_r														
525.x264_r														
531.deepsjeng_r														
541.leela_r														
548.exchange2_r														
557.xz_r														

SPECrate2017_int_base = 0.00

SPECrate2017_int_peak = 0.00

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

Submit Notes

The config file option 'submit' was used.

General Notes

Environment variables set by runcpu before the start of the run:

LD_LIBRARY_PATH = "/usr/lib/llvm-6.0/lib"

LIBRARY_PATH = "/usr/lib/llvm-6.0/lib"

PATH = "/usr/lib/llvm-6.0/bin:/home/iiitd/Desktop/hw11/bin:/home/iiitd/.local/bin:/usr/local/bin:/usr/bin:/sbin:/bin:/usr/games:/usr/local/games:/snap/bin:/usr/lib/jvm/java-8-oracle/bin:/usr/lib/jvm/java-8-oracle/jre/bin:/usr/lib/jvm/java-8-oracle/bin:/home/iiitd/Downloads/pintos/arc/util"

Platform Notes

Sysinfo program /home/iiitd/Desktop/hw11/bin/sysinfo

Rev: r5974 of 2018-05-19 9bcde8f2999c33d61f64985e45859ea9

running on iiit-d Sat Apr 6 05:12:56 2019

SUT (System Under Test) info as seen by some common utilities.

For more information on this section, see

<https://www.spec.org/cpu2017/Docs/config.html#sysinfo>

From /proc/cpuinfo

model name : Intel(R) Core(TM) i5-7500 CPU @ 3.40GHz

1 "physical id"s (chips)

4 "processors"

cores, siblings (Caution: counting these is hw and system dependent. The following excerpts from /proc/cpuinfo might not be reliable. Use with caution.)

cpu cores : 4

siblings : 4

(Continued on next page)

SPEC CPU2017 Integer Rate Result

Copyright 2017-2019 Standard Performance Evaluation Corporation

My Corporation

SPECrate2017_int_base = 0.00

SPECrate2017_int_peak = 0.00

CPU2017 License: nnn (Your SPEC license number)

Test Sponsor: My Corporation

Tested by: My Corporation

Test Date: Apr-2019

Hardware Availability:

Software Availability:

Platform Notes (Continued)

physical 0: cores 0 1 2 3

From lscpu:

Architecture: x86_64
CPU op-mode(s): 32-bit, 64-bit
Byte Order: Little Endian
CPU(s): 4
On-line CPU(s) list: 0-3
Thread(s) per core: 1
Core(s) per socket: 4
Socket(s): 1
NUMA node(s): 1
Vendor ID: GenuineIntel
CPU family: 6
Model: 158
Model name: Intel(R) Core(TM) i5-7500 CPU @ 3.40GHz
Stepping: 9
CPU MHz: 3602.556
CPU max MHz: 3800.0000
CPU min MHz: 800.0000
BogoMIPS: 6816.00
Virtualization: VT-x
L1d cache: 32K
L1i cache: 32K
L2 cache: 256K
L3 cache: 6144K
NUMA node0 CPU(s): 0-3

Flags: fpu vme de pse tsc msr pae mce cx8 apic sep mtrr pge mca cmov
pat pse36 clflush dts acpi mmx fxsr sse sse2 ss ht tm pbe syscall nx pdpe1gb rdtscp
lm constant_tsc art arch_perfmon pebs bts rep_good nopl xtopology nonstop_tsc cpuid
aperfperf tsc_known_freq pni pclmulqdq dtes64 monitor ds_cpl vmx smx est tm2 ssse3
sdbg fma cx16 xtpr pdcm pcid sse4_1 sse4_2 x2apic movbe popcnt tsc_deadline_timer
aes xsave avx f16c rdrand lahf_lm abm 3dnowprefetch cpuid_fault epb invpcid_single
pti ssbd ibpb stibp tpr_shadow vnmi flexpriority ept vpid fsgsbase tsc_adjust
bmi1 hle avx2 smep bmi2 erms invpcid rtm mpx rdseed adx smap clflushopt intel_pt
xsaveopt xsavec xgetbv1 xsaves dtherm ida arat pln pts hwp hwp_notify hwp_act_window
hwp_epp flush_l1d

/proc/cpuinfo cache data
cache size : 6144 KB

From numactl --hardware WARNING: a numactl 'node' might or might not correspond to a physical chip.

From /proc/meminfo

MemTotal: 8049856 kB
HugePages_Total: 128

(Continued on next page)

SPEC CPU2017 Integer Rate Result

Copyright 2017-2019 Standard Performance Evaluation Corporation

My Corporation

SPECrate2017_int_base = 0.00

SPECrate2017_int_peak = 0.00

CPU2017 License: nnn (Your SPEC license number)

Test Sponsor: My Corporation

Tested by: My Corporation

Test Date: Apr-2019

Hardware Availability:

Software Availability:

Platform Notes (Continued)

Hugepagesize: 2048 kB

```
/usr/bin/lsb_release -d
Ubuntu 18.04.1 LTS
```

```
From /etc/*release* /etc/*version*
```

```
debian_version: buster/sid
```

```
os-release:
```

```
NAME="Ubuntu"
```

```
VERSION="18.04.1 LTS (Bionic Beaver)"
```

```
ID=ubuntu
```

```
ID_LIKE=debian
```

```
PRETTY_NAME="Ubuntu 18.04.1 LTS"
```

```
VERSION_ID="18.04"
```

```
HOME_URL="https://www.ubuntu.com/"
```

```
SUPPORT_URL="https://help.ubuntu.com/"
```

```
uname -a:
```

```
Linux iiit-d 4.15.0-46-generic #49-Ubuntu SMP Wed Feb 6 09:33:07 UTC 2019 x86_64
x86_64 x86_64 GNU/Linux
```

Kernel self-reported vulnerability status:

CVE-2017-5754 (Meltdown): Mitigation: PTI

CVE-2017-5753 (Spectre variant 1): Mitigation: __user pointer sanitization

CVE-2017-5715 (Spectre variant 2): Mitigation: Full generic retpoline, IBPB, IBRS_FW

run-level 5 2019-04-05 19:29

SPEC is set to: /home/iiitd/Desktop/hw11

Filesystem	Type	Size	Used	Avail	Use%	Mounted on
/dev/sda4	ext4	341G	140G	183G	44%	/

Additional information from dmidecode follows. WARNING: Use caution when you interpret this section. The 'dmidecode' program reads system data which is "intended to allow hardware to be accurately determined", but the intent may not be met, as there are frequent changes to hardware, firmware, and the "DMTF SMBIOS" standard.

(End of data from sysinfo program)

Compiler Version Notes

=====
CC 502.gcc_r(base, peak)

clang version 6.0.0-1ubuntu2 (tags/RELEASE_600/final)

(Continued on next page)

SPEC CPU2017 Integer Rate Result

Copyright 2017-2019 Standard Performance Evaluation Corporation

My Corporation

SPECrate2017_int_base = 0.00

SPECrate2017_int_peak = 0.00

CPU2017 License: nnn (Your SPEC license number)

Test Sponsor: My Corporation

Tested by: My Corporation

Test Date: Apr-2019

Hardware Availability:

Software Availability:

Compiler Version Notes (Continued)

Target: x86_64-pc-linux-gnu
Thread model: posix
InstalledDir: /usr/lib/llvm-6.0/bin
Found candidate GCC installation: /usr/lib/gcc/x86_64-linux-gnu/7
Found candidate GCC installation: /usr/lib/gcc/x86_64-linux-gnu/7.3.0
Found candidate GCC installation: /usr/lib/gcc/x86_64-linux-gnu/8
Found candidate GCC installation: /usr/lib/gcc/x86_64-linux-gnu/8.0.1
Selected GCC installation: /usr/lib/gcc/x86_64-linux-gnu/7.3.0
Candidate multilib: .;@m64
Selected multilib: .;@m64

Runtime Environment

C benchmarks:

502.gcc_r: No flags used

Compiler Invocation

C benchmarks:

502.gcc_r: clang

Portability Flags

502.gcc_r: -DSPEC_LP64

Base Optimization Flags

C benchmarks:

502.gcc_r: -m64 -z muldefs -O3 -mavx

SPEC CPU2017 Integer Rate Result

Copyright 2017-2019 Standard Performance Evaluation Corporation

My Corporation

SPECrate2017_int_base = 0.00

SPECrate2017_int_peak = 0.00

CPU2017 License: nnn (Your SPEC license number)

Test Sponsor: My Corporation

Tested by: My Corporation

Test Date: Apr-2019

Hardware Availability:

Software Availability:

Runtime Environment

C benchmarks:

502.gcc_r: No flags used

Peak Optimization Flags

C benchmarks:

502.gcc_r: -m64 -z muldefs -Ofast -mavx

Other Flags

C benchmarks:

502.gcc_r: No flags used

SPEC is a registered trademark of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester. For other inquiries, please contact info@spec.org.

Tested with SPEC CPU2017 v1.0.5 on 2019-04-06 05:12:55+0530.

Report generated on 2019-04-06 05:18:10 by CPU2017 PDF formatter v5866.