Inventing Time Travel: Theory and Applications of the Flux Capacitor

Vom Stuttgarter Zentrum für Simulationswissenschaften (SC SimTech) und der Fakultät für Informatik, Elektrotechnik und Informationstechnik der Universität Stuttgart zur Erlangung der Würde eines Doktors der Naturwissenschaften (Dr. rer. nat.) genehmigte Abhandlung

Vorgelegt von

Emmett Brown

aus Hill Valley, California

Hauptberichter:	Prof. Dr. Alb	ert Einstein
Mitberichter:	Prof. Dr. Bla	ise Pascal
	•••••	•••••
Tag der mündlich	nen Prüfung:	•••••



Institute for Advanced Time Travel der University of Hill Valley



151021 Time Travel Drive Hill Valley, California United States of America

D93 (dissertation)

21 22

18

19

20

23 24

25

26

27

28

29

30 31

32

 \bullet 33

This work is licensed under the

Compiled as version v225 on December 8, 2018 at 9:31am.

Committed as 10109be3* on December 8, 2018 at 9:30am.

Typeset using LTEX and cover design by the author.

Copyright © 2015 Emmett Brown.

Creative Commons Attribution-ShareAlike 4.0 International License.

To view a copy of this license, visit https://creativecommons.org/licenses/by-sa/4.0/ or send a letter to Creative Commons, PO Box 1866, Mountain View, CA 94042, USA.

35 36

37

34

Although this thesis was written with utmost care, it cannot be ruled out that it contains errors. Please send any corrections and mistakes to thesis@example.com.

It seems that it is not enough to have a good idea or insight. One needs, like Schoenberg, the appreciation and courage to develop the idea $systematically,\ make\ its\ objects\ mathematically$ presentable by giving them names, and give them much exposure in many papers.

— Carl de Boor [Boo16]

Writing, Testing, and Editing Progress											
Sc	Writi	ng	Testi	ng			Ed	liting	;		Rem
	Pages	%	Tests	%	Slf	SCo	Cll	Drk	Fnl	%	C11
1.0	0/ 0	0	0/ 0	100	×	X	×	×	×	0	
2.0	1/ 1	100	0/ 0	100	/	×	/	×	×	40	CS
2.1	4/ 4	100	1/ 1	100	✓	×	/	X	X	40	CS
2.2	4/ 4	100	2/ 2	100	✓	×	✓	X	×	40	CS
2.3	5/ 5	100	0/ 0	100	✓	×	✓	×	X	40	CS
2.4	8/ 8	100	5/ 5	100	✓	×	✓	×	×	40	CS
3.0	1/ 1	100	0/ 0	100	✓	×	✓	×	×	40	HR/RD
3.1	13/ 13	100	5/ 5	100	✓	×	X	×	X	20	
3.2	12/ 12	100	4/ 4	100	✓	×	×	×	×	20	
4.0	1/ 1	100	0/ 0	100	✓	×	X	×	×	20	
4.1	3/ 3	100	0/ 0	100	✓	×	X	×	X	20	
4.2	3/ 3	100	2/ 2	100	✓	×	X	×	X	20	
4.3	9/ 9	100	8/ 8	100	✓	×	×	X	X	20	
4.4	17/ 17	100	5/ 5	100	✓	×	×	X	X	0	
4.5	15/ 15	100	10/10	100	×	×	×	×	×	0	
5.0	0/ 1	0	0/ 0	100	×	×	X	×	×	0	
5.1	0/ 4	0	0/ 0	100	×	×	×	X	X	0	
5.2	0/ 4	0	0/ 0	100	×	×	×	X	X	0	
5.3	0/ 13	0	0/ 0	100	X	×	×	X	X	0	
5.4	0/ 8	0	0/ 0	100	×	×	×	×	×	0	
6.0	0/ 1	0	0/ 0	100	×	×	X	×	×	0	
6.1	0/ 3	0	0/ 0	100	×	×	X	×	X	0	
6.2	0/ 4	0	0/ 0	100	×	×	X	X	×	0	
6.3	0/ 4	0	0/ 0	100	×	×	X	×	×	0	
6.4	0/ 12	0	0/ 0	100	×	×	×	×	×	0	
7.0	0/ 1	0	0/ 0	100	×	×	X	×	×	0	
7.1	0/ 3	0	0/ 0	100	×	×	X	×	×	0	
7.2	0/ 4		0/ 0	100	×	×	X	×	×	0	
7.3	0/ 8	0	0/ 0	100	×	×	×	X	×	0	
8.0	0/ 1	0	0/ 0	100	×	×	X	×	X	0	
8.1	0/ 3	0	0/ 0	100	×	×	×	X	X	0	
8.2	0/ 5	0	0/ 0	100	×	×	X	×	×	0	
8.3	0/ 5	0	0/ 0	100	×	X	X	×	×	0	
8.4	0/ 10	0	0/ 0	100	X	×	×	×	×	0	
9.0	0/ 4	0	0/ 0	100	×	×	X	×	×	0	
A.0	0/ 0	100	0/ 0	100	×	×	×	×	×	0	
A.1	3/ 3	100	0/ 0	100	×	×	X	×	×	0	
A.2	2/ 2		0/ 0	100	×	X	X	×	×	0	
A.3	15/ 15	100	0/ 0	100	X	×	×	×	×	0	
\sum	116/214	54	42/42	100	38	0	11	0	0	8	

			1 2
			3
			4
(Contents		5
			6
			7
			8
Li	sts of Figures, Tables, Algorithms, and Theorems	9	9
Αł	ostract/Kurzzusammenfassung	13	10
D۴	reface	15	11
			12
1	Introduction 1.1 Bla	17	13
	1.1 Dia	17	14 15
2	The Flux Capacitor	25	16
3	Conclusion	29	17
٨	Dwoofs	91	18
A	Proofs	31	19
Bi	bliography	33	20
			21
			22
			23
			24
			25
			26
			27 28
			29
			30
			31
			32
			33
			34
			35
			36

			1
			2
			3
Τi	sts of Figures, Tables,		4
			5
\mathbf{A}	lgorithms, and Theorems		6
			7
			8
			10
	a —•		11
Lis	st of Figures		12
1.1	This is a test caption	19	13
1.2	This is a test caption. This is a test caption. This is		14
	a test caption. This is a test caption. This is a test caption. This is a test	20	15
	caption. This is a test caption. This is a test caption	20	16
			17
			18
Lis	st of Tables		19
1 1	This is a test table	10	20
1.1	This is a test table	18	21
			22
			23
Lis	st of Algorithms		24
1 1	Approximative Auswertung von Linearkombinationen auf dünnen Gittern,		25
1.1	Zeilen 5, 6, 9, 10 nicht für stückweise lineare Basisfunktionen, <i>input</i> : Gitter		26
	$X = \{x_i\}_i$, Koeffizienten $\boldsymbol{\alpha} = (\alpha_i)_i$, Auswertungspunkt $\boldsymbol{x} \in [0,1]^d$, aktuelle		27
	Dimension $t \in \{1,, d\}$ (anfangs 1), Level und Index (ℓ, j) des aktuellen Punkts (für randlose Gitter anfangs (e, e)) und aktuelles Produkt b von 1D-		28 29
	Auswertungen (anfangs 1), output: $a \approx \tilde{f}(x) = \sum_{k=1}^{N} \alpha_k \varphi_k(x)$ (für stück-		30
	weise lineare Funktionen sogar $a = \widetilde{f}(x)$)	20	31
			32
			33
Tic	st of Theorems		34
ТΙЗ	or or Theorems		35
1.1	Theorem (TODO Theorem)	18	36
1.2	Lemma (TODO Lemma)	21	37

1	1.3	Definition (TODO Definition)	21
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29 30			
31			
32			
33 34			
35			
36			
37			
) [

Draft v225 (Dec 08, 9:31am)
Commit 10109be3* (Dec 08, 9:30am)

LIST OF THEOREMS 11

	2
	3
	4
	5
	6
	7
	8
	9
1	0
1	1
1	2
1	3
1	4
1	5
1	6
1	7
1	8
1	9
2	0
2	1
2	2
2	3
2	4
2	5
2	6
2	7
2	8
2	9
3	0
3	1
3	2
3	3
3	4
3	5

36 37

Abstract/Kurzzusammenfassung

Abstract

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. $\sin^2(\alpha) + \cos^2(\beta) = 1$. If you read this text, you will get no information $E = mc^2$. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. $\sqrt[n]{a} \cdot \sqrt[n]{b} = \sqrt[n]{ab}$. This text should contain all letters of the alphabet and it should be written in of the original language. $\frac{\sqrt[n]{a}}{\sqrt[n]{b}} = \sqrt[n]{\frac{a}{b}}$. There is no need for special contents, but the length of words should match the language. $a\sqrt[n]{b} = \sqrt[n]{a^n b}$.

Kurzzusammenfassung

Dies hier ist ein Blindtext zum Testen von Textausgaben. $d\Omega = \sin\vartheta d\vartheta d\varphi$. Wer diesen Text liest, ist selbst schuld. Der Text gibt lediglich den Grauwert der Schrift an. Ist das wirklich so? Ist es gleichgültig, ob ich schreibe: "Dies ist ein Blindtext" oder "Huardest gefburn"? Kjift – mitnichten! Ein Blindtext bietet mir wichtige Informationen. $\sin^2(\alpha) + \cos^2(\beta) = 1$. An ihm messe ich die Lesbarkeit einer Schrift, ihre Anmutung, wie harmonisch die Figuren zueinander stehen und prüfe, wie breit oder schmal sie läuft $E = mc^2$. Ein Blindtext sollte möglichst viele verschiedene Buchstaben enthalten und in der Originalsprache gesetzt sein. $\sqrt[n]{a} \cdot \sqrt[n]{b} = \sqrt[n]{ab}$. Er muss keinen Sinn ergeben, sollte aber lesbar sein. $\frac{\sqrt[n]{a}}{\sqrt[n]{b}} = \sqrt[n]{\frac{a}{b}}$. Fremdsprachige Texte wie "Lorem ipsum" dienen nicht dem eigentlichen Zweck, da sie eine falsche Anmutung vermitteln. $a\sqrt[n]{b} = \sqrt[n]{a^n b}$.

1
 3
 4

Preface

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. $\sin^2(\alpha) + \cos^2(\beta) = 1$. If you read this text, you will get no information $E = mc^2$. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. $\sqrt[n]{a} \cdot \sqrt[n]{b} = \sqrt[n]{ab}$. This text should contain all letters of the alphabet and it should be written in of the original language. $\frac{\sqrt[n]{a}}{\sqrt[n]{b}} = \sqrt[n]{\frac{a}{b}}$. There is no need for special contents, but the length of words should match the language. $a\sqrt[n]{b} = \sqrt[n]{a^n b}$.

Stuttgart, October 21, 2015 Emmett Brown

> Draft v225 (Dec 08, 9:31am) Commit 10109be3* (Dec 08, 9:30am)



Introduction

Ah, Jesus Christ! Jesus Christ, Doc, you disintegrated Einstein!

- Marty McFly

TODO: write

Citations: [Boo72]

Hello World! Hello World!

Now I'm citing all references for demonstration purposes. TODO: don't cite every—thing

Here are some umlauts: äöüSS

I'm testing the glossary: non-uniform rational B-splines (NURBS) are very cool.

1.1 Bla

This is TODO: write defined TODO: write as a := 2b. This is the function f (which is defined as y =: f(x)).

1	
2	
3	
4	
5	
6	
7	
8	

Header 1	Header 2	Header 3	Header 4
bla	bla	bla	bla
bla	bla	bla	bla
bla	bla	bla	bla

TABLE 1.1 This is a test table.

 $X \times Y$

 $A \cdot x = b$

 $\min_{\mathbf{x}\in[0,1]}\int_{\Omega}f(\mathbf{x},\mathbf{y})d\mathbf{y}$

4(a+b)f(x)g(x)h(x)p(x)(c+d)fghf'g'h'

 $f(x)\cos(x)g(x)$

 $f(x)\cos(x)g(x)$

9

10 (1.1)

11 12 (1.2)

13 (1.3)

14 15 (1.4)

16 (1.5)

17 (1.6)

20

21

22

23

2425

26

27

28

29

30

31

32

33

18 19 Tab. 1.1

Fig. 1.1

Fig. 1.1A

Fig. 1.1B

Fig. 1.2

Alg. 1.1


THEOREM 1.1 (TODO Theorem)

Hello, here is some text without a meaning. $d\Omega = \sin\vartheta d\vartheta d\varphi$. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. $\sin^2(\alpha) + \cos^2(\beta) = 1$. This text should contain all letters of the alphabet and it should be written in of the original language $E = mc^2$. There is no need for special contents, but the length of words should match the language. $\sqrt[n]{a} \cdot \sqrt[n]{b} = \sqrt[n]{ab}$.

34

3536

1.1 BLA 19



26

27

28

29

30

31

32

33

34

35

```
0.7

0.6

0.5

0.4

0.3

0.2

0.1

0.0

0.0

0.0

0.0

0.2

0.4

0.6

0.8

1.0
```

FIGURE 1.2 This is a test caption. This is a test caption.

```
1 function a = GetAffectedBasisFunctions(X, \alpha, x, t, \ell, j, b)
                                                                       → nichts tun, falls Gitterpunkt nicht vorhanden
            if x_{\ell,i} \notin X then return 0
            if t = d then
  3
               \begin{aligned} a &\leftarrow \alpha_{\boldsymbol{\ell},j} \cdot (b \cdot \varphi_{\ell_d,j_d}(x_d)) & \quad \Rightarrow \text{letzte Dimension: Summanden zu Ergebnis addieren} \\ & \text{if } x_{\boldsymbol{\ell},j}^{(\operatorname{rn}(d))} \in X \text{ then } a \leftarrow a + \alpha_{\boldsymbol{\ell},j}^{(\operatorname{rn}(d))} \cdot (b \cdot \varphi_{\ell_d,j_d}^{(\operatorname{rn}(d))}(x_d)) \\ & \text{if } x_{\boldsymbol{\ell},j}^{(\operatorname{ln}(d))} \in X \text{ then } a \leftarrow a + \alpha_{\boldsymbol{\ell},j}^{(\operatorname{ln}(d))} \cdot (b \cdot \varphi_{\ell_d,j_d}^{(\operatorname{ln}(d))}(x_d)) \end{aligned}
  6
  7
                a \leftarrow \mathsf{GABF}(X, \ \alpha, \ x, \ t+1, \ \ell, \ j, \ b \cdot \varphi_{\ell_t, j_t}(x_t)) \qquad \rightsquigarrow \mathsf{n\"{a}chste\ Dimension}
\mathbf{if}\ x_{\ell, j}^{(\mathrm{rn}(t))} \in X \ \mathbf{then}\ a \leftarrow a + \mathsf{GABF}(X, \ \alpha, \ x, \ t+1, \ \ell, \ j^{(\mathrm{rn}(t))}, \ b \cdot \varphi_{\ell_t, j_t}^{(\mathrm{rn}(t))}(x_t))
                if x_{\ell,j}^{(\ln(t))} \in X then a \leftarrow a + \text{GABF}(X, \boldsymbol{\alpha}, \boldsymbol{x}, t+1, \ell, j^{(\ln(t))}, b \cdot \varphi_{\ell,j_t}^{(\ln(t))}(x_t))
10
            if x_t > j_t h_{\ell_t} then a \leftarrow a + \text{GABF}(X, \alpha, x, t, \ell^{(\text{rc}(t))}, j^{(\text{rc}(t))}, b)
11
       → nächster Level
            else a \leftarrow a + GABF(X, \alpha, x, t, \ell^{(lc(t))}, j^{(lc(t))}, b)
12
13
            return a
ALGORITHM 1.1 Approximative Auswertung von Linearkombinationen auf dünnen Gittern,
                                      Zeilen 5, 6, 9, 10 nicht für stückweise lineare Basisfunktionen,
                                      input: Gitter X = \{x_i\}_i, Koeffizienten \alpha = (\alpha_i)_i, Auswertungspunkt
                                      x \in [0,1]^d, aktuelle Dimension t \in \{1,\ldots,d\} (anfangs 1), Level und
                                      Index (\ell, i) des aktuellen Punkts (für randlose Gitter anfangs (e, e)) und
                                      aktuelles Produkt b von 1D-Auswertungen (anfangs 1),
                                      output: a \approx \widetilde{f}(x) = \sum_{k=1}^{N} \alpha_k \varphi_k(x) (für stückweise lineare Funktionen
                                      sogar a = \widetilde{f}(x)
```

1.1 BLA 21

LEMMA 1.2 (TODO Lemma) *TODO*

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. $\sin^2(\alpha) + \cos^2(\beta) = 1$. If you read this text, you will get no information $E = mc^2$. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. $\sqrt[n]{a} \cdot \sqrt[n]{b} = \sqrt[n]{ab}$. This text should contain all letters of the alphabet and it should be written in of the original language. $\frac{\sqrt[n]{a}}{\sqrt[n]{b}} = \sqrt[n]{\frac{a}{b}}$. There is no need for special contents, but the length of words should match the language. $a\sqrt[n]{b} = \sqrt[n]{a^n b}$.

DEFINITION 1.3 (TODO Definition)

Hello, here is some text without a meaning. $d\Omega = \sin \vartheta d\vartheta d\varphi$. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. $\sin^2(\alpha) + \cos^2(\beta) = 1$. This text should contain all letters of the alphabet and it should be written in of the original language $E = mc^2$. There is no need for special contents, but the length of words should match the language. $\sqrt[n]{a} \cdot \sqrt[n]{b} = \sqrt[n]{ab}$.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. $\sin^2(\alpha) + \cos^2(\beta) = 1$. If you read this text, you will get no information $E = mc^2$. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. $\sqrt[n]{a} \cdot \sqrt[n]{b} = \sqrt[n]{ab}$. This text should contain all letters of the alphabet and it should be written in of the original language. $\frac{\sqrt[n]{a}}{\sqrt[n]{b}} = \sqrt[n]{\frac{a}{b}}$. There is no need for special contents, but the length of words should match the language. $a\sqrt[n]{b} = \sqrt[n]{a^n b}$.

$$\bar{x} = \frac{1}{n} \sum_{i=1}^{i=n} x_i = \frac{x_1 + x_2 + \dots + x_n}{n}$$

Hello, here is some text without a meaning. $d\Omega = \sin \vartheta d\vartheta d\varphi$. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and

some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. $\sin^2(\alpha) + \cos^2(\beta) = 1$. This text should contain all letters of the alphabet and it should be written in of the original language $E = mc^2$. There is no need for special contents, but the length of words should match the language. $\sqrt[n]{a} \cdot \sqrt[n]{b} = \sqrt[n]{ab}$.

$$\int_0^\infty e^{-\alpha x^2} dx = \frac{1}{2} \sqrt{\int_{-\infty}^\infty e^{-\alpha x^2}} dx \int_{-\infty}^\infty e^{-\alpha y^2} dy = \frac{1}{2} \sqrt{\frac{\pi}{\alpha}}$$

Hello, here is some text without a meaning. $\frac{\sqrt[n]{a}}{\sqrt[n]{b}} = \sqrt[n]{\frac{a}{b}}$. This text should show what a printed text will look like at this place. $a\sqrt[n]{b} = \sqrt[n]{a^n b}$. If you read this text, you will get no information. $d\Omega = \sin\vartheta d\vartheta d\varphi$. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special contents, but the length of words should match the language. $\sin^2(\alpha) + \cos^2(\beta) = 1$.

$$\sum_{k=0}^{\infty} a_0 q^k = \lim_{n \to \infty} \sum_{k=0}^{n} a_0 q^k = \lim_{n \to \infty} a_0 \frac{1 - q^{n+1}}{1 - q} = \frac{a_0}{1 - q}$$

Hello, here is some text without a meaning $E=mc^2$. This text should show what a printed text will look like at this place. $\sqrt[n]{a} \cdot \sqrt[n]{b} = \sqrt[n]{ab}$. If you read this text, you will get no information. $\frac{\sqrt[n]{a}}{\sqrt[n]{b}} = \sqrt[n]{\frac{a}{b}}$. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. $a\sqrt[n]{b} = \sqrt[n]{a^n b}$. This text should contain all letters of the alphabet and it should be written in of the original language. $d\Omega = \sin \vartheta d\vartheta d\varphi$. There is no need for special contents, but the length of words should match the language.

$$x_{1,2} = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a} = \frac{-p \pm \sqrt{p^2 - 4q}}{2}$$

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. $\sin^2(\alpha) + \cos^2(\beta) = 1$. If you read this text, you will get no information $E = mc^2$. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. $\sqrt[n]{a} \cdot \sqrt[n]{b} = \sqrt[n]{ab}$. This text should contain all letters of the

1.1 BLA 23

alphabet and it should be written in of the original language. $\frac{\sqrt[n]{a}}{\sqrt[n]{b}} = \sqrt[n]{\frac{a}{b}}$. There is no need for special contents, but the length of words should match the language. $a\sqrt[n]{b} = \sqrt[n]{a^n b}$.

$$\frac{\partial^2 \Phi}{\partial x^2} + \frac{\partial^2 \Phi}{\partial y^2} + \frac{\partial^2 \Phi}{\partial z^2} = \frac{1}{c^2} \frac{\partial^2 \Phi}{\partial t^2}$$

Hello, here is some text without a meaning. $d\Omega = \sin\vartheta d\vartheta d\varphi$. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. $\sin^2(\alpha) + \cos^2(\beta) = 1$. This text should contain all letters of the alphabet and it should be written in of the original language $E = mc^2$. There is no need for special contents, but the length of words should match the language. $\sqrt[n]{a} \cdot \sqrt[n]{b} = \sqrt[n]{ab}$.

Draft v225 (Dec 08, 9:31am)
Commit 10109be3* (Dec 08, 9:30am)

The Flux Capacitor

If my calculations are correct, when this baby hits 88 miles per hour...you're gonna see some serious shit.

— Emmett Brown

TODO: write

Hello, here is some text without a meaning. $\frac{\sqrt[n]{a}}{\sqrt[n]{b}} = \sqrt[n]{\frac{a}{b}}$. This text should show what a printed text will look like at this place. $a\sqrt[n]{b} = \sqrt[n]{a^n b}$. If you read this text, you will get no information. $d\Omega = \sin \vartheta d\vartheta d\varphi$. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift - not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special contents, but the length of words should match the language. $\sin^2(\alpha) + \cos^2(\beta) = 1$.

$$\sqrt[n]{a} \cdot \sqrt[n]{b} = \sqrt[n]{ab}$$

Hello, here is some text without a meaning $E = mc^2$. This text should show what a printed text will look like at this place. $\sqrt[n]{a} \cdot \sqrt[n]{b} = \sqrt[n]{ab}$. If you read this text, you will get no information. $\frac{\sqrt[n]{a}}{\sqrt[n]{b}} = \sqrt[n]{\frac{a}{b}}$. Really? Is there no information? Is there a difference

between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. $a\sqrt[n]{b} = \sqrt[n]{a^n b}$. This text should contain all letters of the alphabet and it should be written in of the original language. $d\Omega = \sin \vartheta d\vartheta d\varphi$. There is no need for special contents, but the length of words should match the language.

 $\frac{\sqrt[n]{a}}{\sqrt[n]{b}} = \sqrt[n]{\frac{a}{b}}$ a meaning. This text shown that a > 1 if you refer to a > 1. If you refer to a > 1 is a > 1.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. $\sin^2(\alpha) + \cos^2(\beta) = 1$. If you read this text, you will get no information $E = mc^2$. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. $\sqrt[n]{a} \cdot \sqrt[n]{b} = \sqrt[n]{ab}$. This text should contain all letters of the alphabet and it should be written in of the original language. $\frac{\sqrt[n]{a}}{\sqrt[n]{b}} = \sqrt[n]{\frac{a}{b}}$. There is no need for special contents, but the length of words should match the language. $a\sqrt[n]{b} = \sqrt[n]{a^nb}$.

 $a\sqrt[n]{b}=\sqrt[n]{a^nb}$

Hello, here is some text without a meaning. $d\Omega = \sin\vartheta d\vartheta d\varphi$. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. $\sin^2(\alpha) + \cos^2(\beta) = 1$. This text should contain all letters of the alphabet and it should be written in of the original language $E = mc^2$. There is no need for special contents, but the length of words should match the language. $\sqrt[n]{a} \cdot \sqrt[n]{b} = \sqrt[n]{ab}$.

$$\bar{x} = \frac{1}{n} \sum_{i=1}^{n} x_i = \frac{x_1 + x_2 + \dots + x_n}{n}$$

Hello, here is some text without a meaning. $\frac{\sqrt[n]{a}}{\sqrt[n]{b}} = \sqrt[n]{\frac{a}{b}}$. This text should show what a printed text will look like at this place. $a\sqrt[n]{b} = \sqrt[n]{a^nb}$. If you read this text, you will get no information. $d\Omega = \sin\vartheta d\vartheta d\varphi$. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special contents, but

the length of words should match the language. $\sin^2(\alpha) + \cos^2(\beta) = 1$.

$$\int_0^\infty e^{-\alpha x^2} dx = \frac{1}{2} \sqrt{\int_{-\infty}^\infty e^{-\alpha x^2}} dx \int_{-\infty}^\infty e^{-\alpha y^2} dy = \frac{1}{2} \sqrt{\frac{\pi}{\alpha}}$$

Hello, here is some text without a meaning $E=mc^2$. This text should show what a printed text will look like at this place. $\sqrt[n]{a} \cdot \sqrt[n]{b} = \sqrt[n]{ab}$. If you read this text, you will get no information. $\frac{\sqrt[n]{a}}{\sqrt[n]{b}} = \sqrt[n]{\frac{a}{b}}$. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. $a\sqrt[n]{b} = \sqrt[n]{a^n b}$. This text should contain all letters of the alphabet and it should be written in of the original language. $d\Omega = \sin \vartheta d\vartheta d\varphi$. There is no need for special contents, but the length of words should match the language.

Conclusion

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. $\sin^2(\alpha) + \cos^2(\beta) = 1$. If you read this text, you will get no information $E = mc^2$. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. $\sqrt[n]{a} \cdot \sqrt[n]{b} = \sqrt[n]{ab}$. This text should contain all letters of the alphabet and it should be written in of the original language. $\frac{\sqrt[n]{a}}{\sqrt[n]{b}} = \sqrt[n]{\frac{a}{b}}$. There is no need for special contents, but the length of words should match the language. $a\sqrt[n]{b} = \sqrt[n]{a^n b}$.



Proofs

This is an appendix chapter.

Bibliography

[Boo16]	Boor, C. de: A comment on Ewal Quak's "About B-splines", Journal of Numerical Analysis
	and Approximation Theory 45.1, 2016, pp. 84-86

- [Boo72] **Boor**, C. de: *On calculating with b-splines*, Journal of Approximation Theory 6.1, 1972, pp. 50–62, ISSN: 0021-9045, doi:10.1016/0021-9045(72)90080-9
- [Bun04] **Bungartz**, H.-J.; **Griebel**, M.: *Sparse grids*, Acta Numerica 13, 2004, pp. 147–269, ISSN: 1474-0508, doi:10.1017/S0962492904000182