

```

1  -- lo.hs -- low-level CGI program
2
3  import System.Environment (getEnvironment)
4
5  main =
6      putStrLn "Content-type: text/plain\n"
7      >> getEnvironment
8      >>= mapM_ printPair
9
10 printPair (name, value) = putStrLn $ name ++ " = " ++ value
11
12 {- In GHCI:
13
14     Content-type: text/plain
15
16     USER = oak
17     LANGUAGE = ru:zh_CN:en
18     SSH_AGENT_PID = 1402
19     SHLVL = 1
20     HOME = /home/oak
21     XDG_SESSION_COOKIE = e9bf5672c6670a3cf42c634500000008-1352353956.626045-854827338
22     DESKTOP_SESSION = gnome-shell
23     GTK_MODULES = canberra-gtk-module:canberra-gtk-module
24     XDG_SEAT_PATH = /org/freedesktop/DisplayManager/Seat0
25     LC_CTYPE = ru_RU.UTF-8
26     DBUS_SESSION_BUS_ADDRESS = unix:abstract=/tmp/dbus-
Ap03y9lh9J,guid=75614cc12dcad96e69f4b37c00000012
27     COLORTERM = gnome-terminal
28     GNOME_KEYRING_CONTROL = /tmp/keyring-198Y10
29     MANDATORY_PATH = /usr/share/gconf/gnome-shell.mandatory.path
30     LOGNAME = oak
31     WINDOWID = 35651590
32     _ = /usr/bin/ghci
33     DEFAULTS_PATH = /usr/share/gconf/gnome-shell.default.path
34     TERM = xterm
35     USERNAME = oak
36     GNOME_DESKTOP_SESSION_ID = this-is-deprecated
37     LC_COLLATE = ru_RU.UTF-8
38     SESSION_MANAGER = local/oak:@/tmp/.ICE-unix/1344,unix/oak:/tmp/.ICE-unix/1344
39     PATH = /usr/lib/lightdm/lightdm:/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/
bin:/usr/games
40     XDG_SESSION_PATH = /org/freedesktop/DisplayManager/Session0
41     DISPLAY = :0.0
42     LANG = ru_RU.UTF-8
43     XDG_CURRENT_DESKTOP = GNOME
44     XAUTHORITY = /home/oak/.Xauthority
45     SSH_AUTH_SOCK = /tmp/keyring-198Y10/ssh
46     LC_MESSAGES = ru_RU.UTF-8
47     SHELL = /bin/bash
48     GDMSESSION = gnome-shell
49     GPG_AGENT_INFO = /tmp/keyring-198Y10/gpg:0:1
50     PWD = /home/oak/Projects/BMSTU/FP course 2012/11 fp/2 cgi
51     XDG_CONFIG_DIRS = /etc/xdg/xdg-gnome-shell:/etc/xdg
52     XDG_DATA_DIRS = /usr/share/gnome-shell:/usr/share/gnome:/usr/local/share:/usr/share/
53
54 -- Via CGI (1):
55
56     HTTP_HOST = debug
57     HTTP_CONNECTION = keep-alive
58     HTTP_USER_AGENT = Mozilla/5.0 (X11; Linux i686) AppleWebKit/537.11 (KHTML, like Gecko)
Chrome/23.0.1271.64 Safari/537.11
59     HTTP_ACCEPT = text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
60     HTTP_ACCEPT_ENCODING = gzip,deflate,sdch
61     HTTP_ACCEPT_LANGUAGE = ru-RU,ru;q=0.8,en-US;q=0.6,en;q=0.4
62     HTTP_ACCEPT_CHARSET = windows-1251,utf-8;q=0.7,*;q=0.3
63     PATH = /usr/local/bin:/usr/bin:/bin
64     SERVER_SIGNATURE = <address>Apache/2.2.20 (Ubuntu) Server at debug Port 80</address>
65
66     SERVER_SOFTWARE = Apache/2.2.20 (Ubuntu)
67     SERVER_NAME = debug
68     SERVER_ADDR = 127.0.0.1
69     SERVER_PORT = 80
70     REMOTE_ADDR = 127.0.0.1
71     DOCUMENT_ROOT = /home/oak/Sites/debug/www

```

```
72     SERVER_ADMIN = webmaster@localhost
73     SCRIPT_FILENAME = /home/oak/Sites/debug/cgi-bin/lo
74     REMOTE_PORT = 54850
75     GATEWAY_INTERFACE = CGI/1.1
76     SERVER_PROTOCOL = HTTP/1.1
77     !! REQUEST_METHOD = GET
78     !! QUERY_STRING =
79     REQUEST_URI = /cgi-bin/lo
80     SCRIPT_NAME = /cgi-bin/lo
81
82 -- Via CGI (2):
83
84     REQUEST_METHOD = GET
85     QUERY_STRING = name1=value1&name2=value2
86     REQUEST_URI = /cgi-bin/lo?name1=value1&name2=value2
87     SCRIPT_NAME = /cgi-bin/lo
88
89 -- From forms.html, GET method:
90
91     ...
92     REQUEST_METHOD = GET
93     QUERY_STRING = t=the+text&r=on&b2=on&h=hidden+text&s=0ption+2
94
95 -- From forms.html, POST method:
96
97     ...
98     REQUEST_METHOD = POST
99     QUERY_STRING =
100     ...
101     CONTENT_LENGTH = 3691
102 -}
```