

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

### Checker Input

Show ☒ source ☐ outline ☐ image report Options...

Check by text input ☐ CSS

```
</div>
    <div class="col-sm-12 col-md-9 col-lg-9 text-start">
      <div class="d-grid gap-2 level-selection">
        <button class="btn btn-primary btn-lg-button p-3 fs-4 text-
start level-1 choice" data-info="simple" type="button">
          <i class="fa-solid fa-basketball fa-2x1"></i> Simple -
Easy as an open layup</button>

          <button class="btn btn-primary btn-lg-button p-3 fs-4 text-
start level-2 choice" data-info="intermediate" type="button">
            <i class="fa-solid fa-basketball fa-2x1"></i> Intermediate
- Free thrown level difficulty</button>

            <button class="btn btn-primary btn-lg-button p-3 fs-4 text-
start level-3 choice" data-info="advanced" type="button">
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Error** No space between attributes.

[At line 64, column 92](#)

```
ke-trivia send"id="takeTriviaB
```

2. **Error** End tag `section` seen, but there were open elements.

[From line 68, column 5; to line 68, column 14](#)

```
>  <  </section>
```

3. **Error** Unclosed element `div`.

[From line 41, column 9; to line 41, column 49](#)

```
><  <div class="row justify-content-center ">  <
```

Document checking completed.

## Source

```

1. <!DOCTYPE html><
2. <html lang="en"><
3. <head><
4.     <meta charset="UTF-8"><
5.     <meta name="viewport" content="width=device-width, initial-scale=1.0"><
6.     <title>CourtIQ Trivia</title><
7.     <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css"
rel="stylesheet">
8.     integrity="sha384-
T3c6CoIi6uLrA9TneNEoa7RxnatzjcDSCmG1MXxSR1GAsXEV/Dwwykc2MPK8M2HN"
crossorigin="anonymous">
9.     <script src="https://kit.fontawesome.com/f838cffb71.js"
crossorigin="anonymous"></script><
10.    <link rel="stylesheet" href="https://fonts.googleapis.com/css2?
family=Material+Symbols+Outlined:opsz,wght,FILL,GRAD@20..48,100..700,0..1,-50..
200">
11.    <link rel="stylesheet" href="style.css">
12.
13.    <link rel="preconnect" href="https://fonts.googleapis.com">
14.    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
15.    <link href="https://fonts.googleapis.com/css2?
family=Libre+Baskerville:ital,wght@0,400;0,700;1,400&family=Workbench&display=sw
wap" rel="stylesheet">
16.    <link href="https://fonts.googleapis.com/css2?
family=Russo+One&display=swap" rel="stylesheet">
17. </head><
18. <body><
19.     <!-- Bootstrap Navigation Bar -->
20.     <nav id="navbar" class="navbar navbar-expand-md navbar-light bg-light">
21.         <div class="container-fluid">
22.             <a class="navbar-brand" href="#" style="font-size: 26px; color:
#8577C2; font-weight: 800;">CourtIQ Trivia</a>
23.             <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarNav"
24.                 aria-controls="navbarNav" aria-expanded="false" aria-
label="Toggle navigation">
25.                 <span class="navbar-toggler-icon"></span>
26.             </button>
27.             <div class="collapse navbar-collapse" id="navbarNav">
28.                 <ul class="navbar-nav ms-auto">
29.                     <li class="nav-item">
30.                         <a class="nav-link active mx-1" href="#" id="nav-
trivia">Trivia Section</a>
31.                     </li>
32.                     <li class="nav-item">
33.                         <a class="nav-link active mx-1" href="#" id="nav-how-
to">How to Play</a>
34.                     </li>
35.                 </ul>
36.             </div>
37.         </div>
38.     </nav>
39.
40.     <section id="triviaSection" class="container-lg my-5 trivia-section">
41.         <div class="row justify-content-center ">
42.             <div class="col-sm-12 col-md-3 col-lg-3 text-center">
43.                 <div class="header">
44.                     <h1 class="nba-trivia">Get ready for <br><span>NBA Trivia
Questions!</span></h1>
45.                     <h3><i>Choose a difficulty level to get started.</i></h3>
46.                 </div>
47.             </div>
48.
49.             <div class="col-sm-12 col-md-9 col-lg-9 text-start">
50.                 <div class="d-grid gap-2 level-selection">
51.                     <button class="btn btn-primary btn-lg-button p-3 fs-4 text-
start level-1 choice" data-info="simple" type="button">
52.                         <i class="fa-solid fa-basketball fa-2x1"></i> Simple -
Easy as an open layup</button>
53.

```

```
54.         <button class="btn btn-primary btn-lg-button p-3 fs-4 text-
start level-2 choice" data-info="intermediate" type="button">↵
55.         <i class="fa-solid fa-basketball fa-2x1"></i>
Intermediate - Free thrown level difficulty</button>↵
56.         ↵
57.         <button class="btn btn-primary btn-lg-button p-3 fs-4 text-
start level-3 choice" data-info="advanced" type="button">↵
58.         <i class="fa-solid fa-basketball fa-2x1"></i> Advanced
- As tough as a buzzer-beating 3</button>↵
59.         ↵
60.         <button class="btn btn-primary btn-lg-button p-3 fs-4 text-
start level-4 choice" data-info="expert" type="button">↵
61.         <i class="fa-solid fa-basketball fa-2x1"></i> Expert -
Precision Beyond the Three-Point Line</button>↵
62.         ↵
63.         <div class="text-center mt-3">↵
64.         <button class="btn btn-primary btn-lg-button p-3 fs-4 take-
trivia send" id="takeTriviaBtn" type="button">Take trivia</button>↵
65.         </div>↵
66.         </div>↵
67.     </div>↵
68. </section>
```

Used the HTML parser.

Total execution time 8 milliseconds.

---

[About this checker](#) • [Report an issue](#) • Version: 24.2.5