

## POSTMAN

(petstore swagger <https://petstore.swagger.io/>)

User:

The screenshot shows the Postman interface with a workspace named "My Workspace". The left sidebar lists collections, including "Petstore-User". The main panel displays a POST request to "https://petstore.swagger.io/v2/user". The request body is a JSON object with the following fields: "id" (0), "username" ("user1"), "firstName" ("Natali"), "lastName" ("Stepanenko"), "email" ("artefakta21@gmail.com"), "password" ("string"), "phone" ("0999999999"), and "userStatus" (0). The response is a 200 OK status with a JSON body: {"code": 200, "type": "unknown", "message": "9223372036854775807"}.

```
POST https://petstore.swagger.io/v2/user
```

```
{
  "id": 0,
  "username": "user1",
  "firstName": "Natali",
  "lastName": "Stepanenko",
  "email": "artefakta21@gmail.com",
  "password": "string",
  "phone": "0999999999",
  "userStatus": 0
}
```

```
{
  "code": 200,
  "type": "unknown",
  "message": "9223372036854775807"
}
```

The screenshot shows the Postman interface with a workspace named "My Workspace". The left sidebar lists collections, including "Petstore-User". The main panel displays a PUT request to "https://petstore.swagger.io/v2/user/{{username}}". The request body is a JSON object with the following fields: "id" (0), "username" ("user1"), "firstName" ("Natali"), "lastName" ("Fofo"), "email" ("artefakta21@gmail.com"), "password" ("string"), "phone" ("0999999998"), and "userStatus" (0). The response is a 200 OK status with a JSON body: {"code": 200, "type": "unknown", "message": "9223372036854775807"}.

```
PUT https://petstore.swagger.io/v2/user/{{username}}
```

```
{
  "id": 0,
  "username": "user1",
  "firstName": "Natali",
  "lastName": "Fofo",
  "email": "artefakta21@gmail.com",
  "password": "string",
  "phone": "0999999998",
  "userStatus": 0
}
```

```
{
  "code": 200,
  "type": "unknown",
  "message": "9223372036854775807"
}
```

Home Workspaces API Network

My Workspace New Import

POST Create User PUT Updated user GET Get user by username GET Logs user GET Logs out GET Logs user DEL Delete user

Contract Testing Integration Testing Intro to Writing Tests Mock Data Generation Performance Testing Petstore-Store Petstore-User

POST Create User PUT Updated user GET Get user by username GET Logs user GET Logs out GET Logs user DEL Delete user

Regression Testing

Petstore-User / Get user by username

GET https://petstore.swagger.io/v2/user/{username} Send

Params Authorization Headers (7) Body Scripts Settings Cookies

Query Params

Key	Value	Description	Bulk Edit
Key	Value	Description	

Body 200 OK 516 ms 498 B Save Response

JSON Preview Visualize

```
1 {
2   "id": 9223372036854775807,
3   "username": "user1",
4   "firstName": "Natali",
5   "lastName": "Fofo",
6   "email": "artefakta21@gmail.com",
7   "password": "string",
8   "phone": "0999999998",
9   "userStatus": 0
10 }
```

Home Workspaces API Network

My Workspace New Import

POST Create User PUT Updated user GET Get user by username GET Logs user GET Logs out GET Logs user DEL Delete user

Contract Testing Integration Testing Intro to Writing Tests Mock Data Generation Performance Testing Petstore-Store Petstore-User

POST Create User PUT Updated user GET Get user by username GET Logs user GET Logs out GET Logs user DEL Delete user

Regression Testing

Petstore-User / Logs user

GET https://petstore.swagger.io/v2/user/login?username=user1&password=string Send

Params Authorization Headers (7) Body Scripts Settings Cookies

Query Params

Key	Value	Description	Bulk Edit
username	user1		
password	string		
Key	Value	Description	

Body 200 OK 528 ms 471 B Save Response

JSON Preview Visualize

```
1 {
2   "code": 200,
3   "type": "unknown",
4   "message": "logged in user session:1747074714853"
5 }
```

API Network

My Workspace

POST Create User PUT Updated user GET Get user by username GET Logs user GET Logs out DEL Delete user

Petstore-User / Logs out

GET https://petstore.swagger.io/v2/user/logout

Send

Params Authorization Headers (7) Body Scripts Settings Cookies

Query Params

Key	Value	Description	Bulk Edit
Key	Value	Description	

Body

200 OK 521 ms 370 B

Save Response

```
1 {
2   "code": 200,
3   "type": "unknown",
4   "message": "ok"
5 }
```

API Network

My Workspace

POST Create User PUT Updated user GET Get user by username GET Logs user GET Logs out DEL Delete user

Petstore-User / Delete user

DELETE https://petstore.swagger.io/v2/user/{{username}}

Send

Params Authorization Headers (7) Body Scripts Settings Cookies

Query Params

Key	Value	Description	Bulk Edit
Key	Value	Description	

Body

200 OK 518 ms 373 B

Save Response

```
1 {
2   "code": 200,
3   "type": "unknown",
4   "message": "user1"
5 }
```

Store:

HomeWorkspacesAPI Network

My WorkspaceNewImport

Collections

Environments

Flows

History

> Contract Testing

> Integration Testing

> Intro to Writing Tests

> Mock Data Generation

> Performance Testing

> Petstore-Store

> GET Returns pet inventories

> POST Place an order for a pet

> GET New Request

> DEL New Request

> Petstore-User

> Regression Testing

Petstore-Store / Returns pet inventories

GETpetstore.swagger.io/v2/store/inventory

Send

ParamsAuthorizationHeaders (7)BodyScriptsSettingsCookies

Query Params

Key	Value	Description	Bulk Edit
Key	Value	Description	

Body200 OK131 ms428 BSave Response

JSONPreviewVisualize

```
1 {
2   "AVAILABLE": 3,
3   "7000": 1,
4   "sold": 6,
5   "string": 111,
6   "unavailable": 4,
7   "pending": 2,
8   "available": 693,
9   "invalid": 4
10 }
```

HomeWorkspacesAPI Network

My WorkspaceNewImport

Collections

Environments

Flows

History

> Contract Testing

> Integration Testing

> Intro to Writing Tests

> Mock Data Generation

> Performance Testing

> Petstore-Store

> GET Returns pet inventories

> POST Place an order for a pet

> GET New Request

> DEL New Request

> Petstore-User

> Regression Testing

Petstore-Store / Place an order for a pet

POSThttps://petstore.swagger.io/v2/store/order

Send

ParamsAuthorizationHeaders (9)BodyScriptsSettingsCookiesBeautify

noneform-datax-www-form-urlencodedrawbinaryGraphQLJSON

1 {
2 "id": 0,
3 "petId": 10,
4 "quantity": 1,
5 "shipDate": "2025-05-12T18:53:42.206Z",
6 "status": "placed",
7 "complete": true
8 }

Body200 OK526 ms452 BSave Response

JSONPreviewVisualize

```
1 {
2   "id": 6542532620712705534,
3   "petId": 10,
4   "quantity": 1,
5   "shipDate": "2025-05-12T18:53:42.206+0000",
6   "status": "placed",
7   "complete": true
8 }
```

HomeWorkspacesAPI Network

My Workspace

NewImport

Collections

Environments

Flows

History

+

> Contract Testing

> Integration Testing

> Intro to Writing Tests

> Mock Data Generation

> Performance Testing

> Petstore-Store

> GET Returns pet inventories

> POST Place an order for a pet

> GET New Request

> DEL New Request

> Petstore-User

> Regression Testing

Petstore-Store / New Request

SaveShare

GETpetstore.swagger.io/v2/store/order/ {{order}}

Send

ParamsAuthorizationHeaders (7)BodyScriptsSettingsCookies

Query Params

Key	Value	Description	Bulk Edit
Key	Value	Description	

Body200 OK507 ms392 BSave Response

JSONPreviewVisualize

```
1 {
2   "id": 6542532620712705534,
3   "petId": 0,
4   "quantity": 0,
5   "complete": false
6 }
```

HomeWorkspacesAPI Network

My Workspace

NewImport

Collections

Environments

Flows

History

+

> Contract Testing

> Integration Testing

> Intro to Writing Tests

> Mock Data Generation

> Performance Testing

> Petstore-Store

> GET Returns pet inventories

> POST Place an order for a pet

> GET New Request

> DEL New Request

> Petstore-User

> Regression Testing

Petstore-Store / New Request

SaveShare

DELETEpetstore.swagger.io/v2/store/order/ {{order}}

Send

ParamsAuthorizationHeaders (7)BodyScriptsSettingsCookies

Query Params

Key	Value	Description	Bulk Edit
Key	Value	Description	

Body200 OK127 ms392 BSave Response

JSONPreviewVisualize

```
1 {
2   "id": 6542532620712705534,
3   "petId": 0,
4   "quantity": 0,
5   "complete": false
6 }
```