




















1	2	3	4	5	6	7	8					
A	<div></div>	<div></div>	<div></div>	B	<div></div>	<div></div>	C	<div></div>	<div></div>	D	<div></div>	<div></div>
1	2	3	4	5	6	7	8					










EMMC FLASH 芯片, IC EMMC FLASH, 4GB, 32Gb, MLC, BGA153, SMD, THGBMDG5D1LBAIL (Japan), toshiba















FFC插座,FFC connector,51 Pin,D0.5,Bottom,lock,SMD,CT



NC/FPC插座,FPC connector (B),51Pin,D0.5,L,Bottom,lock,SMD,DEREN NC/FFC插座,FFC connector,30Pin,D1.0,Bottom,lock,SMD,(密封包装)P-TWO














100ohm-0402-±5%-1/16W














100ohm-0402-±5%-1/16W











NC/散热片,Heat Sink,17.5×10.5×0.5mm,红铜片,镀雾锡,本色,LHD

A

A

B


B







C

C

D

D





A

A

B


B

C


C

D

D



Title		
Size	Number	Revision
A3		
Date:	2017/12/21	Sheet of
File:	D:\潘军璋\TV#14 RJ45.SchDoc	Drawn By:



Title		
Size A3	Number	Revision
Date:	2017/12/21	Sheet of
File:	D:\潘军璋\TV#15 IR&Key.SchDoc	Drawn By: