

Trainova Auth Service (1.0.0)

Download OpenAPI specification: [Download](#)

Auth

Register User

REQUEST BODY SCHEMA: `application/json`

<code>email_or_phone</code> <code>required</code>	string (Email Or Phone)
<code>password</code> <code>required</code>	string (Password) <code>[6 .. 128]</code> characters
<code>first_name</code> >	First Name (string) or First Name (null) (First Name)
<code>last_name</code> >	Last Name (string) or Last Name (null) (Last Name)

Responses

> **200** Successful Response

> **400** Bad Request

> **422** Validation Error

POST `/auth/register`

Request samples

Payload

Content type
application/json

Copy

```
{
  "email_or_phone": "string",
  "password": "string",
  "first_name": "string",
  "last_name": "string"
}
```

Response samples

200

400

422

Content type
application/json

Copy

```
null
```

Verify Code

REQUEST BODY SCHEMA: application/json

email_or_phone
requiredstring (Email Or Phone)

code
requiredstring (Code)

Responses

> 200 Successful Response

> 400 Bad Request

> 422 Validation Error

POST /auth/verify

Request samples

Payload

Content type
application/json

Copy

```
{
  "email_or_phone": "string",
  "code": "string"
}
```

Response samples

200

400

422

Content type
application/json

Copy

null

Login User

REQUEST BODY SCHEMA: application/json

email_or_phone required	string (Email Or Phone)
----------------------------	-------------------------

password required	string (Password)
----------------------	-------------------

Responses

> 200 Successful Response

> 400 Bad Request

> 422 Validation Error

POST /auth/login

Request samples

Payload

Content type
application/json

Copy

```
{
  "email_or_phone": "string",
  "password": "string"
}
```

Response samples

200

400

422

Content type
application/json

Copy

```
{
  "access_token": "string",
  "refresh_token": "string",
  "token_type": "bearer"
}
```

Refresh Token

REQUEST BODY SCHEMA: application/json

refresh_token
required

string (Refresh Token)

Responses

> 200 Successful Response

> 400 Bad Request

> 422 Validation Error

POST /auth/refresh

Request samples

Payload

Content type
application/json

```
{
  "refresh_token": "string"
}
```

Copy

Response samples

200

400

422

Content type
application/json

Copy

```
{
  "access_token": "string",
  "refresh_token": "string",
  "token_type": "bearer"
}
```

Logout

REQUEST BODY SCHEMA: application/json

<div>refresh_token</div> <div>required</div>	string (Refresh Token)
--	------------------------

Responses

- > 200 Successful Response
- > 400 Bad Request
- > 422 Validation Error

POST /auth/logout

Request samples

Payload

Content type
application/json

Copy

```
{
  "refresh_token": "string"
}
```

Response samples

200

400

422

Content type

application/json

null

Copy

Get Current User Info

AUTHORIZATIONS: > None

Responses

> 200 Successful Response

GET /auth/me

Response samples

200

Content type

application/json

null

Copy

