

# Trainova Auth Service API (1.0.0)

Download OpenAPI specification: [Download](#)

API для авторизации и аутентификации в приложении Trainova

## Auth

### Register User

REQUEST BODY SCHEMA: `application/json`

<code>email</code> <code>required</code>	string (Email)
<code>password</code> <code>required</code>	string (Password) <code>[ 8 .. 128 ] characters</code>
<code>first_name &gt;</code>	First Name (string) or First Name (null) (First Name)
<code>last_name &gt;</code>	Last Name (string) or Last Name (null) (Last Name)

### Responses

- > **200** Successful Response
- > **400** Bad Request
- > **422** Validation Error

POST `/api/auth/register`

Request samples

Payload

Content type  
application/json

Copy

```
{
  "email": "string",
  "password": "stringst",
  "first_name": "string",
  "last_name": "string"
}
```

Response samples

200

400

422

Content type  
application/json

Copy

```
null
```

Verify Code

REQUEST BODY SCHEMA: application/json

email  
required      string (Email)

code  
required      string (Code)

Responses

> 200 Successful Response

> 400 Bad Request

> 422 Validation Error

POST /api/auth/verify

Request samples

Payload

Content type  
application/json

Copy

```
{
  "email": "string",
  "code": "string"
}
```

Response samples

200

400

422

Content type  
application/json

Copy

null

Login User

REQUEST BODY SCHEMA: application/json

email  
requiredstring (Email)

password  
requiredstring (Password)

## Responses

> **200** Successful Response

> **400** Bad Request

> **422** Validation Error

POST /api/auth/login

### Request samples

**Payload**

**Content type**

application/json

Copy

```
{
  "email": "string",
  "password": "string"
}
```

### Response samples

**200**

**400**

**422**

**Content type**

application/json

Copy

```
{
  "access_token": "string",
  "refresh_token": "string",
  "token_type": "bearer"
}
```

# Refresh Token

Обновляет access и refresh токены с помощью refresh токена

REQUEST BODY SCHEMA: application/json

refresh\_token  
required

string (Refresh Token)

## Responses

> 200 Successful Response

> 400 Bad Request

> 422 Validation Error

POST /api/auth/refresh

## Request samples

Payload

Content type  
application/json

```
{
  "refresh_token": "string"
}
```

Copy

## Response samples

200

400

422

Content type  
application/json

Copy

```
{
  "access_token": "string",
  "refresh_token": "string",
  "token_type": "bearer"
}
```

# Logout

Выход из системы. Отзывает токены.

## HEADER PARAMETERS

authorization	string (Authorization)
---------------	------------------------

## REQUEST BODY SCHEMA: application/json

refresh_token required	string (Refresh Token)
---------------------------	------------------------

## Responses

- > 200 Successful Response
- > 400 Bad Request
- > 422 Validation Error

POST /api/auth/logout

## Request samples

Payload

Content type  
application/json

Copy

```
{
  "refresh_token": "string"
}
```

Response samples

200

400

422

Content type  
application/json

Copy

null

# Get Current User Info

HEADER PARAMETERS

authorization	string (Authorization)
---------------	------------------------

## Responses

> 200 Successful Response

> 422 Validation Error

GET /api/auth/me

Response samples

200

422

Content type  
application/json

Copy

null

# Forgot Password

Восстановление забытого пароля

REQUEST BODY SCHEMA: application/json

email	string (Email)
required	

## Responses

- > 200 Successful Response
- > 400 Bad Request
- > 422 Validation Error

POST /api/auth/forgot-password

## Request samples

Payload

Content type  
application/json

Copy

```
{  
  "email": "string"  
}
```

## Response samples



200

400

422

Content type  
application/json

Copy

null

## Reset Password

Обрабатывает запрос на сброс пароля с фронта. Принимает JSON: email, code, new\_password, confirm\_password.

REQUEST BODY SCHEMA: application/json

email required	string (Email) Email пользователя
code required	string (Code) Код верификации из email
new_password required	string (New Password) Новый пароль
confirm_password required	string (Confirm Password) Подтверждение нового пароля

## Responses

- > 200 Successful Response
- > 400 Bad Request
- > 422 Validation Error

POST /api/auth/reset-password

Request samples

Payload

Content type  
application/json

Copy

```
{
  "email": "string",
  "code": "string",
  "new_password": "string",
  "confirm_password": "string"
}
```

Response samples

200

400

422

Content type  
application/json

Copy

```
null
```

Change Password

Смена пароля авторизованным пользователем

HEADER PARAMETERS

authorization	string (Authorization)
---------------	------------------------

REQUEST BODY SCHEMA: application/json

current_password	string (Current Password)
required	Текущий пароль пользователя

Responses

> 200 Successful Response

> 400 Bad Request

> 422 Validation Error

POST /api/auth/change-password

Request samples

Payload

Content type  
application/json

Copy

```
{
  "current_password": "string"
}
```

Response samples

200

400

422

Content type  
application/json

Copy

null

Verify Password Change

Верифицирует смену пароля по коду

HEADER PARAMETERS

authorization string (Authorization)

REQUEST BODY SCHEMA: application/json

verification_code required	string (Verification Code) Код подтверждения, полученный на email
new_password required	string (New Password) [ 8 .. 128 ] characters Новый пароль
confirm_password required	string (Confirm Password) [ 8 .. 128 ] characters Подтверждение нового пароля

Responses

- > 200 Successful Response
- > 400 Bad Request
- > 422 Validation Error

POST /api/auth/verify-password-change

Request samples

Payload

Content type  
application/json

Copy

```
{
  "verification_code": "string",
  "new_password": "stringst",
  "confirm_password": "stringst"
}
```

Response samples

- 200
- 400
- 422

Content type  
application/json

Copy

null

# Change Email

Смена email авторизованного пользователя. Отправляет код верификации на новый email.

## HEADER PARAMETERS

authorization	string (Authorization)
---------------	------------------------

## REQUEST BODY SCHEMA: application/json

new_email required	string (New Email) Новый адрес электронной почты
-----------------------	---

## Responses

> 200 Successful Response

> 400 Bad Request

> 422 Validation Error

POST /api/auth/change-email

## Request samples

Payload

Content type  
application/json

Copy

```
{
  "new_email": "string"
}
```

Response samples

200

400

422

Content type  
application/json

Copy

null

# Verify Email Change

Верифицирует смену email по коду подтверждения

HEADER PARAMETERS

authorization	string (Authorization)
---------------	------------------------

REQUEST BODY SCHEMA: application/json

new_email required	string (New Email) Новый адрес электронной почты
verification_code required	string (Verification Code) Код подтверждения, отправленный на новый адрес

## Responses

> 200 Successful Response

> 400 Bad Request

> 422 Validation Error

POST /api/auth/verify-email-change

Request samples

Payload

Content type  
application/json

Copy

```
{
  "new_email": "string",
  "verification_code": "string"
}
```

Response samples

200

400

422

Content type  
application/json

Copy

null

Read Root

Responses

> 200 Successful Response

GET /

Response samples

200

Content type  
application/json

null

Copy

Clean Expired Tokens

Responses

> 200 Successful Response

POST /admin/clean-expired-tokens

Response samples

200

Content type  
application/json

null

Copy



