

Find a friend - OpenAPI 3.0

Overview

Tags

Animal adverts

Animal adverts CRUD

Security

Type	Name	Scopes
oauth2	jwt	s1

Paths

GET /animalAdverts/getAll Get all animal adverts

Responses

Code	Description	Links
200	Success	No Links

GET /animalAdverts/getById Get animal advert by id

Parameters

Type	Name	Description	Schema
query	id <i>required</i>	Advert id	integer

Responses

Code	Description	Links
200	Success <i>Content</i> application/json	No Links
400	No id supplied	No Links

DELETE /animalAdverts/delete Delete animal advert by id

Delete existing animala advert by id

Parameters

Type	Name	Description	Schema
query	id <i>required</i>	Id of animal advert to be deleted	integer

Responses

Code	Description	Links
200	Success <i>Content</i> application/json	No Links
400	No id provided	No Links
403	You are not author of the or advert or not moderator/administrator	No Links

POST /animalAdverts/create Create animal advert

Create animal advert

Responses

Code	Description	Links
200	true if was created, false otherwise <i>Content</i> application/json	No Links
400	bad data	No Links
403	if not authorized	No Links

GET /animalAdverts/getByUserId Get animal advert by creator id

Parameters

Type	Name	Description	Schema
query	id <i>required</i>	creator id	integer

Responses

Code	Description	Links
200	Success <i>Content</i> application/json	No Links
400	No user id supplied	No Links

GET /animalAdverts/getByShelterId Get animal advert by shelter id

Parameters

Type	Name	Description	Schema
query	id <i>required</i>	shelter id	integer

Responses

Code	Description	Links
200	Success <i>Content</i> application/json	No Links
400	No shelter id supplied	No Links

GET /animalAdverts/getMine Get animal advert by creator id

Responses

Code	Description	Links
200	Success <i>Content</i> application/json	No Links
403	If not authorized	No Links

Components

Schemas

Place

Properties

Name	Description	Schema
id <i>optional</i>		integer
country <i>optional</i>		string
region <i>optional</i>		string
city <i>optional</i>		string
district <i>optional</i>		string

AnimalAdvert

Properties

Name	Description	Schema
advertId <i>optional</i>		integer
userId <i>optional</i>		integer
title <i>optional</i>		string
description <i>optional</i>		string
animalType <i>optional</i>		enum (Кот, Собака, Другое)
creationDate <i>optional</i>		string (date-time)
place <i>optional</i>		Place
birthDate <i>optional</i>		string (date-time)
sex <i>optional</i>		enum (M,F)
isCastrated <i>optional</i>		boolean
shelterId <i>optional</i>	-1, if advert doesn't belong to any shelter	integer
shelterName <i>optional</i>	null, if advert doesn't belong to any shelter	string

CreateAnimalAdvert

Properties

Name	Description	Schema
title <i>optional</i>		string
description <i>optional</i>		string
animalType <i>optional</i>		enum (Кот, Собака, Другое)
placeId <i>optional</i>	id of place	integer
birthdate <i>optional</i>		string (date)
sex <i>optional</i>		enum (M,F)
isCastrated <i>optional</i>		boolean
photos <i>optional</i>	array of base64 image strings	< string > array