



EXAMINATION RESULTS

Patient	Yeshchenko Makar Oleksandrovych	Lab Order No.	063758776
Date of Birth	11.05.2024	Order Code	-
Sex	Male	Order Date	24.07.2026 08:40
Comments	Blood Collection Center No. 594, Irpin, 9 Soborna St.		

Test Name	Result	Units of measurement	Reference values	Comments
-----------	--------	----------------------	------------------	----------

Panel No. 175 "Identify Cause of Anemia"

Reference values:				
0-15 d. 39.84 - 539.85				
15 d.-6 mo. 15.25 - 374.58				
6 mo.-1 yr 13.32 - 191.89				
1-16 yrs 10.29 - 55.84				
16-19 yrs 18.67 - 102.06				
From 19 yrs 23.9-336.2				
Ferritin	35.90	ng/mL	10.29 - 55.84	
Primary specimen: venous blood				
Folic Acid	19.7	ng/mL	-	0 - 14 yrs >12.2
Primary specimen: venous blood				14 - 19 yrs >8.9
				From 19 yrs 3.1-19.9
Vitamin B12 (cyanocobalamin), biotin-independent, quantitative	351.26	pg/mL	257.83 - 1012.91	0 - 1 yr >159.28
Primary specimen: venous blood				1 - 2 yrs >267.05
				2 - 8 yrs 257.83 - 1012.91
				8 - 14 yrs 201.39 - 1046.25
				14 - 19 yrs 179.38 - 719.46
Note: Assessment of Vitamin B12 deficiency should not rely solely on a single laboratory test result. Result interpretation must be performed considering additional functional parameters and clinical assessment by a physician.				
Transferrin	2.65	g/L	2.14 - 3.07	
Primary specimen: venous blood				
Iron	9.1	µmol/L	2.5 - 26.9	
Primary specimen: venous blood				
Transferrin Saturation (iron, transferrin, transferrin saturation)	13*	%	20 - 55	
Primary specimen: venous blood				

Complete Blood Count (35 parameters: automated hematology analyzer with morphology)

Primary specimen: venous blood

Leukocytes (WBC)	6.30	G/L	4.3 - 12.6
Erythrocytes (RBC)	4.78	T/L	4.1 - 5.4
Hemoglobin (Hgb)	130	g/L	111 - 143
Hematocrit (Ht)	37.2	%	33.0 - 43.0
Platelets (PLT)	217	G/L	175 - 430
Plateletcrit (PCT)	0.196	%	0.14 - 0.28
Immature Granulocytes (IG)	0.01	G/L	0.0 - 0.08

* indicates results outside the reference range

Dear Doctor!
DILA experts provide informational support regarding interpretation of laboratory test results and other professional inquiries.
Dear Client!
Laboratory test results do not constitute a clinical diagnosis. For correct interpretation of examination results, please consult a physician.
License of MOH of Ukraine AD No. 071280 dated 22.11.2012. LLC "ML "DILA" certified per ISO 9001

Immature Granulocytes (IG)	0.1	%	0.0 - 1.1
Mean Corpuscular Volume (MCV)	77.8	fL	73.0 - 91.0
Mean Corpuscular Hemoglobin in one erythrocyte (MCH)	27.2	pg	24 - 31
Mean Corpuscular Hemoglobin Concentration (MCHC)	350	g/L	300 - 355
Red Cell Distribution Width by volume (CV) (RDW-CV)	13.3	%	11.5 - 15
Low Hemoglobin Density (LHD)	1.1	%	1.1 - 12.1
Microcytic Anemia Factor (MaF)	10.1	%	8.3 - 11.3
Mean Platelet Volume (MPV)	9.0	fL	6.4 - 10.1
Platelet Distribution Width by volume (PDW)	16.4	%	15.7 - 18
Total Neutrophils (Segmented and Band) (Neu)	35.78	%	30 - 55
BAND NEUTROPHILS < 6.0 %			
Total Neutrophils (Segmented and Band) (Neu)	2.25	G/L	1.8 - 9.6
BAND NEUTROPHILS < 0.6 G/L			
Lymphocytes (LY)	41.56	%	28 - 59
Lymphocytes (LY)	2.62	G/L	2.2 - 8.5
Monocytes (Mon)	13.03*	%	1.5 - 9
Monocytes (Mon)	0.82	G/L	0.1 - 1.1
Eosinophils (Eo)	9.22*	%	0.5 - 5.0
Eosinophils (Eo)	0.58	G/L	0.02 - 0.75
Basophils (Bas)	0.41	%	0 - 1.5
Basophils (Bas)	0.03	G/L	0 - 0.2
Metamyelocytes (MetaMC)	0	%	0 - 0
Metamyelocytes (MetaMC)	0.000000	G/L	0 - 0
Myelocytes (MC)	0	%	0 - 0
Myelocytes (MC)	0.000000	G/L	0 - 0
Virocytes (VIR)	0	%	0 - 0

* indicates results outside the reference range

Virocytes (VIR)	0.000000	G/L	0 - 0
Erythrocyte Sedimentation Rate (ESR)	2	mm/h	< 15

Responsible Person

Head of Clinical Biochemistry Lab Polyvoda A.Y.



25-Hydroxyvitamin D	74.3*	nmol/L	75 - 125	<50 - Vitamin D deficiency; >=50 - <75 - Insufficiency of Vitamin D; 75-125 - Optimal level of Vitamin D; >125-150 - Safe non-target level of Vitamin D; >150-250 - Zone of uncertainty with potential benefits or risks; >250 - Vitamin D excess / toxicity zone. Diagnosis, prevention and treatment of Vitamin D deficiency: Ukrainian Expert Consensus, 2023
Primary specimen: venous blood				

The target Vitamin D level depends on patient's individual health status. Consult a physician

Responsible Person

Head of Clinical Biochemistry Lab Polyvoda A.Y.



* indicates results outside the reference range