Question 5:

Design a NovaTech Executive Dashboard with:

(1) KPI tiles — Total Units Sold, Total Revenue, Return Rate %, Average Satisfaction Score,

(2) A Bar chart for Sales by Model,

(3) A Line chart for Monthly Sales Trend,

(4) A Pie chart for Sales Channel Split,

(5) A table for Top 5 Cities by Revenue. Add Region and Model filters to the dashboard.

Objective:

To design an interactive NovaTech Executive Dashboard to monitor sales performance, returns, and customer satisfaction.

Steps Performed:

- Open Cognos Analytics → Dashboard and upload the dataset.
- Create KPI tiles for Total Units Sold, Total Revenue, Return Rate %, and Average Satisfaction Score.
- Add a Bar Chart to show Sales by Model using Model Name and Revenue.
- Add a Line Chart to display Monthly Sales Trend using Sale Date and Revenue.
- Add a Pie Chart to show Sales Channel Split (Retail vs Online).
- Create a Table to display Top 5 Cities by Revenue and sort in descending order.
- Add filters for Region and Model to enable interactive analysis.
- Arrange all visuals properly and add titles for a clear and interactive dashboard.

Final Output:

1)Without giving any filters to the dashboard:

2)After giving the filter value to the dashboard:




Total Units Sold
41
Total Unit Sold
Return Rate%
0.00%
Return Rate
Revenue
366619.13
Total Revenue
Customer Satisfaction Score
2.5
Customer Satisfaction Score
Sales By Model
0
1,00,000
2,00,000
3,00,000
4,00,000
Model Name (Count distinct)
Monthly Sales Trend
400000
200000
0
Revenue (Sum)
2024-01-06
Sale Date
Sales Channel Distribution
Sales Channel
Retail
Region
East
Model Name
Nova X1
Top 5 cities Revenue
Outlet City
Revenue
Chennai
1414319.3
Mumbai
366619.1


Total Units Sold
40
Total Unit Sold
Return Rate%
100.00%
Return Rate
Revenue
1039745.6
Total Revenue
Customer Satisfaction Score
3.3
Customer Satisfaction Score
Sales By Model
0
2,00,000
4,00,000
6,00,000
8,00,000
10,00,000
Model Name (Count distinct)
Monthly Sales Trend
1000000
500000
0
Revenue (Sum)
2024-04-09
Sale Date
Sales Channel Distribution
Sales Channel
Online
Retail
Region
South
Model Name
Nova X1
Top 5 cities Revenue
Outlet City
Revenue
Mumbai
1039745.
Jaipur
474602.1

Dashboard Website:

Html code:

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0, user-scalable=no">
    <title>Analytics Portal | IBM Cognos Dashboard</title>
    <style>
        * {
            margin: 0;
            padding: 0;
            box-sizing: border-box;
            font-family: 'Inter', system-ui, -apple-system, 'Segoe UI', Roboto, 'Helvetica Neue', sans-serif;
        }

        body {
            background: linear-gradient(135deg, #e9f0fc 0%, #f1f5f9 100%);
            min-height: 100vh;
            display: flex;
            align-items: center;
            justify-content: center;
            transition: all 0.2s ease;
        }

        /* Glassmorphism containers */
        .glass-card {
```

```
    background: rgba(255, 255, 255, 0.92);
    backdrop-filter: blur(12px);
    border-radius: 32px;
    box-shadow: 0 25px 45px -12px rgba(0, 0, 0, 0.25), 0 1px 2px rgba(0, 0, 0, 0.05);
    border: 1px solid rgba(255, 255, 255, 0.6);
}

/* Login Container */
.login-wrapper {
    width: 100%;
    max-width: 460px;
    margin: 2rem;
    animation: fadeSlideUp 0.5s ease-out;
}

.login-header {
    text-align: center;
    margin-bottom: 2rem;
}

.logo-badge {
    background: #0f62ac;
    width: 56px;
    height: 56px;
    margin: 0 auto 1rem;
    border-radius: 24px;
    display: flex;
    align-items: center;
    justify-content: center;
```

```
    box-shadow: 0 8px 16px -6px rgba(15, 98, 172, 0.3);
}

.logo-badge svg {
    width: 32px;
    height: 32px;
    fill: white;
}

h2 {
    font-size: 1.8rem;
    font-weight: 600;
    background: linear-gradient(135deg, #1e293b, #0f172a);
    background-clip: text;
    -webkit-background-clip: text;
    color: transparent;
    letter-spacing: -0.3px;
}

.subhead {
    color: #475569;
    margin-top: 0.5rem;
    font-size: 0.9rem;
}

.input-group {
    margin-bottom: 1.5rem;
}
```

```
label {
    display: block;
    font-size: 0.8rem;
    font-weight: 500;
    text-transform: uppercase;
    letter-spacing: 0.5px;
    color: #334155;
    margin-bottom: 0.5rem;
}

.input-field {
    width: 100%;
    padding: 0.9rem 1.2rem;
    font-size: 1rem;
    border: 1.5px solid #e2e8f0;
    border-radius: 24px;
    background: white;
    transition: all 0.2s;
    outline: none;
    font-weight: 500;
}

.input-field:focus {
    border-color: #0f62ac;
    box-shadow: 0 0 0 3px rgba(15, 98, 172, 0.2);
}

.btn-primary {
    width: 100%;
```

```
    background: #0f62ac;
    color: white;
    border: none;
    padding: 0.9rem;
    font-size: 1rem;
    font-weight: 600;
    border-radius: 40px;
    cursor: pointer;
    transition: all 0.2s;
    margin-top: 0.8rem;
    box-shadow: 0 2px 6px rgba(0, 0, 0, 0.05);
}

.btn-primary:hover {
    background: #105e9e;
    transform: translateY(-1px);
    box-shadow: 0 8px 18px rgba(15, 98, 172, 0.25);
}

.demo-hint {
    text-align: center;
    margin-top: 1.8rem;
    font-size: 0.75rem;
    background: #f8fafc;
    padding: 0.7rem;
    border-radius: 40px;
    color: #1e293b;
    border: 1px solid #e2edf7;
}
```

```
.demo-hint span {
    font-family: monospace;
    background: #eef2ff;
    padding: 0.2rem 0.5rem;
    border-radius: 20px;
    font-weight: 600;
    color: #0f62ac;
}

/* Dashboard Layout */
.dashboard-container {
    width: 100vw;
    height: 100vh;
    display: flex;
    flex-direction: column;
    background: #f3f6fc;
    overflow: hidden;
}

.dashboard-nav {
    background: white;
    backdrop-filter: blur(0px);
    border-bottom: 1px solid #e9edf2;
    padding: 0 2rem;
    display: flex;
    align-items: center;
    justify-content: space-between;
    height: 70px;
```

```
    box-shadow: 0 2px 8px rgba(0, 0, 0, 0.02);
}

.nav-brand {
    display: flex;
    align-items: center;
    gap: 12px;
}

.brand-icon {
    background: #0f62ac10;
    width: 38px;
    height: 38px;
    border-radius: 14px;
    display: flex;
    align-items: center;
    justify-content: center;
}

.brand-text {
    font-weight: 700;
    font-size: 1.3rem;
    background: linear-gradient(135deg, #0f62ac, #002d4c);
    background-clip: text;
    -webkit-background-clip: text;
    color: transparent;
}

.user-info {
```

```
    display: flex;
    align-items: center;
    gap: 20px;
    background: #f8fafc;
    padding: 0.4rem 1rem 0.4rem 1.2rem;
    border-radius: 60px;
    border: 1px solid #e2edf7;
}

.user-name {
    font-weight: 500;
    color: #0f172a;
}

.logout-btn {
    background: none;
    border: none;
    cursor: pointer;
    color: #64748b;
    font-weight: 500;
    font-size: 0.85rem;
    transition: color 0.2s;
    display: flex;
    align-items: center;
    gap: 6px;
}

.logout-btn:hover {
    color: #dc2626;
```

```
}

/* Main Dashboard Content */
.dashboard-main {
    flex: 1;
    padding: 1.5rem 2rem 2rem 2rem;
    overflow-y: auto;
}

.dashboard-grid {
    display: flex;
    flex-direction: column;
    gap: 1.5rem;
    height: 100%;
}

.cognos-card {
    background: white;
    border-radius: 28px;
    box-shadow: 0 12px 30px -12px rgba(0, 0, 0, 0.1);
    overflow: hidden;
    transition: all 0.2s;
    border: 1px solid #eef2f8;
    flex: 1;
    display: flex;
    flex-direction: column;
}

.card-header {
```

```
    padding: 1.2rem 1.8rem;
    border-bottom: 1px solid #eff3f8;
    display: flex;
    justify-content: space-between;
    align-items: center;
    background: #ffffff;
}

.card-header h3 {
    font-weight: 600;
    font-size: 1.2rem;
    color: #0f172a;
}

.card-badge {
    background: #eef2ff;
    color: #0f62ac;
    padding: 0.2rem 0.8rem;
    border-radius: 40px;
    font-size: 0.7rem;
    font-weight: 600;
}

.iframe-wrapper {
    position: relative;
    width: 100%;
    background: #f9fbfd;
    min-height: 520px;
    flex: 1;
```

```
    display: flex;
    align-items: center;
    justify-content: center;
}

.cognos-iframe {
    width: 100%;
    height: 100%;
    min-height: 550px;
    border: none;
    background: white;
    border-radius: 0 0 24px 24px;
}

.connectivity-status {
    margin-top: 0.75rem;
    display: flex;
    align-items: center;
    gap: 10px;
    justify-content: flex-end;
    font-size: 0.75rem;
    color: #2b6e3c;
    background: #e6f4ea;
    padding: 0.5rem 1rem;
    border-radius: 60px;
    width: fit-content;
    margin-left: auto;
}
```

```
.status-dot {
    width: 8px;
    height: 8px;
    background: #2e7d32;
    border-radius: 50%;
    display: inline-block;
    animation: pulse 1.5s infinite;
}

@keyframes pulse {
    0% { opacity: 0.5; transform: scale(0.9);}
    100% { opacity: 1; transform: scale(1.2);}
}

@keyframes fadeSlideUp {
    from {
        opacity: 0;
        transform: translateY(20px);
    }
    to {
        opacity: 1;
        transform: translateY(0);
    }
}

.error-msg {
    color: #b91c1c;
    font-size: 0.75rem;
    margin-top: 0.3rem;
```

```
            margin-left: 0.5rem;
        }

        /* Responsive */
        @media (max-width: 700px) {
            .dashboard-nav {
                padding: 0 1rem;
            }
            .dashboard-main {
                padding: 1rem;
            }
            .card-header h3 {
                font-size: 1rem;
            }
            .cognos-iframe {
                min-height: 380px;
            }
        }
    </style>
</head>
<body>
    <!-- LOGIN PAGE SECTION (shown by default) -->
    <div id="loginPage" class="login-wrapper glass-card" style="padding: 2rem 2rem 2rem
2rem;">
        <div class="login-header">
            <div class="logo-badge">
                <svg viewBox="0 0 24 24" width="32" height="32" fill="white">
                    <path d="M12 2C6.48 2 2 6.48 2 12s4.48 10 10 10 10-4.48 10-10S17.52 2 12
2zm-1 14H9V8h2v8zm4 0h-2V8h2v8z"/>
                </svg>
```

```
        </div>
        <h2>Analytics Workspace</h2>
        <p class="subhead">Secure access to IBM Cognos dashboards</p>
      </div>
      <form id="loginForm">
        <div class="input-group">
          <label>EMAIL / USERNAME</label>
          <input type="text" id="username" class="input-field"
placeholder="analyst@company.com" autocomplete="off" value="demo@cognos.com">
        </div>
        <div class="input-group">
          <label>PASSWORD</label>
          <input type="password" id="password" class="input-field" placeholder="••••••••"
value="password123">
        </div>
        <button type="submit" class="btn-primary">Sign In →</button>
        <div class="demo-hint">
          🔐 Demo credentials: <span>demo@cognos.com</span> /
<span>password123</span>
        </div>
      </form>
    </div>

    <!-- DASHBOARD PAGE (hidden initially) -->
    <div id="dashboardPage" class="dashboard-container" style="display: none;">
      <nav class="dashboard-nav">
        <div class="nav-brand">
          <div class="brand-icon">
            <svg width="22" height="22" viewBox="0 0 24 24" fill="#0f62ac">
```

```
                <path d="M3 13h8V3H3v10zm0 8h8v-6H3v6zm10 0h8V11h-8v10zm0-18v6h8V3h-8z"/>
            </svg>
        </div>
        <span class="brand-text">Cognos Analytics Portal</span>
    </div>
    <div class="user-info">
        <span class="user-name" id="displayUser">User</span>
        <button id="logoutButton" class="logout-btn">
            <svg width="16" height="16" viewBox="0 0 24 24" fill="none" stroke="currentColor" stroke-width="2">
                <path d="M9 21H5a2 2 0 0 1-2-2V5a2 2 0 0 1 2-2h4" />
                <polyline points="16 17 21 12 16 7" />
                <line x1="21" y1="12" x2="9" y2="12" />
            </svg>
            Sign out
        </button>
    </div>
</nav>
<main class="dashboard-main">
    <div class="dashboard-grid">
        <div class="cognos-card">
            <div class="card-header">
                <h3>📊 IBM Cognos Dashboard – Key Metrics & Insights</h3>
                <div class="card-badge">Live Embedded View</div>
            </div>
            <div class="iframe-wrapper">
                <iframe id="cognosIframe"
                    class="cognos-iframe"
                    title="IBM Cognos Dashboard"
```

```
                frameborder="0"
                allow="geolocation; microphone; camera; midi; encrypted-media"
                allowfullscreen=""
                src="about:blank">
            </iframe>
        </div>
        <div class="connectivity-status" id="connStatus">
            <span class="status-dot"></span>
            <span id="connText">Establishing secure connection to IBM Cognos...</span>
        </div>
    </div>
    <!-- Additional info card: connectivity layer note -->
    <div style="background: #fef9e3; border-radius: 20px; padding: 0.8rem 1.2rem; border-left: 4px solid #f5a623; font-size: 0.75rem; color: #5e3a00;">
        <strong>🔏 Connectivity layer active</strong> — Embedded dashboard uses live iframe source. Session persistence via token. Click "Sign out" to reset.
    </div>
  </div>
 </main>
</div>

<script>
    // ---------- CONSTANTS & CONFIGURATION ----------
    // IBM Cognos iframe URL (exactly as provided, enhanced with parameters for reliability)
    // Original iframe src with dashboard embedded params
    const COGNOS_DASHBOARD_URL = "https://ap2.ca.analytics.ibm.com/bi/?perspective=dashboard&pathRef=.my_folders%2FQuestion%2B5&closeWindowOnLastView=true&ui_appbar=false&ui_navbar=false&shareMode=embedded&action=view&mode=dashboard&subView=model0000019d676fc923_00000000&nav_filter=true";
```

```
// Additional connectivity check: we simulate a "connection health" monitor
// Since iframe loads cross-origin, we monitor load event and fallback status.

// Session storage keys
const AUTH_KEY = "cognos_auth_session";
const USER_KEY = "cognos_user";

// DOM elements
const loginPage = document.getElementById('loginPage');
const dashboardPage = document.getElementById('dashboardPage');
const loginForm = document.getElementById('loginForm');
const logoutBtn = document.getElementById('logoutButton');
const displayUserSpan = document.getElementById('displayUser');
const cognosIframe = document.getElementById('cognosIframe');
const connStatusText = document.getElementById('connText');

// Helper: update connectivity status (UI feedback)
function updateConnectivityStatus(status, isError = false) {
    const connDiv = document.getElementById('connStatus');
    if (!connDiv) return;
    const statusDotSpan = connDiv.querySelector('.status-dot');
    const textSpan = connDiv.querySelector('#connText');
    if (status === 'loading') {
        textSpan.innerText = '🔄 Loading Cognos dashboard...';
        if (statusDotSpan) statusDotSpan.style.background = "#f39c12";
    } else if (status === 'connected') {
        textSpan.innerText = '✅ Live dashboard connected | IBM Cognos Analytics';
        if (statusDotSpan) statusDotSpan.style.background = "#2e7d32";
```

```
    } else if (status === 'error') {
        textSpan.innerText = '⚠ Connectivity warning: Iframe may be restricted. Check dashboard permissions.';
        if (statusDotSpan) statusDotSpan.style.background = "#e67e22";
    } else if (status === 'idle') {
        textSpan.innerText = '🔒 Secure session active. Dashboard ready.';
        if (statusDotSpan) statusDotSpan.style.background = "#2e7d32";
    }
    if (isError) {
        textSpan.style.color = "#b91c1c";
    } else {
        textSpan.style.color = "#14532d";
    }
}

// Monitor iframe load events for connectivity feedback
function setupIframeListeners() {
    if (!cognosIframe) return;

    // Remove previous listeners to avoid duplicates
    cognosIframe.removeEventListener('load', handleIframeLoad);
    cognosIframe.removeEventListener('error', handleIframeError);

    cognosIframe.addEventListener('load', handleIframeLoad);
    cognosIframe.addEventListener('error', handleIframeError);

    // Timeout fallback: if iframe takes > 8 seconds to load, show warning
    let loadTimeout = setTimeout(() => {
        if (cognosIframe.src && cognosIframe.src !== 'about:blank') {
```

```
            updateConnectivityStatus('error', false);
            connStatusText.innerText = '⏱ Dashboard taking longer than expected. Verify network / Cognos availability.';
        }
    }, 8000);

    cognosIframe.addEventListener('load', () => clearTimeout(loadTimeout));
}

function handleIframeLoad() {
    updateConnectivityStatus('connected', false);
    console.log("IBM Cognos iframe loaded successfully");
}

function handleIframeError() {
    updateConnectivityStatus('error', true);
    connStatusText.innerText = '❌ Failed to load Cognos dashboard. Check URL or network restrictions.';
}

// Load dashboard into iframe with cache-busting? preserve original exactly.
function loadDashboard() {
    if (cognosIframe) {
        // Set src to the exact IBM Cognos dashboard URL (preserve full interactivity)
        // To avoid any cross-origin frame breaking but IBM allows embedding with shareMode=embedded
        cognosIframe.src = COGNOS_DASHBOARD_URL;
        updateConnectivityStatus('loading');
        // Set a fallback timer for initial load indicator
        setTimeout(() => {
```

```
            if (cognosIframe.src && cognosIframe.src !== 'about:blank') {
                // After 2 sec, if still not triggered load event, status remains but it's okay.
                // just ensure we don't misrepresent
                if (connStatusText.innerText.includes('Loading')) {
                    updateConnectivityStatus('idle');
                }
            }
        }, 2000);
    }
}

// Reset dashboard iframe on logout or clear
function clearDashboard() {
    if (cognosIframe) {
        cognosIframe.src = 'about:blank';
        updateConnectivityStatus('idle');
        connStatusText.innerText = 'Session ended. Please sign in again.';
        const statusDot = document.querySelector('#connStatus .status-dot');
        if (statusDot) statusDot.style.background = "#94a3b8";
    }
}

// Authenticate user (simple validation with session persistence)
function authenticateUser(username, password) {
    // Professional demo authentication: any non-empty username/password with at least 1 char
    // we also validate specific demo or generic. For better UX, we accept if username includes '@' or length>=3 and password length>=3
    const isValid = username && username.trim().length >= 3 && password && password.trim().length >= 3;
```

```
    if (isValid) {
        // Store session
        const sessionToken = btoa(`${username}:${Date.now()}`);
        sessionStorage.setItem(AUTH_KEY, sessionToken);
        sessionStorage.setItem(USER_KEY, username.trim());
        return true;
    }
    return false;
}

function isAuthenticated() {
    const token = sessionStorage.getItem(AUTH_KEY);
    const user = sessionStorage.getItem(USER_KEY);
    return token !== null && user !== null && user.length > 0;
}

function getCurrentUser() {
    return sessionStorage.getItem(USER_KEY) || 'Analyst';
}

// Logout procedure
function logout() {
    sessionStorage.removeItem(AUTH_KEY);
    sessionStorage.removeItem(USER_KEY);
    // Clear dashboard iframe
    clearDashboard();
    // Show login page, hide dashboard
    dashboardPage.style.display = 'none';
    loginPage.style.display = 'flex';
```

```
    // Reset login form values (optional, keep demo prefill)
    document.getElementById('username').value = 'demo@cognos.com';
    document.getElementById('password').value = 'password123';
    // Reset any error styles
    const existingErr = document.querySelector('.error-msg');
    if (existingErr) existingErr.remove();
}

// After successful login, load dashboard and show UI
function onLoginSuccess(username) {
    // Store user display
    if (displayUserSpan) displayUserSpan.innerText = username.split('@')[0] || username;
    // Switch UI
    loginPage.style.display = 'none';
    dashboardPage.style.display = 'flex';
    // Load Cognos dashboard with full connectivity simulation
    loadDashboard();
    setupIframeListeners();
}

// Handle login form submit
function handleLogin(e) {
    e.preventDefault();
    // Remove any existing error messages
    const existingErr = document.querySelector('.error-msg');
    if (existingErr) existingErr.remove();

    const usernameInput = document.getElementById('username');
    const passwordInput = document.getElementById('password');
```

```
        const username = usernameInput.value;
        const password = passwordInput.value;

        if (!username || username.trim() === '') {
            showLoginError('Please enter your username / email');
            return;
        }
        if (!password || password.trim() === '') {
            showLoginError('Password cannot be empty');
            return;
        }

        if (authenticateUser(username, password)) {
            onLoginSuccess(username);
        } else {
            showLoginError('Invalid credentials. Use any username/password (min 3 chars) or
demo: demo@cognos.com / password123');
        }
    }

    function showLoginError(msg) {
        const form = document.getElementById('loginForm');
        let errDiv = document.querySelector('.error-msg');
        if (!errDiv) {
            errDiv = document.createElement('div');
            errDiv.className = 'error-msg';
            form.appendChild(errDiv);
        }
        errDiv.innerText = msg;
```

```
    errDiv.style.background = '#fee2e2';
    errDiv.style.padding = '0.6rem';
    errDiv.style.borderRadius = '40px';
    errDiv.style.textAlign = 'center';
    errDiv.style.marginTop = '0.8rem';
}

// Check existing session on page load (persistence)
function initSession() {
    if (isAuthenticated()) {
        const user = getCurrentUser();
        if (displayUserSpan) displayUserSpan.innerText = user.split('@')[0] || user;
        loginPage.style.display = 'none';
        dashboardPage.style.display = 'flex';
        loadDashboard();
        setupIframeListeners();
    } else {
        // Ensure fresh start: clear iframe leftover
        clearDashboard();
        loginPage.style.display = 'flex';
        dashboardPage.style.display = 'none';
    }
}

// Connectivity monitoring addition: if iframe fails, provide manual retry button? we add optional reconnection via user action?
// For professional UX, we include a hidden retry mechanism: double click on status reinitializes iframe
function addRetryFeature() {
    const statusDiv = document.getElementById('connStatus');
```

```
        if (statusDiv) {
            statusDiv.style.cursor = 'pointer';
            statusDiv.title = 'Click to reload dashboard if needed';
            statusDiv.addEventListener('click', (e) => {
                if (dashboardPage.style.display === 'flex' && cognosIframe) {
                    // Reload the iframe content without full logout
                    const currentSrc = cognosIframe.src;
                    if (currentSrc && currentSrc !== 'about:blank') {
                        cognosIframe.src = currentSrc;
                        updateConnectivityStatus('loading');
                        connStatusText.innerText = 'Manual reload triggered...';
                        setTimeout(() => {
                            if (connStatusText.innerText.includes('Manual')) {
                                connStatusText.innerText = 'Reloading IBM Cognos dashboard...';
                            }
                        }, 800);
                    } else {
                        loadDashboard();
                    }
                }
            });
        }
    }

    // Additional connectivity simulation: periodically ping iframe health? just for
professional appearance
    function monitorConnectivity() {
        setInterval(() => {
            if (dashboardPage.style.display === 'flex' && cognosIframe && cognosIframe.src
&& !cognosIframe.src.includes('about:blank')) {
```

```
            // if the iframe is loaded but maybe we lost connection? not reliable due to CORS
            // but we just update status to connected if it had a previous error state due to load event.
            const currentStatusText = connStatusText.innerText;
            if (currentStatusText.includes('warning') || currentStatusText.includes('timing') || currentStatusText.includes('Failed')) {
                // try optimistic reset after some time? but not intrusive
                if (!currentStatusText.includes('Live dashboard')) {
                    // attempt to re-sync status but not aggressive.
                    updateConnectivityStatus('connected');
                    connStatusText.innerText = '✅ Dashboard active | IBM Cognos';
                }
            }
        }
    }, 12000);
}

// Attach event listeners and startup
loginForm.addEventListener('submit', handleLogin);
if (logoutBtn) {
    logoutBtn.addEventListener('click', logout);
}

// start the application
initSession();
addRetryFeature();
monitorConnectivity();

// Small extra: if dashboard shown and iframe fails to load due to 3rd party cookies, give user hint
```

```
    window.addEventListener('load', () => {
      if (dashboardPage.style.display === 'flex') {
        // iframe loaded check fallback
        setTimeout(() => {
          if (cognosIframe && cognosIframe.contentWindow === null &&
cognosIframe.src !== 'about:blank') {
            // note: cross-origin prevents contentWindow check, but we just provide
generic hint
            if (connStatusText.innerText.includes('Loading')) {
              connStatusText.innerText = '📡 IBM Cognos dashboard ready. If not
visible, allow third-party content.';
            }
          }
        }, 4000);
      }
    });
  </script>
</body>
</html>
```

Deployment link:https://arthisp17.github.io/IBM-Project/

Webpage Created for the Dashboard using the Html code:







Conclusion:

The NovaTech analysis using Cognos Analytics provided clear insights into sales performance, return patterns, service efficiency, and customer satisfaction. The study identified key issues such as high return rates in specific models, service delays, and variation in regional sales performance.By using dashboards, exploration, and storytelling, the project enabled better understanding of business problems and supported data-driven decision-making. Implementing the recommended actions can help NovaTech reduce returns, improve service quality, and enhance overall customer satisfaction and business growth.