


Arthur Lavagnolli Molina
24031565-2

Guilherme Bandeira Rodrigues
24132618-2




The screenshot shows the OneCompiler interface with a JavaScript file named 'index.js'. The code contains two console.log statements. The first statement, `console.log(0.1 * 3 === 0.3);`, outputs `false` to the console. The second statement, `console.log(9007199254740993);`, outputs the number `9007199254740992`. The console output is displayed in the right-hand pane, with a status bar indicating 'AI Agent' and '157 ms'.

```
1 console.log(0.1 * 3 === 0.3);
2 console.log(9007199254740993);
```

Console output: false, 9007199254740992

o problema está na execução.



The screenshot shows the OneCompiler interface with a Python file named 'main.py'. The code contains a single print statement: `print(len(p), len(p.encode()))`, where `p` is the string `"maçã"`. The console output displays `4 6`. The console output is displayed in the right-hand pane, with a status bar indicating 'AI Agent' and '135 ms'.

```
1 p = "maçã"
2 print(len(p), len(p.encode()))
3
```

Console output: 4 6

problema nunca ocorre

The screenshot shows the OneCompiler IDE interface. The top bar includes icons for Upgrades, AI, Go, Run, Save, and Log. The file explorer on the left shows a file named 'main.go'. The code editor contains the following Go code:

```
1 var b byte = 255
2 b++
3 fmt.Println(b)
4
```

The right-hand console panel displays a compilation error:

```
main.go:1:1: expected 'package',
found 'var'
```

Below the error message is a link that says 'Debug this error'. The top right corner of the console panel shows 'Exit 1'.

erro na compilação

The screenshot shows the OneCompiler IDE interface. The top bar includes icons for Upgrades, AI, Java, Run, Save, and Log. The file explorer on the left shows a file named 'Main.java'. The code editor contains the following Java code:

```
1 int[] v = new int[3];
2 System.out.println(v[0]);
3 System.out.println(v[3]);
4
```

The right-hand console panel displays two compilation errors:

```
Main.java:2: error: class,
interface, annotation type, enum,
record, method or field expected
System.out.println(v[0]);
^
Main.java:3: error: class,
interface, annotation type, enum,
record, method or field expected
System.out.println(v[3]);
^
2 errors
```

Below the errors is a link that says 'Debug this error'. The top right corner of the console panel shows 'Exit 1'.

erro na compilação

The screenshot shows the OneCompiler IDE interface. The top bar includes a code icon, the text 'OneCompiler', and buttons for 'Upgrade', 'AI', 'Rust', 'Run', 'Save', and 'Log'. The file explorer on the left shows a file named 'HelloWorld.rs'. The editor displays the following Rust code:

```
1 let s = String::from("oi");
2 let t = s;
3 println!("{}", s, t);
4
```

The console on the right shows the following error message:

```
error: expected item, found keyword
`let`
--> HelloWorld.rs:1:1
|
1 | let s = String::from("oi");
|   ^^^
|   |
|   | `let` cannot be used for global
variables
|   | help: consider using `static`
or `const` instead of `let`
|
= note: for a full list of items
that can appear in modules, see
<https://doc.rust-
lang.org/reference/items.html>

error: aborting due to 1 previous
error
```

At the bottom of the console, there is a link to 'Debug this error'.

erro na compilação

The screenshot shows the OneCompiler IDE interface. The top bar includes a code icon, the text 'OneCompiler', and buttons for 'Upgrade', 'AI', 'C', 'Run', 'Save', and 'Log'. The file explorer on the left shows a file named 'Main.c'. The editor displays the following C code:

```
1 union { int i; float f; } u;
2 u.f = 1.0f;
3 printf("%d\n", u.i);
4
```

The console on the right shows the following error message:

```
Main.c:2:2: error: expected '=',
',', ';', 'asm' or '__attribute__'
before '.' token
2 | u.f = 1.0f;
|   ^
```

At the bottom of the console, there is a link to 'Debug this error'.

erro na compilação