

# Atria ERP — Manual Testing Guide

**Version:** July 2026

**Purpose:** Step-by-step guide to test the application from a clean database.

## Table of Contents

- 1. [Prerequisites](#)
- 2. [Clean Database Setup](#)
- 3. [Start the Application](#)
- 4. [Create Your First Admin User](#)
- 5. [Recommended Test Order](#)
- 6. [Global Shell Tests](#)
- 7. [Module-by-Module Checklist](#)
- 8. [Client Portal Testing](#)
- 9. [Route Quick Reference](#)
- 10. [Troubleshooting](#)

## 1. Prerequisites

Before testing, ensure you have:

| Requirement  | Details                                                  |
|--------------|----------------------------------------------------------|
| Node.js      | v18+ recommended                                         |
| PostgreSQL   | Running instance (local or Neon/cloud)                   |
| Backend env  | Copy atria-backend/.env.example to .env                  |
| DATABASE_URL | PostgreSQL connection string in .env                     |
| JWT secrets  | Set JWT_ACCESS_SECRET and JWT_REFRESH_SECRET             |
| Optional AI  | OPENAI_API_KEY or GEMINI_API_KEY for AI content creation |

### Default URLs

| Service       | URL                                                       |
|---------------|-----------------------------------------------------------|
| Frontend      | <a href="http://localhost:3000">http://localhost:3000</a> |
| Backend API   | <a href="http://localhost:3001">http://localhost:3001</a> |
| Prisma Studio | Run <code>npx prisma studio</code> in atria-backend       |

## 2. Clean Database Setup

This resets the database to an empty state with **only** roles and financial categories — no clients, posts, tasks, or transactions.

## Step 2.1 — Reset the database

```
cd atria-backend
npx prisma migrate reset --force
```

This will:

- Drop all tables and data
- Re-apply all migrations
- Run the seed script (creates roles: ADMIN, MANAGER, USER + financial categories)

**Warning:** This irreversibly destroys all data. Only use on development databases.

## Step 2.2 — Do NOT re-run seed after creating your admin

The seed script adds demo data (clients, kanban, posts, etc.) **only if** `admin@atria.com` already exists. To keep the database empty for manual testing:

1. Run `migrate reset` (above)
2. Create your admin user (Section 4)
3. **Do not** run `npx prisma db seed` again

---

## 3. Start the Application

Open **two terminals**:

### Terminal 1 — Backend

```
cd atria-backend
npm install          # first time only
npm run prisma:generate
npm run start:dev
```

Backend runs at <http://localhost:3001>

### Terminal 2 — Frontend

```
cd atria-erp-nextjs
npm install          # first time only
npm run dev
```

Frontend runs at <http://localhost:3000>

---

## 4. Create Your First Admin User

There is **no register page** in the UI. Create the first admin via API:

```
curl -X POST http://localhost:3001/auth/register \
-H "Content-Type: application/json" \
```

```
-d '{
  "name": "Admin",
  "email": "admin@atria.com",
  "password": "your-secure-password",
  "roleName": "ADMIN"
}'
```

Then log in at <http://localhost:3000/login> with:

- Email: admin@atria.com
- Password: (the password you set above)

---

## 5. Recommended Test Order

Follow this order — each step builds on the previous one:

| Step | Module         | Route                | What to create                   |
|------|----------------|----------------------|----------------------------------|
| 1    | Settings       | /settings/branding   | Agency name, logo                |
| 2    | Settings       | /settings/appearance | Theme/colors                     |
| 3    | Settings       | /settings/users      | Provision a MANAGER user         |
| 4    | Clients        | /clients             | Create a client + group          |
| 5    | Client 360     | /clients/[id]        | Verify all tabs                  |
| 6    | Creation       | /creation            | Create a content deliverable     |
| 7    | Content Mgmt   | /content/management  | Update status, view KPIs         |
| 8    | Content Review | /content/[id]        | Approve/reject, versions         |
| 9    | Kanban         | /kanban              | Columns, tasks, comments         |
| 10   | Calendar       | /calendar            | Create events                    |
| 11   | Assets         | /assets              | Upload files                     |
| 12   | Finance        | /financial           | Income/expense transactions      |
| 13   | Contracts      | /contracts           | Create contract                  |
| 14   | Reports        | /reports             | Generate report + portal token   |
| 15   | Portal         | /portal/[token]      | Test as client (incognito)       |
| 16   | Dashboard      | /dashboard           | Verify widgets reflect your data |

---

## 6. Global Shell Tests

Test these on any authenticated page:

## Authentication

- ☐ Unauthenticated visit to `/dashboard` redirects to `/login`
- ☐ Login with valid credentials redirects to `/dashboard`
- ☐ Login with invalid credentials shows error toast
- ☐ Logout via sidebar user profile clears session

## Sidebar Navigation

- ☐ All 16 nav items load without errors
- ☐ Mobile: hamburger opens drawer; links work
- ☐ Settings submenu: Identidade, Aparência, Integrações, Usuários

## Command Palette (Ctrl+K / Cmd+K)

- ☐ Opens search dialog
- ☐ **Navegação** group: filter and navigate to pages
- ☐ **Clientes** group: search by company/contact/email
- ☐ **Tarefas** group: search kanban tasks
- ☐ **Financeiro** group: search transactions
- ☐ Arrow keys, Enter, ESC work correctly

## Notifications

- ☐ Unread badge shows count
- ☐ Mark single notification as read
- ☐ Mark all as read

## Regression (Timesheet removed)

- ☐ No `/timesheet` route in navigation
- ☐ No task timer on kanban cards
- ☐ No active timer badge in navbar

---

# 7. Module-by-Module Checklist

## 7.1 Login — `/login`

- ☐ Email/password fields work
- ☐ Show/hide password toggle
- ☐ Remember email option
- ☐ Error toast on wrong credentials
- ☐ Link to forgot-password page

## 7.2 Dashboard — `/dashboard`

- ☐ Welcome header with user name
- ☐ Finance widget (KPIs, chart, link to `/financial`)
- ☐ Content/Meta widget
- ☐ Calendar + Kanban upcoming items

### 7.3 Meta Insights — /insights

- ☐ Overview metrics load
- ☐ Spend/conversions chart renders
- ☐ Campaigns table displays

### 7.4 Criação — /creation

- ☐ Select a client from dropdown
- ☐ Switch day/week/month views
- ☐ Date navigation (prev/next)
- ☐ URL syncs( ?clientId , ?period , ?date , ?create=1 )
- ☐ Create deliverable modal opens and saves
- ☐ Change post status in pipeline
- ☐ Empty state when no client selected

### 7.5 Gestão de Conteúdo — /content/management

- ☐ KPI cards: drafts, pending approval, scheduled, published
- ☐ Filter by client
- ☐ Filter by status (draft → published)
- ☐ Post list shows title, status badge, client feedback
- ☐ Inline status dropdown updates + toast
- ☐ "Revisar" link opens /content/[id]
- ☐ Refresh button reloads data
- ☐ Empty state when filters match nothing

### 7.6 Content Review — /content/[id]

- ☐ Post preview (media, copy)
- ☐ Approve post
- ☐ Reject with reason
- ☐ Save new version
- ☐ Version history drawer
- ☐ Back link to management board
- ☐ Invalid ID shows not-found message

### 7.7 Kanban — /kanban

- ☐ Default columns appear
- ☐ Drag-and-drop task between columns
- ☐ Add new column
- ☐ Create new task
- ☐ Click task card → detail dialog opens
- ☐ Edit: title, description, priority, column, assignees, client, due date, URL
- ☐ Add comments in task detail
- ☐ Delete task
- ☐ **No timer UI** (regression)

## 7.8 Calendário — /calendar

- ☐ Month grid navigation
- ☐ Client filter dropdown
- ☐ Search events
- ☐ "Only pending" toggle
- ☐ Create new event
- ☐ Click event → detail dialog
- ☐ Client color coding on events

## 7.9 Assets — /assets

- ☐ Asset grid grouped by client
- ☐ Upload dialog (select client, choose file)
- ☐ File appears after upload
- ☐ Delete asset

## 7.10 Clientes — /clients

- ☐ Client cards list/grid
- ☐ Create client dialog (name, contact, email, etc.)
- ☐ Client groups manager
- ☐ Filter by group
- ☐ Click card → /clients/[id]

## 7.11 Client 360 — /clients/[id]

- ☐ Summary banner with client info
- ☐ Tab: Pipeline (content posts)
- ☐ Tab: Finance & Contracts
- ☐ Tab: Calendar events
- ☐ Tab: Brand Kit & Assets
- ☐ Open tasks sidebar
- ☐ Edit client dialog
- ☐ Not-found page for invalid ID

## 7.12 Financeiro — /financial

- ☐ Month switcher
- ☐ KPI cards (income, expense, balance)
- ☐ Cash flow chart
- ☐ Expense distribution chart
- ☐ Filter: search, category, status, type, date range, sort
- ☐ Paginated transactions table
- ☐ Create transaction dialog
- ☐ Category management drawer

## 7.13 Contratos — /contracts

- ☐ Contracts table (status, client, value)

- ☐ Create contract dialog
- ☐ View contract details
- ☐ Sign contract flow

#### 7.14 Relatórios — /reports

- ☐ Client + month/year picker
- ☐ Generate report
- ☐ Preview/export/print report
- ☐ Generate portal token
- ☐ Copy portal URL dialog

#### 7.15 Resumos — /resumos

- ☐ Performance dashboard loads (mock TikTok/Instagram/Facebook data)
- ☐ Platform filter
- ☐ Metric cards and trend charts
- *(Note: uses mock data — UI-only testing)*

#### 7.16 Settings

##### Identidade — /settings/branding

- ☐ Upload agency logo
- ☐ Set agency name and colors
- ☐ Changes persist after refresh

##### Aparência — /settings/appearance

- ☐ Color/theme customizer
- ☐ Changes apply globally

##### Integrações — /settings/integrations

- ☐ Slack webhook configuration
- ☐ Discord webhook configuration
- ☐ Generic webhook URL

##### Usuários — /settings/users

- ☐ User list displays
- ☐ Provision new user (generates email + temp password)
- ☐ User groups manager (create/edit groups)

---

## 8. Client Portal Testing

The client portal is a **separate public interface** accessed via token URL.

### 8.1 Generate a portal token

1. Go to /reports
2. Select a client and generate a report
3. Click "Generate portal token" / copy portal URL
4. URL format: `http://localhost:3000/portal/[token]`

### 8.2 Test in incognito/private window

Open the portal URL in a browser without your admin session.

**Header KPIs**

- ☐ Active contracts count
- ☐ Pending approvals count
- ☐ Scheduled posts count
- ☐ Published posts count

**Tab: Conteúdo**

- ☐ Pipeline by stage (pending → published)
- ☐ Approve a post
- ☐ Reject with comment
- ☐ Media preview works

**Tab: Contratos**

- ☐ Contract list displays
- ☐ Open contract detail modal
- ☐ Sign contract
- ☐ Print contract

**Tab: Relatórios**

- ☐ Reports list
- ☐ Open full report viewer

**Tab: Assets & Briefings**

- ☐ File upload dropzone
- ☐ Submit briefing form
- ☐ Recent briefs list

### 8.3 Cross-flow test (agency ↔ portal)

- In main app: set a content post status to `pending_approval`
- In portal: approve or reject the post
- In main app `/content/management` : verify client feedback appears

### 8.4 Error states

- ☐ Invalid token → "Acesso não disponível"
- ☐ Expired/revoked token → error message
- ☐ `/client-portal/[token]` redirects to `/portal/[token]`

---

## 9. Route Quick Reference

| Route          | Auth   | Description                     |
|----------------|--------|---------------------------------|
| <code>/</code> | Public | Redirects to dashboard or login |



|                        |           |                           |
|------------------------|-----------|---------------------------|
| /login                 | Public    | Login page                |
| /forgot-password       | Public    | Placeholder (coming soon) |
| /dashboard             | Protected | Main overview             |
| /insights              | Protected | Meta Ads insights         |
| /creation              | Protected | Content creation pipeline |
| /content               | Protected | Redirects to /creation    |
| /content/management    | Protected | Content management board  |
| /content/[id]          | Protected | Content post review       |
| /kanban                | Protected | Task board                |
| /calendar              | Protected | Team calendar             |
| /assets                | Protected | Client asset library      |
| /clients               | Protected | Client list               |
| /clients/[id]          | Protected | Client 360 view           |
| /financial             | Protected | Finance module            |
| /contracts             | Protected | Contracts                 |
| /reports               | Protected | Report generator          |
| /resumos               | Protected | Social summaries (mock)   |
| /settings/appearance   | Protected | Theme settings            |
| /settings/branding     | Protected | Agency identity           |
| /settings/integrations | Protected | Webhooks                  |
| /settings/users        | Protected | User management           |
| /portal/[token]        | Public    | Client portal             |
| /client-portal/[token] | Public    | Alias → /portal/[token]   |

## 10. Troubleshooting

### 401 Unauthorized / redirect loop

- Check `JWT_ACCESS_SECRET` and `JWT_REFRESH_SECRET` in `.env`
- Clear browser `localStorage`
- Log out and log in again

### CORS errors in browser console

- Verify `CORS_ORIGIN` in backend `.env` includes `http://localhost:3000`

**Backend won't start**

- Run `npm run prisma:generate`
- Check `DATABASE_URL` is correct and database is reachable
- Run `npx prisma migrate deploy` to apply pending migrations

**Migration errors**

- Ensure latest migration is applied: `npx prisma migrate deploy`
- If schema is out of sync: `npx prisma migrate reset --force` (destroys data)

**Portal shows "Acesso não disponível"**

- Regenerate portal token from `/reports`
- Check token hasn't expired or been revoked

**AI content creation not working**

- Set `OPENAI_API_KEY` or `GEMINI_API_KEY` in backend `.env`
- Without keys, the app uses a smart fallback (still testable)

**Frontend can't reach API**

- Verify backend is running on port 3001
- Check `NEXT_PUBLIC_API_URL` (defaults to `http://localhost:3001` )

---

**Appendix: API Endpoints (for manual API testing)**

| Method | Endpoint                           | Description          |
|--------|------------------------------------|----------------------|
| POST   | <code>/auth/register</code>        | Create user (public) |
| POST   | <code>/auth/login</code>           | Login                |
| POST   | <code>/auth/refresh</code>         | Refresh access token |
| POST   | <code>/auth/logout</code>          | Logout               |
| GET    | <code>/auth/me</code>              | Current user         |
| GET    | <code>/clients</code>              | List clients         |
| POST   | <code>/clients</code>              | Create client        |
| GET    | <code>/content</code>              | List content posts   |
| GET    | <code>/kanban/tasks</code>         | List kanban tasks    |
| GET    | <code>/finance/transactions</code> | List transactions    |
| GET    | <code>/portal/:token</code>        | Portal data (public) |