

A4 comparison page 1: original left, patched right

Original tcolorbox

|      |      |      |      |
|------|------|------|------|
| col1 | col2 | col3 | col4 |
| 1    |      |      |      |
| 2    |      |      |      |
| 3    |      |      |      |
| 4    |      |      |      |
| 5    |      |      |      |

Patched tcolorbox

|      |      |      |      |
|------|------|------|------|
| col1 | col2 | col3 | col4 |
| 1    |      |      |      |
| 2    |      |      |      |
| 3    |      |      |      |
| 4    |      |      |      |
| 5    |      |      |      |

A4 comparison page 2: original left, patched right

Original tcolorbox

col1col2col3col4

1234

L<sup>A</sup>T<sub>E</sub>X Poster

Poster Tutorial #2

Now, we put in some fancy settings to the poster coverage.  
Also, some more packages are loaded for the future poster content.

```
\documentclass[12pt]{article}
\usepackage[aspaper,landscape]{geometry}
\usepackage{lipsum}
\usepackage{modern}
\usepackage{enumerate}
\usepackage[poster]{tcolorbox}
\tcbuselibrary{minted} % <- replace by \tcbuselibrary{listings}, if minted does not work for you
\pagestyle{empty}

\begin{document}
\begin{tcbposter}[
  coverage = {
    spread,
    interior style=(top color=yellow,bottom color=yellow!50!red),
    watermark text=(\LaTeX\ Poster),
    watermark color=yellow,
  },
  poster   = {showframe,column=4,row=5},
]
% Here, we insert the poster content later
\end{tcbposter}
\end{document}
```

Patched tcolorbox

col1col2col3col4

1234

L<sup>A</sup>T<sub>E</sub>X Poster

Poster Tutorial #2

Now, we put in some fancy settings to the poster coverage.  
Also, some more packages are loaded for the future poster content.

```
\documentclass[12pt]{article}
\usepackage[aspaper,landscape]{geometry}
\usepackage{lipsum}
\usepackage{modern}
\usepackage{enumerate}
\usepackage[poster]{tcolorbox}
\tcbuselibrary{minted} % <- replace by \tcbuselibrary{listings}, if minted does not work for you
\pagestyle{empty}

\begin{document}
\begin{tcbposter}[
  coverage = {
    spread,
    interior style=(top color=yellow,bottom color=yellow!50!red),
    watermark text=(\LaTeX\ Poster),
    watermark color=yellow,
  },
  poster   = {showframe,column=4,row=5},
]
% Here, we insert the poster content later
\end{tcbposter}
\end{document}
```

A4 comparison page 3: original left, patched right

Original tcolorbox

col1col2col3col4

My Important Project

Hans.Mustermann@deephought.university

Project Description

project1

Central Picture

project2

Core Algorithm

algorithm

Poster Tutorial #3

It is time to fill boxes into the poster environment. This is the most crucial part of your poster creation, because you have to decide about the general contents and the base design.  
But, as you can see in the listing below, the boxes are placed with relative positions to each other and the sizes are able to change automatically.

```

%...
\posterbox(name=title,column=1,span=3,below=top){
  \resizebox(18cm){t}{\bfseries\huge My Important Project}\[3mm]
  Hans.Mustermann@deephought.university
}

\posterbox[adjusted title=References](name=references,column=2,span=1.5,between=bottom){}
\posterbox[adjusted title=Process](name=process,column=2,span=2,above=references){}
\posterbox[adjusted title=Project Description](name=project,sequence=1 between title and bottom then 2 between title and process){}
\posterbox[adjusted title=Central Picture](name=picture,column=3,between=title and process){}
\posterbox[adjusted title=Core Algorithm](name=algorithm,column=4,between=top and references){}
\posterbox[adjusted title=Contact](name=contact,column=4,span=1.5,between=process and bottom){}
%...

The project box is made breakable. Note the two parts project1 and project2 where the second part is denoted by a placeholder.

```

Process

process

References

references

Contact

contact

Patched tcolorbox

col1col2col3col4

My Important Project

Hans.Mustermann@deephought.university

Project Description

project1

Central Picture

project2

Core Algorithm

algorithm

Poster Tutorial #3

It is time to fill boxes into the poster environment. This is the most crucial part of your poster creation, because you have to decide about the general contents and the base design.  
But, as you can see in the listing below, the boxes are placed with relative positions to each other and the sizes are able to change automatically.

```

%...
\posterbox(name=title,column=1,span=3,below=top){
  \resizebox(18cm){t}{\bfseries\huge My Important Project}\[3mm]
  Hans.Mustermann@deephought.university
}

\posterbox[adjusted title=References](name=references,column=2,span=1.5,between=bottom){}
\posterbox[adjusted title=Process](name=process,column=2,span=2,above=references){}
\posterbox[adjusted title=Project Description](name=project,sequence=1 between title and bottom then 2 between title and process){}
\posterbox[adjusted title=Central Picture](name=picture,column=3,between=title and process){}
\posterbox[adjusted title=Core Algorithm](name=algorithm,column=4,between=top and references){}
\posterbox[adjusted title=Contact](name=contact,column=4,span=1.5,between=process and bottom){}
%...

The project box is made breakable. Note the two parts project1 and project2 where the second part is denoted by a placeholder.

```

Process

process

References

references

Contact

contact

## A4 comparison page 4: original left, patched right

## Original tcolorbox

**My Important Project**

Hans Mustermann@depthought.university

**Project Description**

**Central Picture**

**Core Algorithm**

**Poster Tutorial #4**

As next step, we choose some nice settings for all the boxes. These global settings are applied using the `boxes options` of the poster.

Also, we do not need the auxiliary frame lines anymore and we set `showframe=false`.

```

\begin{tcbposter}[
  coverage = {
    spread,
    interior style={top color=yellow,bottom color=yellow!50!red},
    watermark text={\LaTeX\ Poster},
    watermark color=yellow,
  },
  poster = {
    showframe=false,columns=4,rows=5,
    boxes = {
      enhanced standard jigsaw,sharp corners=downhill,arc=3mm,boxrule=1mm,
      colback=white,opacityback=0.75,colframe=blue,
      title style={left color=black,right color=cyan},
      fonttitle=\bfseries\Large\scshape
    }
  }
]
\end{tcbposter}

```

**Process**

**References**

**Contact**

## Patched tcolorbox

# My Important Project

Hans.Mustermann@deeptthought.university

## Core Algorithm

## Project Description

## Central Picture

### Poster Tutorial #4

As next step, we choose some nice settings for all the boxes. These global settings are applied using the `boxes option` of the poster.

Also, we do not need the auxiliary frame lines anymore and we set `showframe=false`.

```

\documentclass[11pt]{article}
\usepackage{tikz}
\usepackage{tikzposter}
\begin{tikzposter}
\coverage = {
  spread,
  interior style=(top color=yellow,bottom color=yellow!50!red),
  watermark text=(\LaTeX\ Poster),
  watermark color=yellow,
},
poster = (showframe=false,columns=4,rows=5),
boxes = {
  enhanced standard jigsaw,sharp corners=downhill,arc=3mm,boxrule=1mm,
  colback=white,opacityback=0.75,colframe=blue,
  title style={left color=black,right color=cyan},
  fonttitle=\bfseries\large\scshape
}
\end{tikzposter}


```

## Process


## References

## Contact


## Original tcolorbox



## Original tcolorbox



### Patched tcolorbox



## Original tcolorbox

**My Important Project**

Hans.Mustermann@deepthought.university

**Project Description**

**Central Picture**

**Poster Tutorial #7**

We go on with the process which gets some example tikzpicture.  
Note that you always can insert additional colorbox options like align=center to a posterbox.

```
\documentclass{poster}
\usepackage{tikz}
\begin{document}
%posterbox[adjusted title=Process,align=center]{name=process,column=2,span=2,above=references}{
\begin{tikzpicture}[very thick,radius=2cm]
\begin{scope}
\path[draw=black,fill=white](0,0) circle;
\path[fill=red](0,0) -- (2,0) arc [start angle=0, end angle=30];
\end{scope}
\begin{scope}[xshift=5cm]
\path[draw=black,fill=white](0,0) circle;
\path[fill=red](0,0) -- (2,0) arc [start angle=0, end angle=70];
\end{scope}
\begin{scope}[xshift=10cm]
\path[draw=black,fill=white](0,0) circle;
\path[fill=red](0,0) -- (2,0) arc [start angle=0, end angle=110];
\end{scope}
\begin{scope}[xshift=15cm]
\path[draw=black,fill=white](0,0) circle;
\path[fill=red](0,0) -- (2,0) arc [start angle=0, end angle=240];
\end{scope}
\end{tikzpicture}
}
```

**Process**

**References**

- [1] Important Authors, *Important Title*
- [2] More Important Authors, *More Important Title*
- [3] Less Important Authors, *Less Important Title*.

**Contact**

### Patched tcolorbox

# My Important Project

Hans.Mustermann@deeptthought.university

Core Algorithm

Project Description

Central Picture

Poster Tutorial #7


We go on with the process which gets some example tikzpicture.  
Note that you always can insert additional `colorbox` options like `align=center` to a posterbox.

```

\documentclass[width=10cm,height=10cm]{standalone}
\usepackage{tikz}
\begin{tikzpicture}
\draw[fill=white] (0,0) circle[radius=5cm];
\draw[fill=white] (0,0) circle[radius=4cm];
\draw[fill=white] (0,0) circle[radius=3cm];
\draw[fill=white] (0,0) circle[radius=2cm];
\draw[fill=white] (0,0) circle[radius=1cm];
\draw[fill=white] (0,0) circle[radius=0.5cm];
\draw[fill=white] (0,0) circle[radius=0.2cm];
\draw[fill=white] (0,0) circle[radius=0.1cm];
\end{tikzpicture}

```

Process



References

- [1] Important Authors, *Important Title*
- [2] More Important Authors, *More Important Title*
- [3] Less Important Authors, *Less Important Title*

Contact

### Original tcolorbox

## Poster Tutorial #8

## My Important Project

## Poster Tutorial #8

The **project** is a breakable box with two parts. Nevertheless, you can fill the box like any other box. The information on how to break was already given by the placement options.



## Original tcolorbox

## My Important Project

Hans.Mustermann@deepthought.university

## Project Description



by [2]



That's all.

### Central Picture

## Core Algorithm

## Poster Tutorial #9

```
%...
\posterbox[adjusted title=Central Picture,
interior style=fill overzoom image=blueshade.png]
{name=picture,column=3,between=title and process}{}
%...
```

## References

- [1] Important Authors, *Important Title*
- [2] More Important Authors, *More Important Title*
- [3] Less Important Authors, *Less Important Title*

## Contact

Hans.Mustermann@deepthought.university

## Project Description



by [2]



That's all

### Central Picture



## Poster Tutorial #9

```
%...
\posterbox[adjusted title=Central Picture,
interior style={fill overzoom image=blueshade.png}]
{name=picture,column=3,between=title and process}{}
%...
```

## References

- [1] Important Authors, *Important Title*
- [2] More Important Authors, *More Important Title*
- [3] Less Important Authors, *Less Important Title*

## Contact

## Original tcolorbox

# My Important Project

Hans.Mustermann@deeptthought.university

## Core Algorithm

```
\begin{tikzpicture}[very thick, radius=2cm]
\begin{scope}
\path[draw=black, fill=white] (0,0) circle;
\path[fill=red] (0,0) -- (2,0)
arc [start angle=0, end angle=90];
\end{scope}
\end{tikzpicture}
```

### Project Description

See [1]. Lorem ipsum dolor sit amet, consetetur adipisicing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consetetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quam, viverra ac, nunc. Praesent eget sem vel leo ultrices lobortis. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvis sag at, mollis ac, nulla. Curabitur auctor semper nulla. Donec variis orci eget risus. Duis nibh mi congue, eu accumsan euismod, sagittis qui, diam. Duis eget orci sit amet orci dignissim rutrum.



by [2]

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultrices et, tellus. Donec aliquet, tortor sed accumsan, lobortis, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, vulputate at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula fengiat magna. Nunc

### Central Picture



### Poster Tutorial #10

For the Algorithm, we need a verbatim environment. Here, `tblatex` is used. Therefore, we cannot use a `posterbox` as usual, but we can a `posterboxenv` environment instead. Note that you would get some weird errors, if `posterbox` would have been applied.

```
\documentclass[poster]{article}
\usepackage{tikz}
\usepackage{tblatex}
\begin{tblatex}
\begin{posterbox}[adjusted title=Core Algorithm, leftupper=Opt, rightupper=Opt]
\begin{scope}
\begin{tikzpicture}[column=4, between=top and references]
\begin{tikzpicture}[blankest, listing only]
\begin{tikzpicture}[very thick, radius=2cm]
\begin{scope}
\path[draw=black, fill=white] (0,0) circle;
\path[fill=red] (0,0) -- (2,0)
arc [start angle=0, end angle=90];
\end{scope}
\end{tikzpicture}
\end{tikzpicture}
\end{tikzpicture}
\end{tblatex}
```

### References

- [1] Important Authors, *Important Title*
- [2] More Important Authors, *More Important Title*
- [3] Less Important Authors, *Less Important Title*

### Contact

### Patched tcolorbox

# My Important Project

Hans.Mustermann@deepthought.university


## Core Algorithm

```

\begin{tikzpicture}[very thick, radius=2cm]
\begin{scope}
\path[draw=black, fill=white] (0,0) circle;
\path[fill=red] (0,0) -- (2,0)
arc [start angle=0, end angle=30];
\end{scope}
\begin{scope}[xshift=5cm]
\path[draw=black, fill=white] (0,0) circle;
\path[fill=red] (0,0) -- (2,0)
arc [start angle=0, end angle=70];
\end{scope}
\begin{scope}[xshift=10cm]
\path[draw=black, fill=white] (0,0) circle;
\path[fill=red] (0,0) -- (2,0)
arc [start angle=0, end angle=110];
\end{scope}
\begin{scope}[xshift=15cm]
\path[draw=black, fill=white] (0,0) circle;
\path[fill=red] (0,0) -- (2,0)
arc [start angle=0, end angle=240];
\end{scope}
\end{tikzpicture}

```

## Central Picture



## Project Description

See [1]: Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, laqueat, in, portum quis, viverra ac, nunc. Praesent eget sem vel leo ultrices lobortis. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.



by [2]

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam ligula libero, pretium at, lobortis vitae, ultrices et, tellus. Donec aliquet, tortor sed accumsan, lacinia, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, vulputat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula fringilla magna. Nunc

## Poster Tutorial #10

For the Algorithm, we need a verbatim environment. Here, tclisting is used. Therefore, we cannot use a posterbox as usual, but we can a posterboxenv environment instead. Note that you would get some weird errors, if posterbox would have been applied.

```

%...
\begin{posterboxenv}[adjusted title=Core Algorithm, leftupper=Opt, rightupper=Opt]
{name=algorithm, column=4, between=top and references}
\begin{tclisting}[blankest, listing only]
\begin{tikzpicture}[very thick, radius=5cm]
\begin{scope}
\path[draw=black, fill=white] (0,0) circle;
\path[fill=red] (0,0) -- (2,0)
arc [start angle=0, end angle=30];
\end{scope}
%...
\end{tikzpicture}
\end{posterboxenv}
%...

```

## References

- [1] Important Authors, *Important Title*
- [2] More Important Authors, *More Important Title*
- [3] Less Important Authors, *Less Important Title*


## Contact

hans.mustermann@deepthought.university

### Original tcolorbox



### Patched tcolorbox



### Original tcolorbox

## Contact

## My Important Project

## References

## Contact

## Original tcolorbox

[illegible]

## Patched tcolorbox

[illegible]