

A4 comparison page 1: original left, patched right

Original tcolorbox

col1	col2	col3	col4
1			
2			
3			
4			
5			

Patched tcolorbox

col1	col2	col3	col4
1			
2			
3			
4			
5			

A4 comparison page 2: original left, patched right

Original tcolorbox

col1col2col3col4

1234

L^AT_EX Poster

Poster Tutorial #2

Now, we put in some fancy settings to the poster coverage.
Also, some more packages are loaded for the future poster content.

```
\documentclass[12pt]{article}
\usepackage[aspaper,landscape]{geometry}
\usepackage{lipsum}
\usepackage{modern}
\usepackage{enumerate}
\usepackage[poster]{tcolorbox}
\tcbuselibrary{minted} % <- replace by \tcbuselibrary{listings}, if minted does not work for you
\pagestyle{empty}

\begin{document}
\begin{tcbposter}[
  coverage = {
    spread,
    interior style=(top color=yellow,bottom color=yellow!50!red),
    watermark text=(\LaTeX\ Poster),
    watermark color=yellow,
  },
  poster   = {showframe,column=4,row=5},
]
% Here, we insert the poster content later
\end{tcbposter}
\end{document}
```

Patched tcolorbox

col1col2col3col4

1234

L^AT_EX Poster

Poster Tutorial #2

Now, we put in some fancy settings to the poster coverage.
Also, some more packages are loaded for the future poster content.

```
\documentclass[12pt]{article}
\usepackage[aspaper,landscape]{geometry}
\usepackage{lipsum}
\usepackage{modern}
\usepackage{enumerate}
\usepackage[poster]{tcolorbox}
\tcbuselibrary{minted} % <- replace by \tcbuselibrary{listings}, if minted does not work for you
\pagestyle{empty}

\begin{document}
\begin{tcbposter}[
  coverage = {
    spread,
    interior style=(top color=yellow,bottom color=yellow!50!red),
    watermark text=(\LaTeX\ Poster),
    watermark color=yellow,
  },
  poster   = {showframe,column=4,row=5},
]
% Here, we insert the poster content later
\end{tcbposter}
\end{document}
```

Original tcolorbox



0x01
0x02
0x03
0x04

My Important Project

Hans.Mustermann@deepthought.university

Core Algorithm

Project Description

project2

Central Picture

Poster Tutorial #3

It is time to fill boxes into the poster environment. This is the most crucial part of your poster creation, because you have to decide about the general contents and the base design.

But, as you can see in the listing below, the boxes are placed with relative positions to each other and the sizes are able to change automatically.

```

\begin{document}
\setlength{\paperwidth}{11cm}
\setlength{\paperheight}{17cm}

% Title
\posterbox[name=title,column=1,span=3,below=top]{
  \resizebox{18cm}{!}{\Vofseries\huge My Important Project}\{\smm}
  Hans.Mustermann@deepthought.university
}

% References
\posterbox[adjusted title=References]{name=references,column=2,span=1.5,between=title and
algorithm}

% Process
\posterbox[adjusted title=Picture]{name=process,column=2,span=2,above=references}{}

% Project Description
\posterbox[adjusted title=Project Description]{name=project,
sequence=1 between title and bottom then 2 between title and process}{}

% Central Picture
\posterbox[adjusted title=Central Picture]
{name=picture,column=3,between=title and process}{}

% Core Algorithm
\posterbox[adjusted title=Core Algorithm]
{name=algorithm,column=4,between=top and references}{}

% Contact
\posterbox[adjusted title=Contact]
{name=contact,column=4,span=1.5,between=process and bottom}{}

\end{document}

```

The project box is made breakable. Note the two parts project1 and project2 where the second part is denoted by a placeholder.

Process

References

Contact

Poster Tutorial #3

It is time to fill boxes into the poster environment. This is the most crucial part of your poster creation, because you have to decide about the general contents and the base design. But, as you can see in the listing below, the boxes are placed with relative positions to each other and the sizes are able to change automatically.

```

%...
\posterbox[name=title,column=1,span=3,below=top]{
  \vsizebox[18cm]{\HvsizeboxHuge My Important Project}\{\3mm
  Hans.Muetermann@deepthought.university
}

\posterbox[adjusted title=References]{name=references,column=2,span=1.5,above=bottom}{
  \posterbox[adjusted t=picture=ss](name=process,column=2,span=2,above=references){
    algorithm
  }
}
\posterbox[adjusted title=Project Description](name=project,
sequence=1,between title and bottom then 2 between title and process){

}
\posterbox[adjusted title=Central Picture]
(name=picture,column=3,between=title and process){

}
\posterbox[adjusted title=Core Algorithm]
(name=algorithm,column=4,between=top and references){

}
\posterbox[adjusted title=Contact]
(name=contact,column=4,span=1.5,between=process and bottom){

}
%...

```

The project box is made breakable. Note the two parts project1 and project2 where the second part is denoted by a placeholder.

A4 comparison page 4: original left, patched right

Original tcolorbox

The diagram illustrates a LaTeX Beamer presentation layout. The main content area is divided into several sections:

- Title Slide:** Features the title "My Important Project" and the author "Hans Mustermann@depthought.university".
- Table of Contents:** Lists sections like "Project Description", "Central Picture", "Core Algorithm", "Process", "References", and "Contact".
- Content Slides:**
 - Project Description:** A large empty box for text.
 - Central Picture:** A box containing a large "X" made of red lines, indicating a placeholder for a picture.
 - Core Algorithm:** A large empty box for text.
 - Process:** A box for text.
 - References:** A box for text.
 - Contact:** A box for text.

A red box highlights a specific LaTeX code snippet for a poster, titled "Poster Tutorial #4". The code is as follows:

```

\begin{tcbposter}[
  coverage = {
    spread,
    interior style=(top color=yellow,bottom color=yellow!50!red),
    watermark text=(\LaTeX{} Poster),
    watermark color=yellow,
  },
  poster = {
    (showframe=false,columns=4,rows=5),
    boxes = {
      enhanced standard jigsaw,sharp corners=downhill,arc=3mm,boxrule=1mm,
      colback=white,opacityback=0.75,colframe=blue,
      title style=(left color=black,right color=cyan),
      fonttitle=\bfseries\Large\scshape
    }
  }
]
\end{tcbposter}

```

Patched tcolorbox

My Important Project
Hans.Mustermann@dephthought.university

Project Description

Central Picture

Core Algorithm

Poster Tutorial #4

As next step, we choose some nice settings for all the boxes. These global settings are applied using the `boxes` option of the poster.

Also, we do not need the auxiliary frame lines anymore and we set `showframe=false`.

```

\begin{tcdposter}[
  coverage = {
    spread,
    interior style={top color=yellow,bottom color=yellow!50!red},
    watermark text={\LaTeX\ Poster},
    watermark color=yellow,
  },
  poster   = {showframe=false,columns=4,rows=5},
  boxes    = {
    enhanced standard jigsaw,sharp corners=downhill,arc=3mm,boxrule=1mm,
    colback=white,opacityback=0.75,colframe=blue,
    title style={left color=black,right color=cyan},
    fonttitle=\bfseries\large\escape
  }
]
\end{tcdposter}

```


Process

References


Content

Contact


Original tcolorbox



Original tcolorbox



Patched tcolorbox



Original tcolorbox

My Important Project

Hans.Mustermann@deepthought.university

Project Description

Poster Tutorial #7

We go on with the process which gets some example tikzpicture.
Note that you always can insert additional colorbox options like align=center to a posterbox.

```
\documentclass{poster}
\usepackage{tikz}
\begin{document}
%posterbox[adjusted title=Process,align=center]{name=process,column=2,span=2,above=references}{
\begin{tikzpicture}[very thick,radius=2cm]
\begin{scope}
\path[draw=black,fill=white](0,0) circle;
\path[fill=red](0,0) -- (2,0) arc [start angle=0, end angle=30];
\end{scope}
\begin{scope}[xshift=5cm]
\path[draw=black,fill=white](0,0) circle;
\path[fill=red](0,0) -- (2,0) arc [start angle=0, end angle=70];
\end{scope}
\begin{scope}[xshift=10cm]
\path[draw=black,fill=white](0,0) circle;
\path[fill=red](0,0) -- (2,0) arc [start angle=0, end angle=110];
\end{scope}
\begin{scope}[xshift=15cm]
\path[draw=black,fill=white](0,0) circle;
\path[fill=red](0,0) -- (2,0) arc [start angle=0, end angle=240];
\end{scope}
\end{tikzpicture}
}
```

Central Picture

er

Process


Four circular diagrams showing increasing red sectors: 30°, 70°, 110°, and 240°.

References

- [1] Important Authors, *Important Title*
- [2] More Important Authors, *More Important Title*
- [3] Less Important Authors, *Less Important Title*

Contact

Patched tcolorbox

My Important Project		Core Algorithm
Project Description	Poster Tutorial #7 We go on with the process which gets some example tikzpicture. Note that you always can insert additional colorbox options like align=center to a posterbox. <pre><code>\documentclass[adjusted]{tikzposter} \usepackage{tikz} \begin{tikzpicture}[very thick,radius=2cm] \begin{scope} \path[draw=black,fill=white] (0,0) circle; \path[fill=red] (0,0) -- (2,0) arc [start angle=0, end angle=90]; \end{scope} \begin{scope}[xshift=5cm] \path[draw=black,fill=white] (0,0) circle; \path[fill=red] (0,0) -- (2,0) arc [start angle=0, end angle=70]; \end{scope} \begin{scope}[xshift=10cm] \path[draw=black,fill=white] (0,0) circle; \path[fill=red] (0,0) -- (2,0) arc [start angle=0, end angle=110]; \end{scope} \begin{scope}[xshift=15cm] \path[draw=black,fill=white] (0,0) circle; \path[fill=red] (0,0) -- (2,0) arc [start angle=0, end angle=240]; \end{scope} \end{tikzpicture}</code></pre>	
	Process 	
	References [1] Important Authors, <i>Important Title</i> [2] More Important Authors, <i>More Important Title</i> [3] Less Important Authors, <i>Less Important Title</i>	Contact

Original tcolorbox

Poster Tutorial #8

My Important Project

Poster Tutorial #8

The **project** is a breakable box with two parts. Nevertheless, you can fill the box like any other box. The information on how to break was already given by the placement options.

Original tcolorbox

My Important Project

Hans.Mustermann@deepthought.university

Project Description

See [1]. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nuncummy eget, consectetur ut, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus enim. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices lobortis. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.



by [2]

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan lobortis, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, vulputate at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nuncummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, lpsim. Morbi blandit ligula fegiat magna. Nunc

Central Picture



Core Algorithm

Poster Tutorial #9

In our example, the whole space of the picture box should be filled with a given picture. This is a piece of cake using a special interior style:

```
X...
\posterbox[adjusted title=Central Picture,
interior style={fill overzoom image=blueshade.png}]
{ (name=picture,column=0,between=tile and process)}
X...
```

References

- [1] Important Authors, *Important Title*
- [2] More Important Authors, *More Important Title*
- [3] Less Important Authors, *Less Important Title*

Contact

Patched tcolorbox



My Important Project

Hans.Mustermann@deepthought.university

Core Algorithm

Project Description

See [1]: Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, portum quis, viverra ac, nunc. Praesent eget sem vel leo ultrices lobortis. Aman faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.



by [2]

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan lhabendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum tristique. Pellentesque cursus lectus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula fengit magna. Nunc

Central Picture

eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

See [3]: Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.



That's all.



Poster Tutorial #9

In our example, the whole space of the picture box should be filled with a given picture. This is a piece of cake using a special interior style:

```

X...
\posterbox[adjusted title=Central Picture,
  interior style={fill overzoom image=blushade.png}]
{gamepicture,column=3,between:title and process}{
X...

```

References

- [1] Important Authors, *Important Title*
- [2] More Important Authors, *More Important Title*
- [3] Less Important Authors, *Less Important Title*

Contact

Original tcolorbox

Core Algorithm

My Important Project

Hans.Mustermann@deepthought.university

Project Description

See [1]. *Loa ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulpinate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar tincidunt, leo. Maecenas pulvinar lobortis felis. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.*



Nam dui ligula, fringilla a, euismod sodales,
Nuncitandis vel, Morbi auctor eorum non iusto.
Nam lacus laborio, pretium at, laboribus vitae, ultrices
et, tellus. Donec aliquot, tector sed accusamus
quod, quid sit, morboque, etiam, etiam, etiam,
molto nefas nam. Morbi ac erit, nisi henderit
mollis. Supendisse ut massi, Cras nec ante.
Pelentesque a nulla. Cum sociis nativitate penatibus
et magnis das parturitione menses, nascentur
ridiculus mares. Aliquam tincturus una. Nulla ul-
tilancor vestibulum tardius. Pelentesque cursus

Nulla malebusda portitorum diam. Donec felse erat,
conque non, voluptat at, tincturus tristitie, li-
bero. Viveres viverra fermentum felis. Donec
nominy pelentesque ante. Phasellus adipiscens
semper diel. Proin fermentum massas ac quam.
Quod, quod, quod, quod, quod, quod, quod,
loste nec leo, Macevras lacinia. Nam ipsum
ligula, defendit at, accusamus nec, suscipit a,
ipsum. Morbi blanditi ligula fugiat magna. Nunc

Central Picture

eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

See [3]: Quisque ullamcorper placerat ipsum. Cursus nibh. Morbi vel justo vitae lac tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur


Poster Tutorial #10

For the Algorithm, we need a `verbatim` environment. Here, `tcblisting` is used. Therefore, we cannot use a `posterbox` as usual, but we can a `posterboxenv` environment instead. Note that you would get some weird errors, if `posterbox` would have been applied.

```

\begin{posterboxenv}[adjusted title=Core Algorithms,leftupper=Opt,rightupper=Opt,
(name=algorithms,column=4,between=top and references)]
\begin{tblisting}[blankens, listing only]
\begin{tikzpicture}[very thick, radius=2cm]
\begin{scope}
\path[draw=black,fill=white] (0,0) circle;
\path[fill=red] (0,0) -- (2,0)
arc [start angle=0, and angle=30];
\end{scope}
\end{tikzpicture}
\end{tblisting}
\end{posterboxenv}

```



References

- [1] Important Authors, *Important Title*
- [2] More Important Authors, *More Important Title*
- [3] Less Important Authors, *Less Important Title*

Contact

Core Algorithm

```

\begin{tikzpicture}[very thick, radius=2cm]
\begin{scope}
\path[draw=black, fill=white] (0,0) circle;
\path[fill=red] (0,0) -- (2,0)
arc[start angle=0, end angle=30];
\end{scope}
\begin{scope}[xshift=5cm]
\path[draw=black, fill=white] (0,0) circle;
\path[fill=red] (0,0) -- (2,0)
arc[start angle=0, end angle=70];
\end{scope}
\begin{scope}[xshift=10cm]
\path[draw=black, fill=white] (0,0) circle;
\path[fill=red] (0,0) -- (2,0)
arc[start angle=0, end angle=110];
\end{scope}
\begin{scope}[xshift=15cm]
\path[draw=black, fill=white] (0,0) circle;
\path[fill=red] (0,0) -- (2,0)
arc[start angle=0, end angle=240];
\end{scope}
\end{tikzpicture}

```

```
begin(tickpicture)[very thick, radius=1cm]
  begin(scope)
    \path[draw=black, fill=white] (0,0) circle;
    \path[fill=red] (0,0) -- (2,0)
    arc [start angle=0, end angle=30];
  end(scope)
  begin(scope)
    \path[draw=black, fill=white] (0,0) circle;
    \path[fill=red] (0,0) -- (2,0)
    arc [start angle=0, end angle=70];
  end(scope)
  begin(scope)
    \path[draw=black, fill=white] (0,0) circle;
    \path[fill=red] (0,0) -- (2,0)
    arc [start angle=0, end angle=110];
  end(scope)
  begin(scope)
    \path[draw=black, fill=white] (0,0) circle;
    \path[fill=red] (0,0) -- (2,0)
    arc [start angle=0, end angle=240];
  end(scope)
end(tickpicture)
```

My Important Project

Hans.Mustermann@deephthought.university

Project Description

See [1]: *Nam ipsum doro sit amet, consectetur adipisicing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate at magna. Donec malesuada quam ut erat. Sed dignissim sed odio morbi tristique senectus et netus et malesuada fames ac turpis egestas. Nulla ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium qui, ultrices ac, nunc. Praesent eget sem vel leo ultricies bibendum. Aenean ut justo et tincidunt ante sed enim eu consequat nunc, eros. Nam lorem. Aliquam nec massa urna congue nunc, mollis ac. Nulla. Curabitur ante semper nulla. Donec varius orci eget risus. Duis nibh mi congue, ornamus accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignism rutrum.*



Nam dui lingua, fringilla a, eiusmodi sodales non
hinc hinc vid, wis. Morbi auctor iorem non justo.
Nam lacus libere, pretium at, laboris vitæ, ultra
tunc, quædam, quædam, quædam, quædam, quædam
abundant, erit lacus aliquot massas, vitæ omni
silio metus a. mor. ac orei et nec henderit
nullis. Suspenside ut massa. Cras nec ne.
Pelentesse a nulla. Cum sociis natque penatibus
et magnis dis parturient mortuus, nasetur
ridiculus nus. Aliquam tincidunt uia. Nulla ul
tunc, quædam, quædam, quædam, quædam, quædam
tunc, quædam, quædam, quædam, quædam, quædam
lucis hauris.

Nulla malsuada pertitorum diu. Donec fere erat,
conque non, volupat at, tincidunt tristitie, li
bero. Vivamus viverra fermentum felis. Do
norum pelentesse ante. Phasellus adipiscing
sempet elit. Porro fermentum massæ a qua
tunc, quædam, quædam, quædam, quædam, quædam
lestie nec, leo. Maccenas lacinia. Nam ipsum
lacus, elefant at, accuscum nec, suscipit a, ip
sum. Morbi blandit lacus feugiat magna. Nunc

Central Picture

eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

See [3]: Quisque ullamcorper placerat ipsum
Cras nibh. Morbi vel justo vitae lacus tincidunt
ultrices. Lorem ipsum dolor sit amet, consectetur


Poster Tutorial #10

For the Algorithm, we need a `verbatim` environment. Here, `tcblisting` is used. Therefore, we cannot use a `posterbox` as usual, but we can a `posterboxenv` environment instead. Note that you would get some weird errors, if `posterbox` would have been applied.

```

%...
\begin{posterboxenv}[adjusted title=Core Algorithm,leftupper=Opt,rightupper=Opt]
  (name=algorithm,column,width=radius*top and references)
\begin{tikzlisting}[blanket,listing only]
\begin{tikzpicture}[very thick,between=2cm]
\begin{scope}
\path[draw=black,fill=white](0,0) circle;
\path[fill=red](0,0) -- (2,0)
arc [start angle=0, end angle=30];
\end{scope}
%...
\end{tikzpicture}
\end{tikzlisting}
\end{posterboxenv}
%...

```



References

- [1] Important Authors, *Important Title*
- [2] More Important Authors, *More Important Title*
- [3] Less Important Authors, *Less Important Title*

Contact

Core Algorithm

```

\begin{tikzpicture}[very thick, radius=2cm]
\begin{scope}
\path[draw=black,fill=white] (0,0) circle;
\path[fill=red] (0,0) -- (2,0);
\arc[start angle=0, end angle=30];
\end{scope}
\begin{scope}
\begin{scope}[shift={-6cm}]
\path[draw=black,fill=white] (0,0) circle;
\path[fill=red] (0,0) -- (2,0);
\arc[start angle=0, end angle=70];
\end{scope}
\begin{scope}[shift={-10cm}]
\path[draw=black,fill=white] (0,0) circle;
\path[fill=red] (0,0) -- (2,0);
\arc[start angle=0, end angle=110];
\end{scope}
\begin{scope}[shift={-15cm}]
\path[draw=black,fill=white] (0,0) circle;
\path[fill=red] (0,0) -- (2,0);
\arc[start angle=0, end angle=240];
\end{scope}
\end{scope}
\end{tikzpicture}

```

```

\begin{tikzpicture}[very thick, radius=1cm]
\begin{scope}
\path[draw=black,fill=white] (0,0) circle;
\path[fill=red] (0,0) -- (2,0)
arc [start angle=0, and angle=30];
\end{scope}
\begin{scope}[shift={1cm}]
\path[draw=black,fill=white] (0,0) circle;
\path[fill=red] (0,0) -- (2,0)
arc [start angle=0, and angle=70];
\end{scope}
\begin{scope}[shift={10cm}]
\path[draw=black,fill=white] (0,0) circle;
\path[fill=red] (0,0) -- (2,0)
arc [start angle=0, and angle=110];
\end{scope}
\begin{scope}[shift={15cm}]
\path[draw=black,fill=white] (0,0) circle;
\path[fill=red] (0,0) -- (2,0)
arc [start angle=0, and angle=240];
\end{scope}
\end{tikzpicture}

```

References

Original tcolorbox

My Important Project

My Important Project

Hans.Mustermann@deepthought.university

Original tcolorbox

Contact


My Important Project

References

Contact

A4 comparison page 13: original left, patched right

Original tcolorbox



Patched tcolorbox

