

A PEN-PLOTTED COLLECTION

# ART IN SCIENCE CITIES

Generative data-cartography of how places change —  
each rendered as a pen-plotter original.

Collection • Series • Volume • Part • Chapter • Section

proof edition — June 2026

ART IN SCIENCE • CITIES

SERIES

# THE UNITED STATES

*A nation told one place at a time.*

VOLUMES IN THIS SERIES

Volume I • Ohio

STD

ART IN SCIENCE • CITIES — THE UNITED STATES

VOLUME I

# OHIO

— *Ten Cities, 200 Years* —

A generative cartography of population, place, and change.

Census curves • real geography • pen-plotted originals

proof edition — June 2026

STD

# Contents

---

|                                |    |
|--------------------------------|----|
| Chapter 1 — Ohio .....         | 5  |
| Chapter 2 — Youngstown .....   | 10 |
| Chapter 3 — Steubenville ..... | 15 |
| Chapter 4 — Portsmouth .....   | 20 |
| Chapter 5 — Hamilton .....     | 25 |
| Chapter 6 — London .....       | 30 |
| Chapter 7 — Lima .....         | 35 |
| Chapter 8 — Findlay .....      | 40 |
| Chapter 9 — Delaware .....     | 45 |
| Chapter 10 — Dublin .....      | 50 |
| Chapter 11 — Akron .....       | 55 |
| Teaser — Columbus .....        | 60 |
| Teaser — Cleveland .....       | 65 |
| Teaser — Cincinnati .....      | 70 |

Each chapter: one plotted plate, then forecast methods, data sources, and notes.

# OHIO


Chapter 1 • 1820–2020, projected to 2120



*Before the ten cities, the state itself: two centuries of Ohio in a single line, climbing through canal, rail, oil, rubber and steel, then flattening after 1970. The plateau is an average — and an average hides everything.*



LEGEND    — State outline    — Counties    — Roads    /// Ohio (this state)



project-artinscience • seed 1840 • edition \_\_\_\_\_ / \_\_\_\_\_ • signed \_\_\_\_\_

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Ohio

## Chapter 1 — Methodology: Forecast Algorithms

---

The forecast is an *ensemble*. Each algorithm is fit independently on the **last 75 years** of decennial census counts and projected **50 years** forward; every model is plotted as its own coloured line on the chart, and their disagreement is the honest measure of uncertainty.  $P(t)$  is the population in year  $t$ .

**1. Linear — ordinary least squares.** A straight line through the recent points: constant absolute change per year — the conservative baseline.

$$P(t) = a t + b$$

**2. Exponential — log-linear.** Constant *percentage* growth: least squares on the log of population, giving a fixed annual rate  $r$ . Aggressive for fast-growing places.

$$\ln P(t) = a t + b \Rightarrow P(t) = P_0 e^{r(t-t_0)}$$

**3. Damped trend — Holt exponential smoothing.** A level  $\ell_t$  and trend  $b_t$  re-estimated at each step, with the trend *damped* by  $0 < \phi < 1$  so growth flattens over time.

$$\hat{P}_{t+h} = \ell_t + (\phi + \phi^2 + \dots + \phi^h) b_t$$

**4. Logistic — saturating S-curve.** Growth that slows toward a carrying capacity  $L$ ; contributes only where the data show an inflection.

$$P(t) = \frac{L}{1 + e^{-k(t-t_0)}}$$

**5. ARIMA(1,1,0).** A time-series model on the year-to-year *change*  $\Delta P_t = P_t - P_{t-1}$ , carrying momentum from the last differenced step.

$$\Delta P_t = \phi \Delta P_{t-1} + \varepsilon_t$$

A cohort-component model (census births, deaths and net migration) is the planned next ensemble member; capping the horizon at 50 years keeps the error bounded.

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Ohio

## Chapter 1 — Data Sources & Software

---

### Population — U.S. Decennial Census, 1820–2020.

*What:* the official decade-by-decade head count for the place. *Source:* U.S. Census Bureau, harmonised through IPUMS NHGIS (Minnesota Population Center) — which republishes consistent historical census tables and boundaries back to 1790. *How extracted:* the per-place decennial series was compiled into a plain `year, population` CSV and read directly by the engine. [Per-place figures to be spot-checked.]

### Geography — OpenStreetMap.

*What:* the municipal boundary, roads, waterways and railways on the plate. *Source:* OpenStreetMap, a global, openly licensed, collaboratively edited geodatabase (© OpenStreetMap contributors, ODbL). *How extracted:* queried by place name with the `osmnx` library (Overpass API), cached locally as GeoJSON, then reprojected, simplified and clipped to the map's extent.

### Projection / geodesy.

*What:* the coordinate systems the maps are drawn in. *Source:* the EPSG geodetic registry. *How applied:* Ohio maps use NAD83 / UTM zone 17N (EPSG:26917) so the state sits true north-up; the U.S. locator uses NAD83 / CONUS Albers (EPSG:5070). Reprojection via `geopandas / pyproj`.

### Software & process.

artinscience Python engine (`shapely`, `geopandas`, `osmnx`, `statsmodels`, `scipy`); typeset in LaTeX (New Century Schoolbook); the digital proof composites the plot (SVG to PDF via `librsvg`) over the LaTeX substrate; pen paths optimised with `vtype`; plotted on a UUNA TEK iDraw 2.0 (A4).

STD

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Ohio

## Chapter 1 — Latest Events (updated 2026-06)

---

*A living, rolling log. The digital volume refreshes this page on a recurring pass from public news sources; a printed copy is a snapshot frozen at the date above.*

- **2026** — Revised state projections indicate Ohio's population is rising, not declining as an earlier quarter-century forecast had warned. (statenews.org)
- **2025-10** — The Ohio Redistricting Commission unanimously approves a new congressional map for the 2026 elections. (statenews.org)
- **2022-01** — Intel announces a \$20B+ chip-fab complex in Licking County — the largest single private-sector investment in Ohio history, potentially \$100B at full buildout. (newsroom.intel.com)
- **2021** — After the 2020 census (state population +2.3% over 2010), Ohio loses a congressional seat, dropping from 16 to 15. (census.gov)

*Compiled from public web sources; each entry is dated and source-noted, pending final fact-check.*



VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Ohio

Chapter 1 — Notes & Topics for Discussion (draft)

---

## **If you could time-travel, the year to visit**

---

---

## **Also notable for**

---

---

## **Population — detail, density & trend**

---

---

## **Race & ethnicity ratios**

---

---

## **Age & gender ratios**

---

---

## **Tourism & attractions**

---

---

## **Businesses & major employers**

---

---

## **Crime & safety**

---

---

## **Schools & education**

---

---

## **Land use — residential / commercial / industrial zones**

---

---

## **Nearby cities, towns & natural areas**

---


---

*Placeholders — to be researched and written in a later pass.*


# YOUNGSTOWN

Chapter 2 • 1820–2020, projected to 2120

*Steel built this city on the Mahoning River; on Black Monday, 19 September 1977, the closures began and a century-long rise turned to the sharpest fall in the volume.*



LEGEND — City limits — Roads — Rivers / water — Railroads



VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Youngstown

## Chapter 2 — Methodology: Forecast Algorithms

The forecast is an *ensemble*. Each algorithm is fit independently on the **last 75 years** of decennial census counts and projected **50 years** forward; every model is plotted as its own coloured line on the chart, and their disagreement is the honest measure of uncertainty.  $P(t)$  is the population in year  $t$ .

**1. Linear — ordinary least squares.** A straight line through the recent points: constant absolute change per year — the conservative baseline.

$$P(t) = a t + b$$

**2. Exponential — log-linear.** Constant *percentage* growth: least squares on the log of population, giving a fixed annual rate  $r$ . Aggressive for fast-growing places.

$$\ln P(t) = a t + b \Rightarrow P(t) = P_0 e^{r(t-t_0)}$$

**3. Damped trend — Holt exponential smoothing.** A level  $\ell_t$  and trend  $b_t$  re-estimated at each step, with the trend *damped* by  $0 < \phi < 1$  so growth flattens over time.

$$\hat{P}_{t+h} = \ell_t + (\phi + \phi^2 + \dots + \phi^h) b_t$$

**4. Logistic — saturating S-curve.** Growth that slows toward a carrying capacity  $L$ ; contributes only where the data show an inflection.

$$P(t) = \frac{L}{1 + e^{-k(t-t_0)}}$$

**5. ARIMA(1,1,0).** A time-series model on the year-to-year *change*  $\Delta P_t = P_t - P_{t-1}$ , carrying momentum from the last differenced step.

$$\Delta P_t = \phi \Delta P_{t-1} + \varepsilon_t$$

A cohort-component model (census births, deaths and net migration) is the planned next ensemble member; capping the horizon at 50 years keeps the error bounded.

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Youngstown

## Chapter 2 — Data Sources & Software

---

### Population — U.S. Decennial Census, 1820–2020.

*What:* the official decade-by-decade head count for the place. *Source:* U.S. Census Bureau, harmonised through IPUMS NHGIS (Minnesota Population Center) — which republishes consistent historical census tables and boundaries back to 1790. *How extracted:* the per-place decennial series was compiled into a plain `year, population` CSV and read directly by the engine. [Per-place figures to be spot-checked.]

### Geography — OpenStreetMap.

*What:* the municipal boundary, roads, waterways and railways on the plate. *Source:* OpenStreetMap, a global, openly licensed, collaboratively edited geodatabase (© OpenStreetMap contributors, ODbL). *How extracted:* queried by place name with the `osmnx` library (Overpass API), cached locally as GeoJSON, then reprojected, simplified and clipped to the map's extent.

### Projection / geodesy.

*What:* the coordinate systems the maps are drawn in. *Source:* the EPSG geodetic registry. *How applied:* Ohio maps use NAD83 / UTM zone 17N (EPSG:26917) so the state sits true north-up; the U.S. locator uses NAD83 / CONUS Albers (EPSG:5070). Reprojection via `geopandas` / `pyproj`.

### Software & process.

artinscience Python engine (`shapely`, `geopandas`, `osmnx`, `statsmodels`, `scipy`); typeset in LaTeX (New Century Schoolbook); the digital proof composites the plot (SVG to PDF via `librsvg`) over the LaTeX substrate; pen paths optimised with `vtype`; plotted on a UUNA TEK iDraw 2.0 (A4).

STD

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Youngstown

## Chapter 2 — Latest Events (updated 2026-06)

---

*A living, rolling log. The digital volume refreshes this page on a recurring pass from public news sources; a printed copy is a snapshot frozen at the date above.*

- **2020s** — Population stabilizes near ~60,000 after a ~60% fall from the 1950s peak, as new investment and small-business growth take hold downtown. (cbsnews.com)
- **2012** — Vallourec (V&M Star) opens a ~\$620M small-diameter seamless-pipe mill (production from Oct 2012) to serve Marcellus/Utica shale gas — its largest new investment in decades. (gem.wiki)
- **2010** — Vallourec & Mannesmann breaks ground on the new pipe mill north of the existing V&M Star works. (gem.wiki)

*Compiled from public web sources; each entry is dated and source-noted, pending final fact-check.*

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Youngstown

Chapter 2 — Notes & Topics for Discussion (draft)

---

## If you could time-travel, the year to visit

---

---

## Also notable for

---

---

## Population — detail, density & trend

---

---

## Race & ethnicity ratios

---

---

## Age & gender ratios

---

---

## Tourism & attractions

---

---

## Businesses & major employers

---

---

## Crime & safety

---

---

## Schools & education

---

---

## Land use — residential / commercial / industrial zones

---

---

## Nearby cities, towns & natural areas

---

---

*Placeholders — to be researched and written in a later pass.*


# STEUBENVILLE

Chapter 3 • 1820–2020, projected to 2120




JEFFERSON CO.

*An Ohio River town of steel and coal that peaked in 1940 and has faded slowly ever since; the boyhood home of Dean Martin.*



LEGEND    — City limits    — Roads    — Rivers / water    — Railroads    /// Highlighted county



VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Steubenville

## Chapter 3 — Methodology: Forecast Algorithms

The forecast is an *ensemble*. Each algorithm is fit independently on the **last 75 years** of decennial census counts and projected **50 years** forward; every model is plotted as its own coloured line on the chart, and their disagreement is the honest measure of uncertainty.  $P(t)$  is the population in year  $t$ .

**1. Linear — ordinary least squares.** A straight line through the recent points: constant absolute change per year — the conservative baseline.

$$P(t) = a t + b$$

**2. Exponential — log-linear.** Constant *percentage* growth: least squares on the log of population, giving a fixed annual rate  $r$ . Aggressive for fast-growing places.

$$\ln P(t) = a t + b \Rightarrow P(t) = P_0 e^{r(t-t_0)}$$

**3. Damped trend — Holt exponential smoothing.** A level  $\ell_t$  and trend  $b_t$  re-estimated at each step, with the trend *damped* by  $0 < \phi < 1$  so growth flattens over time.

$$\hat{P}_{t+h} = \ell_t + (\phi + \phi^2 + \dots + \phi^h) b_t$$

**4. Logistic — saturating S-curve.** Growth that slows toward a carrying capacity  $L$ ; contributes only where the data show an inflection.

$$P(t) = \frac{L}{1 + e^{-k(t-t_0)}}$$

**5. ARIMA(1,1,0).** A time-series model on the year-to-year *change*  $\Delta P_t = P_t - P_{t-1}$ , carrying momentum from the last differenced step.

$$\Delta P_t = \phi \Delta P_{t-1} + \varepsilon_t$$

A cohort-component model (census births, deaths and net migration) is the planned next ensemble member; capping the horizon at 50 years keeps the error bounded.



VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Steubenville

## Chapter 3 — Data Sources & Software

---

### Population — U.S. Decennial Census, 1820–2020.

*What:* the official decade-by-decade head count for the place. *Source:* U.S. Census Bureau, harmonised through IPUMS NHGIS (Minnesota Population Center) — which republishes consistent historical census tables and boundaries back to 1790. *How extracted:* the per-place decennial series was compiled into a plain `year, population` CSV and read directly by the engine. [Per-place figures to be spot-checked.]

### Geography — OpenStreetMap.

*What:* the municipal boundary, roads, waterways and railways on the plate. *Source:* OpenStreetMap, a global, openly licensed, collaboratively edited geodatabase (© OpenStreetMap contributors, ODbL). *How extracted:* queried by place name with the `osmnx` library (Overpass API), cached locally as GeoJSON, then reprojected, simplified and clipped to the map's extent.

### Projection / geodesy.

*What:* the coordinate systems the maps are drawn in. *Source:* the EPSG geodetic registry. *How applied:* Ohio maps use NAD83 / UTM zone 17N (EPSG:26917) so the state sits true north-up; the U.S. locator uses NAD83 / CONUS Albers (EPSG:5070). Reprojection via `geopandas / pyproj`.

### Software & process.

artinscience Python engine (`shapely`, `geopandas`, `osmnx`, `statsmodels`, `scipy`); typeset in LaTeX (New Century Schoolbook); the digital proof composites the plot (SVG to PDF via `librsvg`) over the LaTeX substrate; pen paths optimised with `vpype`; plotted on a UUNA TEK iDraw 2.0 (A4).

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Steubenville

## Chapter 3 — Latest Events (updated 2026-06)

---

*A living, rolling log. The digital volume refreshes this page on a recurring pass from public news sources; a printed copy is a snapshot frozen at the date above.*

- **2025-11** — Youngstown State University acquires the former Eastern Gateway Community College campus, aiming to offer classes by 2026. (wtov9.com)
- **2020s** — City reports 20+ active development projects across the West End, North End, downtown and University Blvd; Franciscan University adds dorms and Franciscan Square. (wtov9.com)
- **2006** — Ohio Valley Health Center opens as a free clinic; it logs 24,000+ patient encounters over the following years. (ovhealthcenter.org)

*Compiled from public web sources; each entry is dated and source-noted, pending final fact-check.*

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Steubenville

Chapter 3 — Notes & Topics for Discussion (draft)

---

## If you could time-travel, the year to visit

---

---

## Also notable for

---

---

## Population — detail, density & trend

---

---

## Race & ethnicity ratios

---

---

## Age & gender ratios

---

---

## Tourism & attractions

---

---

## Businesses & major employers

---

---

## Crime & safety

---

---

## Schools & education

---

---

## Land use — residential / commercial / industrial zones

---

---

## Nearby cities, towns & natural areas

---

---

*Placeholders — to be researched and written in a later pass.*


# PORTSMOUTH

Chapter 4 • 1820–2020, projected to 2120



SCIOTO CO.

*Steel, shoes and firebrick carried Portsmouth to a 1930 peak; the catastrophic 1937 flood marks where its long decline begins.*



LEGEND    — City limits    — Roads    — Rivers / water    — Railroads    /// Highlighted county



project-artinscience • seed 1930 • edition \_\_\_\_\_ / \_\_\_\_\_ • signed \_\_\_\_\_

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Portsmouth

## Chapter 4 — Methodology: Forecast Algorithms

The forecast is an *ensemble*. Each algorithm is fit independently on the **last 75 years** of decennial census counts and projected **50 years** forward; every model is plotted as its own coloured line on the chart, and their disagreement is the honest measure of uncertainty.  $P(t)$  is the population in year  $t$ .

**1. Linear — ordinary least squares.** A straight line through the recent points: constant absolute change per year — the conservative baseline.

$$P(t) = a t + b$$

**2. Exponential — log-linear.** Constant *percentage* growth: least squares on the log of population, giving a fixed annual rate  $r$ . Aggressive for fast-growing places.

$$\ln P(t) = a t + b \Rightarrow P(t) = P_0 e^{r(t-t_0)}$$

**3. Damped trend — Holt exponential smoothing.** A level  $\ell_t$  and trend  $b_t$  re-estimated at each step, with the trend *damped* by  $0 < \phi < 1$  so growth flattens over time.

$$\hat{P}_{t+h} = \ell_t + (\phi + \phi^2 + \dots + \phi^h) b_t$$

**4. Logistic — saturating S-curve.** Growth that slows toward a carrying capacity  $L$ ; contributes only where the data show an inflection.

$$P(t) = \frac{L}{1 + e^{-k(t-t_0)}}$$

**5. ARIMA(1,1,0).** A time-series model on the year-to-year *change*  $\Delta P_t = P_t - P_{t-1}$ , carrying momentum from the last differenced step.

$$\Delta P_t = \phi \Delta P_{t-1} + \varepsilon_t$$

A cohort-component model (census births, deaths and net migration) is the planned next ensemble member; capping the horizon at 50 years keeps the error bounded.

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Portsmouth

## Chapter 4 — Data Sources & Software

---

### Population — U.S. Decennial Census, 1820–2020.

*What:* the official decade-by-decade head count for the place. *Source:* U.S. Census Bureau, harmonised through IPUMS NHGIS (Minnesota Population Center) — which republishes consistent historical census tables and boundaries back to 1790. *How extracted:* the per-place decennial series was compiled into a plain `year, population` CSV and read directly by the engine. [Per-place figures to be spot-checked.]

### Geography — OpenStreetMap.

*What:* the municipal boundary, roads, waterways and railways on the plate. *Source:* OpenStreetMap, a global, openly licensed, collaboratively edited geodatabase (© OpenStreetMap contributors, ODbL). *How extracted:* queried by place name with the `osmnx` library (Overpass API), cached locally as GeoJSON, then reprojected, simplified and clipped to the map's extent.

### Projection / geodesy.

*What:* the coordinate systems the maps are drawn in. *Source:* the EPSG geodetic registry. *How applied:* Ohio maps use NAD83 / UTM zone 17N (EPSG:26917) so the state sits true north-up; the U.S. locator uses NAD83 / CONUS Albers (EPSG:5070). Reprojection via `geopandas / pyproj`.

### Software & process.

artinscience Python engine (`shapely`, `geopandas`, `osmnx`, `statsmodels`, `scipy`); typeset in LaTeX (New Century Schoolbook); the digital proof composites the plot (SVG to PDF via `librsvg`) over the LaTeX substrate; pen paths optimised with `vtype`; plotted on a UUNA TEK iDraw 2.0 (A4).

STD

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Portsmouth

## Chapter 4 — Latest Events (updated 2026-06)

---

*A living, rolling log. The digital volume refreshes this page on a recurring pass from public news sources; a printed copy is a snapshot frozen at the date above.*

- **2020s** — A proliferation of addiction-recovery homes makes Portsmouth a national recovery hub, straining the housing supply and dividing residents. ([signalohio.org](http://signalohio.org))
- **2020** — Portsmouth named an All-America City (National Civic League) for its recovery-driven civic turnaround. ([nationalcivicleague.org](http://nationalcivicleague.org))
- **2012-02** — Dr. Paul Volkman sentenced to four consecutive life terms for running cash-only pill mills in Portsmouth and Chillicothe. ([bostonglobe.com](http://bostonglobe.com))
- **2010** — Scioto County declares the opioid epidemic a public-health emergency; Portsmouth is widely identified as the crisis's national epicenter. ([statenews.org](http://statenews.org))

*Compiled from public web sources; each entry is dated and source-noted, pending final fact-check.*

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Portsmouth

Chapter 4 — Notes & Topics for Discussion (draft)

---

## If you could time-travel, the year to visit

---

---

## Also notable for

---

---

## Population — detail, density & trend

---

---

## Race & ethnicity ratios

---

---

## Age & gender ratios

---

---

## Tourism & attractions

---

---

## Businesses & major employers

---

---

## Crime & safety

---

---

## Schools & education

---

---

## Land use — residential / commercial / industrial zones

---

---

## Nearby cities, towns & natural areas

---

---

*Placeholders — to be researched and written in a later pass.*




# HAMILTON

Chapter 5 • 1820–2020, projected to 2120




BUTLER CO.

*A paper and safe-making town that punctuated itself into “Hamilton!” in 1986, eroded through the 1990s, then clawed its way back.*



LEGEND — City limits — Roads — Rivers / water — Railroads /// Highlighted county



project-artinscience • seed 1960 • edition \_\_\_\_\_ / \_\_\_\_\_ • signed \_\_\_\_\_

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Hamilton

## Chapter 5 — Methodology: Forecast Algorithms

The forecast is an *ensemble*. Each algorithm is fit independently on the **last 75 years** of decennial census counts and projected **50 years** forward; every model is plotted as its own coloured line on the chart, and their disagreement is the honest measure of uncertainty.  $P(t)$  is the population in year  $t$ .

**1. Linear — ordinary least squares.** A straight line through the recent points: constant absolute change per year — the conservative baseline.

$$P(t) = a t + b$$

**2. Exponential — log-linear.** Constant *percentage* growth: least squares on the log of population, giving a fixed annual rate  $r$ . Aggressive for fast-growing places.

$$\ln P(t) = a t + b \Rightarrow P(t) = P_0 e^{r(t-t_0)}$$

**3. Damped trend — Holt exponential smoothing.** A level  $\ell_t$  and trend  $b_t$  re-estimated at each step, with the trend *damped* by  $0 < \phi < 1$  so growth flattens over time.

$$\hat{P}_{t+h} = \ell_t + (\phi + \phi^2 + \dots + \phi^h) b_t$$

**4. Logistic — saturating S-curve.** Growth that slows toward a carrying capacity  $L$ ; contributes only where the data show an inflection.

$$P(t) = \frac{L}{1 + e^{-k(t-t_0)}}$$

**5. ARIMA(1,1,0).** A time-series model on the year-to-year *change*  $\Delta P_t = P_t - P_{t-1}$ , carrying momentum from the last differenced step.

$$\Delta P_t = \phi \Delta P_{t-1} + \varepsilon_t$$

A cohort-component model (census births, deaths and net migration) is the planned next ensemble member; capping the horizon at 50 years keeps the error bounded.

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Hamilton

## Chapter 5 — Data Sources & Software

---

### Population — U.S. Decennial Census, 1820–2020.

*What:* the official decade-by-decade head count for the place. *Source:* U.S. Census Bureau, harmonised through IPUMS NHGIS (Minnesota Population Center) — which republishes consistent historical census tables and boundaries back to 1790. *How extracted:* the per-place decennial series was compiled into a plain `year, population` CSV and read directly by the engine. [Per-place figures to be spot-checked.]

### Geography — OpenStreetMap.

*What:* the municipal boundary, roads, waterways and railways on the plate. *Source:* OpenStreetMap, a global, openly licensed, collaboratively edited geodatabase (© OpenStreetMap contributors, ODbL). *How extracted:* queried by place name with the `osmnx` library (Overpass API), cached locally as GeoJSON, then reprojected, simplified and clipped to the map's extent.

### Projection / geodesy.

*What:* the coordinate systems the maps are drawn in. *Source:* the EPSG geodetic registry. *How applied:* Ohio maps use NAD83 / UTM zone 17N (EPSG:26917) so the state sits true north-up; the U.S. locator uses NAD83 / CONUS Albers (EPSG:5070). Reprojection via `geopandas / pyproj`.

### Software & process.

artinscience Python engine (`shapely`, `geopandas`, `osmnx`, `statsmodels`, `scipy`); typeset in LaTeX (New Century Schoolbook); the digital proof composites the plot (SVG to PDF via `librsvg`) over the LaTeX substrate; pen paths optimised with `vtype`; plotted on a UUNA TEK iDraw 2.0 (A4).

STD

*Draft — full citations, retrieval dates and per-place verification to be finalised.*

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Hamilton

## Chapter 5 — Latest Events (updated 2026-06)

---

*A living, rolling log. The digital volume refreshes this page on a recurring pass from public news sources; a printed copy is a snapshot frozen at the date above.*

- **2024-12** — The Well House hotel opens downtown, the first of several new hotels spurred by Spooky Nook. ([hotel-online.com](https://hotel-online.com))
- **2022** — Spooky Nook Sports Champion Mill opens in the former mill — a \$165M adaptive reuse, the largest indoor sports complex in North America, with a 233-room hotel; ~1M visitors by 2025. ([spookynooksports.com](https://spookynooksports.com))
- **2012** — The Champion Coated Paper mill closes, ending a century of papermaking and leaving a vast vacant complex on the river. ([journal-news.com](https://journal-news.com))

*Compiled from public web sources; each entry is dated and source-noted, pending final fact-check.*

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Hamilton

Chapter 5 — Notes & Topics for Discussion (draft)

---

## If you could time-travel, the year to visit

---

---

## Also notable for

---

---

## Population — detail, density & trend

---

---

## Race & ethnicity ratios

---

---

## Age & gender ratios

---

---

## Tourism & attractions

---

---

## Businesses & major employers

---

---

## Crime & safety

---

---

## Schools & education

---

---

## Land use — residential / commercial / industrial zones

---

---

## Nearby cities, towns & natural areas

---


---

*Placeholders — to be researched and written in a later pass.*


# LONDON

Chapter 6 • 1820–2020, projected to 2120

*Platted in 1811 to seat Madison County: a steady farm-town climb with no boom or bust, doubled by the railroads through the 1860s and quickened again, a century and a half later, as Columbus's reach extends past it.*



LEGEND    — City limits    — Roads    — Rivers / water    — Railroads



VOLUME I — OHIO: TEN CITIES, 200 YEARS

# London

## Chapter 6 — Methodology: Forecast Algorithms

The forecast is an *ensemble*. Each algorithm is fit independently on the **last 75 years** of decennial census counts and projected **50 years** forward; every model is plotted as its own coloured line on the chart, and their disagreement is the honest measure of uncertainty.  $P(t)$  is the population in year  $t$ .

**1. Linear — ordinary least squares.** A straight line through the recent points: constant absolute change per year — the conservative baseline.

$$P(t) = a t + b$$

**2. Exponential — log-linear.** Constant *percentage* growth: least squares on the log of population, giving a fixed annual rate  $r$ . Aggressive for fast-growing places.

$$\ln P(t) = a t + b \Rightarrow P(t) = P_0 e^{r(t-t_0)}$$

**3. Damped trend — Holt exponential smoothing.** A level  $\ell_t$  and trend  $b_t$  re-estimated at each step, with the trend *damped* by  $0 < \phi < 1$  so growth flattens over time.

$$\hat{P}_{t+h} = \ell_t + (\phi + \phi^2 + \dots + \phi^h) b_t$$

**4. Logistic — saturating S-curve.** Growth that slows toward a carrying capacity  $L$ ; contributes only where the data show an inflection.

$$P(t) = \frac{L}{1 + e^{-k(t-t_0)}}$$

**5. ARIMA(1,1,0).** A time-series model on the year-to-year *change*  $\Delta P_t = P_t - P_{t-1}$ , carrying momentum from the last differenced step.

$$\Delta P_t = \phi \Delta P_{t-1} + \varepsilon_t$$

A cohort-component model (census births, deaths and net migration) is the planned next ensemble member; capping the horizon at 50 years keeps the error bounded.

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# London

## Chapter 6 — Data Sources & Software

---

### Population — U.S. Decennial Census, 1820–2020.

*What:* the official decade-by-decade head count for the place. *Source:* U.S. Census Bureau, harmonised through IPUMS NHGIS (Minnesota Population Center) — which republishes consistent historical census tables and boundaries back to 1790. *How extracted:* the per-place decennial series was compiled into a plain `year, population` CSV and read directly by the engine. [Per-place figures to be spot-checked.]

### Geography — OpenStreetMap.

*What:* the municipal boundary, roads, waterways and railways on the plate. *Source:* OpenStreetMap, a global, openly licensed, collaboratively edited geodatabase (© OpenStreetMap contributors, ODbL). *How extracted:* queried by place name with the `osmnx` library (Overpass API), cached locally as GeoJSON, then reprojected, simplified and clipped to the map's extent.

### Projection / geodesy.

*What:* the coordinate systems the maps are drawn in. *Source:* the EPSG geodetic registry. *How applied:* Ohio maps use NAD83 / UTM zone 17N (EPSG:26917) so the state sits true north-up; the U.S. locator uses NAD83 / CONUS Albers (EPSG:5070). Reprojection via `geopandas / pyproj`.

### Software & process.

artinscience Python engine (`shapely`, `geopandas`, `osmnx`, `statsmodels`, `scipy`); typeset in LaTeX (New Century Schoolbook); the digital proof composites the plot (SVG to PDF via `librsvg`) over the LaTeX substrate; pen paths optimised with `vtype`; plotted on a UUNA TEK iDraw 2.0 (A4).

STD

*Draft — full citations, retrieval dates and per-place verification to be finalised.*



VOLUME I — OHIO: TEN CITIES, 200 YEARS

# London

## Chapter 6 — Latest Events (updated 2026-06)

---

*A living, rolling log. The digital volume refreshes this page on a recurring pass from public news sources; a printed copy is a snapshot frozen at the date above.*

- **2025** — Johnson's Creek subdivision (872 single-family homes, 6–7 yr build-out) goes vertical; +46 homes by spring — the largest residential project in the city's history and the engine behind the forecast steepening. ([londonohio.gov](http://londonohio.gov))
- **2024** — SR-56 London Interconnect 12" waterline / secondary water source completed (~March), unlocking the US-42 corridor growth capacity. ([columbusregion.com](http://columbusregion.com))
- **2022** — Mid-Ohio Regional Water & Sewer District established, boosting water/sewer capacity along the US-42 corridor near London. ([londonohio.gov](http://londonohio.gov))
- **2019-01** — Madison Health opens a ~\$25–27M, 24,000 sq ft expansion that triples emergency-room space; cancer center and urgent care follow that year. ([madison-health.com](http://madison-health.com))
- **2014** — Stanley Electric U.S. announces an \$82M+ lighting-production facility near its existing plant on E. High St., deepening London's manufacturing base. ([areadevelopment.com](http://areadevelopment.com))

*Compiled from public web sources; each entry is dated and source-noted, pending final fact-check.*

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# London

## Chapter 6 — Notes & Topics for Discussion (draft)

---

### Two eras of growth

London has never boomed or busted — its line is the steadiest in the volume — yet two moments bend it upward. **The railroads, 1860s:** when the line reached Madison County the seat doubled within a decade, the inflection the chart marks as *The Turn*. **The Columbus reach, after 2000:** as the capital's suburbs spread outward they began to overtake London, and the forecast ensemble carries that exurban quickening forward to 2070.

---

### If you could time-travel, the year to visit

---

### Also notable for

---

### Population — detail, density & trend

---

### Race & ethnicity ratios

---

### Age & gender ratios

---

### Tourism & attractions

---

### Businesses & major employers

---

### Crime & safety

---

### Schools & education

---

### Land use — residential / commercial / industrial zones


---

# LIMA


Chapter 7 • 1820–2020, projected to 2120



*Oil struck in 1885 and the Lima Locomotive Works built “Super-Power” steam; the city peaked around 1970 and eroded by a third.*



LEGEND    — City limits    — Roads    — Rivers / water    — Railroads    /// Highlighted county



project-artinscience • seed 1970 • edition \_\_\_\_\_ / \_\_\_\_\_ • signed \_\_\_\_\_

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Lima

## Chapter 7 — Methodology: Forecast Algorithms

The forecast is an *ensemble*. Each algorithm is fit independently on the **last 75 years** of decennial census counts and projected **50 years** forward; every model is plotted as its own coloured line on the chart, and their disagreement is the honest measure of uncertainty.  $P(t)$  is the population in year  $t$ .

**1. Linear — ordinary least squares.** A straight line through the recent points: constant absolute change per year — the conservative baseline.

$$P(t) = a t + b$$

**2. Exponential — log-linear.** Constant *percentage* growth: least squares on the log of population, giving a fixed annual rate  $r$ . Aggressive for fast-growing places.

$$\ln P(t) = a t + b \Rightarrow P(t) = P_0 e^{r(t-t_0)}$$

**3. Damped trend — Holt exponential smoothing.** A level  $\ell_t$  and trend  $b_t$  re-estimated at each step, with the trend *damped* by  $0 < \phi < 1$  so growth flattens over time.

$$\hat{P}_{t+h} = \ell_t + (\phi + \phi^2 + \dots + \phi^h) b_t$$

**4. Logistic — saturating S-curve.** Growth that slows toward a carrying capacity  $L$ ; contributes only where the data show an inflection.

$$P(t) = \frac{L}{1 + e^{-k(t-t_0)}}$$

**5. ARIMA(1,1,0).** A time-series model on the year-to-year *change*  $\Delta P_t = P_t - P_{t-1}$ , carrying momentum from the last differenced step.

$$\Delta P_t = \phi \Delta P_{t-1} + \varepsilon_t$$

A cohort-component model (census births, deaths and net migration) is the planned next ensemble member; capping the horizon at 50 years keeps the error bounded.

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Lima

## Chapter 7 — Data Sources & Software

---

### Population — U.S. Decennial Census, 1820–2020.

*What:* the official decade-by-decade head count for the place. *Source:* U.S. Census Bureau, harmonised through IPUMS NHGIS (Minnesota Population Center) — which republishes consistent historical census tables and boundaries back to 1790. *How extracted:* the per-place decennial series was compiled into a plain `year, population` CSV and read directly by the engine. [Per-place figures to be spot-checked.]

### Geography — OpenStreetMap.

*What:* the municipal boundary, roads, waterways and railways on the plate. *Source:* OpenStreetMap, a global, openly licensed, collaboratively edited geodatabase (© OpenStreetMap contributors, ODbL). *How extracted:* queried by place name with the `osmnx` library (Overpass API), cached locally as GeoJSON, then reprojected, simplified and clipped to the map's extent.

### Projection / geodesy.

*What:* the coordinate systems the maps are drawn in. *Source:* the EPSG geodetic registry. *How applied:* Ohio maps use NAD83 / UTM zone 17N (EPSG:26917) so the state sits true north-up; the U.S. locator uses NAD83 / CONUS Albers (EPSG:5070). Reprojection via `geopandas / pyproj`.

### Software & process.

artinscience Python engine (`shapely`, `geopandas`, `osmnx`, `statsmodels`, `scipy`); typeset in LaTeX (New Century Schoolbook); the digital proof composites the plot (SVG to PDF via `librsvg`) over the LaTeX substrate; pen paths optimised with `vtype`; plotted on a UUNA TEK iDraw 2.0 (A4).

STD

*Draft — full citations, retrieval dates and per-place verification to be finalised.*

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Lima

## Chapter 7 — Latest Events (updated 2026-06)

---

*A living, rolling log. The digital volume refreshes this page on a recurring pass from public news sources; a printed copy is a snapshot frozen at the date above.*

- **2026** — The Cenovus Lima Refinery marks 140 years of continuous operation — the nation's oldest continuously operating refinery (~900 direct jobs, ~\$20B regional impact). (hometownstations.com)
- **2019-03** — President Trump visits the Lima Army Tank Plant (Joint Systems Manufacturing Center), the nation's only heavy-armor plant. (en.wikipedia.org)
- **2016-12** — A \$1.2B program funds Abrams tank and Stryker production at the Lima tank plant, securing its workload. (en.wikipedia.org)

*Compiled from public web sources; each entry is dated and source-noted, pending final fact-check.*

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Lima

Chapter 7 — Notes & Topics for Discussion (draft)

---

## If you could time-travel, the year to visit

---

---

## Also notable for

---

---

## Population — detail, density & trend

---

---

## Race & ethnicity ratios

---

---

## Age & gender ratios

---

---

## Tourism & attractions

---

---

## Businesses & major employers

---

---

## Crime & safety

---

---

## Schools & education

---

---

## Land use — residential / commercial / industrial zones

---

---

## Nearby cities, towns & natural areas

---

---

*Placeholders — to be researched and written in a later pass.*


# FINDLAY

Chapter 8 • 1820–2020, projected to 2120




HANCOCK CO.

*An 1880s natural-gas boom made it the “City of Light”; unlike the steel towns, its curve never truly crashes.*



LEGEND — City limits — Roads — Rivers / water — Railroads /// Highlighted county



project-artinscience • seed 1840 • edition \_\_\_\_\_ / \_\_\_\_\_ • signed \_\_\_\_\_



VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Findlay

## Chapter 8 — Methodology: Forecast Algorithms

The forecast is an *ensemble*. Each algorithm is fit independently on the **last 75 years** of decennial census counts and projected **50 years** forward; every model is plotted as its own coloured line on the chart, and their disagreement is the honest measure of uncertainty.  $P(t)$  is the population in year  $t$ .

**1. Linear — ordinary least squares.** A straight line through the recent points: constant absolute change per year — the conservative baseline.

$$P(t) = a t + b$$

**2. Exponential — log-linear.** Constant *percentage* growth: least squares on the log of population, giving a fixed annual rate  $r$ . Aggressive for fast-growing places.

$$\ln P(t) = a t + b \Rightarrow P(t) = P_0 e^{r(t-t_0)}$$

**3. Damped trend — Holt exponential smoothing.** A level  $\ell_t$  and trend  $b_t$  re-estimated at each step, with the trend *damped* by  $0 < \phi < 1$  so growth flattens over time.

$$\hat{P}_{t+h} = \ell_t + (\phi + \phi^2 + \dots + \phi^h) b_t$$

**4. Logistic — saturating S-curve.** Growth that slows toward a carrying capacity  $L$ ; contributes only where the data show an inflection.

$$P(t) = \frac{L}{1 + e^{-k(t-t_0)}}$$

**5. ARIMA(1,1,0).** A time-series model on the year-to-year *change*  $\Delta P_t = P_t - P_{t-1}$ , carrying momentum from the last differenced step.

$$\Delta P_t = \phi \Delta P_{t-1} + \varepsilon_t$$

A cohort-component model (census births, deaths and net migration) is the planned next ensemble member; capping the horizon at 50 years keeps the error bounded.

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Findlay

## Chapter 8 — Data Sources & Software

---

### Population — U.S. Decennial Census, 1820–2020.

*What:* the official decade-by-decade head count for the place. *Source:* U.S. Census Bureau, harmonised through IPUMS NHGIS (Minnesota Population Center) — which republishes consistent historical census tables and boundaries back to 1790. *How extracted:* the per-place decennial series was compiled into a plain `year, population` CSV and read directly by the engine. [Per-place figures to be spot-checked.]

### Geography — OpenStreetMap.

*What:* the municipal boundary, roads, waterways and railways on the plate. *Source:* OpenStreetMap, a global, openly licensed, collaboratively edited geodatabase (© OpenStreetMap contributors, ODbL). *How extracted:* queried by place name with the `osmnx` library (Overpass API), cached locally as GeoJSON, then reprojected, simplified and clipped to the map's extent.

### Projection / geodesy.

*What:* the coordinate systems the maps are drawn in. *Source:* the EPSG geodetic registry. *How applied:* Ohio maps use NAD83 / UTM zone 17N (EPSG:26917) so the state sits true north-up; the U.S. locator uses NAD83 / CONUS Albers (EPSG:5070). Reprojection via `geopandas / pyproj`.

### Software & process.

artinscience Python engine (`shapely`, `geopandas`, `osmnx`, `statsmodels`, `scipy`); typeset in LaTeX (New Century Schoolbook); the digital proof composites the plot (SVG to PDF via `librsvg`) over the LaTeX substrate; pen paths optimised with `vtype`; plotted on a UUNA TEK iDraw 2.0 (A4).

STD

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Findlay

## Chapter 8 — Latest Events (updated 2026-06)

---

*A living, rolling log. The digital volume refreshes this page on a recurring pass from public news sources; a printed copy is a snapshot frozen at the date above.*

- **2021** — Findlay-based Cooper Tire & Rubber (founded 1914) is acquired by Goodyear. (en.wikipedia.org)
- **2011-07** — Marathon Petroleum spins off as an independent company headquartered in Findlay, anchoring the city's economy. (en.wikipedia.org)
- **2008** — A \$99M widening of US-30 (26.5 mi, two to four lanes) is completed. (en.wikipedia.org)
- **2007** — A flood cresting at 18.46 ft causes ~\$100M in damage — the worst since the 1913 flood. (en.wikipedia.org)

*Compiled from public web sources; each entry is dated and source-noted, pending final fact-check.*

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Findlay

Chapter 8 — Notes & Topics for Discussion (draft)

---

## If you could time-travel, the year to visit

---

---

## Also notable for

---

---

## Population — detail, density & trend

---

---

## Race & ethnicity ratios

---

---

## Age & gender ratios

---

---

## Tourism & attractions

---

---

## Businesses & major employers

---

---

## Crime & safety

---

---

## Schools & education

---

---

## Land use — residential / commercial / industrial zones

---

---

## Nearby cities, towns & natural areas

---

---

*Placeholders — to be researched and written in a later pass.*


# DELAWARE

Chapter 9 • 1820–2020, projected to 2120




DELAWARE CO.

*A quiet county seat and college town, birthplace of President Hayes, that after 2000 accelerates into a Columbus boomburb.*



LEGEND — City limits — Roads — Rivers / water — Railroads /// Highlighted county



project-artinscience • seed 1850 • edition \_\_\_\_\_ / \_\_\_\_\_ • signed \_\_\_\_\_

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Delaware

## Chapter 9 — Methodology: Forecast Algorithms

The forecast is an *ensemble*. Each algorithm is fit independently on the **last 75 years** of decennial census counts and projected **50 years** forward; every model is plotted as its own coloured line on the chart, and their disagreement is the honest measure of uncertainty.  $P(t)$  is the population in year  $t$ .

**1. Linear — ordinary least squares.** A straight line through the recent points: constant absolute change per year — the conservative baseline.

$$P(t) = a t + b$$

**2. Exponential — log-linear.** Constant *percentage* growth: least squares on the log of population, giving a fixed annual rate  $r$ . Aggressive for fast-growing places.

$$\ln P(t) = a t + b \Rightarrow P(t) = P_0 e^{r(t-t_0)}$$

**3. Damped trend — Holt exponential smoothing.** A level  $\ell_t$  and trend  $b_t$  re-estimated at each step, with the trend *damped* by  $0 < \phi < 1$  so growth flattens over time.

$$\hat{P}_{t+h} = \ell_t + (\phi + \phi^2 + \dots + \phi^h) b_t$$

**4. Logistic — saturating S-curve.** Growth that slows toward a carrying capacity  $L$ ; contributes only where the data show an inflection.

$$P(t) = \frac{L}{1 + e^{-k(t-t_0)}}$$

**5. ARIMA(1,1,0).** A time-series model on the year-to-year *change*  $\Delta P_t = P_t - P_{t-1}$ , carrying momentum from the last differenced step.

$$\Delta P_t = \phi \Delta P_{t-1} + \varepsilon_t$$

A cohort-component model (census births, deaths and net migration) is the planned next ensemble member; capping the horizon at 50 years keeps the error bounded.

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Delaware

## Chapter 9 — Data Sources & Software

---

**Population — U.S. Decennial Census, 1820–2020.**

*What:* the official decade-by-decade head count for the place. *Source:* U.S. Census Bureau, harmonised through IPUMS NHGIS (Minnesota Population Center) — which republishes consistent historical census tables and boundaries back to 1790. *How extracted:* the per-place decennial series was compiled into a plain `year, population` CSV and read directly by the engine. [Per-place figures to be spot-checked.]

**Geography — OpenStreetMap.**

*What:* the municipal boundary, roads, waterways and railways on the plate. *Source:* OpenStreetMap, a global, openly licensed, collaboratively edited geodatabase (© OpenStreetMap contributors, ODbL). *How extracted:* queried by place name with the `osmnx` library (Overpass API), cached locally as GeoJSON, then reprojected, simplified and clipped to the map's extent.

**Projection / geodesy.**

*What:* the coordinate systems the maps are drawn in. *Source:* the EPSG geodetic registry. *How applied:* Ohio maps use NAD83 / UTM zone 17N (EPSG:26917) so the state sits true north-up; the U.S. locator uses NAD83 / CONUS Albers (EPSG:5070). Reprojection via `geopandas / pyproj`.

**Software & process.**

artinscience Python engine (`shapely`, `geopandas`, `osmnx`, `statsmodels`, `scipy`); typeset in LaTeX (New Century Schoolbook); the digital proof composites the plot (SVG to PDF via `librsvg`) over the LaTeX substrate; pen paths optimised with `vtype`; plotted on a UUNA TEK iDraw 2.0 (A4).

STD

*Draft — full citations, retrieval dates and per-place verification to be finalised.*

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Delaware

## Chapter 9 — Latest Events (updated 2026-06)

---

*A living, rolling log. The digital volume refreshes this page on a recurring pass from public news sources; a printed copy is a snapshot frozen at the date above.*

- **2020s** — Delaware County’s population passes ~232,000 (up from 174,000 in 2010); state forecasts project +85% by 2050, the fastest in Ohio. (nbc4i.com)
- **2020–2024** — Nearly 6,000 single-family home permits are issued in the county — matching the prior 11 years combined — reshaping Delaware into a Columbus exurb. (nbc4i.com)
- **2008** — Forbes ranks Delaware County the 5th-best place in the U.S. to raise a family. (visionrealty.com)

*Compiled from public web sources; each entry is dated and source-noted, pending final fact-check.*



VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Delaware

Chapter 9 — Notes & Topics for Discussion (draft)

---

## If you could time-travel, the year to visit

---

---

## Also notable for

---

---

## Population — detail, density & trend

---

---

## Race & ethnicity ratios

---

---

## Age & gender ratios

---

---

## Tourism & attractions

---

---

## Businesses & major employers

---

---

## Crime & safety

---

---

## Schools & education

---

---

## Land use — residential / commercial / industrial zones

---

---

## Nearby cities, towns & natural areas

---

---

*Placeholders — to be researched and written in a later pass.*


# DUBLIN

Chapter 10 • 1820–2020, projected to 2120




FRANKLIN CO.

*Under 700 people in 1980, past 49,000 by 2020; no curve in the volume rises faster.*



LEGEND — City limits — Roads — Rivers / water — Railroads /// Highlighted county



project-artinscience • seed 1980 • edition \_\_\_\_\_ / \_\_\_\_\_ • signed \_\_\_\_\_

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Dublin

## Chapter 10 — Methodology: Forecast Algorithms

---

The forecast is an *ensemble*. Each algorithm is fit independently on the **last 75 years** of decennial census counts and projected **50 years** forward; every model is plotted as its own coloured line on the chart, and their disagreement is the honest measure of uncertainty.  $P(t)$  is the population in year  $t$ .

**1. Linear — ordinary least squares.** A straight line through the recent points: constant absolute change per year — the conservative baseline.

$$P(t) = a t + b$$

**2. Exponential — log-linear.** Constant *percentage* growth: least squares on the log of population, giving a fixed annual rate  $r$ . Aggressive for fast-growing places.

$$\ln P(t) = a t + b \Rightarrow P(t) = P_0 e^{r(t-t_0)}$$

**3. Damped trend — Holt exponential smoothing.** A level  $\ell_t$  and trend  $b_t$  re-estimated at each step, with the trend *damped* by  $0 < \phi < 1$  so growth flattens over time.

$$\hat{P}_{t+h} = \ell_t + (\phi + \phi^2 + \dots + \phi^h) b_t$$

**4. Logistic — saturating S-curve.** Growth that slows toward a carrying capacity  $L$ ; contributes only where the data show an inflection.

$$P(t) = \frac{L}{1 + e^{-k(t-t_0)}}$$

**5. ARIMA(1,1,0).** A time-series model on the year-to-year *change*  $\Delta P_t = P_t - P_{t-1}$ , carrying momentum from the last differenced step.

$$\Delta P_t = \phi \Delta P_{t-1} + \varepsilon_t$$

A cohort-component model (census births, deaths and net migration) is the planned next ensemble member; capping the horizon at 50 years keeps the error bounded.

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Dublin

## Chapter 10 — Data Sources & Software

---

**Population — U.S. Decennial Census, 1820–2020.**

*What:* the official decade-by-decade head count for the place. *Source:* U.S. Census Bureau, harmonised through IPUMS NHGIS (Minnesota Population Center) — which republishes consistent historical census tables and boundaries back to 1790. *How extracted:* the per-place decennial series was compiled into a plain `year, population` CSV and read directly by the engine. [Per-place figures to be spot-checked.]

**Geography — OpenStreetMap.**

*What:* the municipal boundary, roads, waterways and railways on the plate. *Source:* OpenStreetMap, a global, openly licensed, collaboratively edited geodatabase (© OpenStreetMap contributors, ODbL). *How extracted:* queried by place name with the `osmnx` library (Overpass API), cached locally as GeoJSON, then reprojected, simplified and clipped to the map's extent.

**Projection / geodesy.**

*What:* the coordinate systems the maps are drawn in. *Source:* the EPSG geodetic registry. *How applied:* Ohio maps use NAD83 / UTM zone 17N (EPSG:26917) so the state sits true north-up; the U.S. locator uses NAD83 / CONUS Albers (EPSG:5070). Reprojection via `geopandas / pyproj`.

**Software & process.**

artinscience Python engine (`shapely`, `geopandas`, `osmnx`, `statsmodels`, `scipy`); typeset in LaTeX (New Century Schoolbook); the digital proof composites the plot (SVG to PDF via `librsvg`) over the LaTeX substrate; pen paths optimised with `vtype`; plotted on a UUNA TEK iDraw 2.0 (A4).

STD

*Draft — full citations, retrieval dates and per-place verification to be finalised.*

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Dublin

## Chapter 10 — Latest Events (updated 2026-06)

---

*A living, rolling log. The digital volume refreshes this page on a recurring pass from public news sources; a printed copy is a snapshot frozen at the date above.*

- **2025** — The Memorial Tournament reaches its 50th playing at Muirfield Village; the event generates \$35M+ in annual local economic impact. (spectrumnews1.com)
- **2020s** — Dublin grows to ~49,000 residents (from under 700 in 1970), now home to 4,000+ businesses and 20+ corporate headquarters. (worldpopulationreview.com)
- **Late 2010s** — Bridge Park, a walkable mixed-use district linked to Historic Dublin by the Dublin Link pedestrian bridge, opens in phases and reshapes the city's core. (experiencecolumbus.com)

*Compiled from public web sources; each entry is dated and source-noted, pending final fact-check.*

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Dublin

Chapter 10 — Notes & Topics for Discussion (draft)

---

## If you could time-travel, the year to visit

---

---

## Also notable for

---

---

## Population — detail, density & trend

---

---

## Race & ethnicity ratios

---

---

## Age & gender ratios

---

---

## Tourism & attractions

---

---

## Businesses & major employers

---

---

## Crime & safety

---

---

## Schools & education

---

---

## Land use — residential / commercial / industrial zones

---

---

## Nearby cities, towns & natural areas

---

---


*Placeholders — to be researched and written in a later pass.*

# AKRON


Chapter 11 • 1820–2020, projected to 2120



*The “Rubber Capital of the World” peaked in 1960 at over 290,000; the tour closes where the industry — and the people — began their long slide.*



LEGEND — City limits — Roads — Rivers / water — Railroads /// Highlighted county



project-artinscience • seed 1960 • edition \_\_\_\_\_ / \_\_\_\_\_ • signed \_\_\_\_\_

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Akron

## Chapter 11 — Methodology: Forecast Algorithms

The forecast is an *ensemble*. Each algorithm is fit independently on the **last 75 years** of decennial census counts and projected **50 years** forward; every model is plotted as its own coloured line on the chart, and their disagreement is the honest measure of uncertainty.  $P(t)$  is the population in year  $t$ .

**1. Linear — ordinary least squares.** A straight line through the recent points: constant absolute change per year — the conservative baseline.

$$P(t) = a t + b$$

**2. Exponential — log-linear.** Constant *percentage* growth: least squares on the log of population, giving a fixed annual rate  $r$ . Aggressive for fast-growing places.

$$\ln P(t) = a t + b \Rightarrow P(t) = P_0 e^{r(t-t_0)}$$

**3. Damped trend — Holt exponential smoothing.** A level  $\ell_t$  and trend  $b_t$  re-estimated at each step, with the trend *damped* by  $0 < \phi < 1$  so growth flattens over time.

$$\hat{P}_{t+h} = \ell_t + (\phi + \phi^2 + \dots + \phi^h) b_t$$

**4. Logistic — saturating S-curve.** Growth that slows toward a carrying capacity  $L$ ; contributes only where the data show an inflection.

$$P(t) = \frac{L}{1 + e^{-k(t-t_0)}}$$

**5. ARIMA(1,1,0).** A time-series model on the year-to-year *change*  $\Delta P_t = P_t - P_{t-1}$ , carrying momentum from the last differenced step.

$$\Delta P_t = \phi \Delta P_{t-1} + \varepsilon_t$$

A cohort-component model (census births, deaths and net migration) is the planned next ensemble member; capping the horizon at 50 years keeps the error bounded.



VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Akron

## Chapter 11 — Data Sources & Software

---

### Population — U.S. Decennial Census, 1820–2020.

*What:* the official decade-by-decade head count for the place. *Source:* U.S. Census Bureau, harmonised through IPUMS NHGIS (Minnesota Population Center) — which republishes consistent historical census tables and boundaries back to 1790. *How extracted:* the per-place decennial series was compiled into a plain `year, population` CSV and read directly by the engine. [Per-place figures to be spot-checked.]

### Geography — OpenStreetMap.

*What:* the municipal boundary, roads, waterways and railways on the plate. *Source:* OpenStreetMap, a global, openly licensed, collaboratively edited geodatabase (© OpenStreetMap contributors, ODbL). *How extracted:* queried by place name with the `osmnx` library (Overpass API), cached locally as GeoJSON, then reprojected, simplified and clipped to the map's extent.

### Projection / geodesy.

*What:* the coordinate systems the maps are drawn in. *Source:* the EPSG geodetic registry. *How applied:* Ohio maps use NAD83 / UTM zone 17N (EPSG:26917) so the state sits true north-up; the U.S. locator uses NAD83 / CONUS Albers (EPSG:5070). Reprojection via `geopandas / pyproj`.

### Software & process.

artinscience Python engine (`shapely`, `geopandas`, `osmnx`, `statsmodels`, `scipy`); typeset in LaTeX (New Century Schoolbook); the digital proof composites the plot (SVG to PDF via `librsvg`) over the LaTeX substrate; pen paths optimised with `vtype`; plotted on a UUNA TEK iDraw 2.0 (A4).

STD

*Draft — full citations, retrieval dates and per-place verification to be finalised.*

## VOLUME I — OHIO: TEN CITIES, 200 YEARS

**Akron**Chapter 11 — Latest Events (updated 2026-06)

---

*A living, rolling log. The digital volume refreshes this page on a recurring pass from public news sources; a printed copy is a snapshot frozen at the date above.*

- **2019** — Akron City Council approves an 80-acre entertainment district at The East End, the redeveloped former Goodyear campus. (industrialrealtygroup.com)
- **2018** — Babcock & Wilcox (~700 employees) and Summa Health (~300 jobs) relocate to The East End mixed-use development. (industrialrealtygroup.com)
- **2013** — Goodyear opens its new ~640,000 sq ft global headquarters (~2,000 employees) — the largest office building ever built in Akron — anchoring redevelopment of its old campus. (industrialrealtygroup.com)

*Compiled from public web sources; each entry is dated and source-noted, pending final fact-check.*

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Akron

Chapter 11 — Notes &amp; Topics for Discussion (draft)

**If you could time-travel, the year to visit**


---



---

**Also notable for**


---



---

**Population — detail, density & trend**


---



---

**Race & ethnicity ratios**


---



---

**Age & gender ratios**


---



---

**Tourism & attractions**


---



---

**Businesses & major employers**


---



---

**Crime & safety**


---



---

**Schools & education**


---



---

**Land use — residential / commercial / industrial zones**


---



---

**Nearby cities, towns & natural areas**


---



---

*Placeholders — to be researched and written in a later pass.*


# COLUMBUS

Teaser • 1820–2020, projected to 2120




FRANKLIN CO.

*The capital whose curve only ever climbs — a full-size teaser pointing past this volume.*



LEGEND — City limits — Roads — Rivers / water — Railroads /// Highlighted county



project-artinscience • seed 1850 • edition \_\_\_\_\_ / \_\_\_\_\_ • signed \_\_\_\_\_

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Columbus

Teaser — Methodology: Forecast Algorithms

The forecast is an *ensemble*. Each algorithm is fit independently on the **last 75 years** of decennial census counts and projected **50 years** forward; every model is plotted as its own coloured line on the chart, and their disagreement is the honest measure of uncertainty.  $P(t)$  is the population in year  $t$ .

**1. Linear — ordinary least squares.** A straight line through the recent points: constant absolute change per year — the conservative baseline.

$$P(t) = a t + b$$

**2. Exponential — log-linear.** Constant *percentage* growth: least squares on the log of population, giving a fixed annual rate  $r$ . Aggressive for fast-growing places.

$$\ln P(t) = a t + b \Rightarrow P(t) = P_0 e^{r(t-t_0)}$$

**3. Damped trend — Holt exponential smoothing.** A level  $\ell_t$  and trend  $b_t$  re-estimated at each step, with the trend *damped* by  $0 < \phi < 1$  so growth flattens over time.

$$\hat{P}_{t+h} = \ell_t + (\phi + \phi^2 + \dots + \phi^h) b_t$$

**4. Logistic — saturating S-curve.** Growth that slows toward a carrying capacity  $L$ ; contributes only where the data show an inflection.

$$P(t) = \frac{L}{1 + e^{-k(t-t_0)}}$$

**5. ARIMA(1,1,0).** A time-series model on the year-to-year *change*  $\Delta P_t = P_t - P_{t-1}$ , carrying momentum from the last differenced step.

$$\Delta P_t = \phi \Delta P_{t-1} + \varepsilon_t$$

A cohort-component model (census births, deaths and net migration) is the planned next ensemble member; capping the horizon at 50 years keeps the error bounded.

STC

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Columbus

Teaser — Data Sources & Software

---

## Population — U.S. Decennial Census, 1820–2020.

*What:* the official decade-by-decade head count for the place. *Source:* U.S. Census Bureau, harmonised through IPUMS NHGIS (Minnesota Population Center) — which republishes consistent historical census tables and boundaries back to 1790. *How extracted:* the per-place decennial series was compiled into a plain `year, population` CSV and read directly by the engine. [Per-place figures to be spot-checked.]

## Geography — OpenStreetMap.

*What:* the municipal boundary, roads, waterways and railways on the plate. *Source:* OpenStreetMap, a global, openly licensed, collaboratively edited geodatabase (© OpenStreetMap contributors, ODbL). *How extracted:* queried by place name with the `osmnx` library (Overpass API), cached locally as GeoJSON, then reprojected, simplified and clipped to the map's extent.

## Projection / geodesy.

*What:* the coordinate systems the maps are drawn in. *Source:* the EPSG geodetic registry. *How applied:* Ohio maps use NAD83 / UTM zone 17N (EPSG:26917) so the state sits true north-up; the U.S. locator uses NAD83 / CONUS Albers (EPSG:5070). Reprojection via `geopandas / pyproj`.

## Software & process.

artinscience Python engine (`shapely`, `geopandas`, `osmnx`, `statsmodels`, `scipy`); typeset in LaTeX (New Century Schoolbook); the digital proof composites the plot (SVG to PDF via `librsvg`) over the LaTeX substrate; pen paths optimised with `vpype`; plotted on a UUNA TEK iDraw 2.0 (A4).

STD

*Draft — full citations, retrieval dates and per-place verification to be finalised.*

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Columbus

Teaser — Latest Events (updated 2026-06)

*A living, rolling log. The digital volume refreshes this page on a recurring pass from public news sources; a printed copy is a snapshot frozen at the date above.*

- **2025-02** — Intel pushes back completion of its first central-Ohio fab to ~2030, scaling back the construction schedule. (manufacturingdive.com)
- **2022-01** — Intel announces a \$20B+ (initially \$28B) chip-fab megasite in New Albany / Licking County — the largest private investment in Ohio history. (time.com)
- **2021** — The Columbus Crew leave Historic Crew Stadium (the first soccer-specific MLS stadium, 1999) for a new downtown ground. (en.wikipedia.org)
- **2020s** — The metro adds 38,000+ residents since 2020 and is on track to reach 3M by 2050, among the fastest-growing large U.S. metros. (prpi.com)

*Compiled from public web sources; each entry is dated and source-noted, pending final fact-check.*

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Columbus

Teaser — Notes & Topics for Discussion (draft)

---

## If you could time-travel, the year to visit

---

---

## Also notable for

---

---

## Population — detail, density & trend

---

---

## Race & ethnicity ratios

---

---

## Age & gender ratios

---

---

## Tourism & attractions

---

---

## Businesses & major employers

---

---

## Crime & safety

---

---

## Schools & education

---

---

## Land use — residential / commercial / industrial zones

---

---

## Nearby cities, towns & natural areas

---

---

*Placeholders — to be researched and written in a later pass.*





# CLEVELAND

Teaser • 1820–2020, projected to 2120



CUYAHOGA CO.

*The big lakefront boom and bust at metropolitan scale — a teaser for another volume.*



project-artinscience • seed 1950 • edition \_\_\_\_\_ / \_\_\_\_\_ • signed \_\_\_\_\_

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Cleveland

Teaser — Methodology: Forecast Algorithms

The forecast is an *ensemble*. Each algorithm is fit independently on the **last 75 years** of decennial census counts and projected **50 years** forward; every model is plotted as its own coloured line on the chart, and their disagreement is the honest measure of uncertainty.  $P(t)$  is the population in year  $t$ .

**1. Linear — ordinary least squares.** A straight line through the recent points: constant absolute change per year — the conservative baseline.

$$P(t) = a t + b$$

**2. Exponential — log-linear.** Constant *percentage* growth: least squares on the log of population, giving a fixed annual rate  $r$ . Aggressive for fast-growing places.

$$\ln P(t) = a t + b \Rightarrow P(t) = P_0 e^{r(t-t_0)}$$

**3. Damped trend — Holt exponential smoothing.** A level  $\ell_t$  and trend  $b_t$  re-estimated at each step, with the trend *damped* by  $0 < \phi < 1$  so growth flattens over time.

$$\hat{P}_{t+h} = \ell_t + (\phi + \phi^2 + \dots + \phi^h) b_t$$

**4. Logistic — saturating S-curve.** Growth that slows toward a carrying capacity  $L$ ; contributes only where the data show an inflection.

$$P(t) = \frac{L}{1 + e^{-k(t-t_0)}}$$

**5. ARIMA(1,1,0).** A time-series model on the year-to-year *change*  $\Delta P_t = P_t - P_{t-1}$ , carrying momentum from the last differenced step.

$$\Delta P_t = \phi \Delta P_{t-1} + \varepsilon_t$$

A cohort-component model (census births, deaths and net migration) is the planned next ensemble member; capping the horizon at 50 years keeps the error bounded.

STD

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Cleveland

Teaser — Data Sources & Software

---

## Population — U.S. Decennial Census, 1820–2020.

*What:* the official decade-by-decade head count for the place. *Source:* U.S. Census Bureau, harmonised through IPUMS NHGIS (Minnesota Population Center) — which republishes consistent historical census tables and boundaries back to 1790. *How extracted:* the per-place decennial series was compiled into a plain `year, population` CSV and read directly by the engine. [Per-place figures to be spot-checked.]

## Geography — OpenStreetMap.

*What:* the municipal boundary, roads, waterways and railways on the plate. *Source:* OpenStreetMap, a global, openly licensed, collaboratively edited geodatabase (© OpenStreetMap contributors, ODbL). *How extracted:* queried by place name with the `osmnx` library (Overpass API), cached locally as GeoJSON, then reprojected, simplified and clipped to the map's extent.

## Projection / geodesy.

*What:* the coordinate systems the maps are drawn in. *Source:* the EPSG geodetic registry. *How applied:* Ohio maps use NAD83 / UTM zone 17N (EPSG:26917) so the state sits true north-up; the U.S. locator uses NAD83 / CONUS Albers (EPSG:5070). Reprojection via `geopandas / pyproj`.

## Software & process.

artinscience Python engine (`shapely`, `geopandas`, `osmnx`, `statsmodels`, `scipy`); typeset in LaTeX (New Century Schoolbook); the digital proof composites the plot (SVG to PDF via `librsvg`) over the LaTeX substrate; pen paths optimised with `vpype`; plotted on a UUNA TEK iDraw 2.0 (A4).

STD

*Draft — full citations, retrieval dates and per-place verification to be finalised.*

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Cleveland

Teaser — Latest Events (updated 2026-06)

---

*A living, rolling log. The digital volume refreshes this page on a recurring pass from public news sources; a printed copy is a snapshot frozen at the date above.*

- **2016** — Cleveland's landmark year: the Cavaliers win the city's first major pro title since 1964 (~1.3M at the parade), the Republican National Convention draws ~50,000 visitors, and the Indians host the World Series. (axios.com)
- **2007** — The Cavaliers reach the franchise's first NBA Finals, drawing national attention to the downtown lakefront. (en.wikipedia.org)

*Compiled from public web sources; each entry is dated and source-noted, pending final fact-check.*

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Cleveland

Teaser — Notes & Topics for Discussion (draft)

---

## If you could time-travel, the year to visit

---

---

## Also notable for

---

---

## Population — detail, density & trend

---

---

## Race & ethnicity ratios

---

---

## Age & gender ratios

---

---

## Tourism & attractions

---

---

## Businesses & major employers

---

---

## Crime & safety

---

---

## Schools & education

---

---

## Land use — residential / commercial / industrial zones

---

---

## Nearby cities, towns & natural areas

---

---

*Placeholders — to be researched and written in a later pass.*


# CINCINNATI

Teaser • 1820–2020, projected to 2120




HAMILTON CO.

*The nineteenth-century Queen City of the river, peaking early — the oldest arc of all.*



LEGEND    — City limits    — Roads    — Rivers / water    — Railroads    /// Highlighted county



project-artinscience • seed 1950 • edition \_\_\_\_\_ / \_\_\_\_\_ • signed \_\_\_\_\_

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Cincinnati

Teaser — Methodology: Forecast Algorithms

The forecast is an *ensemble*. Each algorithm is fit independently on the **last 75 years** of decennial census counts and projected **50 years** forward; every model is plotted as its own coloured line on the chart, and their disagreement is the honest measure of uncertainty.  $P(t)$  is the population in year  $t$ .

**1. Linear — ordinary least squares.** A straight line through the recent points: constant absolute change per year — the conservative baseline.

$$P(t) = a t + b$$

**2. Exponential — log-linear.** Constant *percentage* growth: least squares on the log of population, giving a fixed annual rate  $r$ . Aggressive for fast-growing places.

$$\ln P(t) = a t + b \Rightarrow P(t) = P_0 e^{r(t-t_0)}$$

**3. Damped trend — Holt exponential smoothing.** A level  $\ell_t$  and trend  $b_t$  re-estimated at each step, with the trend *damped* by  $0 < \phi < 1$  so growth flattens over time.

$$\hat{P}_{t+h} = \ell_t + (\phi + \phi^2 + \dots + \phi^h) b_t$$

**4. Logistic — saturating S-curve.** Growth that slows toward a carrying capacity  $L$ ; contributes only where the data show an inflection.

$$P(t) = \frac{L}{1 + e^{-k(t-t_0)}}$$

**5. ARIMA(1,1,0).** A time-series model on the year-to-year *change*  $\Delta P_t = P_t - P_{t-1}$ , carrying momentum from the last differenced step.

$$\Delta P_t = \phi \Delta P_{t-1} + \varepsilon_t$$

A cohort-component model (census births, deaths and net migration) is the planned next ensemble member; capping the horizon at 50 years keeps the error bounded.

STD  
S

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Cincinnati

Teaser — Data Sources & Software

---

**Population — U.S. Decennial Census, 1820–2020.**

*What:* the official decade-by-decade head count for the place. *Source:* U.S. Census Bureau, harmonised through IPUMS NHGIS (Minnesota Population Center) — which republishes consistent historical census tables and boundaries back to 1790. *How extracted:* the per-place decennial series was compiled into a plain `year, population` CSV and read directly by the engine. [Per-place figures to be spot-checked.]

**Geography — OpenStreetMap.**

*What:* the municipal boundary, roads, waterways and railways on the plate. *Source:* OpenStreetMap, a global, openly licensed, collaboratively edited geodatabase (© OpenStreetMap contributors, ODbL). *How extracted:* queried by place name with the `osmnx` library (Overpass API), cached locally as GeoJSON, then reprojected, simplified and clipped to the map's extent.

**Projection / geodesy.**

*What:* the coordinate systems the maps are drawn in. *Source:* the EPSG geodetic registry. *How applied:* Ohio maps use NAD83 / UTM zone 17N (EPSG:26917) so the state sits true north-up; the U.S. locator uses NAD83 / CONUS Albers (EPSG:5070). Reprojection via `geopandas / pyproj`.

**Software & process.**

artinscience Python engine (`shapely`, `geopandas`, `osmnx`, `statsmodels`, `scipy`); typeset in LaTeX (New Century Schoolbook); the digital proof composites the plot (SVG to PDF via `librsvg`) over the LaTeX substrate; pen paths optimised with `vpype`; plotted on a UUNA TEK iDraw 2.0 (A4).

STD

*Draft — full citations, retrieval dates and per-place verification to be finalised.*



VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Cincinnati

Teaser — Latest Events (updated 2026-06)

---

*A living, rolling log. The digital volume refreshes this page on a recurring pass from public news sources; a printed copy is a snapshot frozen at the date above.*

- **2021-05** — TQL Stadium (\$250M, ~26,000 seats) opens in the West End as home of MLS's FC Cincinnati (awarded an expansion team in 2018). ([en.wikipedia.org](https://en.wikipedia.org))
- **2016-09** — The Cincinnati Bell Connector streetcar opens, a 3.6-mile loop through Downtown and Over-the-Rhine. ([en.wikipedia.org](https://en.wikipedia.org))
- **2011** — The Banks riverfront development opens phase one (300 apartments + street-level retail) between the two stadiums, realizing a decades-old vision. ([thebankspublicpartnership.com](https://thebankspublicpartnership.com))

*Compiled from public web sources; each entry is dated and source-noted, pending final fact-check.*

VOLUME I — OHIO: TEN CITIES, 200 YEARS

# Cincinnati

Teaser — Notes & Topics for Discussion (draft)

---

## If you could time-travel, the year to visit

---

---

## Also notable for

---

---

## Population — detail, density & trend

---

---

## Race & ethnicity ratios

---

---

## Age & gender ratios

---

---

## Tourism & attractions

---

---

## Businesses & major employers

---

---

## Crime & safety

---

---

## Schools & education

---

---

## Land use — residential / commercial / industrial zones

---

---

## Nearby cities, towns & natural areas

---

---

*Placeholders — to be researched and written in a later pass.*