



Paiflow

● STELLAR TESTNET

Alpha Testing Guide

Thanks for helping test Paiflow. This guide takes you from an empty wallet to deploying and running real payment flows — no coding needed.

~70 min

END TO END

20 min

SETUP

7

TEST CASES

₱650

INCENTIVE

[SUBMIT ARTIFACTS ↗](#)

[REPORT A BUG ↗](#)

What Paiflow is

A visual builder for payments. You drag a trigger (“when money arrives”) and an action (“pay this person”, “split it”, “swap it”) onto a canvas, press **Deploy**, and Paiflow turns that into real smart contracts on the Stellar network.

It is non-custodial: you sign every transaction yourself, in your own wallet, and Paiflow never holds your keys.

This guide takes **about 75 minutes** end to end: around 20 minutes of setup, about 50 minutes of test cases, then the closing questions. You don't need to know how to code.

YOU'LL SEND US THREE THINGS

They're what makes you eligible for the **₪650** incentive ([section 8.2](#)):

- a **Loom recording** of your session, with your screen and camera ([step 1.5](#));
- your **screenshots**, named as the test cases tell you ([section 4](#));
- your **answers file** — the interview questions, answered as you go ([step 1.6](#)).

TESTNET ONLY

Everything in this round runs on Stellar testnet. Testnet money is free and worthless. You will never be asked for real funds, a card, or a seed phrase. If anything ever asks you for one, stop and report it.

WHAT WE RECORD DURING THIS ROUND

If any of it concerns you, contact us before you start.

- **Usage analytics, sent to PostHog:** which buttons and screens you reach, and where errors appear. Events are tied to your test account's internal ID, not your name. They never include secret keys or transaction payloads, and no address is recorded as a payment recipient.
- **Your screen and your session are not recorded by us.** The only screen recording is the Loom you make yourself and send to us. It is not masked — it shows your screen, face and voice — so apart from the short test clip in step 1.5, start it only once wallet setup is finished.
- **The public address of every wallet you connect and sign with is recorded,** together with the transaction hash, and linked to your test account, so we can trace a testnet transaction back to the tester who made it. T5 has you sign with an account you also pay into; that address is recorded the same way.
- **Server-side logs:** each wallet connection, with your IP address, and each API token you create or revoke in T6. We store only a hash of the token, never the token itself.

CONTENTS

1 Before you start

Freighter, free testnet XLM, recipient accounts, Loom, your answers file.

2 Sign in to your test account

Use the username and password we sent you.

3 A quick tour of the builder

The parts of the screen you'll use in every test.

4 Test cases

T1–T7: swap, pay, split, the developer API, and free exploration.

5 What not to test in this round

Features that aren't ready yet.

6 Known issues

Already on our list — no need to report.

7 Troubleshooting

Common messages and what to do.

8 Reporting bugs and sending in your artifacts

The bug form, the hand-in that completes your run, and your ₪650.

9 Closing interview questions

Answered out loud and in your answers file.

A Answers file template

Copy it into a text file before you start.

01 Before you start

You need: a desktop or laptop with **Chrome** or **Brave**. Phones are not part of this round.

1.1 Install Freighter and switch it to testnet

- 1 Install the [Freighter wallet extension](#) and pin it to your toolbar.
- 2 Open Freighter → **Create new wallet**. Write down the recovery phrase somewhere safe — even for a test wallet, you'll want it if the extension gets reset.
- 3 In Freighter, open the network menu at the top and choose **Testnet**.

☐ Freighter shows **Testnet** at the top.

1.2 Fund your wallet with free testnet XLM

A brand-new Stellar account doesn't exist on the network until it holds some XLM. Friendbot is Stellar's free testnet faucet.

- 1 In Freighter, copy your address (it starts with `G`).
- 2 Open this link in a new tab, replacing `YOUR_ADDRESS` :
`https://friendbot.stellar.org/?addr=YOUR_ADDRESS`
(Freighter may also show a **Fund with Friendbot** button — that does the same thing.)

☐ Freighter shows a balance of **10,000 XLM**.

This account is your **Main** account. You'll deploy and trigger flows with it.

1.3 Create two recipient accounts

Your flows need somebody to pay. You'll pay yourself, into two extra accounts.

- 1 In Freighter, open the account menu → **Add a new wallet** (or **Create account**). Name it **Recipient A**.
- 2 Fund it with Friendbot exactly as in step 1.2.
- 3 Repeat to create a second recipient, named **Recipient B**.
- 4 Paste all three `G...` addresses into a note — you'll copy them into Paiflow later.

☐ Main, Recipient A and Recipient B all show 10,000 XLM.

1.4 Let Recipient A hold USDC

Some tests swap XLM into USDC (a testnet dollar token). A Stellar account has to opt in to a token before it can hold it — this is called adding a **trustline**.

- 1 In Freighter, switch to **Recipient A**.
- 2 Open **Manage assets** → **Add an asset** (the wording varies slightly by Freighter version).
- 3 Search for **USDC**, and pick the one whose issuer is `GBBD47IF6LWK7P7MDEVSCWR7DPUWV3NY3DTQEVL4NAT4AQH3ZLLFLA5` . Confirm and sign.
- 4 Switch Freighter back to **Main**.

☐ Recipient A lists **USDC** with a balance of 0.

NOTE

Leave Recipient B **without** a USDC trustline.

1.5 Set up Loom and prepare to record

Recording yourself is required this round — face, voice and screen together. If being on camera is a problem, or you have no **Mac or Windows** machine (Loom's desktop app doesn't run on Linux or ChromeOS), contact us before you start — the same people who sent you your test account.

- 1 Sign up at loom.com, install the **Loom desktop app** from loom.com/download and sign in to it. **Don't use the Chrome extension** — its camera bubble disappears whenever you switch tabs or Freighter pops up.
- 2 Start the **14-day free Business + AI trial**; the free Starter plan cuts every recording off at 5 minutes. **No card is needed**, and without one there is nothing to cancel — the workspace drops back to Starter when the trial ends.
- 3 Set the recorder to **Screen + camera + mic** and **Full screen**, not a single window or tab. **On a Mac**, grant Loom **Screen Recording, Camera** and **Microphone** under System Settings → Privacy & Security.
- 4 Make a **10-second test recording**: close Freighter, start recording, switch to another tab, stop, and play it back. Then delete the clip.

DON'T START THE REAL RECORDING YET

Your recovery phrase was on screen in step 1.1. Start recording at the beginning of [section 4](#), once wallet setup is done.

- ☐ The Loom **desktop app** is signed in, on the trial, and set to Screen + camera + mic on your full screen.
- ☐ Your test recording still shows your face in the corner after you switch tabs.

1.6 Create your answers file

Each test case ends with an interview question, and there's a closing set at the end. You answer them **out loud on the recording** and **in writing**, so we have something searchable next to the video.

- 1 Copy the [answers file template](#) into a text file or a doc, and save it as `answers-<yourname>.txt` (or `.doc`).
- 2 Fill in the **About you** section now, and keep the file open in another window while you work.

- ☐ Your answers file exists, and the About you section is filled in.

02 Sign in to your test account

We'll send you a **username** and **password** for your test account.

- 1 Go to beta.paiflow.xyz and open the login page.
- 2 Enter your **Username** and **Password**, then click **SIGN IN**.

- ☐ You land on your dashboard ("Your flows.").
- ☐ One flow is already there: **Swap XLM to USDC**.

TIP

Bookmark each deployment page you create, so you can find it quickly for a bug report.

03 A quick tour of the builder

Open **Swap XLM to USDC** and take a minute to find each of these.

Blocks, canvas and settings panel

Drag a block from the left sidebar onto the canvas, drag from one block's handle to another to connect them, and click a block to open its settings. Select a block and press Delete to remove it.

English Preview TOP

Your flow written out as a sentence. **Always read it before deploying** — it's the plain-language check on the money.

Errors and DEPLOY

DEPLOY is greyed out until the flow has no errors; the Errors button lists every problem, and the fields at fault are highlighted.

Autosave, title and Dev mode

Changes save automatically — there is no Save button. Click the flow title to rename it, and leave the **Dev mode** switch **off** for every test.

ONE TRIGGER PER FLOW

A flow always starts with exactly **one trigger**. Once you have one, the other triggers grey out.

04 Test cases

START YOUR LOOM RECORDING NOW

Keep it running through T1 to T7 and on into the closing questions in section 9. Narrate as you go: what you're about to do, and what you expected to happen when it doesn't. If you have to stop partway — a break, a crash, the trial cutting out — just start a new recording and send us every link.

Do the tests in order — later ones reuse accounts and flows from earlier ones — and tick the boxes as you go.

HOW THE TESTS WORK

- **If a box doesn't match what you see**, take a screenshot and report it with the [bug report form](#), unless it's a [known issue](#). Two to rule out first: the live feed can lag up to a minute behind the chain, and the trigger page sometimes reports a failure even though the payment went through — so before reporting a failed trigger, check the feed and stellar.expert.
- **Screenshots**. Your recording covers most of what we need, so there are only eleven. Each is marked with a **SHOT** tag and the exact name to save it under (for example `T1-2-live-feed.png`), in one folder that you'll zip at the end. **Win + Shift + S** on Windows, **Cmd + Shift + 4** on macOS.
- **Interview boxes**. Say your answer out loud, then write a line or two under that test's heading in your answers file. Your first reaction is what we're after, including “I have no idea”.
- **To check that money really moved**: the **live event feed** on the deployment page; the recipient's balance in **Freighter**; and [stellar.expert](#), which every deployment page links to.

T1 Deploy the swap flow and pay yourself

GOAL The core of this round. Receive XLM, swap it to USDC on a real exchange (Soroswap), and pay it out to an account you control.

- 1 Open **Swap XLM to USDC**. Click the **Pay** block and replace the recipient with **Recipient A's** address.
 - ☐ The **English Preview** describes receiving XLM, swapping to USDC, and paying it to Recipient A's address (shortened).
- 2 Click the **Swap** block. In its **Preview** card, set **You send** to **20** — the amount you'll trigger with in step 6. Then open **Advanced**.
 - ☐ A live quote appears as a figure, like “*≈ 2.10 USDC*”, with a **Minimum** line under it and *Live · Soroswap*.
 - ☐ Under Advanced, the router reads **Router — Soroswap (testnet)**, shows a contract ID with a copy button and a stellar.expert link, and can't be changed.

3 Click **DEPLOY**. You're taken to **Review & deploy**.

☐ A **TESTNET** chip is shown.

☐ The page says how many contracts it will create, and shows the swap quote again.

SHOT T1-1-review-deploy — the review page, with the TESTNET chip in shot.

4 Click **DEPLOY TO TESTNET**. Freightier pops up — check it says testnet, then **sign**.

☐ A “Contract deployed” message appears and you're taken to the deployment page.

☐ Within about a minute the status becomes **ACTIVE** and a QR code appears.

5 **Bookmark this page** — T6 comes back to it. Click **OPEN TRIGGER PAGE**.

6 Enter **20** as the amount, click **CONFIRM AMOUNT**, then **CONNECT WALLET & TRIGGER**. Sign in Freightier (with your **Main** account).

☐ You see progress messages ending in a success message.

7 Go back to the deployment page and watch the live event feed.

☐ A **RECEIVE** row for 20 XLM appears.

☐ A **PAYOUT** row for the swap shows amount in (XLM) and amount out (USDC), close to the $\approx$ figure you saw for 20 XLM in step 2.

☐ On stellar.expert, the trigger transaction shows a Soroswap **swap**.

SHOT T1-2-live-feed — the feed showing the RECEIVE and PAYOUT rows together.

SHOT T1-3-stellar-expert — the transaction on stellar.expert showing the swap.

8 In Freightier, switch to **Recipient A**, then back to **Main**.

☐ Recipient A now holds **about 2 USDC**.

SHOT T1-4-recipient-a-usdc — Freightier showing Recipient A's USDC balance.

INTERVIEW — T1

Before you clicked **DEPLOY TO TESTNET**, what did you think was about to happen? When Freightier popped up, could you tell what you were being asked to sign? And before you checked Freightier, did you already believe the USDC had arrived?

T2 The swap block refuses bad settings

GOAL Check that mistakes are caught *before* anything is deployed. You won't deploy in this test.

Open **Swap XLM to USDC**, try each change below, and **undo it** before trying the next.

TRY	EXPECTED
a Set Asset Out to XLM (same as Asset In).	An error saying a swap has to exchange two different assets, on the canvas and under Asset Out . <i>Canvas error.</i>
b Set Max slippage to 0.1 , then click out of the field.	Raised to 0.3 , the minimum, with a note under the field saying so. <i>Field corrects.</i>
c Open Advanced . Set Deadline to 0 , then to 100000 .	Raised to 1 , then lowered to 86,400 (the allowed range, in seconds), each time with a note. <i>Field corrects.</i>
d Delete the connection between Swap and Pay .	An error saying a swap needs one next step. <i>Canvas error.</i>
e Drag in a second Pay block and connect Swap to it too.	An error saying a swap sends its output to only one next step. <i>Canvas error.</i>

- ☐ **Canvas errors (a, d, e):** the message is easy to understand and says how to fix it, **DEPLOY** is greyed out while it's there, and it goes away once you undo the change.
- ☐ **Field corrections (b, c):** it's clear the value was changed, and why. There's no canvas error, and **DEPLOY** stays available.

SHOT T2-1-error-deploy-greyed — row **a**'s error with the greyed-out **DEPLOY** button in the same shot.

Then do it with the keyboard only. Put the mouse aside, click once on the page background, and use only **Tab**, **Enter** and **Escape**.

- 1** Press **Tab**, starting from the top of the page.
 - ☐ Just after the header's buttons, a **Skip to canvas** button appears. Press **Enter** on it, and a pink ring appears around the first block (**On Receive**).
- 2** Press **Tab** once more, then **Enter**.
 - ☐ The ring moves to the **Swap** block, and Enter opens its settings with the keyboard focus on the panel's heading.
- 3** Keep pressing **Tab**. The first two stops are the panel's **Delete** and **Close** buttons — don't press Enter on those.
 - ☐ **Tab** then reaches Asset In, Asset Out, Max slippage, You send and **Advanced**, in that order. **Enter** on Advanced opens it.

SHOT T2-2-keyboard-focus — the settings panel opened from the keyboard, with a field's focus ring visible.

- 4 Press **Escape** while you're still inside the panel (if you've tabbed past it, press **Shift + Tab** to go back).

☐ The panel closes, and the pink ring is back on the Swap block.

INTERVIEW – T2

Were those error messages enough to fix the problem on your own, without asking anyone? Which one was clearest, and which one left you guessing? With the keyboard alone, was there a point where you lost track of where you were?

T3 Receive XLM, pay a fixed amount

GOAL The simplest flow — money in, money out to one person.

- 1 On the dashboard, click **NEW FLOW**, name it **T3 Pay**, and click **CREATE FLOW**.
- 2 The new flow comes with an example (receive USDC, split to Alice / Bob / Charlie). Those are placeholder accounts that can't receive money, so **delete both blocks**.
- 3 Drag in **On Receive**. In its settings, set Asset to **XLM (native)**.
- 4 Drag in **Pay** and connect On Receive → Pay. In Pay's settings:
 - Asset: **XLM**
 - Recipient: **Recipient B**'s address
 - Amount mode: **Fixed**, amount **5**

☐ English Preview reads roughly: *when this contract receives XLM, pay 5 XLM to G...*
- 5 Deploy it and trigger it with **5 XLM**, the same way as T1.
 - ☐ Live feed shows RECEIVE then PAYOUT.
 - ☐ Recipient B's XLM balance in Freightier went up by 5.

SHOT T3-1-live-feed — the feed showing both rows.
- 6 **Optional:** open the flow again, change Pay to **Send full amount**, deploy, and trigger with **12 XLM**.
 - ☐ Recipient B's balance went up by 12.

INTERVIEW – T3

That's the first flow you built from scratch. Where did you hesitate, and what were you unsure about when you did?

T4 Receive XLM, split it between two people

GOAL Fan one payment out to several recipients.

- 1 **NEW FLOW** → name it **T4 Split**. Keep the example's two blocks this time.
- 2 Click **On Receive** and change Asset to **XLM (native)**. Click **Split** and change its Asset to **XLM**.
- 3 In Split, use **Percentage** mode with exactly two recipients:
 - Recipient A — **70%**, label **A**
 - Recipient B — **30%**, label **B**☐ The allocation bar is full, and the English Preview shows 70% and 30%.
- 4 Deploy and trigger with **10 XLM**.
 - ☐ Live feed shows RECEIVE and two PAYOUT rows.
 - ☐ Recipient A received 7 XLM and Recipient B received 3 XLM.**SHOT** `T4-1-live-feed` — the feed showing the RECEIVE and both PAYOUT rows.

Now try to break it — no need to deploy; check the error, then undo:

	TRY	EXPECTED
a	Change 30% to 20% .	An error saying the percentages don't add up to 100%.
b	Set both recipients to Recipient A's address.	An error about a duplicate address.
c	Leave a recipient address empty, or type <code>he llo</code> .	The field is highlighted as invalid.

- ☐
- Each error is clear, and DEPLOY stays greyed out until you undo it.

INTERVIEW — T4

Did you read the English Preview before deploying this one? Did it match the flow you thought you'd built?

T5 Split USDC (uses the USDC from T4)

GOAL The same split, with a token instead of XLM, and a recipient that can't accept it.

- 1 **NEW FLOW** → **T5 USDC split**. Keep the example's **On Receive (USDC)** → **Split (USDC)**.
 - 2 Replace the three recipients with a single one: **Recipient A, 100%**.
 - 3 Deploy with **Main** as usual.
 - 4 Open the trigger page. **Switch Freightier to Recipient A** (it holds the USDC from T1), enter **1**, and trigger.
 - ☐ Live feed shows **RECEIVE 1 USDC** and a **PAYOUT** of 1 USDC.
 - 5 Now change the flow so the single recipient is **Recipient B** (no USDC trustline), deploy, and trigger with **1 USDC** from Recipient A again.
 - ☐ The trigger is refused **before** you're charged, with a message you can make sense of.
 - ☐ Recipient A still has its USDC.
- SHOT** `T5-1-trustline-refusal` — the refusal message in full. This is the whole point of the test, so please make sure the wording is readable.

Switch Freightier back to **Main** when you're done.

INTERVIEW — T5

The payment was refused. From the message alone, did you understand why, and did you know what you'd need to do to fix it?

T6 Read your flow's events through the developer API

GOAL A deployed flow can also be driven by another program. Here you create an API token for the T1 deployment, use it to read that flow's events, then revoke it. You'll paste one command into a terminal — no coding.

- 1 Open the **T1 deployment page** you bookmarked and scroll to the **API access** panel. Set Label to `alpha` and Expires to **30 days**, then click **CREATE TOKEN**.
 - ☐ A token starting with `pfk_` appears, marked *"COPY THIS TOKEN NOW. IT WILL NOT BE SHOWN AGAIN."* Copy it into your note.
 - Ignore the **PREPARE AN EXECUTION** command under it — running a flow through the API needs a signing step that isn't part of this round.
- 2 Build the events address from the deployment page's own address. If the page is `https://.../deployments/1234abcd-...`, the events address is `https://.../api/v1/deployments/1234abcd-.../events` — same start, `/api/v1` added before `/deployments`, `/events` added at the end.

- 3 Open **Terminal** (macOS) or **Command Prompt** (Windows) and run this on one line, with your token and events address pasted in. On Windows, type `curl.exe` instead of `curl`.

```
curl -H "Authorization: Bearer YOUR_TOKEN" "YOUR_EVENTS_ADDRESS"
```

- ☐ Text comes back that includes `"kind": "RECEIVE"` and `"kind": "PAYOUT"`, with the same amounts as T1's live feed.

SHOT `T6-1-api-events` — the terminal showing the command's output.

- ☐ Reload the deployment page: the token's **LAST USED** no longer says NEVER.

- 4 Click **REVOKE** next to the token and confirm. Run the same command again.

- ☐ The token is marked **REVOKED**, and the command now returns an `UNAUTHENTICATED` error instead of events.

Your token was visible on the recording; that's fine, because step 4 just made it useless. Developers can read more in the [developer API guide](#).

INTERVIEW — T6

In your own words, what does that token let someone do — and what can't they do with it? Would you be comfortable handing one to a developer?

T7 Free exploration (10 minutes)

Build any flow you like using **On Receive**, **Pay**, **Split** and **Swap** — for example receive XLM → swap to USDC → split it between Recipient A and a friend's account. Any account that receives USDC needs a USDC trustline first (step 1.4), otherwise the payout is refused exactly as in T5. Deploy it, trigger it, and tell us what felt confusing, slow or surprising. There are no wrong answers here.

SHOT `T7-1-canvas` — the flow you built.

SHOT Anything that confused or surprised you, named however you like.

This is the test we learn the most from, so keep narrating on the recording even if nothing breaks.

INTERVIEW — T7

What did you set out to build? Did you get it working — and if not, what stopped you? Was there a block or an option you went looking for and couldn't find?

05 What not to test in this round

Build with **On Receive**, **Pay**, **Split** and **Swap** only, keep payouts on **Crypto (wallet)**, leave **Dev mode** off, and use desktop **Freighter**. Everything else you may see in the app isn't ready for alpha testing — **please don't use it, and don't report problems with it**: the On Schedule, HTTP Webhook, Subscription and Payroll triggers; the Condition and Email Notify blocks; Fiat / bank payouts and Sender KYC; Ask AI (chat and voice); Passkeys on the Profile page; and phones or mobile wallets (LOBSTR, xBull).

06 Known issues

Already on our list — no need to report these.

The trigger page can report a failure even though the payment went through. Check the live feed and stellar.expert first; only report it if the money really didn't move.

The trigger page doesn't keep a record of a successful trigger after the message disappears. Use the deployment page's live feed instead.

The review page lists several wallets (Freighter, Albedo, xBull, LOBSTR, Hana), but only **Freighter** works for deploying right now.

The live feed can lag a few seconds to a minute behind the chain.

07 Troubleshooting

YOU SEE

"Account ... is not funded" or "Minimum 2 XLM required"

TRY

Fund the account with Friendbot (step 1.2).

YOU SEE

A Freighter network error, or the signature fails

TRY

Check Freighter is on **Testnet**, then try again.

YOU SEE

No Freighter pop-up

TRY

Click the Freighter icon in your toolbar — the request may be waiting there.

YOU SEE An error mentioning a trustline	TRY The account receiving USDC hasn't added USDC yet (step 1.4).
YOU SEE DEPLOY greyed out	TRY Click the Errors button above the canvas and fix each item.
YOU SEE <i>"Invalid username or password"</i>	TRY Check both, including capital letters. After 5 wrong tries the account locks for 15 minutes.
YOU SEE You forgot your password	TRY There's no reset link yet. Contact us — the same people who sent you your test account.
T 6 <code>UNAUTHENTICATED</code> on the first call	TRY Check the whole token was pasted, with one space after <code>Bearer</code> , and that the address is for the deployment you made the token on.
LOOM Stopped after 5 minutes, or your face vanishes when you switch tabs	TRY The trial didn't start, or you're on the Chrome extension (step 1.5). Fix it, record the rest in a new video, and send us every link.
LOOM Black screen, or no camera (macOS)	TRY Tick Loom under Screen Recording, Camera and Microphone in System Settings → Privacy & Security, then quit and reopen Loom.

08 Reporting bugs and sending in your artifacts

Bug report form

As you hit them. One form per bug, please.

forms.gle/c7AmbU61XbGpCPVXA ↗

Submission form

Once at the end, with all three artifacts. This is what completes your run.

forms.gle/hdmpGNwUi6oh6stv6 ↗

8.1 Reporting a bug

Report bugs as you hit them — one form per bug, please. Have ready: the test and step you were on (e.g. T4, step 4); the exact error message; the deployment page URL, and the stellar.expert link if you have one; and **a screenshot** — please always attach one.

Bug reports are separate from your three artifacts. Filing them doesn't replace the hand-in below, and filing none doesn't count against you.

8.2 Sending in your three artifacts

Once you've finished T7 and answered the [closing questions](#), send everything in one go through the submission form. You're eligible for the incentive once we've received all three:

₱650

once we've received all three artifacts



Your Loom link

One link covering T1 to T7 and the closing questions, or every link if you recorded in parts. Check the share setting lets anyone with the link view it.



Your screenshots, zipped

A single archive, something like `paiflow-alpha-yourname.zip` — the form takes one file here.



Your answers file

`answers-<yourname>.txt`
or a doc.

You'll need to be signed in to a **Google account**: the form has file uploads, and Google Forms requires it.

If something broke and you genuinely couldn't finish a test, still send all three — write down what happened in your answers file and it still counts. A run that fails honestly is useful to us. What doesn't count is a missing artifact. We'll arrange the payment details with you directly once your artifacts are in.

09 Closing interview questions

Once you've finished T7, and **while the recording is still running**, work through the **CLOSING QUESTIONS** block of your answers file: say each answer out loud, then write it down. Take your time; these are the ones we read most carefully. Then fill in the **QUICK RATINGS** block near the top of the file — the five 1–5 scores. It's easy to miss, and it's the only place we ask for them.

Thank you!

Genuinely. An hour of somebody's real attention is the most valuable thing we get at this stage.

A Answers file template

Copy everything below into a text file, save it as `answers-<yourname>.txt`, and fill it in as you work through the guide.

PAIFLOW ALPHA – ANSWERS

Name:

Date:

== ABOUT YOU (fill in before you start) ==

1. What best describes your role?

(fintech/DeFi founder or PM · software engineer · SMB operator or finance manager ·
freelancer/creator · crypto-native user · other)

>

2. What made you interested in trying Paiflow?

>

== QUICK RATINGS (fill in at the end, 1 = poor, 5 = excellent) ==

How easy was it to understand what Paiflow does at first glance? []

How intuitive was the drag-and-drop canvas? []

How smooth was connecting your wallet and deploying? []

How trustworthy does Paiflow feel for real money? []

How clear were the Swap block's settings? []

== DURING THE TESTS (answer each test's Interview box from the guide) ==

T1 >

T2 >

T3 >

T4 >

T5 >

T6 >

T7 >

== CLOSING QUESTIONS ==

1. In your own words, what does Paiflow do? Imagine explaining it to a colleague who's never seen it.

>

2. Would you trust Paiflow with real money today? If not, what specifically would have to change first?

>

3. 0-10, how likely are you to recommend Paiflow to someone who needs programmable payouts? []

Why that number, and not one higher?

>

4. What did you like most?

>

5. What should we fix or improve first?

>

6. What one feature would make Paiflow significantly more useful to you?

>

7. How comfortable were you with blockchain and smart contracts before today, and did anything in this session change that?

>

8. Was there anything you expected to find and didn't?

>

9. May we follow up with you? If yes, your email:

>

= ANYTHING ELSE =

Anything that annoyed, confused or delighted you that we didn't ask about:

>