



Paiflow

● STELLAR TESTNET

Alpha Testing Guide

Thanks for helping test Paiflow. This guide takes you from an empty wallet to deploying and running real payment flows — no coding needed.

~90 min

END TO END

15 min

SETUP

7

TEST CASES

₱500

INCENTIVE

[SUBMIT ARTIFACTS ↗](#)

[REPORT A BUG ↗](#)

What Paiflow is

A visual builder for payments. You drag a trigger (“when money arrives”) and an action (“pay this person”, “split it”, “swap it”) onto a canvas, press **Deploy**, and Paiflow turns that into real smart contracts on the Stellar network.

It is non-custodial: you sign every transaction yourself, in your own wallet, and Paiflow never holds your keys.

This guide takes **about 90 minutes** end to end: 15 minutes of setup, about an hour of test cases, then the interview questions. You don't need to know how to code.

YOU'LL SEND US THREE THINGS

They're what makes you eligible for the **₪500** incentive ([section 10](#)):

- a **Loom recording** of your session, with your screen and camera ([step 1.5](#));
- your **screenshots**, named as the test cases tell you ([section 4](#));
- your **answers file** — the interview questions, answered as you go ([step 1.6](#)).

TESTNET ONLY

Everything in this round runs on Stellar testnet. Testnet money is free and worthless. You will never be asked for real funds, a card, or a seed phrase. If anything ever asks you for one, stop and report it.

WE RECORD HOW THE APP IS USED

beta.app.paiflow.xyz sends usage analytics to PostHog — which buttons and screens you reach, and where errors appear — so we can see where things are confusing without asking you to write it all down. **Your screen and your session are not recorded.** Events are tied to your test account's internal ID, not your name, and never include secret keys, transaction payloads, or the addresses you pay to. **The public address of the wallet you sign with is recorded**, together with the transaction hash, and linked to your test account, so we can trace a testnet transaction back to the tester who made it. If you have concerns about this, contact us before you start.

The only recording of your screen is the one you make yourself, with Loom, and send to us (step 1.5). It is not masked — it shows your screen as you see it, and your face and voice — so only start it once wallet setup is finished, as the steps below tell you. If you have concerns about any of this, contact us before you start.

CONTENTS

1 Before you start

Freighter, free testnet XLM, recipient accounts, Loom, your answers file.

2 Sign in to your test account

Use the username and password we sent you.

3 A quick tour of the builder

The parts of the screen you'll use in every test.

4 Test cases

T1–T7: swap, pay, split, and free exploration.

5 What not to test in this round

Features that aren't ready yet.

6 Known issues

Already on our list — no need to report.

7 Troubleshooting

Common messages and what to do.

8 Reporting bugs and sending in your artifacts

The bug form, and the hand-in that completes your run.

9 Closing interview questions

Nine questions, answered in your answers file.

10 Your incentive

₱500 once all three artifacts are in.

01 Before you start

You need: a desktop or laptop with **Chrome** or **Brave**. Phones are not part of this round.

1.1 Install Freighter and switch it to testnet

- 1 Install the [Freighter wallet extension](#) and pin it to your toolbar.
- 2 Open Freighter → **Create new wallet**. Write down the recovery phrase somewhere safe — even for a test wallet, you'll want it if the extension gets reset.
- 3 In Freighter, open the network menu at the top and choose **Testnet**.

☐ Freighter shows **Testnet** at the top.

1.2 Fund your wallet with free testnet XLM

A brand-new Stellar account doesn't exist on the network until it holds some XLM. Friendbot is Stellar's free testnet faucet.

- 1 In Freighter, copy your address (it starts with `G`).
- 2 Open this link in a new tab, replacing `YOUR_ADDRESS` :
`https://friendbot.stellar.org/?addr=YOUR_ADDRESS`
(Freighter may also show a **Fund with Friendbot** button — that does the same thing.)

☐ Freighter shows a balance of **10,000 XLM**.

This account is your **Main** account. You'll deploy and trigger flows with it.

1.3 Create two recipient accounts

Your flows need somebody to pay. You'll pay yourself, into two extra accounts.

- 1 In Freighter, open the account menu → **Add a new wallet** (or **Create account**). Name it **Recipient A**.
- 2 Fund it with Friendbot exactly as in step 1.2.
- 3 Repeat for a third account named **Recipient B**.
- 4 Paste all three `G...` addresses into a note — you'll copy them into Paiflow later.

☐ Main, Recipient A and Recipient B all show 10,000 XLM.

1.4 Let Recipient A hold USDC

Some tests swap XLM into USDC (a testnet dollar token). A Stellar account has to opt in to a token before it can hold it — this is called adding a **trustline**.

- 1 In Freighter, switch to **Recipient A**.
- 2 Open **Manage assets** → **Add an asset** (the wording varies slightly by Freighter version).
- 3 Search for **USDC**, and pick the one whose issuer is `GBBD47IF6LWK7P7MDEVSCWR7DPUWV3NY3DTQEVFL4NAT4AQH3ZLLFLA5`. Confirm and sign.
- 4 Switch Freighter back to **Main**.

☐ Recipient A lists **USDC** with a balance of 0.

NOTE

Leave Recipient B **without** a USDC trustline.

1.5 Set up Loom and prepare to record

Recording yourself is required this round. Watching someone actually use Paiflow — face, voice and screen together — tells us far more than a written bug report can, especially about the parts that are merely confusing rather than broken.

- 1 Sign up at loom.com and install the **Loom Chrome extension**.
- 2 Loom's free Starter plan cuts every recording off at **5 minutes**, which isn't enough for this session. Start the **14-day free Business + AI trial** so your recording runs uninterrupted. **No card is needed.** If you don't add one, the workspace drops back to the free Starter plan when the trial ends and there is nothing to cancel. Only add a payment method if you want to keep Loom afterwards — doing so starts a paid subscription when the trial ends.
- 3 Set the recorder to **Screen + camera + mic**. We want your face in the corner and your voice throughout — thinking out loud, especially when you're unsure what a screen means, is the most useful part of the whole recording. If being on camera is a problem for you, tell us before you start rather than skipping it.

DON'T START RECORDING YET

Your Freightier recovery phrase was on screen in step 1.1. Start recording at the beginning of [section 4](#), once wallet setup is done and there's nothing sensitive left to capture.

- ☐ Loom is installed, on a plan that records for longer than 5 minutes, and set to Screen + camera + mic.

1.6 Create your answers file

The interview is built into this guide: each test case ends with a question, and there's a closing set in [section 9](#). You answer them **out loud on the recording** and **in writing**, so we have something searchable next to the video.

- 1 Copy the [answers file template](#) at the end of this guide into a text file or a doc.
- 2 Save it as `answers-<yourname>.txt` (or `.doc` — either is fine).
- 3 Fill in the **About you** section at the top now, before you start testing.
- 4 Keep it open in another window while you work.

- ☐ Your answers file exists, and the About you section is filled in.

02 Sign in to your test account

We'll send you a **username** and **password** for your test account.

- 1 Go to beta.paiflow.xyz and open the login page.
- 2 Enter your **Username** and **Password**, then click **SIGN IN**.

- ☐ You land on your dashboard ("Your flows.").
- ☐ One flow is already there: **Swap XLM to USDC**.

TIP

Bookmark each deployment page you create, so you can find it quickly for a bug report.

03 A quick tour of the builder

Open **Swap XLM to USDC**. Take a minute to find each of these — you'll use them in every test.

Blocks LEFT SIDEBAR

The palette. Drag a block onto the canvas. Triggers, Actions and Logic are grouped.

Canvas CENTRE

Your flow. Drag from one block's handle to another to connect them. Select a block and press Delete to remove it.

Settings panel

Click any block on the canvas to open its settings.

English Preview TOP

Your flow written out as a sentence. **Always read it before deploying** — it's the plain-language check on the money.

Errors button

Appears when something's wrong. Click it to list every problem. Fields with problems are also highlighted.

DEPLOY button

Greyed out until the flow has no errors.

Dev mode switch

Leave this off for every test.

Flow title

Click it to rename the flow. Changes save automatically; there is no Save button.

ONE TRIGGER PER FLOW

A flow always starts with exactly **one trigger**. Once you have one, the other triggers grey out.

04 Test cases

START YOUR LOOM RECORDING NOW

Keep it running through T1 to T7. Narrate as you go: what you're about to do, and what you expected to happen when it doesn't. If you have to stop partway — a break, a crash, the trial cutting out — just start a new recording and send us every link.

Do them in order — later tests reuse accounts and flows from earlier ones. For each one, tick the boxes as you go. **If a box doesn't match what you see, grab a screenshot and report it** with the [bug report form](#), unless it's listed under [known issues](#).

SCREENSHOTS

Each test marks the shots we need with a **SHOT** tag. Save each one with the exact name given (for example `T1-5-live-feed.png`) into a single folder — at the end you'll zip that folder and send it in. Your operating system's built-in tool is enough: **Win + Shift + S** on Windows, **Cmd + Shift + 4** on macOS.

INTERVIEW PROMPTS

Each test ends with an **Interview** box. Say your answer out loud on the recording, then write a line or two into your answers file under that test's heading. Don't overthink them — your first reaction is exactly what we're after, including “I have no idea”.

WHERE TO CHECK THAT MONEY REALLY MOVED

- The **live event feed** on the deployment page.
- **Freighter**: switch to the recipient account and look at its balance.
- **stellar.expert**: every deployment page links its contract to [stellar.expert/explorer/testnet](#), where you can see each transaction.

T1**Deploy and run the ready-made swap flow**

GOAL The core of this round. Receive XLM, swap it to USDC on a real exchange (Soroswap), and pay it out.

1 Open **Swap XLM to USDC**. Don't change anything.

2 Read the **English Preview**.

☐ It describes receiving XLM, swapping to USDC, and paying it out.

SHOT T1-1-english-preview — the English Preview panel.

3 Click the **Swap** block.

☐ Router shows **Soroswap (testnet)** and can't be changed.

☐ A live quote appears, like *"10 XLM → ~1.05 USDC via Soroswap (live)"*, with a minimum amount under it.

SHOT T1-2-swap-quote — the Swap settings, showing the router and the live quote.

4 Click **DEPLOY**. You're taken to **Review & deploy**.

☐ A **TESTNET** chip is shown.

☐ The page says how many contracts it will create, and shows the swap quote again.

SHOT T1-3-review-deploy — the review page, with the TESTNET chip in shot.

5 Click **DEPLOY TO TESTNET**. Freightier pops up — check it says testnet, then **sign**.

☐ A "Contract deployed" message appears and you're taken to the deployment page.

☐ Within about a minute the status becomes **ACTIVE** and a QR code appears.

SHOT T1-4-deployment-active — the deployment page once it reads ACTIVE.

6 **Bookmark this page**. Click **OPEN TRIGGER PAGE**.

7 Enter **10** as the amount, click **CONFIRM AMOUNT**, then **CONNECT WALLET & TRIGGER**. Sign in Freightier (with your **Main** account).

☐ You see progress messages ending in a success message.

8 Go back to the deployment page and watch the live event feed.

☐ A **RECEIVE** row for 10 XLM appears.

☐ A **PAYOUT** row for the swap shows amount in (XLM) and amount out (USDC), and the USDC amount is close to the quote from step 3.

☐ On stellar.expert, the trigger transaction shows a Soroswap **swap**.

SHOT T1-5-live-feed — the feed showing the RECEIVE and PAYOUT rows together.

SHOT T1-6-stellar-expert — the transaction on stellar.expert showing the swap.

INTERVIEW - T1

Before you clicked **DEPLOY TO TEST NET**, what did you think was about to happen? And when Freighter popped up, could you tell what you were being asked to sign?

This first flow pays a shared Paiflow demo account, so you won't see the USDC yourself — T2 fixes that.

T2 Swap into your own account

GOAL Confirm the swapped USDC lands where you told it to.

- 1 Back on the dashboard, open **Swap XLM to USDC** again.
- 2 Click the **Pay** block and replace the recipient with **Recipient A's** address.
☐ The English Preview now shows Recipient A's address (shortened).
SHOT `T2-1-english-preview` — the preview with Recipient A's address in it.
- 3 Deploy it (steps 4–5 of T1), then trigger it with **20 XLM** (steps 6–7 of T1).
☐ The live feed shows **RECEIVE** and **PAYOUT** rows.
SHOT `T2-2-live-feed` — the feed after the trigger.
- 4 In Freighter, switch to **Recipient A**.
☐ Recipient A now holds **about 2 USDC** (close to the quote).
SHOT `T2-3-recipient-a-usdc` — Freighter showing Recipient A's USDC balance.
- 5 Switch Freighter back to **Main**.

INTERVIEW - T2

Before you opened Freighter to check, did you already believe the USDC had arrived? What made you sure, or unsure?

T3 The swap block refuses bad settings

GOAL Check that mistakes are caught *before* anything is deployed. You won't deploy in this test.

Open **Swap XLM to USDC** and try each change below. After each one, check the boxes and take the screenshot, then **undo the change** before trying the next. Every screenshot here should have the **greyed-out DEPLOY button in shot** alongside the error — that pairing is the thing we're checking.

TRY	EXPECTED
a Set Asset Out to XLM (same as Asset In).	An error saying a swap has to exchange two different assets.
b Set Max slippage to 0.1 .	An error saying slippage must be at least 0.3% because of Soroswap's pool fee.
c Set Deadline to 0 , then to 100000 .	The field refuses the value (the allowed range is 1–86,400 seconds).
d Delete the connection between Swap and Pay .	An error saying a swap needs one next step.
e Drag in a second Pay block and connect Swap to it too.	An error saying a swap sends its output to only one next step.

SHOT T3-a-same-asset — row a, the same-asset error.

SHOT T3-b-slippage — row b, the slippage minimum.

SHOT T3-c-deadline — row c, the rejected deadline.

SHOT T3-d-swap-no-next-step — row d, the missing next step.

SHOT T3-e-swap-two-outputs — row e, the second output.

FOR EVERY ROW

- ☐ The error is easy to understand and says how to fix it.
- ☐ **DEPLOY** is greyed out while the error is there.
- ☐ The error goes away once you undo the change.

INTERVIEW — T3

Were those error messages enough to fix the problem on your own, without asking anyone?
Which one was clearest, and which one left you guessing?

T4 Receive XLM, pay a fixed amount

GOAL The simplest flow — money in, money out to one person.

- 1 On the dashboard, click **NEW FLOW**, name it **T4 Pay**, and click **CREATE FLOW**.
- 2 The new flow comes with an example (receive USDC, split to Alice / Bob / Charlie). Those are placeholder accounts that can't receive money, so **delete both blocks**.
- 3 Drag in **On Receive**. In its settings, set Asset to **XLM (native)**.
- 4 Drag in **Pay** and connect On Receive → Pay. In Pay's settings:
 - Asset: **XLM**
 - Recipient: **Recipient B's** address
 - Amount mode: **Fixed**, amount **5**

☐ English Preview reads roughly: *when this contract receives XLM, pay 5 XLM to G...*

SHOT T4-1-english-preview — the preview for the finished flow.

- 5 Deploy it and trigger it with **5 XLM**.
 - ☐ Live feed shows RECEIVE then PAYOUT.
 - ☐ Recipient B's XLM balance in Freightier went up by 5.

SHOT T4-2-live-feed — the feed showing both rows.

SHOT T4-3-recipient-b-plus-5 — Freightier showing Recipient B's new balance.

- 6 Open the flow again, change Pay to **Send full amount**, deploy, and trigger with **12 XLM**.
 - ☐ Recipient B's balance went up by 12.

SHOT T4-4-recipient-b-plus-12 — Freightier showing the balance after this trigger.

INTERVIEW — T4

That's the first flow you built from scratch. Where did you hesitate, and what were you unsure about when you did?

T5

Receive XLM, split it between two people

GOAL Fan one payment out to several recipients.

- 1 **NEW FLOW** → name it **T5 Split**. Keep the example's two blocks this time.
- 2 Click **On Receive** and change Asset to **XLM (native)**. Click **Split** and change its Asset to **XLM**.
- 3 In Split, use **Percentage** mode with exactly two recipients:
 - Recipient A — **70%**, label **A**
 - Recipient B — **30%**, label **B**

☐ The allocation bar is full, and the English Preview shows 70% and 30%.

SHOT `T5-1-allocation-70-30` — the allocation bar and the English Preview together.
- 4 Deploy and trigger with **10 XLM**.
 - ☐ Live feed shows RECEIVE and two PAYOUT rows.
 - ☐ Recipient A received 7 XLM and Recipient B received 3 XLM.

SHOT `T5-2-live-feed` — the feed showing the RECEIVE and both PAYOUT rows.

SHOT `T5-3-balances` — Freighter balances for Recipient A and Recipient B.

Now try to break it (no need to deploy — just check the error, screenshot it, then undo):

TRY	EXPECTED
a Change 30% to 20% .	An error saying the percentages don't add up to 100%.
b Set both recipients to Recipient A's address.	An error about a duplicate address.
c Leave a recipient address empty, or type <code>he llo</code> .	The field is highlighted as invalid.

- SHOT** `T5-a-percent-mismatch` — row a, percentages not adding to 100%.
- SHOT** `T5-b-duplicate-address` — row b, the duplicate address.
- SHOT** `T5-c-invalid-address` — row c, the invalid address field.

- ☐ Each error is clear, and DEPLOY stays greyed out until you undo it.

INTERVIEW – T5

Did you read the English Preview before deploying this one? Did it match the flow you thought you'd built?

T6 Split USDC (uses the USDC from T2)

GOAL The same split, with a token instead of XLM, and a recipient that can't accept it.

- 1 **NEW FLOW** → **T6 USDC split**. Keep the example's **On Receive (USDC)** → **Split (USDC)**.
- 2 Replace the three recipients with a single one: **Recipient A, 100%**.
- 3 Deploy with **Main** as usual.
- 4 Open the trigger page. **Switch Freighter to Recipient A** (it holds the USDC from T2), enter **1**, and trigger.

☐ Live feed shows RECEIVE 1 USDC and a PAYOUT of 1 USDC.

SHOT T6-1-live-feed — the feed showing both rows.

- 5 Now change the flow so the single recipient is **Recipient B** (no USDC trustline), deploy, and trigger with **1 USDC** from Recipient A again.

☐ The trigger is refused **before** you're charged, with a message you can make sense of.

☐ Recipient A still has its USDC.

SHOT T6-2-trustline-refusal — the refusal message in full. This is the whole point of the test, so please make sure the wording is readable.

SHOT T6-3-recipient-a-balance — Freighter showing Recipient A's USDC untouched.

Switch Freighter back to **Main** when you're done.

INTERVIEW – T6

The payment was refused. From the message alone, did you understand why, and did you know what you'd need to do to fix it?

T7 Free exploration (10 minutes)

Build any flow you like using **On Receive**, **Pay**, **Split** and **Swap** — for example receive XLM → swap to USDC → split to two accounts that both have a USDC trustline. Deploy it, trigger it, and tell us what felt confusing, slow or surprising. There are no wrong answers here.

SHOT T7-1-canvas — the flow you built.

SHOT T7-2-english-preview — its English Preview.

SHOT T7-3-live-feed — the feed after you trigger it.

SHOT Anything that confused or surprised you, named however you like.

This is the test we learn the most from, so keep narrating on the recording even if nothing breaks.

INTERVIEW — T7

What did you set out to build? Did you get it working — and if not, what stopped you? Was there a block or an option you went looking for and couldn't find?

05 What not to test in this round

These features are in the app but aren't ready for alpha testing yet. You may see them in the palette or on a page — **please don't use them this round, and don't report problems with them.**

On Schedule, HTTP Webhook, Subscription and Payroll triggers — build your flows with **On Receive** only.

NOT THIS ROUND

Condition block

NOT THIS ROUND

Email Notify block — don't add it to a flow.

STILL BEING FINISHED

Fiat / bank payout in Pay and Split, and **Sender KYC** — keep payouts on **Crypto (wallet)**.

NOT THIS ROUND

Dev mode switch — leave it off.

NOT THIS ROUND

Ask AI (chat and voice)

NOT THIS ROUND

API access panel on deployment pages (developer API tokens)

NOT THIS ROUND

Passkeys on the Profile page — sign in with your username and password.

NOT THIS ROUND

Phones and mobile wallets (LOBSTR, xBull) — use desktop Freightier.

NOT THIS ROUND

06 Known issues

Already on our list — no need to report these.

The trigger page can report a failure even though the payment went through. Before reporting a failed trigger, check the live event feed and stellar.expert. Only report it if the money really didn't move.

The trigger page doesn't keep a record of a successful trigger after the message disappears. Use the deployment page's live feed instead.

The review page lists several wallets (Freightier, Albedo, xBull, LOBSTR, Hana), but only **Freightier** works for deploying right now.

The example flow created by NEW FLOW pays placeholder accounts (Alice, Bob, Charlie) that can't receive money. Always replace them with your own recipients.

The live feed can lag a few seconds to a minute behind the chain. Give it a minute before reporting a missing row.

07 Troubleshooting

YOU SEE

"Account ... is not funded" or "Minimum 2 XLM required"

TRY

Fund the account in Freighter with Friendbot (step 1.2).

YOU SEE

A Freighter network error, or the signature fails

TRY

Check Freighter is on **Testnet**, then try again.

YOU SEE

An error mentioning a **trustline**

TRY

The account receiving USDC hasn't added USDC yet (step 1.4).

YOU SEE

DEPLOY greyed out

TRY

Click the **Errors** button above the canvas and fix each item.

YOU SEE

"Invalid username or password"

TRY

Check both, including capital letters. After 5 wrong tries the account locks for 15 minutes — wait, then try again.

YOU

Forgot your password

TRY

There's no reset link yet. Contact us — the same people who sent you your test account — and we'll reset it.

YOU SEE

No Freighter pop-up

TRY

Click the Freighter icon in your toolbar — the request may be waiting there.

LOOM

Recording stopped after 5 minutes

TRY

Your account is still on the free Starter plan — check the Business + AI trial actually started (step 1.5). Keep the part you recorded and carry on in a new video; send us both links.

08 Reporting bugs and sending in your artifacts

Bug report form

As you hit them. One form per bug, please.

forms.gle/c7AmbU61XbGpCPVXA ↗

Submission form

Once at the end, with all three artifacts. This is what completes your run.

forms.gle/hdmpGNwUi6oh6stv6 ↗

8.1 Reporting a bug

It helps to have these ready before you open the bug report form:

- ☐ the test and step you were on (e.g. T5, step 4);
- ☐ the exact error message, if there was one;
- ☐ the deployment page URL, and the transaction link on stellar.expert if you have one;
- ☐ **a screenshot** — please always attach one.

Bug reports are separate from your three artifacts. Filing them as you go doesn't replace the hand-in below, and filing none doesn't count against you.

8.2 Sending in your three artifacts

Once you've finished T7 and answered the [closing questions](#), send everything in one go through the submission form. Have these ready before you open it:

- ☐ **Your Loom link.** One link covering T1 to T7, or every link if you recorded in parts. Check the share setting allows anyone with the link to view it — we can't watch a private video.
- ☐ **Your screenshots, zipped.** Put the whole folder into a single archive, something like `paiflow-alpha-yourname.zip`. The form takes one file here, so it needs to be a single zip rather than loose images.
- ☐ **Your answers file.** `answers-<yourname>.txt` or a doc — whichever you used.
- ☐ **A Google account.** The form has file uploads, and Google Forms requires every respondent to be signed in for those — there's no way for us to switch that off.

09 Closing interview questions

Answer these in your answers file once you've finished T7 — and say them out loud on the recording too, while it's still running. Take your time; these are the ones we read most carefully.

1. **In your own words, what does Paiflow do?** Imagine explaining it to a colleague who's never seen it.
2. **Would you trust Paiflow with real money today?** If not, what specifically would have to change first?
3. **On a scale of 0 to 10, how likely are you to recommend Paiflow to someone who needs programmable payouts?** Give the number, then say why that number and not one higher.
4. **What did you like most?**
5. **What should we fix or improve first?**
6. **What one feature would make Paiflow significantly more useful to you?**
7. **How comfortable were you with blockchain and smart contracts before today, and did anything in this session change that?**
8. **Was there anything you expected to find and didn't?**
9. **May we follow up with you?** If yes, leave an email address.

10 Your incentive

₱500

once we've received all three artifacts



Loom recording

The link to your session.



Screenshots

The whole folder, zipped.



Answers file

Interview answers, written.

If something broke and you genuinely couldn't finish a test, still send all three — write down what happened in your answers file and it still counts. A run that fails honestly is useful to us. What doesn't count is a missing artifact.

We'll arrange the payment details with you directly once your artifacts are in.

Thank you!

Genuinely. An hour and a half of somebody's real attention is the most valuable thing we get at this stage.

A Answers file template

Copy everything below into a text file, save it as `answers-<yourname>.txt`, and fill it in as you work through the guide.

PAIFLOW ALPHA – ANSWERS

Name:

Date:

== ABOUT YOU (fill in before you start) ==

1. What best describes your role?

(fintech/DeFi founder or PM · software engineer · SMB operator or finance manager ·
freelancer/creator · crypto-native user · other)

>

2. What made you interested in trying Paiflow?

>

== QUICK RATINGS (fill in at the end, 1 = poor, 5 = excellent) ==

How easy was it to understand what Paiflow does at first glance? []

How intuitive was the drag-and-drop canvas? []

How smooth was connecting your wallet and deploying? []

How trustworthy does Paiflow feel for real money? []

== DURING THE TESTS ==

T1 – Before you clicked DEPLOY TO TESTNET, what did you think was about to happen?

Could you tell what Freightier was asking you to sign?

>

T2 – Before checking Freightier, did you already believe the USDC had arrived?

What made you sure or unsure?

>

T3 – Were the error messages enough to fix things on your own?

Clearer one? Most confusing one?

>

T4 – First flow you built from scratch. Where did you hesitate?

>

T5 – Did you read the English Preview before deploying? Did it match what you'd built?

>

T6 – The payment was refused. Did you understand why, and what to do next?

>

T7 – What did you set out to build? Did it work? What was missing?

>

== CLOSING QUESTIONS ==

1. In your own words, what does Paiflow do?

>

2. Would you trust Paiflow with real money today? What would have to change?

>

3. 0-10, how likely are you to recommend Paiflow? []

Why that number, and not one higher?

>

4. What did you like most?

>

5. What should we fix or improve first?

>

6. What one feature would make Paiflow significantly more useful?

>

7. How comfortable were you with blockchain before today? Did that change?

>

8. Anything you expected to find and didn't?

>

9. May we follow up? If yes, your email:

>

= ANYTHING ELSE =

Anything that annoyed, confused or delighted you that we didn't ask about:

>