```
phpMyAdmin SQL Dump
 - version 5.2.0
 - https://www.phpmyadmin.net/
 - Host: 127.0.0.1
 - Generation Time: Aug 27, 2022 at 03:09 AM
 - Server version: 10.4.24-MariaDB
 - PHP Version: 8.1.6
SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
START TRANSACTION;
SET time_zone = "+00:00";
/*!40101 SET @OLD CHARACTER SET CLIENT=@@CHARACTER SET CLIENT */;
/*!40101 SET @OLD CHARACTER SET RESULTS=@@CHARACTER SET RESULTS */;
/*!40101 SET @OLD COLLATION CONNECTION=@@COLLATION CONNECTION */;
/*!40101 SET NAMES utf8mb4 */;
 - Database: `agenda`
 - Table structure for table `alumnos`
CREATE TABLE `alumnos` (
  `ID_ALUMNO` int(11) NOT NULL,
  `NOMBRE` varchar(20) NOT NULL,
  `APELLIDOP` varchar(20) NOT NULL,
```

```
`APELLIDOM` varchar(20) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
 - Dumping data for table `alumnos`
INSERT INTO `alumnos` (`ID_ALUMNO`, `NOMBRE`, `APELLIDOP`, `APELLIDOM`) VALUES
(1, 'VANESSA', 'SOTO', 'HERNANDEZ'),
(2, 'DANIEL', 'BRIONES', 'RIOS'),
(3, 'JUAN', 'CRUZ', 'CENTENO');
CREATE TABLE `examenes_materia` (
 `ID EXAMEN` int(11) NOT NULL,
 `ID_MATERIA` int(11) NOT NULL,
  `ID SALON` int(11) NOT NULL,
 `ID TIPO` int(11) NOT NULL,
 `FECHA` date NOT NULL,
  `HORA INICIO` time NOT NULL,
  `HORA FIN` time NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
 - Dumping data for table `examenes_materia`
```

```
INSERT INTO `examenes_materia` (`ID_EXAMEN`, `ID_MATERIA`, `ID_SALON`, `ID_TIPO`, `FECHA`, `HORA_INICIO`,
`HORA_FIN`) VALUES
(1, 1, 1, 3, '2017-11-20', '10:00:00', '11:00:00'),
(2, 1, 1, 4, '2017-12-01', '12:00:00', '14:00:00'),
(3, 2, 2, 1, '2017-08-11', '08:00:00', '09:00:00'),
(4, 2, 2, 2, '2017-08-17', '11:00:00', '12:00:00'),
(5, 3, 3, 3, '2017-11-18', '17:00:00', '18:00:00'),
(6, 3, 3, 4, '2017-12-02', '07:00:00', '09:00:00');
 - Table structure for table `materias`
CREATE TABLE `materias` (
 `ID MATERIA` int(11) NOT NULL,
 `NOMBRE` varchar(20) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
 - Dumping data for table `materias`
INSERT INTO `materias` (`ID MATERIA`, `NOMBRE`) VALUES
(1, 'PROGRAMACION WEB 2'),
(2, 'PROGRAMACION 3'),
(3, 'SISTEMAS OPERATIVOS');
```

```
CREATE TABLE `materias_alumno` (
  `ID_ALUMNO` int(11) DEFAULT NULL,
  `ID_MATERIA` int(11) DEFAULT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
 - Dumping data for table `materias_alumno`
INSERT INTO `materias_alumno` (`ID_ALUMNO`, `ID_MATERIA`) VALUES
(1, 1),
(1, 2),
(2, 2),
(2, 3),
(3, 1),
(3, 3);
 - Table structure for table `salones`
CREATE TABLE `salones` (
  `ID_SALON` int(11) NOT NULL,
 `UNIDAD` varchar(20) NOT NULL,
  `NOMBRE` varchar(20) NOT NULL
 ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
```

```
- Dumping data for table `salones`
INSERT INTO `salones` (`ID_SALON`, `UNIDAD`, `NOMBRE`) VALUES
(1, 'CC', 'SVC2'),
(2, 'CC', 'CC12'),
(3, 'CNT', 'CNT1');
 - Table structure for table `tipo_examen`
CREATE TABLE `tipo_examen` (
 `ID_TIPO` int(11) NOT NULL,
 `NOMBRE` varchar(20) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4;
 - Dumping data for table `tipo_examen`
INSERT INTO `tipo_examen` (`ID_TIPO`, `NOMBRE`) VALUES
(1, 'PARCIAL1'),
(2, 'PARCIAL2'),
(3, 'PARCIAL3'),
(4, 'FINAL');
 -- Indexes for dumped tables
```

```
ALTER TABLE `alumnos`
 ADD PRIMARY KEY (`ID_ALUMNO`);
ALTER TABLE `examenes_materia`
 ADD PRIMARY KEY (`ID_EXAMEN`),
 ADD KEY `ID_MATERIA` (`ID_MATERIA`),
 ADD KEY `ID_SALON` (`ID_SALON`),
 ADD KEY `ID_TIPO` (`ID_TIPO`);
 - Indexes for table `materias`
ALTER TABLE `materias`
 ADD PRIMARY KEY (`ID_MATERIA`);
ALTER TABLE `materias_alumno`
 ADD KEY `ID_ALUMNO` (`ID_ALUMNO`),
 ADD KEY `ID_MATERIA` (`ID_MATERIA`);
```

```
ALTER TABLE `salones`
 ADD PRIMARY KEY ('ID_SALON');
 - Indexes for table `tipo_examen`
ALTER TABLE `tipo_examen`
 ADD PRIMARY KEY (`ID_TIPO`);
 - AUTO_INCREMENT for dumped tables
 - AUTO_INCREMENT for table `alumnos`
ALTER TABLE `alumnos`
 MODIFY `ID_ALUMNO` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=4;
 - AUTO_INCREMENT for table `examenes_materia`
ALTER TABLE `examenes_materia`
 MODIFY `ID_EXAMEN` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=7;
 - AUTO_INCREMENT for table `materias`
ALTER TABLE `materias`
 MODIFY `ID_MATERIA` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=4;
```

```
- AUTO INCREMENT for table `salones`
ALTER TABLE `salones`
 MODIFY `ID SALON` int(11) NOT NULL AUTO INCREMENT, AUTO INCREMENT=4;
 - AUTO INCREMENT for table `tipo examen`
ALTER TABLE `tipo examen`
 MODIFY `ID_TIPO` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=5;
 - Constraints for dumped tables
 - Constraints for table `examenes materia`
ALTER TABLE `examenes materia`
 ADD CONSTRAINT `examenes materia ibfk 1` FOREIGN KEY (`ID MATERIA`) REFERENCES `materias` (`ID MATERIA`),
 ADD CONSTRAINT `examenes materia ibfk 2` FOREIGN KEY (`ID SALON`), REFERENCES `salones` (`ID SALON`),
 ADD CONSTRAINT `examenes materia ibfk 3` FOREIGN KEY (`ID TIPO`) REFERENCES `tipo examen` (`ID TIPO`);
 - Constraints for table `materias alumno`
ALTER TABLE `materias alumno`
 ADD CONSTRAINT `materias_alumno_ibfk_1` FOREIGN KEY (`ID_ALUMNO`) REFERENCES `alumnos` (`ID_ALUMNO`),
 ADD CONSTRAINT `materias_alumno_ibfk_2` FOREIGN KEY (`ID_MATERIA`) REFERENCES `materias` (`ID_MATERIA`);
COMMIT;
```



