
# **Architecture / PRD Sketch**

# Front End Architecture

## **Prototype / Picture**


Moonhub Prototype

Arthur | April 14, 2023



## High-Level Application "/App.js"

We will have a one-page application. We will be using the React framework.



#### **Functions**

- Data loading & set states
- Organize the enumerated values (all possible values for each column) for each field to display these values in the drop-down.
- Filter function the dataset
  - Helper function that processes each record and compares it against the filter criteria/clauses

## Rendering (Components)

- Header Components
- Filter Form Component
- Table Component

## **Components**

Header Component "./components/Header.js"


This header component will display the title of the application.

# **Dog Breeds**

Filter Form Component "./components/FilterForm.js"

This filter form component will be what the user interacts with the most to filter and search for the dog breed. Within the filter form component, we will have separate subcomponents. These subcomponents will be rendered:

- Search Button
- Reset Button
- DropDownMenu Component



#### Search Button

When the search button is hit, we will accumulate all filter clauses that the user has selected, filter all the dog breeds based on the filter clauses, then render the results on the Table component.

#### Reset Button

When the reset button is hit, we will clear all filter clauses that the user has selected, so that all dog breeds will be displayed on the Table component again.

DropDownMenu "./components/DropDownMenu.js"

The DropDownMenu component will allow a user to select a category or column from a drop-down menu bar. Once a category or column is selected, all possible values of the category will be displayed in a second drop-down menu bar.


The user will then also be able to select whether they want to add this clause to the filter statement with an AND or OR.

Given how the components are split up, their states and functions, and how we want to account for the user to be able to reverse their decision, the user will have two buttons to either confirm their selection or clear their selection.

To account for new filter clauses to be added, we are also adding two new buttons. One will add a new DropDownMenu to be rendered to the FilterForm component. The other will delete the current DropDownMenu component unless it is the first / only one.

Drop Down to select category/column

Drop Down for the category's values






Table Component: "./components/DogBreedCompactTable.js"

This table will display all the breeds. This table will also display all columns for a dog breed and display the values for each breed's column.


Black, Tan 22-26 Brown 7-10 Loyal, intellig H Bulldog England White, Red 12-16 Brown 8-10 Loyal, calm, Si Model France White, Black, 10-15 Brown, Blue 12-15 Intelligent, a H Beagle England White, Tan, 13-15 Brown 12-15 Curious, frie Ex Chihuahua Mexico Black, Brown 6-9 Brown, Blue 12-20 Loyal, energ D Boxer Germany Fawn, Brindle 21-25 Brown 10-12 Loyal, energ H Golden Retri Scotland Golden 21-24 Brown 10-12 Intelligent, fri H	lip dysplasi lip dysplasi kin allergie
Bulldog England White, Red 12-16 Brown 8-10 Loyal, calm, Signature of the state	. , .
3 Poodle France White, Black, 10-15 Brown, Blue 12-15 Intelligent, a H 4 Beagle England White, Tan, 13-15 Brown 12-15 Curious, frie Ex 5 Chihuahua Mexico Black, Brown 6-9 Brown, Blue 12-20 Loyal, energ D 6 Boxer Germany Fawn, Brindle 21-25 Brown 10-12 Loyal, energ H 7 Golden Retri Scotland Golden 21-24 Brown 10-12 Intelligent, fri H	kin allergie
4 Beagle England White, Tan, 13-15 Brown 12-15 Curious, frie Expression of the second of the	
5 Chihuahua Mexico Black, Brown 6-9 Brown, Blue 12-20 Loyal, energ D 6 Boxer Germany Fawn, Brindle 21-25 Brown 10-12 Loyal, energ H 7 Golden Retri Scotland Golden 21-24 Brown 10-12 Intelligent, fri H	ip dysplasi
6 Boxer Germany Fawn, Brindle 21-25 Brown 10-12 Loyal, energ H 7 Golden Retri Scotland Golden 21-24 Brown 10-12 Intelligent, fri H	ar infection
7 Golden Retri Scotland Golden 21-24 Brown 10-12 Intelligent, fri H	ental probl
	ip dysplasi
8 Pug China Fawn, Black 10-14 Brown 12-15 Loyal, playful E	ip dysplasi
	ye problem
9 Rottweiler Germany Black, Tan 22-27 Brown 8-10 Loyal, protec H	ip dysplasi
10 Siberian Hus Russia Black, White 21-24 Blue 12-15 Independent H	ip dysplasi
11 Dachshund Germany Black, Tan 5-9 Brown, Blue 12-15 Loyal, energ In	ntervertebra
12 Shih Tzu China Black, White, 9-10 Brown 10-16 Affectionate, D	ental probl
13 Bichon Frise France White 9-11 Brown 12-15 Playful, affec D	ental probl
14 Australian S Australia Black, Red 18-23 Brown, Blue 12-15 Intelligent, e H	ip dysplasi
15 Basset Hound France Black, Tan 11-15 Brown 10-12 Affectionate, D	
16 Cocker Span England Black, Brown 14-15 Brown 12-15 Affectionate, England	ental probl

#### **Table Enhancements**


1) Columns are sortable, via ascending and descending. There will be visible up and down arrows to indicate ascending and descending. (GIF)



2) Columns' widths are resizable. (GIF)



3) When clicking anywhere within a record, it will open up a drop-down panel in the table to display the entire record's fields and values. (GIF)



# **Back-End Architecture**

Backend and hosting are not a priority for this PRD.

### **Database Schema**

## CSV's Column Names

- Breed
- Country of Origin
- Fur Color
- Height (in)
- Color of Eyes
- Longevity (yrs)
- Character Traits
- Common Health Problems

## **Data Integration**

We'll use a React library, <a href="https://react-papaparse.js.org/">https://react-papaparse.js.org/</a>, that parses the CSV and stores it in the application memory. We will load data from the dog\_breeds.csv when the application spins up on localhost.

When the application and front-end components load, we'll automatically load the CSV data.