
Задание №2



История Журнал работ

Сначала новые ↓=

Комментарии

Показать: Все

530, 'NOT_ALLOWED - vhost analyzer not found'



Описание

□[33;1manalyzer_1_da620d9dd565 |□[0m 2020-08-22 08:24:44,686 - analyzerApp - ERROR - (530, 'NOT_ALLOWED - vhost analyzer not found')

 $\label{eq:connection} \begin{tabular}{l} \square [33;1manalyzer_1_da620d9dd565] \square [0m 2020-08-22 08:24:44,706 - analyzerApp - ERROR - Amqp connection was not established \end{tabular}$

□[33;1manalyzer_1_da620d9dd565 |□[0m 2020-08-22 08:24:44,706 - analyzerApp - ERROR - (530, 'NOT_ALLOWED - vhost analyzer not found')

 $\label{eq:connection} \begin{tabular}{l} \square [33;1manalyzer_1_da620d9dd565] \\ \square [0m 2020-08-22 08:24:44,832 - analyzerApp - ERROR - Amqp connection was not established \end{tabular}$

□[33;1manalyzer_1_da620d9dd565 |□[0m 2020-08-22 08:24:44,832 - analyzerApp - ERROR - (530, 'NOT_ALLOWED - vhost analyzer not found')

 $\label{eq:connection} \begin{tabular}{l} \square [33;1manalyzer_1_da620d9dd565] \square [0m 2020-08-22 08:24:44,978 - analyzerApp - ERROR - Amqp connection was not established \end{tabular}$

 $\label{eq:connection} \begin{tabular}{l} \square [33;1manalyzer_1_da620d9dd565] \square [0m 2020-08-22 08:24:54,709 - analyzerApp - ERROR - Amqp connection was not established \end{tabular}$

Πί33·1manalvzer 1 da620d9dd565 ΙΠί0m 2020-08-22 08·24·54 709 - analvzerAnn - FRROR - (530 'NOT ΔΙΙΟWFD -

 \Box [33mrabbitmq_1_afafb8a86a64 | \Box [0m 2020-08-22 08:25:05.030 [error] < 0.749.0 > Error on AMQP connection < 0.749.0 > (172.19.0.9:55264 -> 172.19.0.3:5672, user: 'rabbitmq', state: opening):

$$\label{eq:continuous} \begin{split} & \square[33;1manalyzer_1_da620d9dd565\ | \square[0m\ 2020-08-22\ 08:25:05,031\ -\ analyzerApp\ -\ ERROR\ -\ (530,\ 'NOT_ALLOWED\ -\ vhost\ analyzer\ not\ found') \end{split}$$


 $\label{eq:condition} \begin{tabular}{ll} \blacksquare [31;1mapi_1_35fb1bd5ace7 \mid \blacksquare [0m 2020-08-22 08:25:25.258 ERROR 6 --- [main] \\ \end{tabular}$

c.e.t.r.f.d.minio.MinioDataStore : Unable to find file 'keystore/migration'

Среда

Нет





Command.java:124



Описание

□[35melasticsearch_1_7c7167020fb5 |□[0m "at

 $org.elastics earch.cli. Command. main Without Error Handling (Command. java: 124) \\ \sim [elastics earch-cli-7.3.0.jar: 7.3.0]", and the properties of the pr$

□[31melasticsearch_1_7c7167020fb5 |□[0m "at

org.elasticsearch.cli.Command.mainWithoutErrorHandling(Command.java:124) ~[elasticsearch-cli-7.3.0.jar:7.3.0]",

□[34melasticsearch_1_7c7167020fb5 |□[0m "at

org.elasticsearch.cli.Command.mainWithoutErrorHandling(Command.java:124) ~[elasticsearch-cli-7.3.0.jar:7.3.0]",

□[36melasticsearch_1_7c7167020fb5 |□[0m "at

org.elasticsearch.cli.Command.mainWithoutErrorHandling(Command.java:124) ~[elasticsearch-cli-7.3.0.jar:7.3.0]",

□[36melasticsearch_1_7c7167020fb5 |□[0m "at

org.elasticsearch.cli.Command.mainWithoutErrorHandling(Command.java:124) ~[elasticsearch-cli-7.3.0.jar:7.3.0]",

□[33melasticsearch_1_7c7167020fb5 |□[0m "at

org.elasticsearch.cli.Command.mainWithoutErrorHandling(Command.java:124) ~[elasticsearch-cli-7.3.0.jar:7.3.0]",

□[34;1melasticsearch_1_7c7167020fb5 |□[0m "at

org.elasticsearch.cli.Command.mainWithoutErrorHandling(Command.java:124) ~[elasticsearch-cli-7.3.0.jar:7.3.0]",

org.elasticsearch.cli.Command.mainWithoutErrorHandling(Command.java:124) ~[elasticsearch-cli-7.3.0.jar:7.3.0]",

□[34;1melasticsearch_1_7c7167020fb5 |□[0m "at

org.elasticsearch.cli.Command.mainWithoutErrorHandling(Command.java:124) ~[elasticsearch-cli-7.3.0.jar:7.3.0]",

Среда ①

Нет

Вложения (1) · · · · · +

Активность

Log Files Comm... java124