


POWER QUERY



POWER QUERY

- EXERCISES



EXCEL – Power Query : Exercises 1 – 6

EXERCISE 1

Cleaning up a CSV file

- Connecting to a CSV file.
- Split a column by delimiter.
- Split a column by position.
- Insert an index column.
- Insert a calculated column.
- Insert a conditional column.
- Replace values.
- Delete columns.
- Rename columns.
- Move columns.
- Detect data types.

POWER QUERY – Exercise 1 (1h – 15 p)

EXERCISE 2

Connect to a web page

- Connecting to a web page.
- Delete the other columns.
- Add a custom index column.
- Rename columns.
- Rename a query.
- Add queries.
- Add a column by example.
- Correct data types.
- Do not load the data, only create the connection.
- 'Load in...' from Excel
- Organize queries with groups.

POWER QUERY – Exercise 2 (45 mins)

EXERCISE 3

Automatically combine from a folder

- Connection from a folder then combine and transform.
- Transform the sample file.
- Delete an automatic step.
- Transpose the table and merge the first two transposed columns and transpose again.
- Promote the 1st line to headers.
- Isolate the first name of the sales reps (column by example).
- Split the shipping method and packaging.
- Add a column that calculates the number of days between the date of order and shipment.
- Filter rows where the value of the [importance] column is 'unspecified'.
- Replace the type of [discount amount] in percentage.
- Add a custom column that calculates the net amount of each sale.
[Unit Price]*[Order Quantity]*(1-[Amount Discount])

POWER QUERY – Exercise 3 (1.5h- 2h)

EXERCISE 4

Combine and merge

- Login from a folder and then Transform.
- Add Custom Column:
Excel.Workbook([Content]).true)
- Delete the other columns.
- Expand the new column and filter the [Kind] column to keep only the 'Sheet' type.
- Delete all columns except [Data] and expand the latter.
- Add a column to isolate the year and verify that all files have been accounted for.
- Detect column types.
- Create a new query on the Excel Produits_Master file and select Table4.
- Merge the two queries into a new one and expand the merged column keeping the product name and price.
- Close and load in a pivot table.

POWER QUERY – Exercise 4 (1h)



EX 7 – 9

EXERCISE 1



Cleaning up a CSV file

- Connecting to a CSV file.
- Split a column by delimiter
- Split a column by position.
- Insert an index column.
- Insert a calculated column.
- Insert a conditional column.
- Replace values.
- Delete columns.
- Rename columns.
- Move columns.
- Detect data types.

Import from CSV

File Home Insert Page Layout Formulas **Data** Review

Get Data From Text/CSV From Picture From Web Recent Sources Refresh

computer_products_CHATGPT.csv

File Origin: 1252: Western European (Windows) Delimiter: Comma Data Type Detection: Based on first 200 rows



Column1
Name Weight Dimensions Price Units Sold Category
Cooling Fan Model 660 4.56 52x13x18 cm 1476.22 687 Cooling Fan
Laptop Model 247 2.06 46x28x19 cm 1711.09 508 Laptop
Monitor Model 412 0.67 24x28x3 cm 184.81 460 Monitor
Processor Model 375 1.97 44x31x3 cm 134.08 852 Processor
Switch Model 769 4.77 41x45x7 cm 372.68 29 Switch
Monitor Model 187 3.53 32x10x7 cm 501.11 534 Monitor
RAM Model 730 3.41 51x55x8 cm 1574.65 895 RAM
Switch Model 239 2.73 46x37x2 cm 1499.66 161 Switch
Laptop Model 714 4.76 53x56x8 cm 892.38 897 Laptop
Desktop Model 213 4.55 41x20x17 cm 1301.72 298 Desktop
HDD Model 570 1.01 35x51x20 cm 1176.91 209 HDD
Mouse Model 277 2.49 17x25x7 cm 1142.95 409 Mouse
Mouse Model 844 4.63 24x21x12 cm 415.8 105 Mouse
SSD Model 787 4.04 52x57x5 cm 710.26 565 SSD
Printer Model 165 3.19 57x30x17 cm 1518.97 322 Printer
SSD Model 226 2.9 41x53x8 cm 332.16 619 SSD
RAM Model 219 1.01 41x39x17 cm 631.04 903 RAM
SSD Model 256 2.17 46x44x5 cm 20.47 318 SSD
Mouse Model 649 1.24 13x39x13 cm 1575.31 578 Mouse
Processor Model 491 4.71 43x13x3 cm 1401.2 837 Processor
Cooling Fan Model 195 3.38 25x30x19 cm 1552.67 120 Cooling Fan

Load Transform Data Cancel

Column1	
Valid	100%
Error	0%
Empty	0%
1	Name Weight Dimensions Price Units Sold Category
2	Cooling Fan Model 660 4.56 52x13x18 cm 1476.22 687 Cooling Fan
3	Laptop Model 247 2.06 46x28x19 cm 1711.09 508 Laptop
4	Monitor Model 412 0.67 24x28x3 cm 184.81 460 Monitor
5	Processor Model 375 1.97 44x31x3 cm 134.08 852 Processor
6	Switch Model 769 4.77 41x45x7 cm 372.68 29 Switch
7	Monitor Model 187 3.53 32x10x7 cm 501.11 534 Monitor
8	RAM Model 730 3.41 51x55x8 cm 1574.65 895 RAM
9	Switch Model 239 2.73 46x37x2 cm 1499.66 161 Switch
10	Laptop Model 714 4.76 53x56x8 cm 892.38 897 Laptop
11	Desktop Model 213 4.55 41x20x17 cm 1301.72 298 Desktop
12	HDD Model 570 1.01 35x51x20 cm 1176.91 209 HDD
13	Mouse Model 277 2.49 17x25x7 cm 1142.95 409 Mouse
14	Mouse Model 844 4.63 24x21x12 cm 415.8 105 Mouse
15	SSD Model 787 4.04 52x57x5 cm 710.26 565 SSD

Split [Column 1] by delimiter

THEN PROMOTE 1ST ROW TO HEADERS



Split Column by Delimiter

Specify the delimiter used to split the text column.

Select or enter delimiter

--Custom--

|

Split at


- ☐ Left-most delimiter
- ☐ Right-most delimiter
- ☒ Each occurrence of the delimiter

Table.PromoteHeaders("#Fractionner la colonne par délimiteur", [PromoteAllScalars=true])

Nom	Poids	Dimensions	Prix	
Valide 100%	Valide 100%	Valide 100%	Valide 100%	
Erreur 0%	Erreur 0%	Erreur 0%	Erreur 0%	
Vide 0%	Vide 0%	Vide 0%	Vide 0%	
Clavier Modèle 512	3.1	59x57x10 cm	514.22	40
Mémoire vive Modèle 304	4.05	60x25x12 cm	364.33	42
Ventilateur Modèle 519	2.86	50x20x2 cm	778.1	57
Clavier Modèle 563	3.5	22x44x1 cm	86.81	13
Souris Modèle 246	3.63	13x47x12 cm	837.42	24
Carte graphique Modèle 8...	2.15	48x19x8 cm	883.9	51
Clavier Modèle 344	4.59	16x38x5 cm	1521.64	23
Imprimante Modèle 790	1.1	60x50x1 cm	1172.18	
SSD Modèle 693	4.89	21x50x12		
SSD Modèle 148	0.53			

Split the Dimensions column

by positions



Split Column by Positions

Specify the positions at which to split the text column.

Positions


0, 2, 5, 8

Advanced options

OK

A ^B _C Name	A ^B _C Weight	A ^B _C Dimensions.1	A ^B _C Dimensions.2	A ^B _C Dimensions.3	A ^B _C Dimensions.4
Cooling Fan Model 660	4.56	52	x13	x18	cm
Laptop Model 247	2.06	46	x28	x19	cm
Monitor Model 412	0.67	24	x28	x3	cm
Processor Model 375	1.97	44	x31	x3	cm
Switch Model 769	4.77	41	x45	x7	cm
Monitor Model 187	3.53	32	x10	x7	cm
RAM Model 730	3.41	51	x55	x8	cm
Switch Model 239	2.73	46	x37		

Replace 'x' values in dimension columns



Replace Values

Replace one value with another in the selected columns.

Value To Find

A^BC x

Replace With

A^BC

Advanced options


OK

Clear [Dimensions.4]

A ^B C Name	A ^B C Weight	A ^B C Dimensions.1	A ^B C Dimensions.2	A ^B C Dimensions.3	A ^B C Dimensions.4
Cooling Fan Model 660	4.56	52	13	18	cm
Laptop Model 247	2.06	46	28	19	cm
Monitor Model 412	0.67	24	28	3	cm
Processor Model 375	1.97	44	31	3	cm
Switch Model 769	4.77	41	45	7	cm
Monitor Model 187	3.53	32	10	7	cm
RAM Model 730	3.41	51	55	55	cm


Rename dimension columns

Split [Name] by delimiter '
Template ' and then rename.




A ^B _C Product	A ^B _C Model	A ^B _C Weight	A ^B _C Length(cm)	A ^B _C Width(cm)	A ^B _C Height(cm)
Cooling Fan	660	4.56	52	13	18
Laptop	247	2.06	46	28	19
Monitor	412	0.67	24	28	3
Processor	375	1.97	44	31	3
Switch	769	4.77	41	45	7
Monitor	187	3.53	32	10	
	730	3.41			

Add an index column and move it to 1 st column



1 ² ₃ Index	A ^B _C Product	A ^B _C Model	A ^B _C Weight	A ^B _C Length(cm)	A ^B _C Width(cm)
1	Cooling Fan	660	4.56	52	13
2	Laptop	247	2.06	46	28
3	Monitor	412	0.67	24	28
4	Processor	375	1.97	44	31
5	Switch	769	4.77	41	45
6	Monitor	187	3.53	32	10
7	RAM	730	3.41	51	55
8	Switch	239	2.73		
9	Laptop	714			

Add a calculated column



Custom Column

Add a column that is computed from the other columns.

New column name
Total sale

Custom column formula ①
= [Units Sold]*[Price]

Available columns
Index
Product
Model
Weight
Length(cm)
Width(cm)
Height(cm)
...

<< Insert


[Learn about Power Query formulas](#)

✓ No syntax errors have been detected.

OK Cancel

123 Width(cm)	123 Height(cm)	\$ Price	123 Units Sold	A ^B _C Category	ABC 123 Total sale
13	18	1 476,22	687	Cooling Fan	1014163,14
28	19	1 711,09	508	Laptop	869233,72
28	3	184,81	460	Monitor	85012,6
31	3	134,08	852	Processor	114236,16
45	7	372,68	29	Switch	10807,72
10	7	501,11	534	Monitor	267592,74
55	8	1 574,65			

Add a conditional column



Add Conditional Column

Add a conditional column that is computed from the other columns or values.

New column name

Weight cat

	Column Name	Operator	Value ①	Output ①
If	Weight	is less than	ABC 123 1	Then ABC 123 < 1 kg ...
Else If	Weight	is less than or equ...	ABC 123 2	Then ABC 123 1 - 2 kg
Else If	Weight	is less than or equ...	ABC 123 3	Then ABC 123 2 - 3 kg

Add Clause

Else ①

ABC 123 3+ kg

OK

	\$ Weight	ABC 123 Weight cat
1	4,56	3+ kg
2	2,06	2 - 3 kg
3	0,67	< 1 kg
4	1,97	1 - 2 kg
5	4,77	3+ kg
6	3,53	3+ kg
7	3,41	3+ kg
8	2,73	2 - 3 kg
9	4,76	3+ kg
10	4,55	3+ kg
11		

EXERCISE 2






Connect to a web page

- Connecting to a web page.
- Delete the other columns.
- Add a custom index column.
- Rename columns.
- Rename a query.
- Add queries.
- Add a column by example.
- Correct data types.
- Do not load the data, only create the connection.
- 'Load in...' from Excel
- Organize queries with groups.

Login to the web page

SOURCE: [HTTPS://COINMARKETCAP.COM/](https://coinmarketcap.com/)



Selecting Relevant Objects

Navigator

☒ Select multiple items

Display Options ▾

- HTML Tables [1]
 - ☐ Table 1
- Suggested Tables [3]
 - ☒ Table 2
 - ☒ Table 3
 - ☐ Table 4
- Text [2]
 - ☐ HTML Code
 - ☐ Displayed Text

Table View Web View

Table 3

Column1	Column2	Column3
Hyperliquid	HYPE	\$44.69
Stellar	XLM	\$0.46
Sui	SUI	\$3.93
Chainlink	LINK	\$19.09
Hedera	HBAR	\$0.27
Avalanche	AVAX	\$25.41
Bitcoin Cash	BCH	\$518.55
Shiba Inu	SHIB	\$0.00
Litecoin	LTC	\$114.73
Toncoin	TON	\$3.46
UNUS SED LEO	LEO	\$8.98
Polkadot	DOT	\$4.40
Uniswap	UNI	\$10.41
Ethena USDe	USDe	\$1.00
Monero	XMR	\$324.98
Pepe	PEPE	\$0.00
Bitget Token	BGB	\$4.83
Dai	DAI	\$1.00
Aave	AAVE	\$309.07
Bittensor	TAO	\$433.01
Cronos	CRO	\$0.12
Pi	PI	\$0.48

Add Table Using Examples

OK Cancel

Selecting Relevant Columns (tbl_cryptos)

RENAME THE QUERY TABLE2 INTO TBL_CRYPTOS

Requêtes [3]

EX1 [1]

Autres requêtes [2]

tbl_cryptos

Table 3

✕

✓

fx

= Table.SelectColumns("#Type modifié",{"Column1", "Column2", "Column3", "Column4"})

	123 Column1	A ^B _C Column2	A ^B _C Column3	A ^B _C Column4
	● Valide ● Erreur ● Vide 100% 0% 0%	● Valide ● Erreur ● Vide 100% 0% 0%	● Valide ● Erreur ● Vide 100% 0% 0%	● Valide ● Erreur ● Vide 100% 0% 0%
1		1 Bitcoin	BTC	\$109,114.18
2		2 Ethereum	ETH	\$2,649.91
3		3 Tether	USDT	\$1.00
4		4 XRP	XRP	\$2.37
5		5 BNB	BNB	\$661.75
6		6 Solana	SOL	\$153.86
7		7 USDC	USDC	\$0.9998
8		8 TRON	TRX	\$0.2878
9		9 Dogecoin	DOGE	
10		10 Cardano	ADA	

Paramètres d'une requête... ✕


PROPRIÉTÉS

Nom

tbl_cryptos

Add an index column in Table 3

FROM 11



Add Index Column

Add an index column with a specified starting index and increment.

Starting Index

11

Increment

1

OK

1 ² ₃ Index	A ^B _C Column1	A ^B _C Column2	A ^B _C Column
11	Toncoin	TON	\$3.67
12	UNUS SED LEO	LEO	\$9.42
13	Chainlink	LINK	\$12.78
14	Stellar	XLM	\$0.26
15	Avalanche	AVAX	\$18.09
16	Sui		

Standardize column names

TO ADD QUERIES

Queries [22]

EX1 [2]

- ProduitsInformat...
- ComputerProdu...

Ex 2 [2]

- tbl_cryptos
- Table 3

fx = Table.RenameColumns("#Autres colonnes supprimées",{"Column1", "Index"})

123 Index	A ^B _C Column2	A ^B _C Column3	A ^B _C Column4
1	1 Bitcoin	BTC	\$83,116.04
2	2 Ethereum	ETH	\$1,795.87
3	3 Tether	USDT	\$0.9998
4	4 XRP	XRP	
5	5		

ProduitsInformat...

ComputerProdu...

Ex 2 [2]

- tbl_cryptos
- Table 3

Transformer le fic...

Requêtes d'assis...

123 Index	A ^B _C Column2	A ^B _C Column3	A ^B _C Column4
1	11 Toncoin	TON	\$3.67
2	12 UNUS SED LEO	LEO	\$9.42
3	13 Chainlink	LINK	\$12.78
4	14 Stellar	XLM	\$0.26
5	15 Avalanche	AVAX	
6	16		

Adding queries

SELECT TBL_CRYPTOS AT THE START

Append

Concatenate rows from two tables into a single table.

☒ Two tables ☐ Three or more tables

Table to append


Table 3

OK

123 Index	A _C ^B Crypto	A _C ^B Symbol	A _C ^B Valeur
1	1 Bitcoin	BTC	\$109,114.18
2	2 Ethereum	ETH	\$2,649.91
3	3 Tether	USDT	\$1.00
4	4 XRP	XRP	\$2.37
5	5 BNB	BNB	\$661.75
6	6 Solana	SOL	\$153.86
7	7 USDC	USDC	\$0.9998
8	8 TRON	TRX	\$0.2878
9	9 Dogecoin	DOGE	\$0.1722
10	10 Cardano	ADA	\$0.6060
11	11 Hyperliquid	HYPE	\$39.09
12	12 Sui	SUI	\$2.94
13	13 Bitcoin Cash	BCH	\$508.19
14	14 Chainlink	LINK	\$14.00
15	15 Stellar	XLM	\$0.29
16	16 UNUS SED LEO	LEO	\$9.03
17	17 Avalanche	AVAX	\$18.56
18	18 Hedera	HBAR	\$0.17
19	19 Shiba Inu	SHIB	\$0.00
20	20 Toncoin	TON	
21	21 Litecoin	LT	
22	22 Monero		
23	23 Polkadot		

Add a column by example

CLEAN COLUMN [VALUE]




Add Column From Examples
Enter sample values to create a new column (Ctrl+Enter to apply).
Transform: `Text.Remove([Value], {"$", ","})`

OK

	1 ² ₃ Index	☐ A ^B _C Crypto	☐ A ^B _C Symbol	☒ A ^B _C Value	Removed Characters
1		1 Bitcoin	BTC	\$119,034.16	119034.16
2		2 Ethereum	ETH	\$3,678.15	3678.15
3		3 XRP	XRP	\$3.52	3.52
4		4 Tether	USDT	\$1.00	1.00
5		5 Solana	SOL	\$201.63	201.63
6		6 BNB	BNB	\$764.24	764.24
7		7 USDC	USDC	\$0.9998	0.9998
8		8 Dogecoin	DOGE	\$0.2659	
9		9 Cardano	ADA		
		10 TRON	TRX		


Organize queries into groups

CREATE FOLDERS TO STORE YOUR QUERIES





Create only the connection

PREVENTS UNNECESSARY TABLES FROM BEING LOADED



Change the connection only option

CHOOSE WHICH QUERY TO IMPORT INTO EXCEL





EXERCISE 3

Automatically combine from a folder

- Connection from a folder then combine and transform.
- Transform the sample file
- Delete an automatic step.
- Transpose the table and merge the first two transposed columns and transpose again.
- Promote the 1st line to headers.
- Isolate the first name of the sales reps (column by example).
- Split the shipping method and packaging.
- Add a column that calculates the number of days between the date of order and shipment.
- Filter rows where the value of the [importance] column is 'unspecified'.
- Replace the type of [discount amount] in percentage.
- Add a custom column that calculates the net amount of each sale.
$$[\text{Unit Price}] * [\text{Order Quantity}] * (1 - [\text{Amount Discount}])$$

Import from a folder

SOURCE: POWERQUERY-COMBINERETTRANSFORMER\DATA




Clear last step applied

BECAUSE HEADERS ON 2 LINES


					Colonnes renommées
medium box	1	239,17			Soustraction de la date d'inser... ⚙
Small Box	1	55,41			Colonnes renommées1
Wrap Bag	2	144,91			Lignes filtrées ⚙
Jumbo Drum	1	989,76			Type modifié2
Jumbo Drum	2	667,75			Personnalisée ajoutée ⚙
Small Pack	1	165,75			✕ Changed Type

Transpose the table and merge cols 1 & 2

TO GROUP THE HEADERS INTO A SINGLE COLUMN



	ABC 123 Column1	ABC 123 Column2	ABC 123 Column3	ABC 123 Column4	ABC 123 Column5
1	No	Commande	13729	28774	9285
2	No	Client	C508	C372	C212
3	Nom	Commercial	Mr Robert Carlton	Mme Roseanna Marr	Mr Robert Carlton
4	Date	commande	01.01.2017	01.01.2017	02.01.2017
5	Date	Envoi	03.01.2017	02.01.2017	04.01.2017
6	importance	Commande	non spécifié	haute	critique
7	code	SKU	SKU947	SKU947	SKU947



Merge Columns

Choose how to merge the selected columns.

Separator

Space

New column name (optional)

merged

	ABC Fusionné	ABC 123 Column3
1	No Commande	13729
2	No Client	C508
3	Nom Commercial	Mr Robert Carlton
4	Date commande	01.01.2017
5	Date Envoi	03.01.2017
6	importance Commande	

Re-transpose and promote headers

TO GROUP HEADERS

	ABC 123 Column1	ABC 123 Column2	ABC 123 Column3	ABC 123 Column4	ABC 123 Column5
1	No Commande	No Client	Nom Commercial	Date commande	Date Envoi
2	13729	C508	Mr Robert Carlton	01.01.2017	03.01.20
3	28774	C372	Mme Roseanna Marr	01.01.2017	02.01.20
4	9285	C212	Mr Robert Carlton	02.01.2017	04.01.20
5	37537	C015	Mr Robert Carlton		

File Home Transform Add Column View

Group By Use First Row as Headers Table

Transpose Reverse Rows Count Rows

Data Type: Currency Detect Data Type Rename

Replace Values Fill Pivot Column

Unpivot Columns Move Convert to List

Split Column Format Merge Columns Extract Parse

	1 ² 3 No Commande	A ^B C No Client	A ^B C Nom Commercial	Date commande	Date Envoi
1	13729	C508	Mr Robert Carlton	01.01.2017	03.01.2017
2	28774	C372	Mme Roseanna Marr	01.01.2017	02.01.2017
3	9285	C212	Mr Robert Carlton	02.01.2017	04.01.2017
4	37537	C015	Mr Robert Carlton	02.01.2017	02.01.2017
5	37537	C015	Mr Robert Carlton		

Isolate first names from sales reps


ADD A COLUMN BY EXAMPLE

Add Column From Examples

Enter sample values to create a new column (Ctrl+Enter to apply).
Transform: [Texte entre les délimiteurs]

OK Cancel

	1 ² 3 No Commande	☒ A ^B C No Client	☒ A ^B C Nom Commercial	☒ Texte entre les délimiteurs - Copy
1		13729 C508	Mr Robert Carlton	Robert
2		28774 C372	Mme Roseanna Marr	Roseanna
3		9285 C212	Mr Robert Carlton	Robert
4		37537 C015	Mr Robert Carlton	Robert
5		37537 C015	Mr Robert Carlton	Robert
6		37537 C015	Melle Gail Johnson	Gail
7		44069 C256	Mme Roseanna Marr	Roseanna
8		44069 C256	Mme Roseanna Marr	Roseanna



	A ^B C Nom Commercial	A ^B C Texte entre les délimiteurs	Date commande
1	Mr Robert Carlton	Robert	01.01.2017
2	Mme Roseanna Marr	Roseanna	01.01.2017
3	Mr Robert Carlton	Robert	02.01.2017
4	Mr Robert Carlton	Robert	02.01.2017
5	Mr Robert Carlton	Robert	02.01.2017
6	Melle Gail Johnson	Gail	

Split the column [Mode expédition]

SPLIT INTO [EXPÉDITION] & [PACKAGING]

Split Column by Delimiter

Specify the delimiter used to split the text column.

Select or enter delimiter

--Custom--

-

Split at

- ☐ Left-most delimiter
- ☐ Right-most delimiter
- ☒ Each occurrence of the delimiter

RENOMMER




	A ^B _C Expédition	A ^B _C Packaging
35	Express Air	Large Box
4.69	Regular Air	Small Box
2.99	Regular Air	Small Box
48.8	Delivery Truck	Jumbo Drum
45	Delivery Truck	Jumbo Drum
7.07	Regular Air	Small Box
2.15	Express Air	Wrap Bag
1.97	Regular Air	Wrap Bag
5.66	Regular Air	Small Box
2.5	Regular Air	

Calculate order processing time.

CALCULATE THE NUMBER OF DAYS BETWEEN [DATE_COMMANDE] AND [DATE_ENVOI]

PAY ATTENTION TO THE ORDER OF COLUMN SELECTION




Date commande	Date Envoi	importance Comman
Valid 100%	Valid 100%	Valid
Error 0%	Error 0%	Error
Empty 0%	Empty 0%	Empty
01.01.2017	03.01.2017	non spécifié
01.01.2017	02.01.2017	haute
02.01.2017	04.01.2017	critique
02.01.2017	02.01.2017	bas
02.01.2017	04.01.2017	bas
02.01.2017	09.01.2017	bas
02.01.2017	04.01.2017	critique
02.01.2017	02.01.2017	critique
03.01.2017	05.01.2017	critique


A ^B C Packaging	1 ² 3 Délai livraison
Large Box	2
Small Box	1
Small Box	2
Jumbo Drum	0
Jumbo Drum	2
Small Box	7
Wrap Bag	
Wrap Bag	

Filter by [Importance Commande].

USE THE FILTER MENU TO THE RIGHT OF THE COLUMN HEADER



Format [Discount amount] as a percentage



Transform Add Column View


Transpose
Reverse Rows
Count Rows

Data Type: Decimal Number

- Decimal Number
- Currency
- Whole Number
- Percentage
- Date/Time
- Date
- Time
- Date/Time/Timezone
- Duration
- Text
- True/False
- Binary

1 2 Replace Values
Fill
Pivot Column
Any Column

		montant Rabais
Valid		100%
Error		0%
Empty		0%
1		0,08
2		0,1
3		0,06
4		0
5	100,98	0,07
6	155,06	0,05
7	9,11	0,09
8	15,04	0,08
9	5,28	0,03
10	110,99	0,01
11	5,58	0,03
12	212,6	0,09



% montant Rabais

10.00%
6.00%
0.00%
7.00%
5.00%
9.00%
8.00%
3.00%
1.00%

Calculate the net amount of each sale

FORMULA: UNIT PRICE * QTY * (1-DISCOUNT)

Custom Column

Add a column that is computed from the other columns.

New column name

Total net

Custom column formula ⓘ

= [Prix unité]*[Quantité Commande]*(1-[montant Rabais])

Available columns

No Commande
No Client
Texte entre les délimiteurs
Date commande
Date Envoi
importance Commande
code SKU

<< Insert

[Learn about Power Query formulas](#)

✓ No syntax errors have been detected.

OK

Cancel

\$ Total net
172.22
115.56
1 166.92
4 038.19
4 713.82
132.64
594.98
76.82
879.04
156.97
778

Check consolidation on all files

BEWARE OF MODIFIED TYPE ERRORS

The screenshot displays the Power BI Desktop interface. On the left, the 'Queries [22]' pane shows a tree view of queries. The 'Data' query is highlighted with an orange border. The main area shows the formula bar with the expression: `= Table.TransformColumnTypes("#Colonne de tables développée1",{{"Source.Nom", type text}})`. Below the formula bar, a yellow error message box states: "Expression.Error: The column 'Source.Nom' of the table wasn't found. Details: Source.Nom". On the right, the 'Query Settings' pane is visible. It has two sections: 'PROPERTIES' and 'APPLIED STEPS'. The 'APPLIED STEPS' section lists several steps, including 'Source', 'Fichiers masqués filtrés', 'Appeler une fonction p', 'Colonnes renommées1', 'Autres colonnes suppr', and 'Colonne de tables dév'. The last step, 'X Change type', is highlighted in green and has a large red 'X' over it. A red arrow points from the text below to this step.

SIMPLY CLEAR THE LAST AUTOMATIC STEP IN THE DATA QUERY TO GET THE RIGHT RESULT.

EXERCISE 4

Combine and merge

- Login from a folder and then Transform.
- Add Custom Column:
`Excel.Workbook([Content],true)`
- Delete the other columns.
- Expand the new column and filter the [Kind] column to keep only the 'Sheet' type.
- Delete all columns except [Data] and expand the latter.
- Add a column to isolate the year and verify that all files have been accounted for.
- Detect column types.
- Create a new query on the Excel Produits_Master file and select Table4.
- Merge the two queries into a new one and expand the merged column keeping the product name and price.
- Close and load in a pivot table.

Import from a directory

SOURCE: COMBINERFUSIONNER\DOSSIER SOURCE XSLX\

The screenshot illustrates the process of importing data from a directory into Excel. The 'Data' tab is active, and the 'Get Data' dropdown menu is open, showing the 'From Folder' option highlighted. A yellow arrow points from 'From Folder' to the 'Transform Data' button in the 'Load' dropdown menu. Another yellow arrow points from 'Transform Data' to a table of data.

The table of data is as follows:

Content	Name	Extension	Date accessed	Date modified	Date created	Attributes	Folder Path
Binary	ventes_2017.xlsx	.xlsx	22.07.2025 21:07:07	22.07.2025 09:17:34	22.07.2025 07:15:00	Record	C:\FORMATION\POWER QUERY\Exo
Binary	ventes_2018.xlsx	.xlsx	22.07.2025 09:17:34	22.07.2025 09:17:34	22.07.2025 07:15:00	Record	C:\FORMATION\POWER QUERY\Exo
Binary	ventes_2019.xlsx	.xlsx	22.07.2025 09:17:34	22.07.2025 09:17:34	22.07.2025 07:15:00	Record	C:\FORMATION\POWER QUERY\Exo
Binary	ventes_2020.xlsx	.xlsx	22.07.2025 09:17:34	22.07.2025 09:17:34	22.07.2025 07:15:00	Record	C:\FORMATION\POWER QUERY\Exo

The table of data is as follows:

	Content	Name	Extension	Date accessed	Date modified	Date created	Attributes	Folder Path
1	Binary	ventes2020.xlsx	.xlsx	09.07.2025 23:08:53	09.07.2025 21:42:31	12.07.2025 07:15:00	Record	C:\FORMATION\POWER QUERY\Exo
2	Binary	ventes2021.xlsx	.xlsx	09.07.2025 23:08:53	09.07.2025 21:42:31	12.07.2025 07:15:00	Record	C:\FORMATION\POWER QUERY\Exo
3	Binary	ventes2022.xlsx	.xlsx	09.07.2025 23:08:53	09.07.2025 21:42:31	12.07.2025 07:15:00	Record	C:\FORMATION\POWER QUERY\Exo
4	Binary	ventes2023.xlsx	.xlsx	09.07.2025 23:08:53	09.07.2025 21:42:31	12.07.2025 07:15:00	Record	C:\FORMATION\POWER QUERY\Exo

Add a custom column

FORMULA: `EXCEL.WORKBOOK([CONTENT], TRUE)`

Custom Column

Add a column that is computed from the other columns.

New column name

Personnalisé

Custom column formula ⓘ

= Excel.Workbook([Content], true)

Available columns

- Content
- Name
- Extension
- Date accessed
- Date modified
- Date created
- Attributes

<< Insert

[Learn about Power Query formulas](#)

✓ No syntax errors have been detected.

OK

Keep only Custom Column then Expand

FORMULA: EXCEL.WORKBOOK([CONTENT], TRUE)

The diagram illustrates the process of expanding a custom column in a table. It starts with a table named 'Personnalisé' with a custom column icon. An arrow points to the 'Expand' dialog box, which shows selected columns (cmdID, Date, Qté, ProdID) and the 'OK' button. Another arrow points to the final expanded table with columns Name, Data, Item, Kind, and Hidden.

ABC 123	Name	ABC 123	Data	ABC 123	Item	ABC 123	Kind	ABC 123	Hidden
1	2020		Table	2020		2020	Sheet		FALSE
2	Tableau1		Table	Tableau1		Tableau1	Table		FALSE
3	2021		Table	2021		2021	Sheet		FALSE
4	2022		Table	2022		2022	Sheet		FALSE
5	2023		Table	2023		2023	Sheet		FALSE

Filter Sheets on the [Kind] Column

AND KEEP ONLY THE FIRST 2 COLUMNS

The image illustrates a two-step process for filtering data in a table. The initial table has the following data:

ABC 123	Name	ABC 123	Data	ABC 123	Item	ABC 123	Kind	ABC 123	Hidden
1	2020		Table		2020		Sheet		
2	Tableau1		Table		Tableau1		Table		
3	2021		Table		2021		Sheet		
4	2022		Table		2022		Sheet		
5	2023		Table		2023		Sheet		

A filter dialog is shown, with the 'Kind' column selected. The 'Text Filters' section is expanded, and the 'Sheet' option is checked. The 'OK' button is highlighted.

The final table shows the result of the filter, with only the first 2 columns visible. The original data is obscured by red X marks:

ABC 123	Name	ABC 123	Data	ABC 123	Item	ABC 123	Kind	ABC 123	Hidden
1	2020		Table		2020		Sheet		FALSE
2	2021		Table		2021		Sheet		FALSE
3	2022		Table		2022		Sheet		FALSE
4	2023		Table		2023		Sheet		FALSE

Expand [Data] column

AND KEEP ONLY THE FIRST 2 COLUMNS

	ABC 123 Name	ABC 123 Data
1	2020	Table
2	2021	Table
3	2022	Table
4	2023	Table

Rechercher les colonnes à développer

☒ Développer ☐ Agréger

☒ (Sélectionner toutes les colonnes)

☒ cmdID

☒ Date

☒ Qté

☒ ProdID

☐ Utiliser le nom de la colonne d'origine comme préfixe



⚠ La liste peut être incomplète. [Charger plus](#)

OK Annuler

	123 Name	ABC cmdID	Date	123 Qté	123 ProdID
1	2020	2020-11	09.01.2020	7	1047
2	2020	2020-12	27.01.2020	3	1015
3	2020	2020-13	17.01.2020	14	1028
4	2020	2020-14	28.01.2020	4	1034
5	2020	2020-15	20.01.2020	9	1047
6	2020	2020-16	08.01.2020	14	1008
7	2020	2020-17	18.01.2020	8	1026
8	2020	2020-18	22.01.2020	4	1017
9	2020	2020-19	07.01.2020		
10	2020	2020-20			

Merge the 2 queries

FACTSALES & TABLEAU_TABLEAU4



123 Qté	123 ProdID	Tableau_Tableau4
7	1047	Table
3	1015	Table
14	1028	Table
4	1034	Table
9	1047	Table
14	1008	Table
8	1026	Table
4	1017	Table
3	1021	Table
12	1046	Table
18		
2		

Expand Column [Tableau_Tableau4]

MERGE ONLY PRODUCT NAME AND PRICE

1 ² 3 Qté	1 ² 3 ProdID	Tableau_Tableau4
7	1047	Table
3	1015	Table
14	1028	Table
4	1034	Table
9	1047	Table
14	1008	Table
8	1026	Table
4	1017	Table
3	1021	Table
12	1046	Table
18		
2		

Expand Column [Tableau_Tableau4]

☒ Expand ☐ Aggregate

☒ (Select All Columns)

☒ Noms de produit

☒ No Produit

☒ Poids (kg)

☒ Dimensions (cm)

☒ Prix conseillé (CHF)

☐ Use original column name as prefix

OK Cancel

Date	1 ² 3 Qté	1 ² 3 ProdID	A ^B C Noms de produit	1.2 Prix conseillé (CHF)
09.01.2020	7	1047	Mémoire RAM SSD 1TB	79
20.01.2020	9	1047	Mémoire RAM SSD 1TB	79
22.02.2020	5	1000	Ordinateur portable	999
27.01.2020	3	1015	SSD (Solid-State Drive)	99
27.05.2020	2	1015	SSD (Solid-State Drive)	99
13.05.2020	18	1001	Moniteur 15''	299
17.01.2020	14	1028	Repose-poignet pour clavi...	19
17.02.2020	7	1028	Repose-poignet pour clavi...	
11.04.2020	14			

EXERCISE 5

Combine with multiple sheets

- Import from a folder and then Transform.
- Add Custom Column:
`Excel.Workbook([Content],true)`
- Delete the other columns.
- Expand the new column and filter the [Kind] column to keep only the 'Table' type.
- Delete all columns except [Data] and expand the latter.
- Add a column to isolate the year and verify that all files have been accounted for.
- Detect column types.
- Close and load into a TCD with the date and amount of sales.

Source: PowerQuery-combineretTransformer\Data2