



Fortify Security Report

Feb 10, 2016

Mohammed.hussaini

Executive Summary

Issues Overview

On Feb 10, 2016, a source code review was performed over the EPDS_Web code base. 1,141 files, 113,894 LOC (Executable) were scanned and reviewed for defects that could lead to potential security vulnerabilities. A total of 40 reviewed findings were uncovered during the analysis.

Issues by Fortify Priority Order

High	23
Critical	17

Recommendations and Conclusions

The Issues Category section provides Fortify recommendations for addressing issues at a generic level. The recommendations for specific fixes can be extrapolated from those generic recommendations by the development group.

Project Summary

Code Base Summary

Code location: C:/Users/mhussaini/Gitworkspace/EPDS_Web

Number of Files: 1141

Lines of Code: 113894

Build Label: <No Build Label>

Scan Information

Scan time: 01:20:22

SCA Engine version: 6.30.0086

Machine Name: AWCCOFT55000120

Username running scan: MHussaini

Results Certification

Results Certification Valid

Details:

Results Signature:

SCA Analysis Results has Valid signature

Rules Signature:

There were no custom rules used in this scan

Attack Surface

Attack Surface:

File System:

null.null.null

Private Information:

null.null.null

System Information:

null.null.null

Filter Set Summary

Current Enabled Filter Set:

Quick View

Filter Set Details:

Folder Filters:

If [fortify priority order] contains critical Then set folder to Critical

If [fortify priority order] contains high Then set folder to High

If [fortify priority order] contains medium Then set folder to Medium

If [fortify priority order] contains low Then set folder to Low

Visibility Filters:

If impact is not in range [2.5, 5.0] Then hide issue

If likelihood is not in range (1.0, 5.0] Then hide issue

Audit Guide Summary

Audit guide not enabled


Results Outline

Overall number of results

The scan found 40 issues.

Vulnerability Examples by Category

Category: Password Management: Hardcoded Password (11 Issues)



Explanation:

It is never a good idea to hardcode a password. Not only does hardcoding a password allow all of the project's developers to view the password, it also makes fixing the problem extremely difficult. Once the code is in production, the password cannot be changed without patching the software. If the account protected by the password is compromised, the owners of the system will be forced to choose between security and availability.

Example: The following code uses a hardcoded password to connect to an application and retrieve address book entries:

```
...
obj = new XMLHttpRequest();
obj.open('GET','/fetchusers.jsp?id='+form.id.value,'true','scott','tiger');
...
```

This code will run successfully, but anyone who accesses the containing web page will be able to view the password.

Recommendations:

Passwords should never be hardcoded and should generally be obfuscated and managed in an external source. Storing passwords in plaintext anywhere on the web site allows anyone with sufficient permissions to read and potentially misuse the password. For JavaScript calls that require passwords, it is better to prompt the user for the password at connection time.


Tips:

- 1. Avoid hardcoding passwords in source code and avoid using default passwords. If a hardcoded password is the default, require that it be changed and remove it from the source code.
- 2. When identifying null, empty, or hardcoded passwords, default rules only consider fields and variables that contain the word password. However, the HPE Security Fortify Custom Rules Editor provides the Password Management wizard that makes it easy to create rules for detecting password management issues on custom-named fields and variables.

angular-scenario.js, line 1977 (Password Management: Hardcoded Password)			
Fortify Priority:	High	Folder	High
Kingdom:	Security Features		
Abstract:	Hardcoded passwords may compromise system security in a way that cannot be easily remedied.		
Sink:	angular-scenario.js:1977 FieldAccess: password()		
1975			
1976	// Add button/input type pseudos		
1977	for (i in { radio: true, checkbox: true, file: true, password: true, image: true })		
	{		
1978	Expr.pseudos[i] = createInputPseudo(i);		

1979

}



Explanation:

With autocomplete enabled, some browsers retain user input across sessions, which could allow someone using the computer after the initial user to see information previously submitted.

Recommendations:

Explicitly disable autocomplete on forms or sensitive inputs. By disabling autocomplete, information previously entered will not be presented back to the user as they type. It will also disable the "remember my password" functionality of most major browsers.

Example 1: In an HTML form, disable autocomplete for all input fields by explicitly setting the value of the autocomplete attribute to off on the form tag.

```
<form method="post" autocomplete="off">
Address: <input name="address" />
Password: <input name="password" type="password" />
</form>
```


Example 2: Alternatively, disable autocomplete for specific input fields by explicitly setting the value of the autocomplete attribute to off on the corresponding tags.

```
<form method="post">
Address: <input name="address" />
Password: <input name="password" type="password" autocomplete="off"/>
</form>
```

Note that the default value of the autocomplete attributed is on. Therefore do not omit the attribute when dealing with sensitive inputs.

login-page.html, line 28 (Privacy Violation: Autocomplete)			
Fortify Priority:	High	Folder	High
Kingdom:	Security Features		
Abstract:	The form in login-page.html uses autocomplete on line 28, which allows some browsers to retain sensitive information in their history.		
Sink:	login-page.html:28 null()		
26	</div>		
27	<div class="form-group">		
28	<input type="password" name="userPwd" class="form-control"		
29	data-ng-model="credentials.userPwd" placeholder="Password"		
30	required />		

Category: Password Management: Insecure Submission (8 Issues)

**Explanation:**

By convention, the parameters associated with an HTTP GET request are not treated as sensitive data, so web servers log them, proxies cache them, and web browsers do not make an effort to conceal them. Sending a password or other sensitive data as part of an HTTP GET will likely cause the data to be mishandled and potentially revealed to an attacker.

Example 1: In the example below, new user password is submitted via an HTTP GET request.

```
<form method="get">
Name of new user: <input type="text" name="username">
Password for new user: <input type="password" name="user_passwd">
<input type="submit" name="action" value="Create User">
</form>
```

Also, note that the default value of the method attributed is GET, thus omitting the attribute results in the same outcome.

Recommendations:

Avoid sending sensitive data, such as passwords, via an HTTP GET request. Sensitive data should travel from the browser to the server using HTTP POST, not HTTP GET.

Example 2: In the example below, new user password is submitted via an HTTP POST request.

```
<form method="post">
Name of new user: <input type="text" name="username">
Password for new user: <input type="password" name="user_passwd">
<input type="submit" name="action" value="Create User">
</form>
```

HTML5 adds the ability to specify the formmethod attribute as part of the submit and image input tags, and the value of this attribute overrides the value of the method attribute of the corresponding form tag.

Example 3: In the example below, new user password is also submitted via an HTTP POST request, which is specified by the formmethod attribute of the submit input tag.

```
<form method="get">
Name of new user: <input type="text" name="username">
Password for new user: <input type="password" name="user_passwd">
<input type="submit" name="action" value="Create User" formmethod="post">
</form>
```


However, be aware that if the value of the formmethod attribute is set to get, the form will be submitted via an HTTP GET request no matter what the method attribute of the corresponding form tag specifies.

Avoid sending sensitive data via an HTTP redirect, because it causes the user's web browser to issue an HTTP GET request. The application should either store the sensitive data in a session object so that it does not need to be transmitted back to the browser or simply discard the data and ask the user to enter it again. Other options, such as embedding the sensitive data in a web page that automatically posts its data, are also problematic because the web page may be cached by a proxy or by the web browser. As is often the case, security may need to trump usability in this instance.

nonVendorPasswordUpdate.html, line 14 (Password Management: Insecure Submission)

Fortify Priority:	Critical	Folder	Critical
Kingdom:	Security Features		
Abstract:	The form in nonVendorPasswordUpdate.html submits a password as part of an HTTP GET request on line 14, which will cause the password to be displayed, logged, and stored in the browser cache.		
Sink:	nonVendorPasswordUpdate.html:14 null()		
12	<div class="panel-body">		
13	<div class="form-group">		
14	<label>New Password</label> <input		
15	type="password"		
16	class="form-control"		

Category: Cross-Site Scripting: DOM (4 Issues)

**Explanation:**

Cross-site scripting (XSS) vulnerabilities occur when:

1. Data enters a web application through an untrusted source. In the case of DOM-based XSS, data is read from a URL parameter or other value within the browser and written back into the page with client-side code. In the case of Reflected XSS, the untrusted source is typically a web request, while in the case of Persisted (also known as Stored) XSS it is typically a database or other back-end datastore.

2. The data is included in dynamic content that is sent to a web user without being validated. In the case of DOM Based XSS, malicious content gets executed as part of DOM (Document Object Model) creation, whenever the victim's browser parses the HTML page.

The malicious content sent to the web browser often takes the form of a segment of JavaScript, but may also include HTML, Flash or any other type of code that the browser may execute. The variety of attacks based on XSS is almost limitless, but they commonly include transmitting private data like cookies or other session information to the attacker, redirecting the victim to web content controlled by the attacker, or performing other malicious operations on the user's machine under the guise of the vulnerable site.

Example 1: The following JavaScript code segment reads an employee ID, eid, from a URL and displays it to the user.

```
<SCRIPT>
var pos=document.URL.indexOf("eid=")+4;
document.write(document.URL.substring(pos,document.URL.length));
</SCRIPT>
```

Example 2: Consider the HTML form:

```
<div id="myDiv">
Employee ID: <input type="text" id="eid"><br>
...
<button>Show results</button>
</div>
<div id="resultsDiv">
...
</div>
```

The following jQuery code segment reads an employee ID from the form, and displays it to the user.

```
$(document).ready(function(){
$("#myDiv").on("click", "button", function(){
var eid = $("#eid").val();
$("#resultsDiv").append(eid);
...
});
});
```

These code examples operate correctly if the employee ID, eid contains only standard alphanumeric text. If eid has a value that includes meta-characters or source code, then the code will be executed by the web browser as it displays the HTTP response.

Initially this might not appear to be much of a vulnerability. After all, why would someone enter a URL that causes malicious code to run on their own computer? The real danger is that an attacker will create the malicious URL, then use e-mail or social engineering tricks to lure victims into visiting a link to the URL. When victims click the link, they unwittingly reflect the malicious content through the vulnerable web application back to their own computers. This mechanism of exploiting vulnerable web applications is known as Reflected XSS.

As the example demonstrates, XSS vulnerabilities are caused by code that includes unvalidated data in an HTTP response. There are three vectors by which an XSS attack can reach a victim:

- Data is read directly from the HTTP request and reflected back in the HTTP response. Reflected XSS exploits occur when an attacker causes a user to supply dangerous content to a vulnerable web application, which is then reflected back to the user and executed by the web browser. The most common mechanism for delivering malicious content is to include it as a parameter in a URL that is posted publicly or e-mailed directly to victims. URLs constructed in this manner constitute the core of many phishing schemes, whereby an attacker convinces victims to visit a URL that refers to a vulnerable site. After the site reflects the attacker's content back to the user, the content is executed and proceeds to transfer private information, such as cookies that may include session information, from the user's machine to the attacker or perform other nefarious activities.

- The application stores dangerous data in a database or other trusted data store. The dangerous data is subsequently read back into the application and included in dynamic content. Persistent XSS exploits occur when an attacker injects dangerous content into a data store that is later read and included in dynamic content. From an attacker's perspective, the optimal place to inject malicious content is in an area that is displayed to either many users or particularly interesting users. Interesting users typically have elevated privileges in the application or interact with sensitive data that is valuable to the attacker. If one of these users executes malicious content, the attacker may be able to perform privileged operations on behalf of the user or gain access to sensitive data belonging to the user.

- A source outside the application stores dangerous data in a database or other data store, and the dangerous data is subsequently read back into the application as trusted data and included in dynamic content.

Recommendations:

The solution to XSS is to ensure that validation occurs in the correct places and checks for the correct properties.

Since XSS vulnerabilities occur when an application includes malicious data in its output, one logical approach is to validate data immediately before it leaves the application. However, because web applications often have complex and intricate code for generating dynamic content, this method is prone to errors of omission (missing validation). An effective way to mitigate this risk is to also perform input validation for XSS.

Web applications must validate their input to prevent other vulnerabilities, such as SQL injection, so augmenting an application's existing input validation mechanism to include checks for XSS is generally relatively easy. Despite its value, input validation for XSS does not take the place of rigorous output validation. An application may accept input through a shared data store or other trusted source, and that data store may accept input from a source that does not perform adequate input validation. Therefore, the application cannot implicitly rely on the safety of this or any other data. This means the best way to prevent XSS vulnerabilities is to validate everything that enters the application and leaves the application destined for the user.

The most secure approach to validation for XSS is to create a whitelist of safe characters that are allowed to appear in HTTP content and accept input composed exclusively of characters in the approved set. For example, a valid username might only include alpha-numeric characters or a phone number might only include digits 0-9. However, this solution is often infeasible in web applications because many characters that have special meaning to the browser should still be considered valid input once they are encoded, such as a web design bulletin board that must accept HTML fragments from its users.

A more flexible, but less secure approach is known as blacklisting, which selectively rejects or escapes potentially dangerous characters before using the input. In order to form such a list, you first need to understand the set of characters that hold special meaning for web browsers. Although the HTML standard defines what characters have special meaning, many web browsers try to correct common mistakes in HTML and may treat other characters as special in certain contexts, which is why we do not encourage the use of blacklists as a means to prevent XSS. The CERT(R) Coordination Center at the Software Engineering Institute at Carnegie Mellon University provides the following details about special characters in various contexts [1]:

In the content of a block-level element (in the middle of a paragraph of text):

- "<" is special because it introduces a tag.
- "&" is special because it introduces a character entity.
- ">" is special because some browsers treat it as special, on the assumption that the author of the page intended to include an opening "<", but omitted it in error.

The following principles apply to attribute values:

- In attribute values enclosed with double quotes, the double quotes are special because they mark the end of the attribute value.
- In attribute values enclosed with single quote, the single quotes are special because they mark the end of the attribute value.
- In attribute values without any quotes, white-space characters, such as space and tab, are special.
- "&" is special when used with certain attributes, because it introduces a character entity.

In URLs, for example, a search engine might provide a link within the results page that the user can click to re-run the search. This can be implemented by encoding the search query inside the URL, which introduces additional special characters:

- Space, tab, and new line are special because they mark the end of the URL.
- "&" is special because it either introduces a character entity or separates CGI parameters.
- Non-ASCII characters (that is, everything above 128 in the ISO-8859-1 encoding) are not allowed in URLs, so they are considered to be special in this context.
- The "%" symbol must be filtered from input anywhere parameters encoded with HTTP escape sequences are decoded by server-side code. For example, "%" must be filtered if input such as "%68%65%6C%6C%6F" becomes "hello" when it appears on the web page in question.

Within the body of a <SCRIPT> </SCRIPT>:

- Semicolons, parentheses, curly braces, and new line characters should be filtered out in situations where text could be inserted directly into a pre-existing script tag.

Server-side scripts:

- Server-side scripts that convert any exclamation characters (!) in input to double-quote characters (") on output might require additional filtering.

Other possibilities:

- If an attacker submits a request in UTF-7, the special character '<' appears as '+ADw-' and may bypass filtering. If the output is included in a page that does not explicitly specify an encoding format, then some browsers try to intelligently identify the encoding based on the content (in this case, UTF-7).

Once you identify the correct points in an application to perform validation for XSS attacks and what special characters the validation should consider, the next challenge is to identify how your validation handles special characters. If special characters are not considered valid input to the application, then you can reject any input that contains special characters as invalid. A second option in this situation is to remove special characters with filtering. However, filtering has the side effect of changing any visual representation of the filtered content and may be unacceptable in circumstances where the integrity of the input must be preserved for display.

If input containing special characters must be accepted and displayed accurately, validation must encode any special characters to remove their significance. A complete list of ISO 8859-1 encoded values for special characters is provided as part of the official HTML specification [2].

Many application servers attempt to limit an application's exposure to cross-site scripting vulnerabilities by providing implementations for the functions responsible for setting certain specific HTTP response content that perform validation for the characters essential to a cross-site scripting attack. Do not rely on the server running your application to make it secure. When an application is developed there are no guarantees about what application servers it will run on during its lifetime. As standards and known exploits evolve, there are no guarantees that application servers will also stay in sync.

Tips:


1. The HPE Security Fortify Secure Coding Rulepacks warn about SQL Injection and Access Control: Database issues when untrusted data is written to a database and also treat the database as a source of untrusted data, which can lead to XSS vulnerabilities. If the database is a trusted resource in your environment, use custom filters to filter out dataflow issues that include the DATABASE taint flag or originate from database sources. Nonetheless, it is often still a good idea to validate everything read from the database.
2. Even though URL encoding untrusted data protects against many XSS attacks, some browsers (specifically, Internet Explorer 6 and 7 and possibly others) automatically decode content at certain locations within the Document Object Model (DOM) prior to passing it to the JavaScript interpreter. To reflect this danger, the rulepacks no longer treat URL encoding routines as sufficient to protect against cross-site scripting. Data values that are URL encoded and subsequently output will cause HPE Security Fortify to report Cross-Site Scripting: Poor Validation vulnerabilities.

protest-services.js, line 198 (Cross-Site Scripting: DOM)

Fortify Priority:	Critical	Folder	Critical
Kingdom:	Input Validation and Representation		
Abstract:	The method lambda() in protest-services.js sends unvalidated data to a web browser on line 198, which can result in the browser executing malicious code.		
Source:	protest-services.js:199 Read response.payDotGovToken()		
197	}else {		
198	\$window.location.href = 'https://qa.pay.gov/tcsonline/payment.do?token='		
199	+ response.payDotGovToken		
200	+ '&tcsAppID=TCSGAOEPDS';		
201	}		
Sink:	protest-services.js:198 Assignment to ~t~parent.\$window.location.href()		
196	\$location.path("/payDotGovTokenError")		
197	}else {		
198	\$window.location.href = 'https://qa.pay.gov/tcsonline/payment.do?token='		

199	+ response.payDotGovToken
200	+ '&tcsAppID=TCSGA0EPDS' ;

Category: Open Redirect (3 Issues)

**Explanation:**

Redirects allow web applications to direct users to different pages within the same application or to external sites. Applications utilize redirects to aid in site navigation and, in some cases, to track how users exit the site. Open redirect vulnerabilities occur when a web application redirects clients to any arbitrary URL that can be controlled by an attacker.

Attackers can utilize open redirects to trick users into visiting a URL to a trusted site and redirecting them to a malicious site. By encoding the URL, an attacker can make it more difficult for end-users to notice the malicious destination of the redirect, even when it is passed as a URL parameter to the trusted site. Open redirects are often abused as part of phishing scams to harvest sensitive end-user data.

Example 1: The following JavaScript code instructs the user's browser to open a URL read from the dest request parameter when a user clicks the link.

```
...
strDest = form.dest.value;
window.open(strDest,"myresults");
...
```

If a victim received an email instructing the user to follow a link to "http://trusted.example.com/ecommerce/redirect.asp?dest=www.wilyhacker.com", the user would likely click on the link believing they would be transferred to the trusted site. However, when the user clicks the link, the code above will redirect the browser to "http://www.wilyhacker.com".

Many users have been educated to always inspect URLs they receive in emails to make sure the link specifies a trusted site they know. However, if the attacker Hex encoded the destination url as follows:

"http://trusted.example.com/ecommerce/redirect.asp?dest=%77%69%6C%79%68%61%63%6B%65%72%2E%63%6F%6D"

then even a savvy end-user may be fooled into following the link.

Recommendations:

Unvalidated user input should not be allowed to control the destination URL in a redirect. Instead, use a level of indirection: create a list of legitimate URLs that users are allowed to specify, and only allow users to select from the list. With this approach, input provided by users is never used directly to specify a URL for redirects.

Example 2: The following code references an array populated with valid URLs. The link the user clicks passes in the array index that corresponds to the desired URL.


```
...
strDest = form.dest.value;
if((strDest.value != null)|| (strDest.value.length!=0))
{
if((strDest >= 0) && (strDest <= strURLArray.length -1 ))
{
strFinalURL = strURLArray[strDest];
window.open(strFinalURL,"myresults");
}
}
...
```

In some situations this approach is impractical because the set of legitimate URLs is too large or too hard to keep track of. In such cases, use a similar approach to restrict the domains that users can be redirected to, which can at least prevent attackers from sending users to malicious external sites.

protest-services.js, line 198 (Open Redirect)

Fortify Priority:	Critical	Folder	Critical
Kingdom:	Input Validation and Representation		
Abstract:	The file protest-services.js passes unvalidated data to an HTTP redirect function on line 198. Allowing unvalidated input to control the URL used in a redirect can aid phishing attacks.		
Source:	protest-services.js:199 Read response.payDotGovToken()		
197	}else {		
198	\$window.location.href = 'https://qa.pay.gov/tcsonline/payment.do?token='		
199	+ response.payDotGovToken		
200	+ '&tcsAppID=TCSGAOEPDS';		
201	}		
Sink:	protest-services.js:198 Assignment to ~t~parent.~t~parent.\$window.location.href()		
196	\$location.path("/payDotGovTokenError")		
197	}else {		
198	\$window.location.href = 'https://qa.pay.gov/tcsonline/payment.do?token='		
199	+ response.payDotGovToken		
200	+ '&tcsAppID=TCSGAOEPDS';		

Category: Password Management: Empty Password (2 Issues)

**Explanation:**

It is never a good idea to have an empty password. It also makes fixing the problem extremely difficult once the code is in production. The password cannot be changed without patching the software. If the account protected by the empty password is compromised, the owners of the system will be forced to choose between security and availability.

Example: The following code has an empty password to connect to an application and retrieve address book entries:

```
...
obj = new XMLHttpRequest();
obj.open('GET', '/fetchusers.jsp?id='+form.id.value, 'true', 'scott', '');
...
```

This code will run successfully, but anyone can access when they know the username.

Recommendations:

Passwords should never be empty and should generally be obfuscated and managed in an external source. Storing passwords in plaintext anywhere on the web site allows anyone with sufficient permissions to read and potentially misuse the password. For JavaScript calls that require passwords, it is better to prompt the user for the password at connection time.


Tips:

1. Avoid empty passwords in source code and avoid using default passwords. If an empty password is the default, require that it be changed and remove it from the source code.
2. When identifying null, empty, or hardcoded passwords, default rules only consider fields and variables that contain the word password. However, the HPE Security Fortify Custom Rules Editor provides the Password Management wizard that makes it easy to create rules for detecting password management issues on custom-named fields and variables.

temp-user-controller.js, line 26 (Password Management: Empty Password)

Fortify Priority:	High	Folder	High
Kingdom:	Security Features		
Abstract:	Empty passwords may compromise system security in a way that cannot be easily remedied.		
Sink:	temp-user-controller.js:26 FieldAccess: password()		
24	}		
25	\$scope.form = {		
26	password : "",		
27	retypepassword : "",		
28	answer1 : "",		

Category: Cross-Site Scripting: Reflected (1 Issues)

**Explanation:**

Cross-site scripting (XSS) vulnerabilities occur when:

1. Data enters a web application through an untrusted source. In the case of Reflected XSS, the untrusted source is typically a web request, while in the case of Persisted (also known as Stored) XSS it is typically a database or other back-end datastore.
2. The data is included in dynamic content that is sent to a web user without being validated.

The malicious content sent to the web browser often takes the form of a segment of JavaScript, but may also include HTML, Flash or any other type of code that the browser may execute. The variety of attacks based on XSS is almost limitless, but they commonly include transmitting private data like cookies or other session information to the attacker, redirecting the victim to web content controlled by the attacker, or performing other malicious operations on the user's machine under the guise of the vulnerable site.

Example 1: The following PHP code segment reads an employee ID, eid, from an HTTP request and displays it to the user.

```
<?php
$id = $_GET['eid'];
...
?>
...
<?php
echo "Employee ID: $id";
?>
```

The code in this example operates correctly if eid contains only standard alphanumeric text. If eid has a value that includes meta-characters or source code, then the code will be executed by the web browser as it displays the HTTP response.

Initially this might not appear to be much of a vulnerability. After all, why would someone enter a URL that causes malicious code to run on their own computer? The real danger is that an attacker will create the malicious URL, then use e-mail or social engineering tricks to lure victims into visiting a link to the URL. When victims click the link, they unwittingly reflect the malicious content through the vulnerable web application back to their own computers. This mechanism of exploiting vulnerable web applications is known as Reflected XSS.

Example 2: The following PHP code segment queries a database for an employee with a given ID and prints the corresponding employee's name.

```
<?php...
$con = mysql_connect($server,$user,$password);
...
$result = mysql_query("select * from emp where id="+eid);
$row = mysql_fetch_array($result)
echo "Employee name: ", mysql_result($row,0,'name');
...
?>
```

As in Example 1, this code functions correctly when the values of name are well-behaved, but it does nothing to prevent exploits if they are not. Again, this code can appear less dangerous because the value of name is read from a database, whose contents are apparently managed by the application. However, if the value of name originates from user-supplied data, then the database can be a conduit for malicious content. Without proper input validation on all data stored in the database, an attacker can execute malicious commands in the user's web browser. This type of exploit, known as Persistent (or Stored) XSS, is particularly insidious because the indirection caused by the data store makes it more difficult to identify the threat and increases the possibility that the attack will affect multiple users. XSS got its start in this form with web sites that offered a "guestbook" to visitors. Attackers would include JavaScript in their guestbook entries, and all subsequent visitors to the guestbook page would execute the malicious code.

As the examples demonstrate, XSS vulnerabilities are caused by code that includes unvalidated data in an HTTP response. There are three vectors by which an XSS attack can reach a victim:

- As in Example 1, data is read directly from the HTTP request and reflected back in the HTTP response. Reflected XSS exploits occur when an attacker causes a user to supply dangerous content to a vulnerable web application, which is then reflected back to the user and executed by the web browser. The most common mechanism for delivering malicious content is to include it as a parameter in a URL that is posted publicly or e-mailed directly to victims. URLs constructed in this manner constitute the core of many phishing schemes, whereby an attacker convinces victims to visit a URL that refers to a vulnerable site. After the site reflects the attacker's content back to the user, the content is executed and proceeds to transfer private information, such as cookies that may include session information, from the user's machine to the attacker or perform other nefarious activities.
- As in Example 2, the application stores dangerous data in a database or other trusted data store. The dangerous data is subsequently read back into the application and included in dynamic content. Persistent XSS exploits occur when an attacker injects dangerous content into a data store that is later read and included in dynamic content. From an attacker's perspective, the optimal place to inject malicious content is in an area that is displayed to either many users or particularly interesting users. Interesting users typically have elevated privileges in the application or interact with sensitive data that is valuable to the attacker. If one of these users executes malicious content, the attacker may be able to perform privileged operations on behalf of the user or gain access to sensitive data belonging to the user.
- A source outside the application stores dangerous data in a database or other data store, and the dangerous data is subsequently read back into the application as trusted data and included in dynamic content.

Recommendations:

The solution to XSS is to ensure that validation occurs in the correct places and checks for the correct properties.

Since XSS vulnerabilities occur when an application includes malicious data in its output, one logical approach is to validate data immediately before it leaves the application. However, because web applications often have complex and intricate code for generating dynamic content, this method is prone to errors of omission (missing validation). An effective way to mitigate this risk is to also perform input validation for XSS.

Web applications must validate their input to prevent other vulnerabilities, such as SQL injection, so augmenting an application's existing input validation mechanism to include checks for XSS is generally relatively easy. Despite its value, input validation for XSS does not take the place of rigorous output validation. An application may accept input through a shared data store or other trusted source, and that data store may accept input from a source that does not perform adequate input validation. Therefore, the application cannot implicitly rely on the safety of this or any other data. This means the best way to prevent XSS vulnerabilities is to validate everything that enters the application and leaves the application destined for the user.

The most secure approach to validation for XSS is to create a whitelist of safe characters that are allowed to appear in HTTP content and accept input composed exclusively of characters in the approved set. For example, a valid username might only include alpha-numeric characters or a phone number might only include digits 0-9. However, this solution is often infeasible in web applications because many characters that have special meaning to the browser should still be considered valid input once they are encoded, such as a web design bulletin board that must accept HTML fragments from its users.

A more flexible, but less secure approach is known as blacklisting, which selectively rejects or escapes potentially dangerous characters before using the input. In order to form such a list, you first need to understand the set of characters that hold special meaning for web browsers. Although the HTML standard defines what characters have special meaning, many web browsers try to correct common mistakes in HTML and may treat other characters as special in certain contexts, which is why we do not encourage the use of blacklists as a means to prevent XSS. The CERT(R) Coordination Center at the Software Engineering Institute at Carnegie Mellon University provides the following details about special characters in various contexts [1]:

In the content of a block-level element (in the middle of a paragraph of text):

- "<" is special because it introduces a tag.
- "&" is special because it introduces a character entity.
- ">" is special because some browsers treat it as special, on the assumption that the author of the page intended to include an opening "<", but omitted it in error.

The following principles apply to attribute values:

- In attribute values enclosed with double quotes, the double quotes are special because they mark the end of the attribute value.
- In attribute values enclosed with single quote, the single quotes are special because they mark the end of the attribute value.
- In attribute values without any quotes, white-space characters, such as space and tab, are special.
- "&" is special when used with certain attributes, because it introduces a character entity.

In URLs, for example, a search engine might provide a link within the results page that the user can click to re-run the search. This can be implemented by encoding the search query inside the URL, which introduces additional special characters:

- Space, tab, and new line are special because they mark the end of the URL.
- "&" is special because it either introduces a character entity or separates CGI parameters.
- Non-ASCII characters (that is, everything above 128 in the ISO-8859-1 encoding) are not allowed in URLs, so they are considered to be special in this context.
- The "%" symbol must be filtered from input anywhere parameters encoded with HTTP escape sequences are decoded by server-side code. For example, "%" must be filtered if input such as "%68%65%6C%6C%6F" becomes "hello" when it appears on the web page in question.

Within the body of a <SCRIPT> </SCRIPT>:

- Semicolons, parentheses, curly braces, and new line characters should be filtered out in situations where text could be inserted directly into a pre-existing script tag.

Server-side scripts:

- Server-side scripts that convert any exclamation characters (!) in input to double-quote characters (") on output might require additional filtering.

Other possibilities:

- If an attacker submits a request in UTF-7, the special character '<' appears as '+ADw-' and may bypass filtering. If the output is included in a page that does not explicitly specify an encoding format, then some browsers try to intelligently identify the encoding based on the content (in this case, UTF-7).

Once you identify the correct points in an application to perform validation for XSS attacks and what special characters the validation should consider, the next challenge is to identify how your validation handles special characters. If special characters are not considered valid input to the application, then you can reject any input that contains special characters as invalid. A second option in this situation is to remove special characters with filtering. However, filtering has the side effect of changing any visual representation of the filtered content and may be unacceptable in circumstances where the integrity of the input must be preserved for display.

If input containing special characters must be accepted and displayed accurately, validation must encode any special characters to remove their significance. A complete list of ISO 8859-1 encoded values for special characters is provided as part of the official HTML specification [2].

Many application servers attempt to limit an application's exposure to cross-site scripting vulnerabilities by providing implementations for the functions responsible for setting certain specific HTTP response content that perform validation for the characters essential to a cross-site scripting attack. Do not rely on the server running your application to make it secure. When an application is developed there are no guarantees about what application servers it will run on during its lifetime. As standards and known exploits evolve, there are no guarantees that application servers will also stay in sync.

Tips:


1. The HPE Security Fortify Secure Coding Rulepacks warn about SQL Injection and Access Control: Database issues when untrusted data is written to a database and also treat the database as a source of untrusted data, which can lead to XSS vulnerabilities. If the database is a trusted resource in your environment, use custom filters to filter out dataflow issues that include the DATABASE taint flag or originate from database sources. Nonetheless, it is often still a good idea to validate everything read from the database.
2. Even though URL encoding untrusted data protects against many XSS attacks, some browsers (specifically, Internet Explorer 6 and 7 and possibly others) automatically decode content at certain locations within the Document Object Model (DOM) prior to passing it to the JavaScript interpreter. To reflect this danger, the rulepacks no longer treat URL encoding routines as sufficient to protect against cross-site scripting. Data values that are URL encoded and subsequently output will cause Fortify to report Cross-Site Scripting: Poor Validation vulnerabilities.
3. Due to the dynamic nature of PHP, you may see a large number of findings in PHP library files. Consider using a filter file to hide specific findings from view. For instructions on creating a filter file, see Advanced Options in the HPE Security Fortify Static Code Analyzer User Guide.

jsonp.php, line 73 (Cross-Site Scripting: Reflected)

Fortify Priority:	Critical	Folder	Critical
Kingdom:	Input Validation and Representation		
Abstract:	Line 73 of jsonp.php sends unvalidated data to a web browser, which can result in the browser executing malicious code.		
Source:	jsonp.php:68 Read \$_GET['callback']()		
66	// Validate the JSONP to make use it is an okay Javascript function to execute		
67	\$jsonp = preg_match('/^[A-Z_][0-9A-Z_\$]*\$/i', \$_GET['callback']) ?		
68	\$_GET['callback'] :		
69	false;		

```
Sink: jsonp.php:73 builtin_echo()
71     if ( $jsonp ) {
72         echo $jsonp.'('.json_encode(
73             SSP::simple( $_GET, $sql_details, $table, $primaryKey, $columns )
74         ).')';
75     }
```

Category: Header Manipulation: Cookies (1 Issues)

**Explanation:**

Cookie Manipulation vulnerabilities occur when:

1. Data enters a web application through an untrusted source, most frequently an HTTP request.
2. The data is included in an HTTP cookie sent to a web user without being validated.

As with many software security vulnerabilities, cookie manipulation is a means to an end, not an end in itself. At its root, the vulnerability is straightforward: an attacker passes malicious data to a vulnerable application, and the application includes the data in an HTTP cookie.

Cookie Manipulation: When combined with attacks like Cross-Site Request Forgery, attackers can change, add to, or even overwrite a legitimate user's cookies.

Being an HTTP Response header, Cookie manipulation attacks can also lead to other types of attacks like:

HTTP Response Splitting:

One of the most common Header Manipulation attacks is HTTP Response Splitting. To mount a successful HTTP Response Splitting exploit, the application must allow input that contains CR (carriage return, also given by %0d or \r) and LF (line feed, also given by %0a or \n) characters into the header. These characters not only give attackers control of the remaining headers and body of the response the application intends to send, but also allows them to create additional responses entirely under their control.

Many of today's modern application servers will prevent the injection of malicious characters into HTTP headers. For example, recent versions of Apache Tomcat will throw an `IllegalArgumentException` if you attempt to set a header with prohibited characters. If your application server prevents setting headers with new line characters, then your application is not vulnerable to HTTP Response Splitting. However, solely filtering for new line characters can leave an application vulnerable to Cookie Manipulation or Open Redirects, so care must still be taken when setting HTTP headers with user input.

Example: The following code segment reads the name of the author of a weblog entry, `author`, from an HTTP request and sets it in a cookie header of an HTTP response.

```
author = form.author.value;
...
document.cookie = "author=" + author + ";expires="+cookieExpiration;
...
```

Assuming a string consisting of standard alpha-numeric characters, such as "Jane Smith", is submitted in the request the HTTP response including this cookie might take the following form:

```
HTTP/1.1 200 OK
...
Set-Cookie: author=Jane Smith
...
```

However, because the value of the cookie is formed of unvalidated user input the response will only maintain this form if the value submitted for `AUTHOR_PARAM` does not contain any CR and LF characters. If an attacker submits a malicious string, such as "Wiley Hacker\r\nHTTP/1.1 200 OK\r\n...", then the HTTP response would be split into two responses of the following form:

```
HTTP/1.1 200 OK
```

...
Set-Cookie: author=Wiley Hacker

HTTP/1.1 200 OK

...

Clearly, the second response is completely controlled by the attacker and can be constructed with any header and body content desired. The ability of attacker to construct arbitrary HTTP responses permits a variety of resulting attacks, including: cross-user defacement, web and browser cache poisoning, cross-site scripting and page hijacking.

Cross-User Defacement: An attacker can make a single request to a vulnerable server that will cause the server to create two responses, the second of which may be misinterpreted as a response to a different request, possibly one made by another user sharing the same TCP connection with the server. This can be accomplished by convincing the user to submit the malicious request themselves, or remotely in situations where the attacker and the user share a common TCP connection to the server, such as a shared proxy server. In the best case, an attacker can leverage this ability to convince users that the application has been hacked, causing users to lose confidence in the security of the application. In the worst case, an attacker may provide specially crafted content designed to mimic the behavior of the application but redirect private information, such as account numbers and passwords, back to the attacker.

Cache Poisoning: The impact of a maliciously constructed response can be magnified if it is cached either by a web cache used by multiple users or even the browser cache of a single user. If a response is cached in a shared web cache, such as those commonly found in proxy servers, then all users of that cache will continue receive the malicious content until the cache entry is purged. Similarly, if the response is cached in the browser of an individual user, then that user will continue to receive the malicious content until the cache entry is purged, although only the user of the local browser instance will be affected.

Cross-Site Scripting: Once attackers have control of the responses sent by an application, they have a choice of a variety of malicious content to provide users. Cross-site scripting is common form of attack where malicious JavaScript or other code included in a response is executed in the user's browser. The variety of attacks based on XSS is almost limitless, but they commonly include transmitting private data like cookies or other session information to the attacker, redirecting the victim to web content controlled by the attacker, or performing other malicious operations on the user's machine under the guise of the vulnerable site. The most common and dangerous attack vector against users of a vulnerable application uses JavaScript to transmit session and authentication information back to the attacker who can then take complete control of the victim's account.

Page Hijacking: In addition to using a vulnerable application to send malicious content to a user, the same root vulnerability can also be leveraged to redirect sensitive content generated by the server and intended for the user to the attacker instead. By submitting a request that results in two responses, the intended response from the server and the response generated by the attacker, an attacker can cause an intermediate node, such as a shared proxy server, to misdirect a response generated by the server for the user to the attacker. Because the request made by the attacker generates two responses, the first is interpreted as a response to the attacker's request, while the second remains in limbo. When the user makes a legitimate request through the same TCP connection, the attacker's request is already waiting and is interpreted as a response to the victim's request. The attacker then sends a second request to the server, to which the proxy server responds with the server generated request intended for the victim, thereby compromising any sensitive information in the headers or body of the response intended for the victim.

Open Redirect: Allowing unvalidated input to control the URL used in a redirect can aid phishing attacks.

Recommendations:

The solution to cookie manipulation is to ensure that input validation occurs in the correct places and checks for the correct properties.

Since Header Manipulation vulnerabilities like cookie manipulation occur when an application includes malicious data in its output, one logical approach is to validate data immediately before it leaves the application. However, because web applications often have complex and intricate code for generating responses dynamically, this method is prone to errors of omission (missing validation). An effective way to mitigate this risk is to also perform input validation for Header Manipulation.

Web applications must validate their input to prevent other vulnerabilities, such as SQL injection, so augmenting an application's existing input validation mechanism to include checks for Header Manipulation is generally relatively easy. Despite its value, input validation for Header Manipulation does not take the place of rigorous output validation. An application may accept input through a shared data store or other trusted source, and that data store may accept input from a source that does not perform adequate input validation. Therefore, the application cannot implicitly rely on the safety of this or any other data. This means the best way to prevent Header Manipulation vulnerabilities is to validate everything that enters the application or leaves the application destined for the user.

The most secure approach to validation for Header Manipulation is to create a whitelist of safe characters that are allowed to appear in HTTP response headers and accept input composed exclusively of characters in the approved set. For example, a valid name might only include alpha-numeric characters or an account number might only include digits 0-9.

A more flexible, but less secure approach is known as blacklisting, which selectively rejects or escapes potentially dangerous characters before using the input. In order to form such a list, you first need to understand the set of characters that hold special meaning in HTTP response headers. Although the CR and LF characters are at the heart of an HTTP response splitting attack, other characters, such as ':' (colon) and '=' (equal), have special meaning in response headers as well.

Once you identify the correct points in an application to perform validation for Header Manipulation attacks and what special characters the validation should consider, the next challenge is to identify how your validation handles special characters. The application should reject any input destined to be included in HTTP response headers that contains special characters, particularly CR and LF, as invalid.

Many application servers attempt to limit an application's exposure to HTTP response splitting vulnerabilities by providing implementations for the functions responsible for setting HTTP headers and cookies that perform validation for the characters essential to an HTTP response splitting attack. Do not rely on the server running your application to make it secure. When an application is developed there are no guarantees about what application servers it will run on during its lifetime. As standards and known exploits evolve, there are no guarantees that application servers will also stay in sync.


wsc.js, line 42 (Header Manipulation: Cookies)

Fortify Priority:	High	Folder	High
Kingdom:	Input Validation and Representation		
Abstract:	The method setCookie() in wsc.js includes unvalidated data in an HTTP cookie on line 42. This enables Cookie manipulation attacks and can lead to other HTTP Response header manipulation attacks like: cache-poisoning, cross-site scripting, cross-user defacement, page hijacking or open redirect.		
Source:	wsc.js:42 Read ~t~parent.~t~parent.~t~parent.~t~parent.~t~parent.document.cookie() 40 void 0{return b},backCompatibility:function(a){var b=a,c;"string"===typeof a&&(c=a.indexOf(this.separator),0>c&&(b=parseFloat(a),isNaN(b)&&("["===a[0]&&]"===a[a .length- 1]?a=a.replace("[",""),a=a.replace("]",""),b="["===a[0]?a.split(","):b="true"===a "f alse"===a?"true"===a:a),b=this.convertDataToString(b));return b}},c={get:function(a){return b.restoreDataFromStorage(window.localStorage.getItem(a)),set:function(a,c){var d=b.convertDataToString(c);window.localStorage.setItem(a,d)},del:function... 41 clear:function(){window.localStorage.clear()},d={expiration:31622400,get:function(a){ return b.restoreDataFromStorage(this.getCookie(a)),set:function(a,c){var d=b.convertDataToString(c);this.setCookie(a,d,{expires:this.expiration}},del:function (a){this.deleteCookie(a)},getCookie:function(a){return(a=document.cookie.match(RegExp("(?:^ ;)" + a.replace(/([\\.\$?* {}\\(\\)\\[\\]\\/\\\\\\^+])/g,"\\\$1")+"=" + "[^;]*")))?decodeURIComponent(a [1]):void 0},setCookie:function(a,b,c){var c=c {},d=c.expires;if("number"=... 42 typeof d&&d){var e=new Date;e.setTime(e.getTime()+1E3*d);d=c.expires=e;d&&d.toUTCString&&(c.expires=d.toUTCSt ring());var b=encodeURIComponent(b),a=a+"="+b,i;for(i in c)b=c[i],a+= "+i,!0!==b&&(a+="="+b);document.cookie=a,deleteCookie:function(a){this.setCookie(a,nu ll,{expires:-1}},clear:function(){for(var a=document.cookie.split(";"),b=0;b<a.length;b++){var c=a[b],d=c.indexOf("=");this.deleteCookie(- 1<d?c.substr(0,d):c)}}},e=window.localStorage?c:d;a.DataStorage={getData:function(a){r eturn e.... 43 setData:function(a,b){e.set(a,b)},deleteData:function(a){e.del(a)},clear:function(){e. clear();}}(b.wsc);b.wsc.operationWithUDN=function(b,c){h.postMessage.send({message:{u dn:c,id:"operationWithUDN",udnCmd:b},target:a.targetFromFrame[a.iframeNumber+"_"+a.dia log._.currentTabId]});b.wsc.getLocalStorageUDN=function(){var a=b.wsc.DataStorage.getData("scayt_user_dictionary_name");if(a)return a};b.wsc.getLocalStorageUDN=function(){var a=b.wsc.DataStorage.getData("scayt_user_dictionary");if(a)return a}... 44 b.wsc.addWords=function(a,c){var d=b.config.wsc.DefaultParams.serviceHost+b.config.wsc.DefaultParams.ssrHost+"?cmd=dic tionary&format=json&customerId=1%3AncdD3-fToSf2-huzwE4-Y5muI2-md0Tt-kG9Wz-UEDFC- tYu243-1Uq474- d9Z2l3&action=addword&word="+a+"&callback=toString&synchronization=true",e=document.cr eateElement("script");e.type="text/javascript";e.src=d;document.getElementsByTagName("h ead")[0].appendChild(e);e.onload=c;e.onreadystatechange=function(){if("loaded"===this.re adyState&&c());}};b.wsc.cgiOri...		
Sink:	wsc.js:42 Assignment to ~t~parent.~t~parent.~t~parent.~t~parent.~t~parent.document.cookie() 40 void 0{return b},backCompatibility:function(a){var b=a,c;"string"===typeof a&&(c=a.indexOf(this.separator),0>c&&(b=parseFloat(a),isNaN(b)&&("["===a[0]&&]"===a[a .length- 1]?a=a.replace("[",""),a=a.replace("]",""),b="["===a[0]?a.split(","):b="true"===a "f alse"===a?"true"===a:a),b=this.convertDataToString(b));return b}},c={get:function(a){return b.restoreDataFromStorage(window.localStorage.getItem(a)),set:function(a,c){var d=b.convertDataToString(c);window.localStorage.setItem(a,d)},del:function... 41 clear:function(){window.localStorage.clear()},d={expiration:31622400,get:function(a){ return b.restoreDataFromStorage(this.getCookie(a)),set:function(a,c){var d=b.convertDataToString(c);this.setCookie(a,d,{expires:this.expiration}},del:function (a){this.deleteCookie(a)},getCookie:function(a){return(a=document.cookie.match(RegExp("(?:^ ;)" + a.replace(/([\\.\$?* {}\\(\\)\\[\\]\\/\\\\\\^+])/g,"\\\$1")+"=" + "[^;]*")))?decodeURIComponent(a [1]):void 0},setCookie:function(a,b,c){var c=c {},d=c.expires;if("number"=... 42 typeof d&&d){var e=new Date;e.setTime(e.getTime()+1E3*d);d=c.expires=e;d&&d.toUTCString&&(c.expires=d.toUTCSt ring());var b=encodeURIComponent(b),a=a+"="+b,i;for(i in c)b=c[i],a+= "+i,!0!==b&&(a+="="+b);document.cookie=a,deleteCookie:function(a){this.setCookie(a,nu ll,{expires:-1}},clear:function(){for(var a=document.cookie.split(";"),b=0;b<a.length;b++){var c=a[b],d=c.indexOf("=");this.deleteCookie(- 1<d?c.substr(0,d):c)}}},e=window.localStorage?c:d;a.DataStorage={getData:function(a){r eturn e....		

```
43      setData:function(a,b){e.set(a,b)},deleteData:function(a){e.del(a)},clear:function(){e.
      clear()}}})(b.wsc);b.wsc.operationWithUDN=function(b,c){h.postMessage.send({message:{u
      dn:c,id:"operationWithUDN",udnCmd:b},target:a.targetFromFrame[a.iframeNumber+"_"+a.dia
      log._.currentTabId]}});b.wsc.getLocalStorageUDN=function(){var
      a=b.wsc.DataStorage.getData("scayt_user_dictionary_name");if(a)return
      a};b.wsc.getLocalStorageUD=function(){var
      a=b.wsc.DataStorage.getData("scayt_user_dictionary");if(a)return a}...

44      b.wsc.addWords=function(a,c){var
      d=b.config.wsc.DefaultParams.serviceHost+b.config.wsc.DefaultParams.ssrVHost+"?cmd=dic
      tionary&format=json&customerid=1%3AncDtD3-fIoSf2-huzWE4-Y5muI2-mD0Tt-kG9Wz-UEDFC-
      tYu243-1Uq474-
      d9Z2l3&action=addword&word="+a+"&callback=toString&synchronization=true",e=document.cr
      eateElement("script");e.type="text/javascript";e.src=d;document.getElementsByTagName("
      head")[0].appendChild(e);e.onload=c;e.onreadystatechange=function(){if("loaded"===this.re
      adyState&&c())}};b.wsc.cgiOri...
```


Category: Path Manipulation (1 Issues)

**Explanation:**

Path manipulation errors occur when the following two conditions are met:

1. An attacker can specify a path used in an operation on the filesystem.
2. By specifying the resource, the attacker gains a capability that would not otherwise be permitted.

For example, the program may give the attacker the ability to overwrite the specified file or run with a configuration controlled by the attacker.

Example 1: The following code uses input from an HTTP request to create a file name. The programmer has not considered the possibility that an attacker could provide a file name such as "../../../tomcat/conf/server.xml", which causes the application to delete one of its own configuration files.

```
$rName = $_GET['reportName'];
$rFile = fopen("/usr/local/apfr/reports/" . rName,"a+");
...
unlink($rFile);
```

Example 2: The following code uses input from a configuration file to determine which file to open and echo back to the user. If the program runs with privileges and malicious users can change the configuration file, they can use the program to read any file on the system that ends with the extension .txt.

```
...
$filename = $CONFIG_TXT['sub'] . ".txt";
$handle = fopen($filename,"r");
$amt = fread($handle, filesize($filename));
echo $amt;
...
```

Recommendations:

The best way to prevent path manipulation is with a level of indirection: create a list of legitimate resource names that a user is allowed to specify, and only allow the user to select from the list. With this approach the input provided by the user is never used directly to specify the resource name.

In some situations this approach is impractical because the set of legitimate resource names is too large or too hard to keep track of. Programmers often resort to blacklisting in these situations. Blacklisting selectively rejects or escapes potentially dangerous characters before using the input. However, any such list of unsafe characters is likely to be incomplete and will almost certainly become out of date. A better approach is to create a whitelist of characters that are allowed to appear in the resource name and accept input composed exclusively of characters in the approved set.

Tips:

1. If the program is performing input validation, satisfy yourself that the validation is correct, and use the HPE Security Fortify Custom Rules Editor to create a cleanse rule for the validation routine.
2. Since implementing a blacklist that is effective on its own is notoriously difficult, if validation logic relies on blacklisting, one should be skeptical. Consider different types of input encoding and different sets of meta-characters that might have special meaning when interpreted by different operating systems, databases, or other resources. Determine whether or not the blacklist can be updated easily, correctly, and completely if these requirements ever change.

3. Due to the dynamic nature of PHP, you may see a large number of findings in PHP library files. Consider using a filter file to hide specific findings from view. For instructions on creating a filter file, see Advanced Options in the HPE Security Fortify Static Code Analyzer User Guide.

examples.php, line 4 (Path Manipulation)

Fortify Priority:	Critical	Folder	Critical
Kingdom:	Input Validation and Representation		
Abstract:	Attackers can control the filesystem path argument to file_get_contents() at examples.php line 4, which allows them to access or modify otherwise protected files.		
Source:	examples.php:4 Read \$_POST['src']()		
	<pre>2 3 if (isset(\$_POST['src']) && preg_match('/scripts\[a-zA-Z_-\]+\\.php/', 4 \$_POST['src']) !== 0) { 5 echo htmlspecialchars(file_get_contents('../server_side/' . \$_POST['src'])); 6 } 7 else {</pre>		
Sink:	examples.php:4 file_get_contents()		
	<pre>2 3 if (isset(\$_POST['src']) && preg_match('/scripts\[a-zA-Z_-\]+\\.php/', 4 \$_POST['src']) !== 0) { 5 echo htmlspecialchars(file_get_contents('../server_side/' . \$_POST['src'])); 6 } 7 else {</pre>		

Detailed Project Summary

Files Scanned

Code base location: C:/Users/mhussaini/Gitworkspace/EPDS_Web

Files Scanned:

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/flash/pdfMessage.html html 7 Lines 21.6 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/lang/it.js javascript 1 Lines 19.9 KB Sep 30, 2015 3:57:37 PM

WebContent/views/admin-html-templates/admin-case-docketsheet.html html 17.8 KB Feb 8, 2016 7:01:21 PM

WebContent/scripts/vendor/Plugins/ckeditor/lang/cs.js javascript 1 Lines 20 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/Plugins/ckeditor/lang/en.js javascript 1 Lines 18.1 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/controllers/global-controller/agency-dropdown-controller.js javascript 31 Lines 1.6 KB Jan 12, 2016 2:41:27 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/column_visibility/columns.html html 7 Lines 21.6 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/FixedColumns/examples/initialisation/colvis.html html 10 Lines 23.1 KB Jan 8, 2016 9:11:56 AM

C:/Users/mhussaini/AppData/Local/Fortify/sca6.3/build/EPDS_Web/extracted/javascript/C:/Users/mhussaini/Gitworkspace/EPDS_Web/WebContent/scripts/vendor/DataTables-1.10.10/extensions/RowReorder/examples/initialisation/events.html.js secondary 635 bytes Feb 10, 2016 4:43:46 PM

WebContent/scripts/app/authentication/angular-idle.js javascript 270 Lines 14.7 KB Dec 14, 2015 9:58:56 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/js/buttons.foundation.js javascript 35 Lines 1.4 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/angular-1.4.8/angular-sanitize.js javascript 178 Lines 24 KB Jan 8, 2016 10:07:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Select/examples/api/events.html html 11 Lines 19.5 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/RowReorder/examples/initialisation/defaults.html html 6 Lines 16.8 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Select/examples/initialisation/blurable.html html 5 Lines 17.5 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/KeyTable/examples/initialisation/simple.html html 3 Lines 16.7 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/controllers/case-docketsheet-controller.js javascript 506 Lines 23.1 KB Feb 9, 2016 10:13:05 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/zh-cn.js javascript 2 Lines 248 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/ColReorder/examples/initialisation/reset.html html 6 Lines 17.6 KB Jan 8, 2016 9:11:56 AM

C:/Users/mhussaini/AppData/Local/Fortify/sca6.3/build/EPDS_Web/extracted/javascript/C:/Users/mhussaini/Gitworkspace/EPDS_Web/WebContent/scripts/vendor/Plugins/ckeditor/samples/old/readonly.html.js secondary 842 bytes Feb 10, 2016 4:43:44 PM

WebContent/scripts/vendor/jquery-ui-1.11.4/jquery-ui.js javascript 8,596 Lines 459.6 KB Jan 8, 2016 9:00:48 AM

WebContent/scripts/controllers/backups/parties-controllerjuly102015.js javascript 384 Lines 18.4 KB Jan 12, 2016 2:41:27 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/fi.js javascript 2 Lines 256 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/hu.js javascript 8 Lines 4.6 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/app/authentication/session-config.js javascript 28 Lines 1.9 KB Jan 18, 2016 1:28:27 PM

WebContent/scripts/vendor/angular-xeditable-0.1.8/js/xeditable.min.js javascript 1 Lines 17.8 KB Jan 15, 2016 1:46:13 PM

WebContent/scripts/app/authentication/authentication-service.js javascript 94 Lines 3.9 KB Feb 9, 2016 12:59:16 PM

WebContent/views/admin-html-templates/admin-dashboard.html html 4.9 KB Feb 6, 2016 9:15:14 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/colordialog/dialogs/colordialog.js javascript 9 Lines 4.4 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/KeyTable/examples/initialisation/scrolling.html html 6 Lines 16.6 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/ColReorder/examples/initialisation/col_filter.html html 11 Lines 18.3 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/lang/en-gb.js javascript 1 Lines 18.1 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/Plugins/ckeditor/lang/uk.js javascript 1 Lines 27.6 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/app/parties/parties-services.js javascript 322 Lines 17.3 KB Feb 8, 2016 6:02:45 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/forms/dialogs/textarea.js javascript 4 Lines 2.2 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Responsive/examples/styling/index.html html 1 Lines 2.5 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/Plugins/ckeditor/lang/et.js javascript 1 Lines 18.9 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/dev/console.js javascript 65 Lines 3.6 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/resources/examples.php php 2 Lines 212 bytes Jan 8, 2016 9:11:55 AM

WebContent/scripts/directives/daterangepicker.js javascript 1,151 Lines 58 KB Dec 14, 2015 9:58:54 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/styling/no-classes.html html 2 Lines 23.9 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/samples/old/sample_posteddata.php php 1 Lines 831 bytes Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Responsive/examples/initialisation/ajax.html html 10 Lines 9.4 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/sv.js javascript 2 Lines 252 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/lineutils/dev/magicfinger.html html 53 Lines 8.9 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/styling/bootstrap.html html 2 Lines 25 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/advanced_init/index.html html 1 Lines 3.8 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/lang/mk.js javascript 1 Lines 18.1 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/angular-datatables/dist/plugins/fixedcolumns/angular-datatables.fixedcolumns.js javascript 30 Lines 1.9 KB Jan 8, 2016 8:53:16 AM

WebContent/scripts/vendor/Plugins/ckeditor/lang/id.js javascript 1 Lines 18.5 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Responsive/examples/index.html html 1 Lines 5.3 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/angular/ng-flow/fusty-flow.js javascript 242 Lines 12.1 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/directives/datetimerangepicker.js javascript 461 Lines 23.5 KB Dec 14, 2015 9:58:54 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/AutoFill/examples/initialisation/columns.html html 12 Lines 18.1 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/angular-datatables/dist/plugins/bootstrap/angular-datatables.bootstrap.min.js javascript 1 Lines 6.6 KB Jan 8, 2016 8:53:15 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/km.js javascript 7 Lines 4.9 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/misc/ngflow-config.js javascript 11 Lines 650 bytes Jan 19, 2016 9:23:31 AM

WebContent/scripts/vendor/jquery/jquery.dataTables.min.js javascript 155 Lines 77.6 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/services/angular-modal-service.js javascript 68 Lines 5.9 KB Dec 16, 2015 10:35:22 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/ku.js javascript 2 Lines 275 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/angular/angular-protest-test.js javascript 19 Lines 940 bytes Sep 30, 2015 3:57:36 PM

WebContent/scripts/services/ndaterangepicker.js javascript 592 Lines 26.4 KB Dec 14, 2015 9:58:57 PM

WebContent/scripts/vendor/Plugins/ckeditor/adapters/jquery.js javascript 6 Lines 3.1 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/th.js javascript 9 Lines 4.6 KB Sep 30, 2015 3:57:39 PM

C:/Users/mhussaini/AppData/Local/Fortify/sca6.3/build/EPDS_Web/extracted/javascript/C:/Users/mhussaini/Gitworkspace/EPDS_Web/WebContent/scripts/vendor/Plugins/ckeditor/plugins/preview/preview.html.js secondary 257 bytes Feb 10, 2016 4:43:44 PM

WebContent/scripts/misc/autofill-address-details.js javascript 15 Lines 1.5 KB Jan 13, 2016 2:58:41 PM

WebContent/scripts/vendor/Plugins/ckeditor/samples/old/toolbars/toolbars.html html 66 Lines 8.7 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/Plugins/ckeditor/samples/old/magicline/magicline.html html 7 Lines 8.2 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/directives/international-phone-number.js javascript 60 Lines 8.1 KB Feb 1, 2016 9:55:09 PM

WebContent/scripts/app/case-docket-file-info/case-docket-file-info-controller.js javascript 65 Lines 3.6 KB Feb 6, 2016 4:40:28 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/id.js javascript 9 Lines 4.4 KB Sep 30, 2015 3:57:39 PM

PM

WebContent/scripts/vendor/angular-datatables/dist/plugins/columnfilter/angular-datatables.columnfilter.min.js javascript 1 Lines
953 bytes Jan 8, 2016 8:53:15 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/resources/demo.js javascript 57 Lines 3.1 KB Jan 8, 2016 9:11:55 AM

WebContent/views/dialogue-box-html-templates/agency-attorney-info-confirmation.html html 1.3 KB Dec 14, 2015 9:44:47 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Responsive/js/responsive.foundation.js javascript 26 Lines 1.5 KB Jan 8,
2016 9:11:57 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/AutoFill/examples/index.html html 1 Lines 3.5 KB Jan 8, 2016 9:11:55
AM

WebContent/views/templates/join-unjoin-validations.html html 421 bytes Feb 8, 2016 1:32:03 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/styling/foundation.html html 2 Lines 25 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/initialisation/custom.html html 8 Lines 22.3 KB Jan 8,
2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/lv.js javascript 6 Lines 475 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/app/authentication/passwordResetSecQues.tpl.html html 1.1 KB Dec 29, 2015 2:38:35 PM

WebContent/scripts/vendor/Plugins/ckeditor/lang/ru.js javascript 1 Lines 28.6 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/FixedColumns/examples/initialisation/simple.html html 7 Lines 22.5
KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/basic_init/zero_configuration.html html 2 Lines 24 KB Jan 8, 2016
9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/advanced_init/dt_events.html html 11 Lines 25.6 KB Jan 8, 2016 9:11:55
AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/AutoFill/js/autoFill.bootstrap.min.js javascript 1 Lines 591 bytes Jan 8,
2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/Datatables/jQuery/jquery.dataTables.columnFilter.js javascript 397 Lines 33.7 KB Sep 30, 2015
3:57:40 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/resources/syntax/shCore.js javascript 783 Lines 80.7 KB Jan 8, 2016
9:11:55 AM

WebContent/scripts/app/parties/vendorPartiesInfo.tpl.html html 9.2 KB Feb 7, 2016 6:40:32 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/html5/pdfPage.html html 8 Lines 22.3 KB Jan 8, 2016
9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Scroller/examples/styling/jqueryui.html html 7 Lines 7 KB Jan 8, 2016
9:11:57 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/html5/copyi18n.html html 9 Lines 22.7 KB Jan 8,
2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/basic_init/hidden_columns.html html 10 Lines 25.2 KB Jan 8, 2016
9:11:55 AM

WebContent/scripts/misc/validate-filename-extension.js javascript 53 Lines 2.4 KB Jan 25, 2016 8:30:05 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/lineutils/dev/dnd.html html 11 Lines 7.7 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/advanced_init/row_grouping.html html 17 Lines 26.2 KB Jan 8, 2016
9:11:55 AM

WebContent/scripts/vendor/Plugins/misc/jquery.ba-resize.min.js javascript 1 Lines 1.1 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/Plugins/Datatables/angular-datatables/plugins/scroller/angular-datatables.scroller.min.js javascript 1
Lines 685 bytes Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/KeyTable/examples/initialisation/index.html html 1 Lines 2.4 KB Jan 8,
2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/api/addRemove.html html 12 Lines 22.1 KB Jan 8,
2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Select/examples/styling/jqueryui.html html 4 Lines 17.6 KB Jan 8, 2016
9:11:57 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/id.js javascript 6 Lines 480 bytes Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/angular/ng-flow/ng-flow-standalone.js javascript 726 Lines 49.6 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/lv.js javascript 9 Lines 4.9 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/angular-loading-bar/test/karma-angular-1.2.conf.js javascript 24 Lines 1.7 KB Feb 9, 2016 2:47:21 PM

WebContent/scripts/vendor/Plugins/ckeditor/lang/is.js javascript 1 Lines 18.7 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/id.js javascript 7 Lines 3.9 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/sk.js javascript 9 Lines 4.6 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/Plugins/ckeditor/lang/af.js javascript 1 Lines 18.3 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/KeyTable/examples/initialisation/stateSave.html html 4 Lines 16.6 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Scroller/examples/initialisation/api_scrolling.html html 10 Lines 6.7 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/app/case-docket-sheet/case-docket-sheet-directives.js javascript 16 Lines 1 KB Feb 9, 2016 5:14:25 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/div/dialogs/div.js javascript 9 Lines 4.4 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/cs.js javascript 8 Lines 4.7 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/lang/vi.js javascript 1 Lines 22.1 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/plug-ins/api.html html 15 Lines 26.2 KB Jan 8, 2016 9:11:55 AM

WebContent/views/advanced-search.html html 28 Lines 15.4 KB Feb 1, 2016 10:04:46 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/eu.js javascript 6 Lines 470 bytes Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/basic_init/dom.html html 3 Lines 26.8 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/FixedHeader/examples/options/show-hide.html html 9 Lines 17.9 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/app/dashboard/primary-secondary-inviations.js javascript 131 Lines 10.4 KB Jan 18, 2016 2:30:04 PM

WebContent/scripts/vendor/angular/angular-aria.min.js javascript 6 Lines 3.3 KB Sep 30, 2015 3:57:36 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/html5/tsv.html html 9 Lines 22.1 KB Jan 8, 2016 9:11:56 AM

WebContent/views/admin-html-templates/admin-edit-template-documents.html html 4.2 KB Feb 1, 2016 10:20:00 AM

WebContent/scripts/controllers/backups/protest-filing-form-controller.js javascript 170 Lines 12.8 KB Jan 12, 2016 2:41:27 PM

WebContent/scripts/vendor/Plugins/ckeditor/lang/bn.js javascript 1 Lines 24.4 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/fa.js javascript 7 Lines 5.7 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/Datatables/angular-datatables/plugins/tabletools/angular-datatables.tabletools.js javascript 43 Lines 3.2 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/app/error/gobal-error-handler.js javascript 14 Lines 1.4 KB Feb 1, 2016 5:13:03 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/ko.js javascript 6 Lines 4.8 KB Sep 30, 2015 3:57:39 PM

WebContent/views/protest-filing-form.html html 1 Lines 27.3 KB Feb 1, 2016 10:04:46 AM

WebContent/scripts/app/authentication/navigation-controller.js javascript 43 Lines 2.2 KB Feb 9, 2016 11:20:28 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Scroller/js/dataTables.scroller.js javascript 374 Lines 38 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/Plugins/ckeditor/lang/en-au.js javascript 1 Lines 18.1 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/Plugins/ckeditor/lang/ms.js javascript 1 Lines 18.5 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/angular/ng-fab-form/ng-fab-form.js javascript 285 Lines 28.8 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/js/buttons.bootstrap.js javascript 32 Lines 1.4 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/zh-cn.js javascript 5 Lines 4.1 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/nl.js javascript 9 Lines 4.6 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/ng-flow/fusty-flow.js javascript 242 Lines 12.1 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/DataTables-1.10.10/media/js/dataTables.jqueryui.js javascript 82 Lines 4.4 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/server_side/scripts/ids-objects.php php 21 Lines 2.2 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/it.js javascript 9 Lines 4.8 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/AutoFill/js/autoFill.jqueryui.js javascript 16 Lines 970 bytes Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/RowReorder/js/dataTables.rowReorder.min.js javascript 11 Lines 5.2 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/basic_init/comma-decimal.html html 5 Lines 25.5 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/angular-1.4.8/angular-scenario.js javascript 11,869 Lines 1.3 MB Jan 8, 2016 10:07:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/html5/pdfMessage.html html 7 Lines 22.1 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/advanced_init/dom_multiple_elements.html html 3 Lines 25 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/data_sources/ajax.html html 3 Lines 15.2 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/dev/widgetstyles.html html 19 Lines 9.5 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/app/authentication/authFeedbackMessages.tpl.htm html 1.2 KB Dec 28, 2015 9:58:10 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/styling/index.html html 1 Lines 2.3 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/en.js javascript 9 Lines 4.4 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/Plugins/ckeditor/lang/fo.js javascript 1 Lines 19.3 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/bg.js javascript 9 Lines 4.6 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/angular/angular-resource.js javascript 174 Lines 26.1 KB Sep 30, 2015 3:57:36 PM

WebContent/views/dialogue-box-html-templates/invite-assign-additonal-reps.html html 1.9 KB Dec 14, 2015 9:44:47 PM

WebContent/scripts/vendor/angular-datatables/dist/angular-datatables.min.js javascript 1 Lines 13.6 KB Jan 8, 2016 8:53:15 AM

WebContent/scripts/app/action-messages/action-messages.js javascript 45 Lines 2 KB Feb 6, 2016 2:48:25 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/ColReorder/js/dataTables.colReorder.js javascript 393 Lines 34.1 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Scroller/examples/initialisation/large_js_source.html html 10 Lines 7 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/bootstrap-3.3.6/js/npm.js javascript 12 Lines 484 bytes Jan 8, 2016 8:55:56 AM

WebContent/scripts/app/admin/dashboard/manage-agency-contacts-controller.js javascript 83 Lines 3.9 KB Feb 2, 2016 9:04:01 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/FixedColumns/js/dataTables.fixedColumns.js javascript 484 Lines 42 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/af.js javascript 7 Lines 3.9 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/nl.js javascript 7 Lines 4.3 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/lt.js javascript 9 Lines 4.5 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/sr-latn.js javascript 7 Lines 3.9 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/FixedHeader/examples/styling/foundation.html html 3 Lines 17.2 KB Jan 8, 2016 9:11:56 AM

WebContent/views/templates/register-form-validations.html html 2.7 KB Feb 8, 2016 1:24:28 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/es.js javascript 2 Lines 252 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/basic_init/index.html html 1 Lines 3.6 KB Jan 8, 2016 9:11:55 AM

WebContent/views/dialogue-box-html-templates/join-unjoin-cases.html html 3.5 KB Feb 9, 2016 7:55:58 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/api/select_single_row.html html 9 Lines 25.7 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Scroller/js/dataTables.scroller.min.js javascript 21 Lines 10.6 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Select/examples/initialisation/cells.html html 5 Lines 17.7 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/advanced_init/language_file.html html 4 Lines 24.5 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/AutoFill/examples/initialisation/index.html html 1 Lines 3.1 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/controllers/other-protest-filing-controller.js javascript 75 Lines 3.1 KB Jan 12, 2016 2:41:27 PM

WebContent/scripts/vendor/Plugins/ckeditor/lang/sr-latn.js javascript 1 Lines 18.7 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/app/authentication/spring-security-csrf-token-interceptor.js javascript 70 Lines 5.6 KB Jan 19, 2016 7:09:05 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/en-gb.js javascript 2 Lines 246 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/app/parties/invite-assign-additonal-reps.html html 1.9 KB Dec 14, 2015 9:44:47 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/ko.js javascript 2 Lines 267 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/media/js/jquery.js javascript 3 Lines 93.7 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/angular/angular-messages.min.js javascript 4 Lines 1.7 KB Sep 30, 2015 3:57:36 PM

WebContent/views/backups/submit-new-doc-form-backup6232015.html html 12 KB Feb 1, 2016 10:04:46 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/RowReorder/examples/initialisation/index.html html 1 Lines 2.4 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/services/spring-security-csrf-token-interceptor.js javascript 71 Lines 5.7 KB Dec 14, 2015 9:58:57 PM

WebContent/scripts/vendor/Plugins/ckeditor/samples/old/dialog/dialog.html html 50 Lines 7.2 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/js/buttons.html5.min.js javascript 18 Lines 10.6 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/FixedHeader/examples/integration/index.html html 1 Lines 2.3 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/app/core/lazyloadFiles.js javascript 78 Lines 5.2 KB Jan 18, 2016 1:55:13 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Select/examples/initialisation/simple.html html 3 Lines 17.5 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/html5/filename.html html 10 Lines 22.9 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/server_side/simple.html html 5 Lines 15.3 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Select/examples/initialisation/buttons.html html 12 Lines 19 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/pl.js javascript 6 Lines 466 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/Plugins/ckeditor/styles.js javascript 44 Lines 3.5 KB Sep 30, 2015 3:57:40 PM

C:/Users/mhussaini/AppData/Local/Fortify/sca6.3/build/EPDS_Web/extracted/javascript/C:/Users/mhussaini/Gitworkspace/EPDS_Web/WebContent/scripts/vendor/Plugins/ckeditor/samples/old/dialog/dialog.html.js secondary 6 KB Feb 10, 2016 4:43:45 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/zh.js javascript 5 Lines 4.1 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/angular-loading-bar/test/karma-angular-1.3.conf.js javascript 24 Lines 1.8 KB Feb 9, 2016 2:47:21 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/api/form.html html 7 Lines 53.2 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/ColReorder/examples/styling/bootstrap.html html 3 Lines 17.8 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/ColReorder/examples/initialisation/new_init.html html 4 Lines 17.3 KB Jan 8, 2016 9:11:56 AM

C:/Users/mhussaini/AppData/Local/Fortify/sca6.3/build/EPDS_Web/extracted/javascript/C:/Users/mhussaini/Gitworkspace/EPDS_Web/WebContent/scripts/vendor/Plugins/ckeditor/samples/old/api.html.js secondary 3.8 KB Feb 10, 2016 4:43:48 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/sk.js javascript 6 Lines 455 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/app/request-to-intervene/intervene-directive.js javascript 100 Lines 6.1 KB Feb 6, 2016 3:58:02 PM

WebContent/scripts/vendor/Plugins/Case/Case.min.js javascript 1 Lines 2.1 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/Plugins/ckeditor/lang/nl.js javascript 1 Lines 19.3 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/da.js javascript 7 Lines 3.3 KB Sep 30, 2015 3:57:39 PM

PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/hi.js javascript 7 Lines 3.9 KB Sep 30, 2015 3:57:38 PM

WebContent/views/profile.html html 9.5 KB Feb 1, 2016 10:25:57 AM

WebContent/scripts/vendor/Plugins/ckeditor/ckeditor.js javascript 1,103 Lines 567.9 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/services/angular-recursion/angular-recursion.js javascript 16 Lines 1.4 KB Dec 14, 2015 9:58:56 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/vi.js javascript 6 Lines 452 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/angular-loading-bar/index.js javascript 2 Lines 72 bytes Feb 9, 2016 2:47:21 PM

WebContent/scripts/vendor/Plugins/ckeditor/samples/old/api.html html 50 Lines 7 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/server_side/post.html html 14 Lines 15.9 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/angular-xeditable-0.1.8/js/xeditable.js javascript 585 Lines 47.8 KB Jan 15, 2016 1:46:13 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/ug.js javascript 6 Lines 500 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/ku.js javascript 9 Lines 7.4 KB Sep 30, 2015 3:57:39 PM

PM

WebContent/scripts/app/parties/delete-parties-confirmation.html html 1.5 KB Feb 7, 2016 4:15:02 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/clipboard/dialogs/paste.js javascript 7 Lines 3.5 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/hr.js javascript 9 Lines 4.4 KB Sep 30, 2015 3:57:39 PM

PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Responsive/examples/column-control/columnPriority.html html 6 Lines 23.9 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/plugin-ins/index.html html 1 Lines 2.7 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Responsive/examples/display-types/modal.html html 12 Lines 25 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/hu.js javascript 8 Lines 4 KB Sep 30, 2015 3:57:39 PM

PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/pastefromword/filter/default.js javascript 28 Lines 13.9 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/samples/old/sample.js javascript 22 Lines 1.6 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/app/sidebar/navigation-service.js javascript 296 Lines 12.7 KB Feb 8, 2016 9:26:10 AM

WebContent/scripts/app/case-docket-file-info/file-info-services.js javascript 203 Lines 10.7 KB Feb 7, 2016 8:39:36 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/de.js javascript 6 Lines 430 bytes Sep 30, 2015 3:57:38 PM

WebContent/scripts/app/parties/agencyPartiesInfo.tpl.html html 3.6 KB Jan 20, 2016 4:39:27 PM

WebContent/scripts/controllers/parties-controller.js javascript 302 Lines 14.7 KB Jan 12, 2016 2:41:27 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/mk.js javascript 7 Lines 4 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/lang/pl.js javascript 1 Lines 20.2 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/ru.js javascript 7 Lines 5.8 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/AutoFill/js/dataTables.autoFill.min.js javascript 18 Lines 9 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/app/core/main.js javascript 9 Lines 255 bytes Jan 12, 2016 2:41:27 PM

WebContent/scripts/vendor/Plugins/ckeditor/samples/old/assets/posteddata.php php 10 Lines 1.4 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/Plugins/ckeditor/samples/old/wordcount/wordcountWithMaxCount.html html 20 Lines 5.2 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/nb.js javascript 2 Lines 247 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/basic_init/scroll_xy.html html 4 Lines 28.2 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/dev/assets/simplebox/plugin.js javascript 38 Lines 4.6 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/js/buttons.bootstrap.min.js javascript 2 Lines 939 bytes Jan 8, 2016 9:11:56 AM

WebContent/scripts/services/angular-recursion/angular-recursion.min.js javascript 15 Lines 491 bytes Dec 14, 2015 9:58:56 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Select/examples/initialisation/multi.html html 4 Lines 18 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/Plugins/angular-ui-tree/js/angular-ui-tree.min.js javascript 1 Lines 16.8 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/ar.js javascript 9 Lines 4.7 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/ar.js javascript 7 Lines 3.9 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/sr.js javascript 7 Lines 3.9 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/plugin-ins/sorting_auto.html html 12 Lines 25.2 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/api/row_details.html html 24 Lines 18.4 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/forms/dialogs/form.js javascript 4 Lines 2 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/basic_init/language.html html 8 Lines 24.7 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/ColReorder/examples/integration/colvis.html html 6 Lines 18 KB Jan 8, 2016 9:11:56 AM

WebContent/views/word-templates/acknowledgment-of-request-for-reconsideration.html html 2.7 KB Dec 14, 2015 9:44:47 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/api/api_in_init.html html 6 Lines 25.6 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/lang/bs.js javascript 1 Lines 18.3 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/api/regex.html html 18 Lines 29.1 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/pt.js javascript 8 Lines 4.4 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/lang/fa.js javascript 1 Lines 24.6 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/Plugins/ckeditor/samples/old/assets/uilanguages/languages.js javascript 3 Lines 1.3 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/styling/jqueryUI.html html 2 Lines 25.4 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/km.js javascript 6 Lines 559 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/ca.js javascript 8 Lines 4.5 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/ajax/deep.html html 11 Lines 16.1 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/angular-datatables/dist/plugins/fixedcolumns/angular-datatables.fixedcolumns.min.js javascript 1 Lines 763 bytes Jan 8, 2016 8:53:16 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/FixedColumns/examples/styling/foundation.html html 7 Lines 21.8 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/cy.js javascript 2 Lines 243 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/server_side/scripts/sqlite.sql tsq 7.7 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/column_visibility/restore.html html 11 Lines 21.7 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/angular-datatables/dist/plugins/colreorder/angular-datatables.colreorder.min.js javascript 1 Lines 1.2 KB Jan 8, 2016 8:53:15 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/flash/simple.html html 8 Lines 22.7 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/app/protest/protest-filing-form-controller.js javascript 121 Lines 9.2 KB Feb 6, 2016 2:48:54 PM

WebContent/views/dialogue-box-html-templates/add-minute-entry.html html 1.4 KB Dec 14, 2015 9:44:47 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/ca.js javascript 6 Lines 487 bytes Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/lang/da.js javascript 1 Lines 19 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/th.js javascript 7 Lines 4.2 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/samples/toolbarconfigurator/lib/codemirror/codemirror.js javascript 290 Lines 146.4 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/Plugins/ckeditor/samples/old/enterkey/enterkey.html html 9 Lines 4.2 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/da.js javascript 2 Lines 248 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/basic_init/alt_pagination.html html 3 Lines 25.8 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/angular-datatables/dist/plugins/buttons/angular-datatables.buttons.js javascript 48 Lines 3.3 KB Jan 8, 2016 8:53:15 AM

WebContent/scripts/vendor/angular-1.4.8/angular.min.js javascript 289 Lines 144.7 KB Jan 8, 2016 10:07:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/config.js javascript 1 Lines 332 bytes Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/plugin-ins/sorting_manual.html html 11 Lines 25.3 KB Jan 8, 2016 9:11:55 AM

AM

WebContent/scripts/vendor/angular-1.4.8/angular-loader.js javascript 72 Lines 15.6 KB Jan 8, 2016 10:07:55 AM

C:/Users/mhussaini/AppData/Local/Fortify/sca6.3/build/EPDS_Web/extracted/javascript/C/Users/mhussaini/Gitworkspace/EPDS_Web/WebContent/scripts/vendor/DataTables-1.10.10/examples/server_side/pipeline.html.js secondary 3.8 KB Feb 10, 2016 4:43:46 PM

WebContent/scripts/vendor/Plugins/ckeditor/lang/zh-cn.js javascript 1 Lines 17.8 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/RowReorder/examples/styling/reorderClass.html html 6 Lines 17 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/ru.js javascript 2 Lines 259 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/Plugins/ckeditor/lang/ku.js javascript 1 Lines 26.5 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/js/buttons.print.min.js javascript 4 Lines 1.6 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Responsive/examples/initialisation/className.html html 2 Lines 22.7 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/Plugins/ckeditor/samples/old/htmlwriter/assets/outputforflash/swfobject.js javascript 18 Lines 9 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/ColReorder/js/dataTables.colReorder.min.js javascript 22 Lines 11 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/styling/bootstrap.html html 6 Lines 24.1 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/km.js javascript 2 Lines 305 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/initialisation/index.html html 1 Lines 3.1 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/samples/index.html html 1 Lines 6.5 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Responsive/examples/child-rows/disable-child-rows.html html 4 Lines 22.8 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/en.js javascript 6 Lines 436 bytes Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/ar.js javascript 2 Lines 256 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/Plugins/Datatables/angular-datatables/plugins/fixedcolumns/angular-datatables.fixedcolumns.js javascript 37 Lines 2.3 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/sl.js javascript 6 Lines 433 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/angular/ng-flow/ng-flow.js javascript 156 Lines 7.9 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/angular/angular-aria.js javascript 130 Lines 12.4 KB Sep 30, 2015 3:57:36 PM

WebContent/scripts/vendor/Plugins/intl-tel-input/js/intlTelInput.js javascript 501 Lines 72.1 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/angular/ngReact.js javascript 77 Lines 7.9 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/basic_init/scroll_y_dynamic.html html 5 Lines 24.6 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/app/account-update/account-update-services.js javascript 49 Lines 2.1 KB Feb 6, 2016 11:01:39 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/api/tabs_and_scrolling.html html 9 Lines 17.5 KB Jan 8, 2016 9:11:55 AM

C:/Users/mhussaini/AppData/Local/Fortify/sca6.3/build/EPDS_Web/extracted/javascript/C/Users/mhussaini/Gitworkspace/EPDS_Web/WebContent/scripts/vendor/jquery-ui-1.11.4/index.html.js secondary 1.3 KB Feb 10, 2016 4:43:45 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Select/examples/api/index.html html 1 Lines 2.3 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/flash/pdfPage.html html 8 Lines 21.7 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/sl.js javascript 7 Lines 4.3 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/gl.js javascript 9 Lines 4.9 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/en.js javascript 2 Lines 243 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/en.js javascript 7 Lines 3.9 KB Sep 30, 2015 3:57:38 PM

PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/it.js javascript 2 Lines 256 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/FixedColumns/examples/initialisation/index_column.html html 16 Lines 24.1 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/FixedColumns/examples/initialisation/css_size.html html 8 Lines 22.5 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/th.js javascript 6 Lines 541 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/Plugins/ckeditor/samples/js/sample.js javascript 17 Lines 1.5 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/DataTables-1.10.10/media/js/dataTables.foundation.js javascript 81 Lines 3.6 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/en-gb.js javascript 7 Lines 3.9 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/angular/angular-route.min.js javascript 9 Lines 4.3 KB Sep 30, 2015 3:57:36 PM

WebContent/scripts/app/request-to-intervene/intervene-request-form.html html 10.1 KB Feb 8, 2016 8:32:54 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/KeyTable/examples/initialisation/events.html html 11 Lines 18.5 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Responsive/js/dataTables.responsive.js javascript 398 Lines 31 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/advanced_init/length_menu.html html 3 Lines 24.5 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/angular-1.4.8/angular-animate.js javascript 1,417 Lines 138.2 KB Jan 8, 2016 10:07:55 AM

WebContent/views/dialogue-box-html-templates/representatives-requests-confirmation.html html 1.4 KB Jan 7, 2016 12:49:58 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/KeyTable/examples/styling/foundation.html html 3 Lines 16.9 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/nl.js javascript 2 Lines 252 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/AutoFill/examples/initialisation/scrolling.html html 7 Lines 16.6 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/server_side/scripts/post.php php 18 Lines 1.9 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/ColReorder/examples/integration/fixedheader.html html 4 Lines 17.7 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/controllers/backups/register with input headers.html html 1 Lines 7.2 KB Dec 14, 2015 9:58:51 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/lv.js javascript 2 Lines 257 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/angular-ui-bootstrap/ui-bootstrap-tpls-1.0.3.js javascript 3,298 Lines 232.8 KB Jan 15, 2016 2:18:01 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/wsc/dialogs/ciframe.html html 23 Lines 1.7 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/autosave/js/extensions.min.js javascript 98 Lines 47.1 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/wsc/dialogs/wsc_ie.js javascript 7 Lines 3.2 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Responsive/js/responsive.bootstrap.js javascript 28 Lines 1.8 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/textsignature/plugin.js javascript 55 Lines 4 KB Oct 7, 2015 10:55:13 AM

WebContent/scripts/app.js javascript 158 Lines 12.3 KB Feb 10, 2016 4:02:08 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/ajax/objects_subarrays.html html 10 Lines 16.9 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/lang/si.js javascript 1 Lines 25.6 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Responsive/examples/child-rows/whole-row-control.html html 11 Lines 22 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/lineutils/plugin.js javascript 335 Lines 28.2 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/zh.js javascript 5 Lines 4.1 KB Sep 30, 2015 3:57:39 PM

WebContent/views/case-docketsheet.html html 10 KB Feb 7, 2016 6:33:02 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/ajax/defer_render.html html 4 Lines 15.3 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/fa.js javascript 8 Lines 5.6 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/directives/ngAutocomplete.js javascript 92 Lines 5 KB Jan 12, 2016 2:01:26 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/no.js javascript 2 Lines 247 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/app/admin/reset-accounts/accountReset.tpl.htm html 755 bytes Dec 29, 2015 12:24:31 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/index.html html 1 Lines 8.6 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/KeyTable/js/dataTables.keyTable.min.js javascript 14 Lines 6.6 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/jquery/jquery.highlight.js javascript 40 Lines 4 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/no.js javascript 6 Lines 442 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/basic_init/state_save.html html 3 Lines 25.6 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/app/other-protests/other-protest-filing-controller.js javascript 57 Lines 3.4 KB Feb 1, 2016 2:13:33 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Select/examples/styling/bootstrap.html html 4 Lines 17.7 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/angular-1.4.8/angular-route.js javascript 204 Lines 35 KB Jan 8, 2016 10:07:55 AM

WebContent/scripts/app/registration/register.html html 10 KB Feb 6, 2016 11:45:03 AM

WebContent/scripts/vendor/Plugins/ckeditor/samples/old/uicolor.html html 5 Lines 2.5 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/forms/dialogs/radio.js javascript 5 Lines 2.2 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/tabletools/dialogs/tableCell.js javascript 9 Lines 6.6 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/FixedHeader/examples/options/new.html html 5 Lines 17.4 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/pt-br.js javascript 8 Lines 4.5 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/ko.js javascript 6 Lines 466 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/styling/order-column.html html 2 Lines 24.1 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/samples/toolbarconfigurator/js/fulltoolbareditor.js javascript 9 Lines 3.7 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/AutoFill/examples/styling/index.html html 1 Lines 2.4 KB Jan 8, 2016 9:11:55 AM

WebContent/build/common.js javascript 10 Lines 417 bytes Nov 3, 2015 10:33:34 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/plugin-ins/range_filtering.html html 15 Lines 26 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/FixedColumns/examples/styling/bootstrap.html html 7 Lines 22 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/angular-1.4.8/angular-resource.min.js javascript 8 Lines 3.6 KB Jan 8, 2016 10:07:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Responsive/examples/display-types/jqueryui-modal.html html 12 Lines 25.4 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/server_side/scripts/mysql.sql tsql 7.8 KB Jan 8, 2016 9:11:55 AM

C:/Users/mhussaini/AppData/Local/Fortify/sca6.3/build/EPDS_Web/extracted/javascript/C:/Users/mhussaini/Gitworkspace/EPDS_Web/WebContent/scripts/vendor/Plugins/ckeditor/samples/old/divreplace.html.js secondary 1.2 KB Feb 10, 2016 4:43:45 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/sl.js javascript 8 Lines 4.2 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/print/customisation.html html 13 Lines 22.5 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/app/authentication/time-out-warning.tp.html html 513 bytes Feb 4, 2016 1:20:42 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/initialisation/simple.html html 5 Lines 23.7 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/lang/en-ca.js javascript 1 Lines 18.1 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/FixedColumns/examples/index.html html 1 Lines 4.4 KB Jan 8, 2016

9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/server_side/row_details.html html 33 Lines 19.4 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/app/core/require.js javascript 754 Lines 81.8 KB Dec 23, 2015 3:42:54 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/advanced_init/html5-data-attributes.html html 2 Lines 29.5 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/KeyTable/js/dataTables.keyTable.js javascript 301 Lines 18.3 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/it.js javascript 6 Lines 444 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/app/request-to-intervene/intervene-protest.html html 3.2 KB Feb 8, 2016 3:13:22 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/yadcf/jquery.dataTables.yadcf.js javascript 1,847 Lines 170.5 KB Jan 15, 2016 11:20:53 AM

WebContent/scripts/vendor/angular/angular-sanitize.min.js javascript 10 Lines 5.9 KB Sep 30, 2015 3:57:36 PM

WebContent/scripts/controllers/case-docket-file-info-controller.js javascript 158 Lines 9.5 KB Jan 25, 2016 7:51:35 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/uk.js javascript 6 Lines 557 bytes Sep 30, 2015 3:57:39 PM

WebContent/views/templates/tempUserConfirmation.html html 4.3 KB Dec 15, 2015 8:12:54 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/RowReorder/examples/styling/jqueryui.html html 3 Lines 16.9 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/Plugins/misc/modernizr.min.js javascript 1 Lines 16.8 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/link/dialogs/link.js javascript 15 Lines 10.8 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/plugin.js javascript 42 Lines 2.8 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/AutoFill/examples/initialisation/simple.html html 3 Lines 16.7 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/Datatables/angular-datatables/plugins/colreorder/angular-datatables.colreorder.min.js javascript 1 Lines 1.1 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/Plugins/ckeditor/lang/sq.js javascript 1 Lines 20.5 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/services/loader-service.js javascript 18 Lines 736 bytes Jan 12, 2016 2:41:27 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/ColReorder/examples/initialisation/scrolling.html html 5 Lines 17.2 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/angular-loading-bar/Gruntfile.js javascript 54 Lines 2.2 KB Feb 9, 2016 2:47:21 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/a11yhelp.js javascript 6 Lines 2.7 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/app/core/ocLazyLoad.require.js javascript 576 Lines 57 KB Dec 23, 2015 3:05:33 PM

WebContent/index.html html 1 Lines 23.4 KB Feb 10, 2016 2:39:26 PM

WebContent/views/dialogue-box-html-templates/primary-secondary-reject-confirmation.html html 1.2 KB Dec 14, 2015 9:44:47 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/ColReorder/examples/styling/foundation.html html 3 Lines 17.8 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/RowReorder/examples/index.html html 1 Lines 3.2 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/app/authentication/login-page.html html 4.6 KB Feb 10, 2016 2:35:09 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/server_side/scripts/ids-arrays.php php 21 Lines 2.2 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/de.js javascript 8 Lines 4.5 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/app/advance-search/advance-search-services.js javascript 149 Lines 6.8 KB Feb 7, 2016 3:30:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/ku.js javascript 6 Lines 526 bytes Sep 30, 2015 3:57:39 PM

WebContent/views/admin-html-templates/manage-agency-info.html html 15.3 KB Feb 1, 2016 9:39:02 PM

WebContent/scripts/filters/CaseFilter.js javascript 6 Lines 355 bytes Dec 14, 2015 9:58:55 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/ar.js javascript 6 Lines 530 bytes Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/initialisation/collections.html html 16 Lines 23.3 KB

Jan 8, 2016 9:11:56 AM

WebContent/scripts/controllers/admin-html-controllers/admin-dashboard-controller.js javascript 44 Lines 2 KB Dec 31, 2015 4:06:19 PM

WebContent/scripts/vendor/Plugins/Datatables/angular-datatables/plugins/columnfilter/angular-datatables.columnfilter.js javascript 37 Lines 2.3 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/sv.js javascript 6 Lines 461 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/ajax/simple.html html 3 Lines 15.9 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/server_side/defer_loading.html html 6 Lines 17.3 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/da.js javascript 6 Lines 448 bytes Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/media/js/jquery.dataTables.min.js javascript 160 Lines 79.8 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/Plugins/ckeditor/lang/mn.js javascript 1 Lines 23.5 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/tt.js javascript 7 Lines 4.2 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Responsive/examples/column-control/colreorder.html html 4 Lines 22.7 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/ColReorder/examples/integration/server_side.html html 13 Lines 8.1 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/directives/limit-number-of-characters.js javascript 12 Lines 507 bytes Jan 12, 2016 2:41:27 PM

WebContent/scripts/vendor/angular-1.4.8/angular-route.min.js javascript 9 Lines 4.3 KB Jan 8, 2016 10:07:55 AM

WebContent/scripts/controllers/profile-registration-controller.js javascript 132 Lines 7.1 KB Jan 12, 2016 2:41:27 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/FixedColumns/examples/initialisation/right_column.html html 9 Lines 22 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/app/advance-search/routes.js javascript 9 Lines 435 bytes Jan 19, 2016 8:53:13 AM

WebContent/scripts/vendor/Plugins/ckeditor/lang/fi.js javascript 1 Lines 19.4 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/tt.js javascript 2 Lines 283 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/gl.js javascript 6 Lines 509 bytes Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/js/buttons.colVis.js javascript 103 Lines 4.8 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/ja.js javascript 5 Lines 3.9 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/initialisation/export.html html 5 Lines 23.6 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/FixedHeader/examples/styling/jqueryui.html html 3 Lines 17.2 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/basic_init/scroll_x.html html 3 Lines 28.8 KB Jan 8, 2016 9:11:55 AM

C:/Users/mhussaini/AppData/Local/Fortify/sca6.3/build/EPDS_Web/extracted/javascript/C:/Users/mhussaini/Gitworkspace/EPDS_Web/WebContent/scripts/vendor/Plugins/ckeditor/samples/old/htmlwriter/outputhtml.html.js secondary 4.4 KB Feb 10, 2016 4:43:47 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/initialisation/new.html html 15 Lines 22.1 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/plugin.js javascript 1,135 Lines 127.9 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/app/authentication/authentication-feedback-service.js javascript 265 Lines 11.8 KB Feb 8, 2016 5:38:25 PM

WebContent/scripts/vendor/Plugins/ckeditor/lang/hr.js javascript 1 Lines 18.7 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/app/parties/parties-directives.js javascript 49 Lines 2.6 KB Jan 19, 2016 12:44:03 PM

WebContent/scripts/vendor/angular-datatables/dist/plugins/light-columnfilter/angular-datatables.light-columnfilter.js javascript 39 Lines 2.5 KB Jan 8, 2016 8:53:16 AM

WebContent/scripts/vendor/Plugins/angular.treeview/angular.treeview.min.js javascript 3 Lines 1.3 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/app/admin/case-docket-sheet/case-docketsheet-controller.js javascript 105 Lines 16.9 KB Feb 7, 2016 11:34:57 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/api/text.html html 10 Lines 22.4 KB Jan 8, 2016

9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/advanced_init/complex_header.html html 5 Lines 26.1 KB Jan 8, 2016

9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/ColReorder/examples/integration/fixedcolumns.html html 14 Lines 22.9 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/angular-datatables/dist/plugins/fixedheader/angular-datatables.fixedheader.js javascript 39 Lines 2.4 KB Jan 8, 2016 8:53:16 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/print/simple.html html 5 Lines 21.3 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/directives/numberOnlyInput.js javascript 32 Lines 1.2 KB Jan 12, 2016 2:41:27 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Scroller/examples/styling/foundation.html html 7 Lines 7.2 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/FixedHeader/examples/options/enable-disable.html html 7 Lines 17.8 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/Datatables/jquery/jquery.dataTables.yadcf.js javascript 1,637 Lines 155 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/forms/dialogs/select.js javascript 16 Lines 8.1 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Select/examples/index.html html 1 Lines 3.7 KB Jan 8, 2016 9:11:57 AM

WebContent/views/dialogue-box-html-templates/delete-parties-confirmation.html html 1.3 KB Dec 14, 2015 9:44:47 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/ColReorder/examples/styling/jqueryui.html html 3 Lines 17.5 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Select/examples/styling/index.html html 1 Lines 2.2 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/es.js javascript 6 Lines 516 bytes Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/cy.js javascript 6 Lines 441 bytes Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Responsive/examples/styling/compact.html html 3 Lines 22.8 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Responsive/examples/styling/bootstrap.html html 2 Lines 23.8 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/server_side/index.html html 1 Lines 3.8 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/samples/toolbarconfigurator/lib/codemirror/javascript.js javascript 24 Lines 11.6 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/app/dashboard/dashboard.html html 4.9 KB Feb 6, 2016 7:48:37 PM

C:/Users/mhussaini/AppData/Local/Fortify/sca6.3/build/EPDS_Web/extracted/javascript/C:/Users/mhussaini/Gitworkspace/EPDS_Web/WebContent/scripts/vendor/Plugins/ckeditor/samples/old/ajax.html.js secondary 719 bytes Feb 10, 2016 4:43:44 PM

WebContent/scripts/vendor/Plugins/ckeditor/lang/sv.js javascript 1 Lines 18.8 KB Sep 30, 2015 3:57:38 PM

WebContent/views/dialogue-box-html-templates/secondary-rep-invites-dialogue-template.html html 1.8 KB Jan 6, 2016 11:36:31 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Responsive/js/responsive.jqueryui.min.js javascript 2 Lines 796 bytes Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/Plugins/ckeditor/samples/old/htmlwriter/puthtml.html html 58 Lines 7.1 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/FixedHeader/js/dataTables.fixedHeader.min.js javascript 12 Lines 6 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/directives/box-collapse-directive.js javascript 18 Lines 1.1 KB Jan 12, 2016 2:41:27 PM

WebContent/scripts/vendor/Plugins/ckeditor/lang/pt.js javascript 1 Lines 20 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/angular-datatables/dist/plugins/light-columnfilter/angular-datatables.light-columnfilter.min.js javascript 1 Lines 1009 bytes Jan 8, 2016 8:53:16 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/sk.js javascript 2 Lines 257 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/angular-datatables/dist/plugins/colvis/angular-datatables.colvis.js javascript 44 Lines 3.3 KB Jan 8, 2016

8:53:16 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/smiley/dialogs/smiley.js javascript 6 Lines 3.2 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/angular/angular-messages.js javascript 72 Lines 15.2 KB Sep 30, 2015 3:57:36 PM

WebContent/scripts/vendor/angular/angular-recursion/angular-recursion.js javascript 14 Lines 1.3 KB Sep 30, 2015 3:57:36 PM

WebContent/scripts/controllers/admin-html-controllers/manage-agency-contacts-controller.js javascript 81 Lines 3.9 KB Jan 12, 2016 2:41:27 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/wsc/dialogs/tmpFrameset.html html 15 Lines 1.9 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/Plugins/ckeditor/lang/zh.js javascript 1 Lines 17.8 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/angular-datatables/dist/plugins/buttons/angular-datatables.buttons.min.js javascript 1 Lines 1.2 KB Jan 8, 2016 8:53:15 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Responsive/examples/child-rows/column-control.html html 10 Lines 22.6 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/app/authentication/dataLoader.htm html 439 bytes Feb 10, 2016 3:53:24 PM

WebContent/scripts/app/registration/accountSelectionCtrl.js javascript 70 Lines 2.9 KB Feb 1, 2016 10:07:03 AM

WebContent/scripts/vendor/Plugins/ckeditor/samples/js/sf.js javascript 10 Lines 6.3 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/Plugins/ckeditor/lang/es.js javascript 1 Lines 20.2 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/app/admin/dashboard/admin-tools-services.js javascript 0 bytes Feb 7, 2016 10:13:48 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/AutoFill/js/autoFill.foundation.js javascript 16 Lines 937 bytes Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/angular/angular-cookies.min.js javascript 2 Lines 825 bytes Sep 30, 2015 3:57:36 PM

WebContent/views/backups/Copy of protest-filing-form1.html html 1 Lines 33 KB Feb 1, 2016 10:04:46 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/styling/display.html html 2 Lines 24.9 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/directives/ng-bs-daterangepicker.js javascript 139 Lines 5.3 KB Dec 14, 2015 9:58:55 PM

WebContent/scripts/vendor/Plugins/Datatables/angular-datatables/plugins/fixedcolumns/angular-datatables.fixedcolumns.min.js javascript 1 Lines 847 bytes Sep 30, 2015 3:57:40 PM

WebContent/views/test/payment-status.html html 11 bytes Dec 14, 2015 9:44:47 PM

WebContent/scripts/controllers/admin-html-controllers/manage-attorney-controllers.js javascript 80 Lines 5.3 KB Jan 12, 2016 2:41:27 PM

WebContent/scripts/vendor/angular-datatables/dist/angular-datatables.js javascript 626 Lines 45.5 KB Jan 8, 2016 8:53:15 AM

WebContent/scripts/services/naturalSortVersionDatesCaching.min.js javascript 1 Lines 1.5 KB Dec 14, 2015 9:58:56 PM

WebContent/scripts/vendor/angular/angular-sanitize.js javascript 179 Lines 23.8 KB Sep 30, 2015 3:57:36 PM

WebContent/scripts/vendor/angular-1.4.8/angular-aria.min.js javascript 7 Lines 3.7 KB Jan 8, 2016 10:07:55 AM

WebContent/views/test/payment-request.html html 1.6 KB Dec 14, 2015 9:44:47 PM

WebContent/scripts/controllers/case-docket-sheet/case-docketsheet-controller.js javascript 468 Lines 21.6 KB Jan 12, 2016 2:41:27 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/table/dialogs/table.js javascript 17 Lines 8.6 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/server_side/ids.html html 12 Lines 15.7 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/app/registration/resetPassword.tpl.html html 845 bytes Dec 28, 2015 10:16:38 PM

WebContent/scripts/vendor/angular-datatables/dist/plugins/colreorder/angular-datatables.colreorder.js javascript 48 Lines 3.7 KB Jan 8, 2016 8:53:15 AM

WebContent/scripts/vendor/Plugins/ckeditor/lang/eu.js javascript 1 Lines 19.6 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/fi.js javascript 7 Lines 4.5 KB Sep 30, 2015 3:57:38 PM

WebContent/views/dialogue-box-html-templates/primary-rep-approvals-dialogue-template.html html 2 KB Dec 14, 2015 9:44:47 PM

WebContent/scripts/vendor/Plugins/ckeditor/lang/sl.js javascript 1 Lines 19 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/media/js/dataTables.foundation.min.js javascript 4 Lines 1.7 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Responsive/examples/display-types/immediateShow.html html 6 Lines 23.9 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/directives/auto-size-textarea-directive.js javascript 1 Lines 2 KB Jan 12, 2016 2:41:27 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/liststyle/dialogs/liststyle.js javascript 6 Lines 2.9 KB Sep 30, 2015 3:57:38 PM

src/gov/epds/filter/LoginFilter.java java 10 Lines 1.5 KB Dec 14, 2015 9:44:48 PM

WebContent/scripts/controllers/global-controller/advanced-search-controller.js javascript 221 Lines 11.2 KB Jan 12, 2016 2:41:27 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/basic_init/table_sorting.html html 3 Lines 24.8 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/vi.js javascript 2 Lines 262 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/templates/dialogs/templates.js javascript 6 Lines 2.9 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/Plugins/ckeditor/lang/sr.js javascript 1 Lines 22.5 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/advanced_init/defaults.html html 5 Lines 24.6 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Responsive/examples/display-types/foundation-modal.html html 12 Lines 25.4 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/js/buttons.foundation.min.js javascript 2 Lines 933 bytes Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/find/dialogs/find.js javascript 20 Lines 10.2 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/directives/expand-collapse-navigation-directive.js javascript 12 Lines 547 bytes Jan 12, 2016 2:41:27 PM

WebContent/scripts/vendor/angular-1.4.8/angular-touch.min.js javascript 7 Lines 3.5 KB Jan 8, 2016 10:07:55 AM

WebContent/scripts/vendor/angular-1.4.8/angular-aria.js javascript 142 Lines 14.3 KB Jan 8, 2016 10:07:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/lang/no.js javascript 1 Lines 18.5 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/lang/ar.js javascript 1 Lines 23.3 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/Plugins/intl-tel-input/js/intlTelInput.min.js javascript 1 Lines 22.8 KB Dec 28, 2015 10:44:35 AM

WebContent/scripts/vendor/angular-loading-bar/example/app.js javascript 25 Lines 1.3 KB Feb 9, 2016 2:47:21 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/nl.js javascript 6 Lines 450 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/Plugins/ckeditor/samples/toolbarconfigurator/js/toolbartextmodifier.js javascript 14 Lines 6.6 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/KeyTable/examples/styling/focusStyle.html html 3 Lines 16.8 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Responsive/js/dataTables.responsive.min.js javascript 19 Lines 9.8 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/templates/templates/default.js javascript 2 Lines 1.4 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/bootstrap-3.3.6/js/bootstrap.min.js javascript 2 Lines 36 KB Jan 8, 2016 8:55:56 AM

WebContent/scripts/app/authentication/resetPassword.tpl.html html 860 bytes Dec 14, 2015 9:58:57 PM

WebContent/scripts/vendor/Plugins/ckeditor/samples/old/replacebycode.html html 1 Lines 6.8 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/jquery/dataTables.searchHighlight.min.js javascript 2 Lines 691 bytes Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/lv.js javascript 8 Lines 4.6 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/fr.js javascript 8 Lines 5.1 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/angular/angular-animate.min.js javascript 27 Lines 13.1 KB Sep 30, 2015 3:57:36 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/FixedColumns/examples/styling/server-side-processing.html html 8 Lines 8.4 KB Jan 8, 2016 9:11:56 AM

C:/Users/mhussaini/AppData/Local/Fortify/sca6.3/build/EPDS_Web/extracted/javascript/C:/Users/mhussaini/Gitworkspace/EPDS_Web/WebContent/scripts/vendor/Plugins/ckeditor/samples/old/jquery.html.js secondary 390 bytes Feb 10, 2016 4:43:45 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/et.js javascript 7 Lines 3.9 KB Sep 30, 2015 3:57:38 PM

WebContent/views/backups/dashboard7162015.html html 1 Lines 4.9 KB Feb 1, 2016 10:04:46 AM

WebContent/scripts/vendor/Plugins/ckeditor/lang/ro.js javascript 1 Lines 20.8 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/app/submit-new-docs/submit-new-doc-directives.js javascript 73 Lines 4.2 KB Jan 29, 2016 4:44:28 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/advanced_init/sort_direction_control.html html 9 Lines 25.3 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/en-gb.js javascript 9 Lines 4.4 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/tt.js javascript 9 Lines 6.6 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/af.js javascript 9 Lines 4.4 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/server_side/scripts/jsonp.php php 21 Lines 2 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/filters/angular-filter.js javascript 1,159 Lines 64.3 KB Dec 14, 2015 9:58:55 PM

WebContent/scripts/vendor/angular/angular-recursion/angular-recursion.min.js javascript 1 Lines 321 bytes Sep 30, 2015 3:57:36 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/da.js javascript 7 Lines 3.9 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/controllers/backups/admin-case-docketsheet-controller.js javascript 159 Lines 6.8 KB Jan 12, 2016 2:41:27 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/wsc/dialogs/wsc.js javascript 87 Lines 46.3 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/FixedHeader/examples/options/simple.html html 3 Lines 17.5 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/app/admin/reset-accounts/feedbackMessages.tpl.htm html 458 bytes Dec 29, 2015 2:59:48 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Responsive/examples/display-types/index.html html 1 Lines 2.6 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/angular-datatables/dist/plugins/columnfilter/angular-datatables.columnfilter.js javascript 39 Lines 2.4 KB Jan 8, 2016 8:53:15 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/ajax/index.html html 1 Lines 3.1 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Scroller/examples/initialisation/fixedColumns.html html 10 Lines 7.7 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Responsive/examples/initialisation/index.html html 1 Lines 2.8 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/flash/tsv.html html 9 Lines 21.8 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/lang/lv.js javascript 1 Lines 20.2 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/basic_init/multi_col_sort.html html 11 Lines 23.7 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/el.js javascript 2 Lines 317 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/FixedHeader/examples/index.html html 1 Lines 3.5 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/RowReorder/js/dataTables.rowReorder.js javascript 209 Lines 15.1 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/app/admin/reset-accounts/account-reset.js javascript 100 Lines 3.8 KB Dec 29, 2015 2:59:34 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/af.js javascript 6 Lines 434 bytes Sep 30, 2015 3:57:38 PM

WebContent/scripts/app/registration/profile-registration-controller.js javascript 93 Lines 4.6 KB Feb 6, 2016 11:39:09 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/api/highlight.html html 10 Lines 25.7 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/cwjdscsconfineselection/plugin.js javascript 1 Lines 8.4 KB Jan 23, 2016 4:37:35 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/advanced_init/html5-data-options.html html 2 Lines 25.4 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/column_visibility/columnGroups.html html 18 Lines 22.4 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/app/registration/directives.js javascript 124 Lines 6.6 KB Feb 9, 2016 4:02:02 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/index.html html 1 Lines 11.5 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/forms/dialogs/checkbox.js javascript 5 Lines 2.4 KB Sep 30, 2015 3:57:38 PM

.settings/org.eclipse.wst.common.project.facet.core.xml xml 451 bytes Dec 14, 2015 10:16:36 PM

WebContent/scripts/vendor/Plugins/Datatables/jQuery/select2.min.js javascript 3 Lines 65.1 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/cs.js javascript 6 Lines 477 bytes Sep 30, 2015 3:57:38 PM

WebContent/scripts/directives/loader-directive.js javascript 6 Lines 262 bytes Jan 12, 2016 2:41:27 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/advanced_init/object_dom_read.html html 9 Lines 25.6 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/Datatables/angular-datatables/plugins/columnfilter/angular-datatables.columnfilter.min.js javascript 1 Lines 828 bytes Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/it.js javascript 10 Lines 4.9 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/angular-loading-bar/src/loading-bar.js javascript 140 Lines 9.8 KB Feb 9, 2016 2:47:21 PM

WebContent/scripts/app/parties/agency-attorney-info-confirmation.html html 1.3 KB Dec 14, 2015 9:44:47 PM

WebContent/scripts/vendor/Plugins/ckeditor/samples/old/inlineall.html html 11 Lines 10 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/html5/columns.html html 17 Lines 23.6 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/build-config.js javascript 155 Lines 3.3 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/directives/supplemental-protest-expand-collapse-directive.js javascript 11 Lines 427 bytes Jan 12, 2016 2:41:27 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Select/examples/api/get.html html 11 Lines 19.6 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/km.js javascript 9 Lines 4.6 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/styling/row-border.html html 2 Lines 24 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/flash/copy18n.html html 10 Lines 22 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/el.js javascript 8 Lines 6.8 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/sq.js javascript 9 Lines 4.9 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/vi.js javascript 7 Lines 5.2 KB Sep 30, 2015 3:57:38 PM

C:/Users/mhussaini/AppData/Local/Fortify/sca6.3/build/EPDS_Web/extracted/javascript/C:/Users/mhussaini/Gitworkspace/EPDS_Web/WebContent/scripts/vendor/Plugins/ckeditor/samples/toolbarconfigurator/index.html.js secondary 9.2 KB Feb 10, 2016 4:43:46 PM

WebContent/scripts/vendor/Plugins/ckeditor/samples/old/dialog/assets/my_dialog.js javascript 31 Lines 877 bytes Sep 30, 2015 3:57:40 PM

WebContent/scripts/services/angular-local-storage.js javascript 310 Lines 18.9 KB Dec 14, 2015 9:58:56 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/html5/simple.html html 8 Lines 23.5 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/angular/angular-touch.min.js javascript 7 Lines 3.6 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/RowReorder/examples/styling/snapX.html html 4 Lines 16.8 KB Jan 8, 2016 9:11:57 AM

C:/Users/mhussaini/AppData/Local/Fortify/sca6.3/build/EPDS_Web/extracted/javascript/C:/Users/mhussaini/Gitworkspace/EPDS_Web/WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/dev/widgetstyles.html.js secondary 1.1 KB Feb 10, 2016 4:43:48 PM

WebContent/scripts/vendor/jquery/jquery.validate.js javascript 638 Lines 38.5 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/html5/pdfOpen.html html 7 Lines 21.7 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/html5/outputFormat-function.html html 25 Lines 14.7 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/pt-br.js javascript 7 Lines 3.7 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/AutoFill/examples/styling/jqueryui.html html 3 Lines 17.1 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/initialisation/className.html html 13 Lines 21.5 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/api/add_row.html html 12 Lines 15.9 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/KeyTable/examples/styling/index.html html 1 Lines 2.3 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/FixedHeader/js/dataTables.fixedHeader.js javascript 233 Lines 15 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/samples/old/xhtmlstyle.html html 73 Lines 6.9 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/cy.js javascript 7 Lines 4.1 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/angular-1.4.8/angular-resource.js javascript 186 Lines 26.8 KB Jan 8, 2016 10:07:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/js/dataTables.buttons.min.js javascript 31 Lines 15.3 KB Jan 8, 2016 9:11:56 AM

C:/Users/mhussaini/AppData/Local/Fortify/sca6.3/build/EPDS_Web/extracted/javascript/C/Users/mhussaini/Gitworkspace/EPDS_Web/WebContent/scripts/vendor/DataTables-1.10.10/examples/data_sources/js_array.html.js secondary 3.6 KB Feb 10, 2016 4:43:47 PM

WebContent/scripts/directives/parent-child-tree-view-directive.js javascript 11 Lines 1 KB Jan 25, 2016 3:26:05 PM

WebContent/scripts/vendor/ng-flow/ng-flow-standalone.js javascript 726 Lines 49.6 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/Plugins/Datatables/angular-datatables/plugins/fixedheader/angular-datatables.fixedheader.min.js javascript 1 Lines 840 bytes Sep 30, 2015 3:57:40 PM

WebContent/scripts/controllers/submit-new-doc-controller.js javascript 288 Lines 14.7 KB Jan 19, 2016 9:28:07 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/ColReorder/examples/initialisation/simple.html html 3 Lines 17.5 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/AutoFill/examples/styling/bootstrap.html html 3 Lines 17.4 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/basic_init/flexible_width.html html 2 Lines 24.4 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/fa.js javascript 2 Lines 267 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/app/sidebar/sidebar-navigation.tpl.htm html 179 bytes Feb 6, 2016 7:17:57 PM

C:/Users/mhussaini/AppData/Local/Fortify/sca6.3/build/EPDS_Web/extracted/javascript/C/Users/mhussaini/Gitworkspace/EPDS_Web/WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/html5/outputFormat-orthogonal.html.js secondary 992 bytes Feb 10, 2016 4:43:46 PM

WebContent/scripts/vendor/angular-datatables/dist/plugins/scroller/angular-datatables.scroller.js javascript 32 Lines 1.9 KB Jan 8, 2016 8:53:16 AM

WebContent/scripts/vendor/Plugins/Datatables/angular-datatables/plugins/colvis/angular-datatables.colvis.min.js javascript 1 Lines 987 bytes Sep 30, 2015 3:57:40 PM

WebContent/scripts/app/parties/parties-controller.js javascript 64 Lines 4 KB Feb 9, 2016 5:02:23 PM

WebContent/scripts/app/authentication/security-question-ctrl.js javascript 49 Lines 2.9 KB Jan 12, 2016 2:41:27 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/pl.js javascript 2 Lines 260 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/advanced_init/row_callback.html html 3 Lines 24.9 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/app/submit-new-docs/fill-out-doc-desc.tpl.html html 1.1 KB Jan 26, 2016 9:16:16 AM

C:/Users/mhussaini/AppData/Local/Fortify/sca6.3/build/EPDS_Web/extracted/javascript/C/Users/mhussaini/Gitworkspace/EPDS_Web/WebContent/scripts/vendor/Plugins/ckeditor/plugins/lineutils/dev/magicfinger.html.js secondary 1.8 KB Feb 10, 2016 4:43:48 PM

WebContent/scripts/vendor/Plugins/ckeditor/lang/hi.js javascript 1 Lines 25.2 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/lt.js javascript 7 Lines 3.9 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Responsive/js/responsive.bootstrap.min.js javascript 3 Lines 1.1 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/sq.js javascript 7 Lines 4 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/column_visibility/index.html html 1 Lines 2.7 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/es.js javascript 8 Lines 4.6 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/initialisation/keys.html html 16 Lines 22.2 KB Jan 8,

2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/AutoFill/examples/initialisation/plugins.html html 11 Lines 18.6 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/fr-ca.js javascript 7 Lines 4.7 KB Sep 30, 2015 3:57:38 PM

WebContent/views/word-templates/test-word-document.html html 600 bytes Dec 14, 2015 9:44:47 PM

WebContent/scripts/vendor/angular/tinymce.js javascript 33 Lines 2.3 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Scroller/examples/data/ssp.php php 13 Lines 1.6 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/bg.js javascript 7 Lines 3.9 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/api/show_hide.html html 8 Lines 25.9 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/pt-br.js javascript 2 Lines 250 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/eo.js javascript 8 Lines 4.6 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/samples/old/ajax.html html 13 Lines 2.6 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/scayt/dialogs/options.js javascript 17 Lines 8.5 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Select/examples/initialisation/single.html html 4 Lines 17.8 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/AutoFill/examples/initialisation/alwaysAsk.html html 4 Lines 17.4 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/FixedHeader/examples/integration/responsive.html html 5 Lines 17.4 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/lang/ka.js javascript 1 Lines 34.1 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/zh-cn.js javascript 6 Lines 411 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/angular-datatables/dist/plugins/tabletools/angular-datatables.tabletools.js javascript 46 Lines 3.6 KB Jan 8, 2016 8:53:16 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/column_visibility/stateSave.html html 6 Lines 21.3 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Responsive/examples/styling/jqueryui.html html 2 Lines 23.1 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/FixedColumns/examples/initialisation/size_fluid.html html 9 Lines 22.1 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/ColReorder/examples/index.html html 1 Lines 4.2 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/api/group.html html 15 Lines 23.7 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/js/buttons.jqueryui.min.js javascript 2 Lines 995 bytes Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/AutoFill/examples/initialisation/keyTable.html html 4 Lines 17.5 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/lang/gl.js javascript 1 Lines 20.1 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/app/case-docket-sheet/case-docketsheet-controller.js javascript 219 Lines 11.9 KB Feb 9, 2016 7:59:06 PM

WebContent/scripts/vendor/angular-1.4.8/angular-messages.min.js javascript 6 Lines 2.7 KB Jan 8, 2016 10:07:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/lang/tt.js javascript 1 Lines 23.7 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/app/dashboard/dashboard-controller.js javascript 81 Lines 4.7 KB Feb 4, 2016 12:22:11 PM

C:/Users/mhussaini/AppData/Local/Fortify/sca6.3/build/EPDS_Web/extracted/javascript/C:/Users/mhussaini/Gitworkspace/EPDS_Web/WebContent/scripts/vendor/Plugins/ckeditor/plugins/wsc/dialogs/ciframe.html.js secondary 1.2 KB Feb 10, 2016 4:43:45 PM

WebContent/scripts/app/admin/dashboard/admin-dashboard-controller.js javascript 46 Lines 2.2 KB Feb 4, 2016 12:23:21 PM

WebContent/scripts/vendor/DataTables-1.10.10/media/js/dataTables.bootstrap.min.js javascript 5 Lines 2.3 KB Jan 8, 2016 9:11:57

AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/pt.js javascript 2 Lines 248 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/app/authentication/angular-jwt.js javascript 54 Lines 3.4 KB Dec 14, 2015 9:58:56 PM

WebContent/scripts/vendor/angular/ng-fab-form/templates/default-validation-msgs.html html 2.5 KB Feb 8, 2016 1:15:57 PM

WebContent/scripts/vendor/Plugins/ckeditor/lang/fr-ca.js javascript 1 Lines 20.1 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Responsive/examples/column-control/classes.html html 10 Lines 11.4 KB Jan 8, 2016 9:11:57 AM

WebContent/views/partials/dashboard-parent-child-display.html html 1.2 KB Dec 14, 2015 9:44:47 PM

WebContent/scripts/app/dashboard/parent-child-tree-view-directive.js javascript 20 Lines 1.6 KB Feb 1, 2016 2:31:07 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/ug.js javascript 7 Lines 5.9 KB Sep 30, 2015 3:57:38 PM

C:/Users/mhussaini/AppData/Local/Fortify/sca6.3/build/EPDS_Web/extracted/javascript/C:/Users/mhussaini/Gitworkspace/EPDS_Web/WebContent/scripts/vendor/Plugins/ckeditor/samples/old/enterkey/enterkey.html.js secondary 3.6 KB Feb 10, 2016 4:43:44 PM

WebContent/scripts/app/admin/dashboard/admin-edit-templates-controller.js javascript 83 Lines 3.5 KB Jan 12, 2016 2:41:26 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/si.js javascript 9 Lines 4.8 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/html5/outputFormat-orthogonal.html html 24 Lines 14.7 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/RowReorder/examples/initialisation/simple.html html 3 Lines 16.9 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/dev/placeholder.html html 15 Lines 1.9 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Responsive/examples/initialisation/new.html html 4 Lines 23.1 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/initialisation/plugins.html html 17 Lines 22 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/samples/old/replacebyclass.html html 1 Lines 6.8 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/angular-datatables/dist/plugins/select/angular-datatables.select.js javascript 30 Lines 2 KB Jan 8, 2016 8:53:16 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/de.js javascript 9 Lines 4.7 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/Plugins/ckeditor/lang/lt.js javascript 1 Lines 20 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/Plugins/ckeditor/samples/old/wordcount/wordcount.html html 3 Lines 2 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/eo.js javascript 2 Lines 245 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/print/autoPrint.html html 7 Lines 21.7 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/sv.js javascript 7 Lines 4.2 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/about/dialogs/about.js javascript 3 Lines 1.6 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/app/request-to-intervene/request-to-intervene-controller.js javascript 64 Lines 3 KB Feb 9, 2016 4:16:38 PM

WebContent/scripts/controllers/user-profile-info-controller.js javascript 69 Lines 3.2 KB Jan 25, 2016 7:48:25 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/ko.js javascript 7 Lines 5.2 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/samples/old/tabindex.html html 9 Lines 2.3 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/Plugins/ckeditor/samples/old/jquery.html html 6 Lines 7.3 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/controllers/temp-user-confirmation.js javascript 13 Lines 568 bytes Jan 12, 2016 2:41:27 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/AutoFill/js/autoFill.bootstrap.js javascript 16 Lines 940 bytes Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/angular-datatables/dist/plugins/scroller/angular-datatables.scroller.min.js javascript 1 Lines 806 bytes Jan 8, 2016 8:53:16 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/FixedColumns/examples/initialisation/server-side-processing.html

html 8 Lines 8.3 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/data_sources/js_array.html html 47 Lines 23.9 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/forms/dialogs/textfield.js javascript 7 Lines 3.3 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/uk.js javascript 7 Lines 6 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/forms/dialogs/button.js javascript 4 Lines 1.7 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/KeyTable/examples/styling/bootstrap.html html 3 Lines 16.9 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/he.js javascript 8 Lines 4.9 KB Sep 30, 2015 3:57:39 PM

WebContent/build/gulpfile_empty.js javascript 1 Lines 599 bytes Nov 3, 2015 10:33:34 AM

WebContent/scripts/app/protest/protest-filing-form.html html 26.7 KB Feb 6, 2016 9:32:05 PM

WebContent/scripts/app/other-protests/other-protest-filing.html html 10.9 KB Feb 1, 2016 10:04:45 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Select/js/dataTables.select.js javascript 351 Lines 27.4 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Scroller/examples/initialisation/simple.html html 7 Lines 7.8 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/Plugins/ckeditor/lang/cy.js javascript 1 Lines 18.8 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/pt.js javascript 6 Lines 443 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/data_sources/index.html html 1 Lines 2.6 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/angular/angular-validator.min.js javascript 1 Lines 2.4 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/no.js javascript 7 Lines 4.2 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/specialchar.js javascript 10 Lines 4.7 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/server_side/jsonp.html html 7 Lines 15.7 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Responsive/js/responsive.foundation.min.js javascript 2 Lines 905 bytes Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/plugin-ins/dom_sort.html html 19 Lines 55.9 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/Datatables/angular-datatables/plugins/bootstrap/angular-datatables.bootstrap.js javascript 284 Lines 19.7 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/hu.js javascript 2 Lines 254 bytes Sep 30, 2015 3:57:39 PM

WebContent/views/dialogue-box-html-templates/edit-comments-attorney-notes.html html 1.7 KB Dec 14, 2015 9:44:47 PM

WebContent/scripts/vendor/angular/angular-loader.min.js javascript 3 Lines 1.5 KB Sep 30, 2015 3:57:36 PM

WebContent/scripts/vendor/Plugins/ckeditor/samples/old/index.html html 6 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/Plugins/ckeditor/samples/toolbarconfigurator/js/toolbarmodifier.js javascript 31 Lines 15.8 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/forms/dialogs/hiddenfield.js javascript 3 Lines 1.7 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/angularjs-dropdown-multiselect/angularjs-dropdown-multiselect.js javascript 151 Lines 13.9 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/angular/angular-resource.min.js javascript 7 Lines 3.5 KB Sep 30, 2015 3:57:36 PM

WebContent/scripts/app/agency/agencyDropDown.tpl.html html 846 bytes Dec 24, 2015 1:14:51 PM

WebContent/scripts/app/advance-search/advanced-search.html html 13.3 KB Feb 6, 2016 9:34:30 PM

WebContent/scripts/app/dashboard/supplemental-protest-expand-collapse-directive.js javascript 11 Lines 643 bytes Feb 1, 2016 10:06:02 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/FixedColumns/examples/styling/col_filter.html html 16 Lines 23 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/et.js javascript 6 Lines 473 bytes Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/AutoFill/examples/initialisation/fills.html html 3 Lines 17.5 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/lang/sk.js javascript 1 Lines 20.2 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/directives/modal-dialogue-box-ckeditor-directive.js javascript 38 Lines 1.7 KB Jan 23, 2016 4:38:55 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/server_side/object_data.html html 12 Lines 15.4 KB Jan 8, 2016 9:11:55 AM

WebContent/views/test/pay-gov.html html 8.4 KB Dec 14, 2015 9:44:47 PM

WebContent/scripts/vendor/DataTables-1.10.10/media/js/dataTables.bootstrap.js javascript 108 Lines 5.2 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/tr.js javascript 6 Lines 428 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/eo.js javascript 8 Lines 4 KB Sep 30, 2015 3:57:39 PM

WebContent/views/dialogue-box-html-templates/custom-messages-dialogue-box-template.html html 3.1 KB Dec 16, 2015 10:28:10 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/ru.js javascript 6 Lines 561 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/iframe/dialogs/iframe.js javascript 6 Lines 3.1 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/fa.js javascript 6 Lines 575 bytes Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/misc/html5shiv.js javascript 5 Lines 2.4 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/app/core/routeResolver.js javascript 45 Lines 2.6 KB Dec 23, 2015 10:00:03 PM

WebContent/scripts/vendor/Plugins/ckeditor/samples/old/htmlwriter/outputforflash.html html 80 Lines 9.9 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/cs.js javascript 2 Lines 258 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/directives/angularjs-dropdown-multiselect.js javascript 161 Lines 15 KB Dec 14, 2015 9:58:54 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/FixedHeader/examples/options/two_tables.html html 5 Lines 10.6 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/ca.js javascript 10 Lines 4.9 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/app/case-docket-sheet/case-docket-services.js javascript 424 Lines 17.9 KB Feb 9, 2016 7:59:36 PM

WebContent/scripts/vendor/angular-loading-bar/build/loading-bar.js javascript 140 Lines 10 KB Feb 9, 2016 2:47:21 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/api/enable.html html 20 Lines 24.7 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/angular-datatables/dist/plugins/tabletools/angular-datatables.tabletools.min.js javascript 1 Lines 1.3 KB Jan 8, 2016 8:53:16 AM

WebContent/scripts/vendor/Plugins/angular.treeview/angular.treeview.js javascript 28 Lines 2.9 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/app/action-messages/action-specific-messages.tpl.htm html 2.8 KB Feb 6, 2016 2:25:50 PM

WebContent/scripts/vendor/Plugins/ckeditor/samples/old/divreplace.html html 17 Lines 4.6 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/column_visibility/text.html html 7 Lines 21.5 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/misc/local-storage-config.js javascript 2 Lines 123 bytes Jan 12, 2016 2:41:27 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/js/dataTables.buttons.js javascript 649 Lines 37.9 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/zh.js javascript 6 Lines 423 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/app/core/routes.js javascript 17 Lines 775 bytes Jan 12, 2016 2:05:50 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/he.js javascript 2 Lines 249 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/app/submit-new-docs/uploadDocuments.tpl.htm html 5.1 KB Jan 25, 2016 9:18:28 PM

WebContent/scripts/vendor/Plugins/ckeditor/samples/toolbarmconfigurator/index.html html 153 Lines 15.1 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/app/authentication/angular-utf8-base64.js javascript 101 Lines 7.5 KB Dec 14, 2015 9:58:56 PM

WebContent/scripts/controllers/backups/submit-new-doc-controller.js javascript 242 Lines 18.9 KB Jan 12, 2016 2:41:27 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/js/buttons.flash.min.js javascript 20 Lines 10 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/app/registration/acctSelection.tpl.html html 1.6 KB Feb 8, 2016 5:31:01 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/styling/stripe.html html 2 Lines 23.9 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/nb.js javascript 8 Lines 4.3 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/jquery/jquery.confirm.js javascript 59 Lines 4.7 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/image/dialogs/image.js javascript 39 Lines 20.4 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Responsive/examples/initialisation/option.html html 3 Lines 23 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/angular/angular-datatables.min.js javascript 1 Lines 18.1 KB Sep 30, 2015 3:57:36 PM

WebContent/scripts/vendor/Plugins/ckeditor/lang/pt-br.js javascript 1 Lines 20.4 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/angular-1.4.8/angular-message-format.js javascript 418 Lines 37 KB Jan 8, 2016 10:07:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/lang/gu.js javascript 1 Lines 30.7 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/jquery-ui-1.11.4/external/jquery/jquery-1.12.0.min.js javascript 4 Lines 95.1 KB Jan 15, 2016 1:53:03 PM

WebContent/scripts/vendor/Plugins/ckeditor/samples/old/readonly.html html 9 Lines 2.8 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/dialogs/placeholder.js javascript 27 Lines 1.1 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/AutoFill/examples/styling/foundation.html html 3 Lines 17.4 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/fr-ca.js javascript 6 Lines 500 bytes Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/RowReorder/examples/initialisation/restrictedOrdering.html html 6 Lines 17.5 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/et.js javascript 9 Lines 4.4 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/strinsert/plugin.js javascript 29 Lines 1.3 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/angular-datatables/dist/plugins/bootstrap/angular-datatables.bootstrap.js javascript 286 Lines 19.9 KB Jan 8, 2016 8:53:15 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/ColReorder/examples/integration/state_save.html html 4 Lines 17.3 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/zh-cn.js javascript 5 Lines 4.3 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/styling/icons.html html 20 Lines 23.8 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Responsive/examples/styling/foundation.html html 2 Lines 23.4 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/FixedHeader/examples/integration/colreorder.html html 5 Lines 17.5 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Responsive/examples/initialisation/default.html html 4 Lines 23.1 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/Plugins/ckeditor/lang/tr.js javascript 1 Lines 19.6 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/styling/cell-border.html html 2 Lines 24 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/controllers/backups/primary-secondary-inviations.js javascript 132 Lines 9.4 KB Dec 23, 2015 8:55:23 PM

WebContent/WEB-INF/web.xml xml 708 bytes Dec 14, 2015 9:44:31 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Responsive/examples/column-control/fixedHeader.html html 6 Lines 23.2 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/Plugins/ckeditor/lang/eo.js javascript 1 Lines 19.5 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/vi.js javascript 10 Lines 5.9 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Responsive/examples/column-control/init-classes.html html 10 Lines 9.6 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Select/examples/initialisation/deferRender.html html 12 Lines 7.6 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Responsive/examples/column-control/index.html html 1 Lines 3 KB Jan

8, 2016 9:11:57 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/js/buttons.print.js javascript 61 Lines 3.5 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/js/buttons.jqueryui.js javascript 28 Lines 1.4 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/jquery-ui-1.11.4/external/jquery/jquery-1.12.0.js javascript 4,322 Lines 287.3 KB Jan 15, 2016 1:53:17 PM

WebContent/scripts/vendor/jquery-ui-1.11.4/jquery-ui.min.js javascript 8 Lines 234.8 KB Jan 8, 2016 9:00:48 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Responsive/examples/display-types/bootstrap-modal.html html 12 Lines 25.4 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/FixedHeader/examples/options/horizontal-scroll.html html 3 Lines 21 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/app/authentication/http-auth-interceptor.js javascript 51 Lines 4.3 KB Jan 6, 2016 9:52:37 AM

WebContent/scripts/vendor/Plugins/ckeditor/lang/nb.js javascript 1 Lines 18.6 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/server_side/pipeline.html html 64 Lines 22.6 KB Jan 8, 2016 9:11:55 AM

C:/Users/mhussaini/AppData/Local/Fortify/sca6.3/build/EPDS_Web/extracted/javascript/C:/Users/mhussaini/Gitworkspace/EPDS_Web/WebContent/scripts/vendor/DataTables-1.10.10/examples/server_side/row_details.html.js secondary 1.6 KB Feb 10, 2016 4:43:47 PM

WebContent/views/backups/Copy of working protest-filing-form.html html 1 Lines 29.6 KB Feb 1, 2016 10:04:46 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Responsive/examples/styling/scrolling.html html 4 Lines 23 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/controllers/backups/Copy of protest-filing-form-controller.js javascript 102 Lines 5.2 KB Jan 12, 2016 2:41:27 PM

WebContent/scripts/vendor/Plugins/Datatables/angular-datatables/plugins/bootstrap/angular-datatables.bootstrap.min.js javascript 1 Lines 6.5 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/ro.js javascript 7 Lines 4.2 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/ajax/objects.html html 10 Lines 15.9 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/column_visibility/columnsToggle.html html 5 Lines 21.4 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/server_side/scripts/objects.php php 18 Lines 1.4 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/ajax/null_data_source.html html 10 Lines 16.4 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/app/admin/dashboard/manage-attorney-controllers.js javascript 70 Lines 5.6 KB Feb 7, 2016 4:07:14 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/hr.js javascript 6 Lines 482 bytes Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/RowReorder/examples/initialisation/selector.html html 6 Lines 17.1 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/angular-datatables/dist/plugins/colvis/angular-datatables.colvis.min.js javascript 1 Lines 1.2 KB Jan 8, 2016 8:53:16 AM

WebContent/scripts/vendor/angular/x-editable/xeditable.min.js javascript 1 Lines 17.8 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/tr.js javascript 8 Lines 4.4 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/angular/angular-loader.js javascript 63 Lines 13.9 KB Sep 30, 2015 3:57:36 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/FixedHeader/examples/options/index.html html 1 Lines 2.7 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/sk.js javascript 7 Lines 4.6 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Select/examples/initialisation/checkbox.html html 10 Lines 17.8 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/ajax/orthogonal-data.html html 12 Lines 15.8 KB Jan 8, 2016 9:11:55 AM

WebContent/views/admin-html-templates/manage-attorneys-info.html html 1 Lines 19.3 KB Feb 1, 2016 10:20:57 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/flash/hidden.html html 13 Lines 22.8 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/FixedHeader/examples/options/header_footer.html html 5 Lines 17.2 KB Jan 8, 2016 9:11:56 AM

WebContent/build/gulpfile.js javascript 54 Lines 3.2 KB Nov 3, 2015 10:33:34 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/api/counter_columns.html html 11 Lines 25.2 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/pl.js javascript 9 Lines 4.8 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/initialisation/pageLength.html html 8 Lines 22.2 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/pl.js javascript 8 Lines 4.2 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/Plugins/ckeditor/lang/th.js javascript 1 Lines 29.2 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/app/dashboard/dashboard-service.js javascript 253 Lines 11.7 KB Feb 9, 2016 11:01:35 PM

WebContent/scripts/vendor/DataTables-1.10.10/media/js/dataTables.jqueryui.min.js javascript 5 Lines 2.6 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/Plugins/Datatables/angular-datatables/plugins/colvis/angular-datatables.colvis.js javascript 41 Lines 3 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/Plugins/ckeditor/lang/ko.js javascript 1 Lines 19.6 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/server_side/custom_vars.html html 8 Lines 15.5 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/api/index.html html 1 Lines 2.4 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/si.js javascript 6 Lines 5.9 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/nb.js javascript 6 Lines 442 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/RowReorder/examples/styling/foundation.html html 3 Lines 17.1 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/directives/modal-dialog-draggable.js javascript 89 Lines 4.7 KB Dec 14, 2015 9:58:55 PM

WebContent/scripts/app/submit-new-docs/submit-new-doc-form.html html 12.6 KB Feb 7, 2016 12:10:38 AM

WebContent/scripts/vendor/ng-flow/ng-flow.js javascript 156 Lines 7.9 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/data_sources/server_side.html html 5 Lines 15.6 KB Jan 8, 2016 9:11:55 AM

C:/Users/mhussaini/AppData/Local/Fortify/sca6.3/build/EPDS_Web/extracted/javascript/C:/Users/mhussaini/Gitworkspace/EPDS_Web/WebContent/scripts/vendor/Plugins/ckeditor/plugins/wsc/dialogs/tmpFrameset.html.js secondary 866 bytes Feb 10, 2016 4:43:45 PM

WebContent/scripts/vendor/Plugins/Datatables/angular-datatables/plugins/scroller/angular-datatables.scroller.js javascript 30 Lines 1.8 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/Plugins/intl-tel-input/lib/libphonenumber/utils.js javascript 402 Lines 212.7 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/server_side/scripts/ssp.class.php php 122 Lines 14 KB Jan 8, 2016 9:11:55 AM

C:/Users/mhussaini/AppData/Local/Fortify/sca6.3/build/EPDS_Web/extracted/javascript/C:/Users/mhussaini/Gitworkspace/EPDS_Web/WebContent/scripts/vendor/DataTables-1.10.10/examples/api/regex.html.js secondary 765 bytes Feb 10, 2016 4:43:44 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/advanced_init/column_render.html html 7 Lines 25.3 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Responsive/examples/child-rows/index.html html 1 Lines 3.6 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/fi.js javascript 9 Lines 4.5 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/tt.js javascript 6 Lines 507 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/FixedColumns/examples/styling/jqueryui.html html 8 Lines 21.8 KB Jan 8, 2016 9:11:55 AM

8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/mn.js javascript 7 Lines 3.9 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/angular-loading-bar/build/loading-bar.min.js javascript 1 Lines 3.3 KB Feb 9, 2016 2:47:21 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/gu.js javascript 7 Lines 4.1 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/ca.js javascript 2 Lines 250 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/sv.js javascript 7 Lines 3.4 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/flash/index.html html 1 Lines 3.1 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Select/js/dataTables.select.min.js javascript 20 Lines 9.8 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Scroller/examples/styling/bootstrap.html html 7 Lines 7.2 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/he.js javascript 7 Lines 4.7 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/sq.js javascript 2 Lines 256 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/angular-ui-bootstrap/ui-bootstrap-tpls-1.0.3.min.js javascript 4 Lines 107.4 KB Jan 15, 2016 2:16:48 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/styling/jqueryui.html html 6 Lines 23.9 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/styling/compact.html html 2 Lines 24 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/cs.js javascript 9 Lines 4.9 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/angular-1.4.8/angular-sanitize.min.js javascript 7 Lines 5.9 KB Jan 8, 2016 10:07:55 AM

WebContent/scripts/vendor/angular/angular-scenario.js javascript 10,881 Lines 1.2 MB Sep 30, 2015 3:57:37 PM

WebContent/scripts/directives/bind-compile-html-helper.js javascript 12 Lines 516 bytes Jan 12, 2016 2:41:27 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/tr.js javascript 2 Lines 264 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/app/account-update/user-profile-info-controller.js javascript 68 Lines 3.2 KB Feb 1, 2016 8:17:00 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Select/examples/initialisation/reload.html html 19 Lines 9.7 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/KeyTable/examples/initialisation/server-side.html html 5 Lines 6.8 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/samples/old/inlinetextarea.html html 1 Lines 4.8 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/pt-br.js javascript 6 Lines 490 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/angular-1.4.8/angular-touch.js javascript 181 Lines 22.6 KB Jan 8, 2016 10:07:55 AM

WebContent/scripts/controllers/admin-html-controllers/admin-edit-templates-controller.js javascript 83 Lines 3.5 KB Jan 12, 2016 2:41:27 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/cy.js javascript 10 Lines 4.8 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Responsive/examples/child-rows/custom-renderer.html html 14 Lines 24.1 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/uk.js javascript 8 Lines 6.2 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/ja.js javascript 2 Lines 245 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/Plugins/ckeditor/samples/toolbarconfigurator/lib/codemirror/show-hint.js javascript 16 Lines 7.9 KB Sep 30, 2015 3:57:40 PM

C:/Users/mhussaini/AppData/Local/Fortify/sca6.3/build/EPDS_Web/extracted/javascript/C:/Users/mhussaini/Gitworkspace/EPDS_Web/WebContent/views/advanced-search.html.js secondary 1.6 KB Feb 10, 2016 4:43:47 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/no.js javascript 7 Lines 3.3 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/angular-1.4.8/angular-cookies.min.js javascript 3 Lines 1.4 KB Jan 8, 2016 10:07:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/FixedColumns/examples/initialisation/left_right_columns.html html 9 Lines 22 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/server_side/scripts/sqlserver.sql tsql 1 Lines 7.8 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/advanced_init/events_live.html html 5 Lines 24.8 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/angular/ng-flow/fusty-flow-factory.js javascript 4 Lines 143 bytes Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/dev/assets/simplebox/dialogs/simplebox.js javascript 31 Lines 1.6 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/ku.js javascript 7 Lines 5.3 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/app/authentication/temp-user-controller.js javascript 143 Lines 8.5 KB Feb 9, 2016 12:00:18 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Responsive/examples/child-rows/right-column.html html 10 Lines 22 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/angular/angular-animate.js javascript 737 Lines 101.8 KB Sep 30, 2015 3:57:36 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/html5/pdfImage.html html 11 Lines 60.9 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/js/buttons.colVis.min.js javascript 5 Lines 2.5 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/controllers/backups/Copy (2) of protest-filing-form-controller.js javascript 73 Lines 5.3 KB Jan 12, 2016 2:41:27 PM

WebContent/scripts/vendor/angular/angular-cookies.js javascript 40 Lines 5.7 KB Sep 30, 2015 3:57:36 PM

WebContent/scripts/vendor/Plugins/ckeditor/lang/ug.js javascript 1 Lines 27 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/app/submit-new-docs/submit-new-doc-services.js javascript 246 Lines 13.9 KB Feb 7, 2016 12:03:20 AM

WebContent/scripts/vendor/angular/angular-touch.js javascript 181 Lines 22.3 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/Plugins/ckeditor/lang/km.js javascript 1 Lines 33.7 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/app/advance-search/advanced-search-controller.js javascript 128 Lines 9 KB Feb 4, 2016 1:03:15 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/FixedHeader/examples/styling/index.html html 1 Lines 2.3 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/samples/toolbarconfigurator/js/abstracttoolbarmodifier.js javascript 13 Lines 6.6 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/flash/swfPath.html html 9 Lines 21.6 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/app/parties/caseHeaders.tpl.html html 1.4 KB Jan 31, 2016 1:24:48 PM

WebContent/views/intervene-protest.html html 16.6 KB Feb 1, 2016 10:04:46 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/column_visibility/simple.html html 5 Lines 21.4 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/media/js/jquery.dataTables.js javascript 3,844 Lines 434.6 KB Jan 8, 2016 9:11:57 AM

WebContent/views/backups/backup-acknowledgment-of-request-for-reconsideration.html html 2.7 KB Dec 14, 2015 9:44:47 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/print/message.html html 7 Lines 21.5 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/app/core/ocLazyLoad.js javascript 582 Lines 57.3 KB Dec 23, 2015 10:55:22 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/samples/placeholder.html html 2 Lines 3 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/AutoFill/js/autoFill.foundation.min.js javascript 1 Lines 588 bytes Jan 8, 2016 9:11:55 AM

WebContent/scripts/filters/filter-template-document-types.js javascript 8 Lines 429 bytes Dec 14, 2015 9:58:55 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/styling/hover.html html 2 Lines 24 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/app/case-docket-file-info/case-docket-file-info-view.html html 12.5 KB Feb 7, 2016 12:11:03 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/ajax/custom_data_flat.html html 12 Lines 16.2 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/AutoFill/examples/initialisation/events.html html 5 Lines 17.3 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/fr-ca.js javascript 6 Lines 3.1 KB Sep 30, 2015 3:57:39 PM

C:/Users/mhussaini/AppData/Local/Fortify/sca6.3/build/EPDS_Web/extracted/javascript/C:/Users/mhussaini/Gitworkspace/EPDS_Web/WebContent/scripts/vendor/Plugins/ckeditor/samples/old/htmlwriter/outputforflash.html.js secondary 6.2 KB Feb 10, 2016 4:43:47 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/hr.js javascript 7 Lines 4.1 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/AutoFill/js/dataTables.autoFill.js javascript 379 Lines 25 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/sq.js javascript 6 Lines 495 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/AutoFill/js/autoFill.jqueryui.min.js javascript 2 Lines 621 bytes Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/advanced_init/dom_toolbar.html html 4 Lines 25.3 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Scroller/examples/index.html html 1 Lines 4.3 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/fr.js javascript 2 Lines 254 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/directives/accept-number-only.js javascript 23 Lines 1.7 KB Feb 5, 2016 5:29:19 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/data_sources/dom.html html 2 Lines 24.3 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/column_visibility/layout.html html 7 Lines 21.7 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/gl.js javascript 2 Lines 248 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/js/buttons.html5.js javascript 385 Lines 21.5 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/fi.js javascript 6 Lines 435 bytes Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/FixedColumns/examples/initialisation/size_fixed.html html 9 Lines 22.1 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/styling/index.html html 1 Lines 3.3 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/preview/preview.html html 6 Lines 259 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/bg.js javascript 6 Lines 505 bytes Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/angular-1.4.8/angular-cookies.js javascript 55 Lines 9.5 KB Jan 8, 2016 10:07:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/api/multi_filter_select.html html 15 Lines 27.8 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/KeyTable/examples/index.html html 1 Lines 3 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/ug.js javascript 9 Lines 4.9 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/sl.js javascript 2 Lines 257 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/filters/format-phone-number.js javascript 10 Lines 1.3 KB Jan 12, 2016 2:41:27 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/server_side/select_rows.html html 15 Lines 15.9 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/controllers/backups/request-to-intervene-controller.js javascript 166 Lines 7.8 KB Jan 7, 2016 2:18:10 PM

WebContent/scripts/vendor/Plugins/ckeditor/samples/old/datafiltering.html html 33 Lines 46.3 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/app/request-to-intervene/protestLists.tpl.htm html 1.8 KB Jan 26, 2016 6:40:24 PM

WebContent/scripts/directives/number-input.js javascript 115 Lines 7.5 KB Feb 5, 2016 5:33:25 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/RowReorder/examples/styling/bootstrap.html html 3 Lines 17.1 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/en-gb.js javascript 6 Lines 443 bytes Sep 30, 2015 3:57:38

PM

WebContent/scripts/vendor/jquery/jquery.fileupload.js javascript 647 Lines 54.7 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/angular-1.4.8/angular.js javascript 7,161 Lines 1 MB Jan 8, 2016 10:07:55 AM

WebContent/scripts/vendor/angular-datatables/dist/plugins/fixedheader/angular-datatables.fixedheader.min.js javascript 1 Lines 964 bytes Jan 8, 2016 8:53:16 AM

WebContent/scripts/vendor/Plugins/ckeditor/lang/fr.js javascript 1 Lines 20.6 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/server_side/scripts/postgres.sql tsql 7.7 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/Datatables/angular-datatables/plugins/tabletools/angular-datatables.tabletools.min.js javascript 1 Lines 1014 bytes Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/api/index.html html 1 Lines 3.2 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Select/examples/styling/foundation.html html 4 Lines 17.7 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/app/authentication/reset-password.js javascript 114 Lines 5.4 KB Jan 12, 2016 2:41:27 PM

WebContent/scripts/vendor/angular-1.4.8/angular-messages.js javascript 146 Lines 25.1 KB Jan 8, 2016 10:07:55 AM

WebContent/scripts/vendor/angular/angular.js javascript 6,198 Lines 938.1 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/ajax/custom_data_property.html html 5 Lines 16 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/samples/old/uilanguages.html html 16 Lines 4.4 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/FixedColumns/examples/styling/colvis.html html 10 Lines 23.2 KB Jan 8, 2016 9:11:56 AM

WebContent/build/commentWrapper.js javascript 7 Lines 246 bytes Nov 3, 2015 10:33:34 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/js/buttons.flash.js javascript 368 Lines 21.6 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/basic_init/complex_header.html html 2 Lines 25.5 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/lang/el.js javascript 1 Lines 28.8 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/nb.js javascript 7 Lines 3.3 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/basic_init/multiple_tables.html html 2 Lines 18.2 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/lang/he.js javascript 1 Lines 22.8 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Select/examples/initialisation/index.html html 1 Lines 2.9 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/af.js javascript 2 Lines 246 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/tr.js javascript 7 Lines 4.4 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/app/protest/protest-services.js javascript 198 Lines 8.7 KB Feb 6, 2016 10:37:43 PM

WebContent/scripts/app/request-to-intervene/request-to-intervene-services.js javascript 182 Lines 8.2 KB Feb 9, 2016 4:02:32 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Select/examples/api/select.html html 13 Lines 19.1 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/controllers/case-docket-sheet/case-docket-sheet-services.js javascript 69 Lines 3.5 KB Dec 14, 2015 10:00:10 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/link/dialogs/anchor.js javascript 3 Lines 1.6 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/misc/jquery.placeholder.js javascript 94 Lines 5 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/el.js javascript 6 Lines 727 bytes Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/fr.js javascript 7 Lines 3.7 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Scroller/examples/initialisation/server-side_processing.html html 18 Lines 8.4 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/eo.js javascript 6 Lines 464 bytes Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/angular-1.4.8/angular-message-format.min.js javascript 20 Lines 10.1 KB Jan 8, 2016 10:07:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/lang/ja.js javascript 1 Lines 22.1 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/angular/angular.min.js javascript 245 Lines 123 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/ja.js javascript 6 Lines 495 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/fr.js javascript 6 Lines 479 bytes Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/ja.js javascript 5 Lines 4.9 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/lang/de.js javascript 1 Lines 19.8 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/print/select.html html 14 Lines 22.6 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/fo.js javascript 7 Lines 3.9 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/api/multi_filter.html html 12 Lines 26.6 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/advanced_init/footer_callback.html html 20 Lines 24.5 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/RowReorder/examples/initialisation/events.html html 8 Lines 18.2 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/ColReorder/examples/initialisation/realtime.html html 4 Lines 17.3 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/misc/respond.min.js javascript 1 Lines 4.1 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/basic_init/scroll_y.html html 5 Lines 25.1 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/jquery/jquery-1.11.1.min.js javascript 3 Lines 93.5 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/server_side/scripts/server_processing.php php 18 Lines 1.8 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/app/parties/parties.html html 5.2 KB Feb 8, 2016 8:42:55 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/FixedColumns/js/dataTables.fixedColumns.min.js javascript 28 Lines 15.3 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/hu.js javascript 6 Lines 448 bytes Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/de.js javascript 2 Lines 257 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/angular-1.4.8/angular-loader.min.js javascript 4 Lines 1.6 KB Jan 8, 2016 10:07:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/bg.js javascript 2 Lines 277 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/jquery-ui-1.11.4/external/jquery/jquery.js javascript 4,001 Lines 266.8 KB Jan 8, 2016 9:00:48 AM

WebContent/scripts/vendor/bootstrap-3.3.6/js/bootstrap.js javascript 1,292 Lines 67.3 KB Jan 8, 2016 8:55:56 AM

WebContent/scripts/app/admin/reset-accounts/info-confirmation.tpl.htm html 657 bytes Dec 29, 2015 3:00:33 PM

WebContent/views/submit-new-doc-form.html html 15.3 KB Feb 1, 2016 10:04:46 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/initialisation/multiple.html html 20 Lines 22.3 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/dev/nestedwidgets.html html 15 Lines 10.8 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/RowReorder/examples/initialisation/responsive.html html 5 Lines 17.2 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/DataTables-1.10.10/examples/api/select_row.html html 6 Lines 25.1 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/pt.js javascript 9 Lines 4.7 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/angular-datatables/dist/plugins/select/angular-datatables.select.min.js javascript 1 Lines 861 bytes Jan 8, 2016 8:53:16 AM

WebContent/scripts/app/account-update/profile.html html 9.6 KB Feb 1, 2016 2:21:15 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/si.js javascript 6 Lines 558 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/Plugins/ckeditor/lang/ca.js javascript 1 Lines 20.1 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/dialog/dialogDefinition.js javascript 1 Lines 148 bytes Sep 30, 2015 3:57:38 PM

WebContent/scripts/app/authentication/auth-login-action-service.js javascript 144 Lines 6.6 KB Feb 6, 2016 2:42:18 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/zh.js javascript 2 Lines 236 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Scroller/examples/initialisation/state_saving.html html 8 Lines 6.7 KB Jan 8, 2016 9:11:57 AM

C:/Users/mhussaini/AppData/Local/Fortify/sca6.3/build/EPDS_Web/extracted/javascript/C:/Users/mhussaini/Gitworkspace/EPDS_Web/WebContent/scripts/vendor/DataTables-1.10.10/examples/advanced_init/footer_callback.html.js secondary 922 bytes Feb 10, 2016 4:43:47 PM

WebContent/scripts/vendor/Plugins/ckeditor/samples/old/inlinebycode.html html 2 Lines 6 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/a11yhelp/dialogs/lang/gl.js javascript 8 Lines 4.4 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/hr.js javascript 2 Lines 249 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/angular-loading-bar/example/index.html html 1 Lines 2.8 KB Feb 9, 2016 2:47:21 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/initialisation/collections-sub.html html 17 Lines 22.4 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/jquery-ui-1.11.4/index.html html 60 Lines 31 KB Jan 8, 2016 9:00:48 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/ru.js javascript 9 Lines 7.4 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/app/agency/agency-drop-down.js javascript 65 Lines 3.2 KB Jan 18, 2016 9:15:03 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/print/columns.html html 12 Lines 22.3 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/ColReorder/examples/initialisation/predefined.html html 4 Lines 17.2 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/Datatables/angular-datatables/plugins/colreorder/angular-datatables.colreorder.js javascript 46 Lines 3.6 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/jquery/jquery.ui.widget.js javascript 259 Lines 15 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/DataTables-1.10.10/examples/basic_init/filter_only.html html 5 Lines 24.2 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/services/custom-modal-dialogue-service.js javascript 51 Lines 3.9 KB Jan 13, 2016 2:55:59 PM

WebContent/scripts/app/submit-new-docs/submit-new-doc-controller.js javascript 186 Lines 12.4 KB Feb 8, 2016 5:28:39 PM

WebContent/scripts/vendor/ng-flow/fusty-flow-factory.js javascript 4 Lines 143 bytes Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/flash/dialogs/flash.js javascript 20 Lines 9.8 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/es.js javascript 9 Lines 4.8 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/angular/angular-route.js javascript 205 Lines 34.9 KB Sep 30, 2015 3:57:36 PM

C:/Users/mhussaini/AppData/Local/Fortify/sca6.3/build/EPDS_Web/extracted/javascript/C:/Users/mhussaini/Gitworkspace/EPDS_Web/WebContent/scripts/vendor/Plugins/ckeditor/samples/old/uilanguages.html.js secondary 1.3 KB Feb 10, 2016 4:43:45 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/ColReorder/examples/styling/alt_insert.html html 3 Lines 17.6 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/AutoFill/examples/initialisation/focus.html html 4 Lines 17.3 KB Jan 8, 2016 9:11:55 AM

WebContent/scripts/vendor/Plugins/ckeditor/lang/hu.js javascript 1 Lines 20.4 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/Plugins/ckeditor/lang/bg.js javascript 1 Lines 25.5 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/app/authentication/nonVendorPasswordUpdate.html html 3 KB Feb 6, 2016 12:09:13 PM

WebContent/scripts/controllers/pay-dot-gov-controller.js javascript 34 Lines 1.8 KB Feb 4, 2016 10:12:03 PM

WebContent/views/partials/doc-type-desc-extention.html html 898 bytes Dec 14, 2015 9:44:47 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Responsive/examples/column-control/column-visibility.html html 5 Lines 23 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/specialchar/dialogs/lang/el.js javascript 9 Lines 7.5 KB Sep 30, 2015 3:57:39 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Select/examples/initialisation/i18n.html html 7 Lines 18.7 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/app/authentication/restrict-special-chars.js javascript 8 Lines 533 bytes Jan 11, 2016 3:16:02 PM

WebContent/scripts/vendor/jquery/jquery.iframe-transport.js javascript 79 Lines 8.7 KB Sep 30, 2015 3:57:37 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/styling/foundation.html html 6 Lines 24.2 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/Plugins/Datatables/angular-datatables/plugins/fixedheader/angular-datatables.fixedheader.js javascript 37 Lines 2.2 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/app/dashboard/dashboard-parent-child-display.html html 1.8 KB Feb 1, 2016 2:56:31 PM

WebContent/scripts/vendor/Plugins/ckeditor/samples/old/appendto.html html 1 Lines 2.2 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/placeholder/lang/he.js javascript 6 Lines 487 bytes Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/Plugins/ckeditor/samples/old/wysiwygarea/fullpage.html html 4 Lines 7.9 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/html5/index.html html 1 Lines 3.3 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/angular-1.4.8/angular-animate.min.js javascript 50 Lines 25 KB Jan 8, 2016 10:07:55 AM

WebContent/scripts/app/registration/register-form-validations.html html 2.6 KB Dec 18, 2015 12:08:23 AM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/autocorrect/dialogs/options.js javascript 8 Lines 4 KB Sep 30, 2015 3:57:38 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/FixedColumns/examples/initialisation/two_columns.html html 8 Lines 21.6 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/FixedHeader/examples/options/offset.html html 5 Lines 17.7 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/app/authentication/tempUserConfirmation.html html 9 KB Feb 10, 2016 1:39:10 PM

WebContent/views/dialogue-box-html-templates/agency-drop-down-dialog.html html 2.7 KB Dec 14, 2015 9:44:47 PM

WebContent/scripts/app/submit-new-docs/templateModal.html html 407 bytes Jan 29, 2016 4:37:09 PM

WebContent/scripts/vendor/Plugins/ckeditor/plugins/widget/lang/uk.js javascript 2 Lines 289 bytes Sep 30, 2015 3:57:39 PM

WebContent/scripts/app/registration/registration-services.js javascript 139 Lines 6.3 KB Feb 8, 2016 5:31:58 PM

WebContent/scripts/vendor/angular/angular-mocks.js javascript 619 Lines 80.7 KB Sep 30, 2015 3:57:36 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/KeyTable/examples/styling/jqueryui.html html 3 Lines 16.7 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/Plugins/Datatables/angular-datatables/angular-datatables.min.js javascript 1 Lines 14.3 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Responsive/examples/column-control/auto.html html 2 Lines 22.8 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/FixedColumns/examples/styling/rowspan.html html 7 Lines 18.8 KB Jan 8, 2016 9:11:56 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/FixedHeader/examples/styling/bootstrap.html html 3 Lines 17.2 KB Jan 8, 2016 9:11:56 AM

WebContent/views/dialogue-box-html-templates/email-preferences.html html 2.1 KB Feb 1, 2016 8:01:27 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/RowReorder/examples/styling/index.html html 1 Lines 2.5 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Responsive/js/responsive.jqueryui.js javascript 27 Lines 1.4 KB Jan 8, 2016 9:11:57 AM

WebContent/scripts/directives/numberOnlyDirective.js javascript 51 Lines 4.8 KB Feb 8, 2016 3:10:44 PM

WebContent/scripts/app/authentication/angular-recaptcha.js javascript 82 Lines 6.7 KB Dec 15, 2015 3:28:26 PM

WebContent/scripts/vendor/jquery-ui-1.11.4/external/jquery/jquery-migrate-1.2.1.js javascript 241 Lines 16.2 KB Jan 15, 2016 1:53:50 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/print/index.html html 1 Lines 2.5 KB Jan 8, 2016 9:11:56 AM

WebContent/views/dialogue-box-html-templates/add-notes-minute-entry.html html 1.5 KB Dec 14, 2015 9:44:47 PM

WebContent/scripts/vendor/Plugins/Datatables/angular-datatables/angular-datatables.js javascript 668 Lines 46.7 KB Sep 30, 2015 3:57:40 PM

WebContent/scripts/vendor/DataTables-1.10.10/extensions/Buttons/examples/flash/filename.html html 10 Lines 22.1 KB Jan 8, 2016 9:11:56 AM

Reference Elements

Classpath:

C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\javax\activation\api\main\activation-1.1.1-redhat-2.jar

C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\javax\annotation\api\main\jboss-annotations-api_1.1_spec-1.0.1.Final-redhat-2.jar

C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\javax\ejb\api\main\jboss-ejb-api_3.1_spec-1.0.2.Final-redhat-2.jar

C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\javax\el\api\main\jboss-el-api_2.2_spec-1.0.4.Final-redhat-1.jar

C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\javax\enterprise\api\main\cdi-api-1.0-SP4-redhat-4.jar

C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\javax\enterprise\deploy\api\main\jboss-jad-api_1.2_spec-1.0.1.Final-redhat-2.jar

C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\javax\faces\api\main\jboss-jsf-api_2.1_spec-2.1.28.Final-redhat-1.jar

C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\javax\inject\api\main\javax.inject-1.redhat-4.jar

C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\javax\interceptor\api\main\jboss-interceptors-api_1.1_spec-1.0.1.Final-redhat-2.jar

C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\javax\jms\api\main\jboss-jms-api_1.1_spec-1.0.1.Final-redhat-2.jar

C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\javax\jws\api\main\jsr181-api-1.0-MR1-redhat-6.jar

C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\javax\mail\api\main\mail-1.4.5-redhat-1.jar

C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\javax\management\j2ee\api\main\jboss-j2eemgmt-api_1.1_spec-1.0.1.Final-redhat-2.jar

C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\javax\persistence\api\main\hibernate-jpa-2.0-api-1.0.1.Final-redhat-2.jar

C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\javax\resource\api\main\jboss-connector-api_1.6_spec-1.0.1.Final-redhat-2.jar

C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\javax\rmi\api\main\jboss-rmi-api_1.0_spec-1.0.4.Final-redhat-2.jar

C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\javax\security\auth\message\api\main\jboss-jaspi-api_1.0_spec-1.0.1.Final-redhat-2.jar

C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\javax\security\jacc\api\main\jboss-jacc-api_1.4_spec-1.0.3.Final-redhat-1.jar

C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\javax\servlet\api\main\jboss-servlet-api_3.0_spec-1.0.2.Final-redhat-1.jar

C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\javax\servlet\jsp\api\main\jboss-jsp-api_2.2_spec-1.0.1.Final-redhat-2.jar

C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\javax\servlet\jstl\api\main\jboss-jstl-api_1.2_spec-1.0.6.Final-redhat-1.jar

C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\javax\transaction\api\main\jboss-transaction-api_1.1_spec-1.0.1.Final-redhat-2.jar

C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\javax\validation\api\main\validation-api-1.0.0.GA-redhat-2.jar

C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\javax\ws\rs\api\main\jboss-jaxrs-api_1.1_spec-1.0.1.Final-redhat-2.jar

C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\javax\wsdl4j\api\main\wsdl4j-1.6.3.redhat-1.jar

C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\javax\xml\bind\api\main\jboss-jaxb-api_2.2_spec-1.0.4.Final-redhat-2.jar

C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\javax\xml\registry\api\main\jboss-jaxr-api_1.0_spec-1.0.2.Final-redhat-2.jar

C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\javax\xml\rpc\api\main\jboss-jaxrpc-api_1.1_spec-1.0.1.Final-redhat-3.jar
C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\javax\xml\soap\api\main\jboss-saaj-api_1.3_spec-1.0.3.Final-redhat-1.jar
C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\javax\xml\ws\api\main\jboss-jaxws-api_2.2_spec-2.0.2.Final-redhat-1.jar
C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\org\hibernate\validator\main\hibernate-validator-4.3.1.Final-redhat-1.jar
C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\org\jboss\as\controller-client\main\jboss-as-controller-client-7.4.0.Final-redhat-19.jar
C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\org\jboss\dmr\main\jboss-dmr-1.2.0.Final-redhat-1.jar
C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\org\jboss\ejb3\main\jboss-ejb3-ext-api-2.1.0.redhat-1.jar
C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\org\jboss\logging\main\jboss-logging-3.1.4.GA-redhat-1.jar
C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\org\jboss\resteasy\resteasy-jaxb-provider\main\resteasy-jaxb-provider-2.3.8.Final-redhat-3.jar
C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\org\jboss\resteasy\resteasy-jaxrs\main\async-http-servlet-3.0-2.3.8.Final-redhat-3.jar
C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\org\jboss\resteasy\resteasy-jaxrs\main\resteasy-jaxrs-2.3.8.Final-redhat-3.jar
C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\org\jboss\resteasy\resteasy-multipart-provider\main\resteasy-multipart-provider-2.3.8.Final-redhat-3.jar
C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\org\picketbox\main\picketbox-4.0.19.SP8-redhat-1.jar
C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\org\picketbox\main\picketbox-commons-1.0.0.final-redhat-2.jar
C:\Users\mhussaini\jbdevstudio\runtimes\jboss-eap\modules\system\layers\base\org\picketbox\main\picketbox-infinispan-4.0.19.SP8-redhat-1.jar

Libdirs:

No libdirs specified during translation

Rulepacks

Valid Rulepacks:

Name: HPE Security Fortify Secure Coding Rules, Core, ABAP

Version: 2015.4.0.0008

ID: 5A663288-B1F7-416A-AEED-E5F00DC3596F

SKU: RUL13095

Name: Fortify Secure Coding Rules, Core Preview, ABAP

Version: 2014.4.0.0008

ID: 5249BACE-3D49-4937-BFFF-48BA414E14DD

SKU: RUL13187

Name: HPE Security Fortify Secure Coding Rules, Core, ActionScript 3.0

Version: 2015.4.0.0008

ID: 92127AA2-E666-4F28-B1C1-C0F6A939A089

SKU: RUL13094

Name: HPE Security Fortify Secure Coding Rules, Core, Android

Version: 2015.4.0.0008

ID: FF9890E6-D119-4EE8-A591-83DCF4CA6952

SKU: RUL13093

Name: HPE Security Fortify Secure Coding Rules, Core, Annotations

Version: 2015.4.0.0008

ID: 14EE50EB-FA1C-4AE8-8B59-39F952E21E3B

SKU: RUL13078

Name: HPE Security Fortify Secure Coding Rules, Core, ColdFusion

Version: 2015.4.0.0008

ID: EEA7C678-058E-462A-8A59-AF925F7B7164

SKU: RUL13024

Name: HPE Security Fortify Secure Coding Rules, Core, COBOL

Version: 2015.4.0.0008

ID: 9EB21F2C-ED22-440B-82A3-E38DC2533F03

SKU: RUL13088

Name: HPE Security Fortify Secure Coding Rules, Core, C/C++

Version: 2015.4.0.0008

ID: 711E0652-7494-42BE-94B1-DB3799418C7E

SKU: RUL13001

Name: HPE Security Fortify Secure Coding Rules, Core, .NET

Version: 2015.4.0.0008

ID: D57210E5-E762-4112-97DD-019E61D32D0E

SKU: RUL13002

Name: HPE Security Fortify Secure Coding Rules, Core, Java

Version: 2015.4.0.0008

ID: 06A6CC97-8C3F-4E73-9093-3E74C64A2AAF

SKU: RUL13003

Name: HPE Security Fortify Secure Coding Rules, Core, JavaScript

Version: 2015.4.0.0008

ID: BD292C4E-4216-4DB8-96C7-9B607BFD9584

SKU: RUL13059

Name: HPE Security Fortify Secure Coding Rules, Core, Objective-C

Version: 2015.4.0.0008

ID: B18E58BA-8B2D-4FC5-83BF-378594CAD260

SKU: RUL13099

Name: HPE Security Fortify Secure Coding Rules, Core, PHP

Version: 2015.4.0.0008

ID: 343CBB32-087C-4A4E-8BD8-273B5F876069

SKU: RUL13058

Name: HPE Security Fortify Secure Coding Rules, Core, Python

Version: 2015.4.0.0008

ID: FD15CBE4-E059-4CBB-914E-546BDCEB422B

SKU: RUL13083

Name: HPE Security Fortify Secure Coding Rules, Core, Ruby

Version: 2015.4.0.0008

ID: CA8013D5-11DE-44EF-9563-182F9FCB87BC

SKU: RUL13135

Name: HPE Security Fortify Secure Coding Rules, Core, SQL

Version: 2015.4.0.0008

ID: 6494160B-E1DB-41F5-9840-2B1609EE7649

SKU: RUL13004

Name: HPE Security Fortify Secure Coding Rules, Core, Classic ASP, VBScript, and VB6

Version: 2015.4.0.0008

ID: 1D426B6F-8D33-4AD6-BBCE-237ABAFAB924

SKU: RUL13060

Name: HPE Security Fortify Secure Coding Rules, Extended, Configuration

Version: 2015.4.0.0008

ID: CD6959FC-0C37-45BE-9637-BAA43C3A4D56

SKU: RUL13005

Name: HPE Security Fortify Secure Coding Rules, Extended, Content

Version: 2015.4.0.0008

ID: 9C48678C-09B6-474D-B86D-97EE94D38F17

SKU: RUL13067

Name: HPE Security Fortify Secure Coding Rules, Extended, C/C++

Version: 2015.4.0.0008

ID: BD4641AD-A6FF-4401-A8F4-6873272F2748

SKU: RUL13006

Name: HPE Security Fortify Secure Coding Rules, Extended, .NET

Version: 2015.4.0.0008

ID: 557BCC56-CD42-43A7-B4FE-CDD00D58577E

SKU: RUL13027

Name: HPE Security Fortify Secure Coding Rules, Extended, Java

Version: 2015.4.0.0008

ID: AAAC0B10-79E7-4FE5-9921-F4903A79D317

SKU: RUL13007

Name: HPE Security Fortify Secure Coding Rules, Extended, JavaScript

Version: 2015.4.0.0008

ID: C4D1969E-B734-47D3-87D4-73962C1D32E2

SKU: RUL13141

Name: HPE Security Fortify Secure Coding Rules, Extended, JSP

Version: 2015.4.0.0008

ID: 00403342-15D0-48C9-8E67-4B1CFBDEFCD2

SKU: RUL13026

Name: HPE Security Fortify Secure Coding Rules, Extended, SQL

Version: 2015.4.0.0008

ID: 4BC5B2FA-C209-4DBC-9C3E-1D3EEFAF135A

SKU: RUL13025

External Metadata:

Name: CWE

ID: 3ADB9EE4-5761-4289-8BD3-CBFCC593EBBC

Name: FISMA

ID: B40F9EE0-3824-4879-B9FE-7A789C89307C

Name: NIST SP 800-53 Rev.4

ID: 1114583B-EA24-45BE-B7F8-B61201BACDD0

Name: OWASP Mobile 2014

ID: EEE3F9E7-28D6-4456-8761-3DA56C36F4EE

Name: OWASP Top 10 2004

ID: 771C470C-9274-4580-8556-C023E4D3ADB4

Name: OWASP Top 10 2007

ID: 1EB1EC0E-74E6-49A0-BCE5-E6603802987A

Name: OWASP Top 10 2010

ID: FDCECA5E-C2A8-4BE8-BB26-76A8ECD0ED59

Name: OWASP Top 10 2013

ID: 1A2B4C7E-93B0-4502-878A-9BE40D2A25C4

Name: PCI 1.1

ID: CBDB9D4D-FC20-4C04-AD58-575901CAB531

Name: PCI 1.2

ID: 57940BDB-99F0-48BF-BF2E-CFC42BA035E5

Name: PCI 2.0

ID: 8970556D-7F9F-4EA7-8033-9DF39D68FF3E

Name: PCI 3.0

ID: E2FB0D38-0192-4F03-8E01-FE2A12680CA3

Name: PCI 3.1

ID: AC0D18CF-C1DA-47CF-9F1A-E8EC0A4A717E

Name: SANS Top 25 2009

ID: 939EF193-507A-44E2-ABB7-C00B2168B6D8

Name: SANS Top 25 2010

ID: 72688795-4F7B-484C-88A6-D4757A6121CA

Name: SANS Top 25 2011

ID: 92EB4481-1FD9-4165-8E16-F2DE6CB0BD63

Name: STIG 3.1

ID: F2FA57EA-5AAA-4DDE-90A5-480BE65CE7E7

Name: STIG 3.4

ID: 58E2C21D-C70F-4314-8994-B859E24CF855

Name: STIG 3.5

ID: DD18E81F-3507-41FA-9DFA-2A9A15B5479F

Name: STIG 3.6

ID: 000CA760-0FED-4374-8AA2-6FA3968A07B1

Name: STIG 3.7

ID: E69C07C0-81D8-4B04-9233-F3E74167C3D2

Name: STIG 3.9

ID: 1A9D736B-2D4A-49D1-88CA-DF464B40D732

Name: WASC 2.00

ID: 74f8081d-dd49-49da-880f-6830cebe9777

Name: WASC 24 + 2

ID: 9DC61E7F-1A48-4711-BBFD-E9DFF537871F

Properties

WinForms.CollectionMutationMonitor.Label=WinFormsDataSource

WinForms.ExtractEventHandlers=true

WinForms.TransformChangeNotificationPattern=true

WinForms.TransformDataBindings=true

WinForms.TransformMessageLoops=true

awt.toolkit=sun.awt.windows.WToolkit

com.fortify.AuthenticationKey=C:\Users\mhussaini\AppData\Local\Fortify/config/tools

com.fortify.Core=C:\Program Files\HP_Fortify\HP_Fortify_SCA_and_Apps_4.30\Core

com.fortify.InstallRoot=C:\Program Files\HP_Fortify\HP_Fortify_SCA_and_Apps_4.30

com.fortify.InstallationUserName=MHussaini

com.fortify.SCAExecutablePath=C:\Program Files\HP_Fortify\HP_Fortify_SCA_and_Apps_4.30\bin\sourceanalyzer.exe

com.fortify.TotalPhysicalMemory=16803540992

com.fortify.VS.DefaultFramework.10.0=DotNetFrameworkv40

```
com.fortify.VS.DefaultFramework.11.0=DotNetFrameworkv45
com.fortify.VS.DefaultFramework.12.0=DotNetFrameworkv451
com.fortify.VS.DefaultFramework.14.0=DotNetFrameworkv451
com.fortify.VS.Frameworks.DotNetFrameworkv11.SDKRegistry="SOFTWARE\Microsoft\NETFramework","sdkInstallRootv1.1","\bin"
com.fortify.VS.Frameworks.DotNetFrameworkv11.VSProjectVersionCode=1;
com.fortify.VS.Frameworks.DotNetFrameworkv20.SDKRegistry="SOFTWARE\Microsoft\NETFramework","sdkInstallRootv2.0","\bin"
com.fortify.VS.Frameworks.DotNetFrameworkv20.VSProjectVersionCode=131072
com.fortify.VS.Frameworks.DotNetFrameworkv30.SDKRegistry="SOFTWARE\Microsoft\Microsoft SDKs\Windows\v6.0A","InstallationFolder"
com.fortify.VS.Frameworks.DotNetFrameworkv30.VSProjectVersionCode=196608
com.fortify.VS.Frameworks.DotNetFrameworkv35.SDKRegistry="SOFTWARE\Microsoft\Microsoft SDKs\Windows\v6.0A","InstallationFolder"
com.fortify.VS.Frameworks.DotNetFrameworkv35.VSProjectVersionCode=196613
com.fortify.VS.Frameworks.DotNetFrameworkv40.DotNetFolder="v4.0.30319"
com.fortify.VS.Frameworks.DotNetFrameworkv40.SDKRegistry="SOFTWARE\Microsoft\Microsoft SDKs\Windows\v7.0A\WinSDK-NetFx40Tools-x86","InstallationFolder"
com.fortify.VS.Frameworks.DotNetFrameworkv40.VSProjectVersionCode=262144
com.fortify.VS.Frameworks.DotNetFrameworkv45.DotNetFolder="v4.0.30319"
com.fortify.VS.Frameworks.DotNetFrameworkv45.SDKPaths="Microsoft SDKs\Windows\v8.0A\bin\NETFX 4.0 Tools\","Microsoft SDKs\Windows\v8.0A\bin\","Microsoft SDKs\Windows\v8.0\bin\NETFX 4.0 Tools\","Microsoft SDKs\Windows\v8.0\bin\"
com.fortify.VS.Frameworks.DotNetFrameworkv45.SDKRegistry="SOFTWARE\Microsoft\Microsoft SDKs\Windows\v8.0A\WinSDK-NetFx40Tools-x86","InstallationFolder"
com.fortify.VS.Frameworks.DotNetFrameworkv45.VSProjectVersionCode=262149
com.fortify.VS.Frameworks.DotNetFrameworkv451.DotNetFolder="v4.0.30319"
com.fortify.VS.Frameworks.DotNetFrameworkv451.SDKPaths="Microsoft SDKs\Windows\v8.1A\bin\NETFX 4.5.1 Tools\","Microsoft SDKs\Windows\v8.1A\bin\","Microsoft SDKs\Windows\v8.1\bin\NETFX 4.5.1 Tools\","Microsoft SDKs\Windows\v8.1\bin\"
com.fortify.VS.Frameworks.DotNetFrameworkv451.SDKRegistry="SOFTWARE\Microsoft\Microsoft SDKs\Windows\v8.1A\WinSDK-NetFx40Tools-x86","InstallationFolder"
com.fortify.VS.Frameworks.DotNetFrameworkv451.VSProjectVersionCode=451
com.fortify.VS.Frameworks.default.SDKRegistry="SOFTWARE\Microsoft\Microsoft SDKs\Windows\v8.0A\WinSDK-NetFx35Tools-x86","InstallationFolder";"SOFTWARE\Microsoft\Microsoft SDKs\Windows\v7.0A\WinSDK-NetFx35Tools-x86","InstallationFolder";"SOFTWARE\Microsoft\Microsoft SDKs\Windows\v6.1","InstallationFolder","\bin"
com.fortify.VS.Frameworks.default.VSProjectVersionCode=-1
com.fortify.VS.RequireASPPrecompilation=true
com.fortify.WorkingDirectory=C:\Users\mhussaini\AppData\Local\Fortify
com.fortify.locale=en
com.fortify.sca.AddImpliedMethods=true
com.fortify.sca.AntCompilerClass=com.fortify.dev.ant.SCACompiler
com.fortify.sca.BuildID=EPDS_Web
com.fortify.sca.BundleControlflowIssues=true
com.fortify.sca.BytecodePreview=true
com.fortify.sca.CollectPerformanceData=true
com.fortify.sca.CustomRulesDir=C:\Program Files\HP_Fortify\HP_Fortify_SCA_and_Apps_4.30\Core\config\customrules
com.fortify.sca.DaemonCompilers=com.fortify.sca.util.compilers.GppCompiler,com.fortify.sca.util.compilers.GccCompiler,com.fortify.sca.util.compilers.AppleGppCompiler,com.fortify.sca.util.compilers.AppleGccCompiler,com.fortify.sca.util.compilers.MicrosoftCompiler,com.fortify.sca.util.compilers.MicrosoftLinker,com.fortify.sca.util.compilers.LdCompiler,com.fortify.sca.util.compilers.ArUtil,com.fortify.sca.util.compilers.SunCCompiler,com.fortify.sca.util.compilers.SunCppCompiler,com.fortify.sca.util.co
```

```
mpilers.IntelCompiler,com.fortify.sca.util.compilers.ExternalCppAdapter,com.fortify.sca.util.compilers.ClangCompiler
com.fortify.sca.DeadCodeFilter=true
com.fortify.sca.DeadCodeIgnoreTrivialPredicates=true
com.fortify.sca.DefaultAnalyzers=semantic:dataflow:controlflow:nullptr:configuration:content:structural:buffer
com.fortify.sca.DefaultFileTypes=java,rb,jsp,jsp,tag,tagx,tld,sql,cfm,php,phtml,ctp,pks,pkh,pkb,xml,config,settings,properties,dl
l,exe,inc,asp,vbscript,js,ini,bas,cls,vbs,frm,ctl,html,htm,xsd,wsdd,xmi,py,cfml,cfc,abap,xhtml,cpx,xcfg,jsff,as,mxml,cbl,cscfg,csde
f,wadcfg,appxmanifest,wsdl,plist
com.fortify.sca.DefaultJarsDirs=default_jars
com.fortify.sca.DefaultRulesDir=C:\Program Files\HP_Fortify\HP_Fortify_SCA_and_Apps_4.30\Core\config\rules
com.fortify.sca.DisableDeadCodeElimination=false
com.fortify.sca.DisableFunctionPointers=false
com.fortify.sca.DisableGlobals=false
com.fortify.sca.DisableInferredConstants=false
com.fortify.sca.DisplayProgress=true
com.fortify.sca.EnableInterproceduralConstantResolution=true
com.fortify.sca.EnableNestedWrappers=true
com.fortify.sca.EnableStructuralMatchCache=true
com.fortify.sca.EnableWrapperDetection=true
com.fortify.sca.FVDLDisableDescriptions=false
com.fortify.sca.FVDLDisableProgramData=false
com.fortify.sca.FVDLDisableSnippets=false
com.fortify.sca.FVDLStylesheet=C:\Program
Files\HP_Fortify\HP_Fortify_SCA_and_Apps_4.30\Core/resources/sca/fvdl2html.xsl
com.fortify.sca.IndirectCallGraphBuilders=WinFormsAdHocFunctionBuilder,VirtualCGBuilder,J2EEIndirectCGBuilder,JNICG
Builder,StoredProcedureResolver,JavaWSCGBuilder,StrutsCGBuilder,DotNetWSCGBuilder,SqlServerSPResolver,ASPCGBuild
er,ScriptedCGBuilder,NewJspCustomTagCGBuilder,DotNetCABCGBuilder,StateInjectionCGBuilder,SqlServerSPResolver2,PH
PLambdaResolver,JavaWebCGBuilder
com.fortify.sca.JVMArgs=-Djava.awt.headless=true -Dcom.sun.management.jmxremote=true -
XX:SoftRefLRUPolicyMSPerMB=3000 -Xmx16024M -Xss16M -Xms300M -server
com.fortify.sca.JavaNewBeta=true
com.fortify.sca.JdkVersion=1.5
com.fortify.sca.LowSeverityCutoff=1.0
com.fortify.sca.MachineOutputMode=
com.fortify.sca.NoNestedOutTagOutput=org.apache.taglibs.standard.tag.rt.core.RemoveTag,org.apache.taglibs.standard.tag.rt.cor
e.SetTag
com.fortify.sca.PID=1900
com.fortify.sca.Phase0HigherOrder.Languages=python,ruby
com.fortify.sca.Phase0HigherOrder.Level=1
com.fortify.sca.Phase0HigherOrder.Limiter.Values=16
com.fortify.sca.PidFile=C:\Users\MHUSSA~1\AppData\Local\Temp\1\PID415539547166147323.tmp
com.fortify.sca.PrintPerformanceDataAfterScan=false
com.fortify.sca.ProjectRoot=C:\Users\mhussaini\AppData\Local\Fortify
com.fortify.sca.ProjectRoot=C:\Users\mhussaini\AppData\Local\Fortify
com.fortify.sca.Renderer=fpr
com.fortify.sca.RequireMapKeys=classrule
com.fortify.sca.ResultsFile=C:\Users\mhussaini\Gitworkspace\EPDS_Web\EPDS_Web_scan.fpr
com.fortify.sca.SolverTimeout=15
com.fortify.sca.SqlLanguage=TSQL
com.fortify.sca.SuppressLowSeverity=true
com.fortify.sca.ThreadCount.NameTableLoading=1
com.fortify.sca.ThreadCount.PreTransform=1
```

```
com.fortify.sca.TypeInferenceFunctionTimeout=60
com.fortify.sca.TypeInferenceLanguages=javascript,python,ruby
com.fortify.sca.TypeInferencePhase0Timeout=300
com.fortify.sca.UnicodeInputFile=true
com.fortify.sca.UniversalBlacklist=.*yyparse.*
com.fortify.sca.WrapperHeuristic=moderate
com.fortify.sca.analyzer.controlflow.EnableLivenessOptimization=false
com.fortify.sca.analyzer.controlflow.EnableMachineFiltering=false
com.fortify.sca.analyzer.controlflow.EnableRefRuleOptimization=false
com.fortify.sca.analyzer.controlflow.EnableTimeOut=true
com.fortify.sca.compilers.ant=com.fortify.sca.util.compilers.AntAdapter
com.fortify.sca.compilers.ar=com.fortify.sca.util.compilers.ArUtil
com.fortify.sca.compilers.armcc=com.fortify.sca.util.compilers.ArmCcCompiler
com.fortify.sca.compilers.armcpp=com.fortify.sca.util.compilers.ArmCppCompiler
com.fortify.sca.compilers.cplusplus=com.fortify.sca.util.compilers.GppCompiler
com.fortify.sca.compilers.c89=com.fortify.sca.util.compilers.C89Compiler
com.fortify.sca.compilers.cc=com.fortify.sca.util.compilers.GccCompiler
com.fortify.sca.compilers.cl=com.fortify.sca.util.compilers.MicrosoftCompiler
com.fortify.sca.compilers.clearmake=com.fortify.sca.util.compilers.TouchlessCompiler
com.fortify.sca.compilers.devenv=com.fortify.sca.util.compilers.DevenvNetAdapter
com.fortify.sca.compilers.fortify=com.fortify.sca.util.compilers.FortifyCompiler
com.fortify.sca.compilers.gplusplus=com.fortify.sca.util.compilers.GppCompiler
com.fortify.sca.compilers.gplusplus*=com.fortify.sca.util.compilers.GppCompiler
com.fortify.sca.compilers.gplusplus2*=com.fortify.sca.util.compilers.GppCompiler
com.fortify.sca.compilers.gplusplus3*=com.fortify.sca.util.compilers.GppCompiler
com.fortify.sca.compilers.gplusplus4*=com.fortify.sca.util.compilers.GppCompiler
com.fortify.sca.compilers.gcc=com.fortify.sca.util.compilers.GccCompiler
com.fortify.sca.compilers.gcc*=com.fortify.sca.util.compilers.GccCompiler
com.fortify.sca.compilers.gcc2*=com.fortify.sca.util.compilers.GccCompiler
com.fortify.sca.compilers.gcc3*=com.fortify.sca.util.compilers.GccCompiler
com.fortify.sca.compilers.gcc4*=com.fortify.sca.util.compilers.GccCompiler
com.fortify.sca.compilers.gmake=com.fortify.sca.util.compilers.TouchlessCompiler
com.fortify.sca.compilers.icc=com.fortify.sca.util.compilers.IntelCompiler
com.fortify.sca.compilers.icl=com.fortify.sca.util.compilers.MicrosoftCompiler
com.fortify.sca.compilers.icpc=com.fortify.sca.util.compilers.IntelCompiler
com.fortify.sca.compilers.jam=com.fortify.sca.util.compilers.TouchlessCompiler
com.fortify.sca.compilers.javac=com.fortify.sca.util.compilers.JavacCompiler
com.fortify.sca.compilers.ld=com.fortify.sca.util.compilers.LdCompiler
com.fortify.sca.compilers.link=com.fortify.sca.util.compilers.MicrosoftLinker
com.fortify.sca.compilers.make=com.fortify.sca.util.compilers.TouchlessCompiler
com.fortify.sca.compilers.msbuild=com.fortify.sca.util.compilers.MSBuildAdapter
com.fortify.sca.compilers.msdev=com.fortify.sca.util.compilers.DevenvAdapter
com.fortify.sca.compilers.mvn=com.fortify.sca.util.compilers.MavenAdapter
com.fortify.sca.compilers.nmake=com.fortify.sca.util.compilers.TouchlessCompiler
com.fortify.sca.compilers.tcc=com.fortify.sca.util.compilers.ArmCcCompiler
com.fortify.sca.compilers.tcpcpp=com.fortify.sca.util.compilers.ArmCppCompiler
com.fortify.sca.compilers.touchless=com.fortify.sca.util.compilers.FortifyCompiler
com.fortify.sca.compilers.xilink=com.fortify.sca.util.compilers.MicrosoftLinker
com.fortify.sca.cpf.441.command=C:\Program Files\HP_Fortify\HP_Fortify_SCA_and_Apps_4.30\Core\private-
bin\sca\cpf441.rfct
com.fortify.sca.cpf.command=C:\Program Files\HP_Fortify\HP_Fortify_SCA_and_Apps_4.30\Core\private-bin\sca\cpf48.exe
```

```
com.fortify.sca.cpfe.file.option=--gen_c_file_name
com.fortify.sca.cpfe.options=--remove_unneeded_entities --suppress_vtbl -tused
com.fortify.sca.cpfe.options=--remove_unneeded_entities --suppress_vtbl -tused
com.fortify.sca.env.exesearchpath=C:\Users\mhussaini\Eclipse Luna With Git\eclipse;C:/Program
Files/Java/jre1.8.0_25/bin/server;C:/Program Files/Java/jre1.8.0_25/bin;C:/Program Files/Java/jre1.8.0_25/lib/amd64;C:\Program
Files\HP_Fortify\HP_Fortify_SCA_and_Apps_4.30\bin;C:\Users\mhussaini\Database\product\12.1.0\dbhome_1\bin;C:\Program
Data\Oracle\Java\javapath;C:\Users\app\oracle\product\11.2.0\client_1\bin;C:\WINDOWS\system32;C:\WINDOWS;C:\WINDO
WS\System32\Wbem;C:\WINDOWS\System32\WindowsPowerShell\v1.0\;C:\Program Files
(x86)\ActivIdentity\ActivClient\;C:\Program Files\ActivIdentity\ActivClient\;C:\Program
Files\Java\jdk1.7.0_60\bin;C:\Users\mhussaini\apache-maven-3.2.2\bin;C:\Program Files (x86)\MySQL\MySQL Utilities
1.4.3\;C:\Program Files (x86)\MySQL\MySQL Utilities 1.4.3\Doctrine extensions for PHP\;C:\Program Files
(x86)\Java\jre1.8.0_25;C:\Users\mhussaini\apache-ant-1.9.4\bin;C:\Users\mhussaini\bin;C:\Program
Files\nodejs\;C:\WINDOWS\System32\WindowsPowerShell\v1.0\;C:\Users\mhussaini\AppData\Roaming\npm;C:\Users\mhussai
ni\Eclipse Luna With Git\eclipse;
com.fortify.sca.fileextensions.ABAP=ABAP
com.fortify.sca.fileextensions.abap=ABAP
com.fortify.sca.fileextensions.appxmanifest=XML
com.fortify.sca.fileextensions.as=ACTIONSCRIPT
com.fortify.sca.fileextensions.asp=ASP
com.fortify.sca.fileextensions.bas=VB6
com.fortify.sca.fileextensions.cfc=CFML
com.fortify.sca.fileextensions.cfm=CFML
com.fortify.sca.fileextensions.cfml=CFML
com.fortify.sca.fileextensions.cls=VB6
com.fortify.sca.fileextensions.config=XML
com.fortify.sca.fileextensions.cpx=XML
com.fortify.sca.fileextensions.cs=CSHARP
com.fortify.sca.fileextensions.cscfg=XML
com.fortify.sca.fileextensions.csdef=XML
com.fortify.sca.fileextensions.ctl=VB6
com.fortify.sca.fileextensions.ctp=PHP
com.fortify.sca.fileextensions.dll=MSIL
com.fortify.sca.fileextensions.erb=RUBY_ERB
com.fortify.sca.fileextensions.exe=MSIL
com.fortify.sca.fileextensions.faces=JSPX
com.fortify.sca.fileextensions.frm=VB6
com.fortify.sca.fileextensions.htm=HTML
com.fortify.sca.fileextensions.html=HTML
com.fortify.sca.fileextensions.ini=JAVA_PROPERTIES
com.fortify.sca.fileextensions.java=JAVA
com.fortify.sca.fileextensions.js=JAVASCRIPT
com.fortify.sca.fileextensions.jsff=JSPX
com.fortify.sca.fileextensions.jsp=JSP
com.fortify.sca.fileextensions.jspx=JSPX
com.fortify.sca.fileextensions.mdl=MSIL
com.fortify.sca.fileextensions.mod=MSIL
com.fortify.sca.fileextensions.mxml=MXML
com.fortify.sca.fileextensions.php=PHP
com.fortify.sca.fileextensions.phtml=PHP
com.fortify.sca.fileextensions.pkb=PLSQL
com.fortify.sca.fileextensions.pkh=PLSQL
```

```
com.fortify.sca.fileextensions.pks=PLSQL
com.fortify.sca.fileextensions.plist=XML
com.fortify.sca.fileextensions.properties=JAVA_PROPERTIES
com.fortify.sca.fileextensions.py=PYTHON
com.fortify.sca.fileextensions.rb=RUBY
com.fortify.sca.fileextensions.settings=XML
com.fortify.sca.fileextensions.sql=SQL
com.fortify.sca.fileextensions.tag=JSP
com.fortify.sca.fileextensions.tagx=JSP
com.fortify.sca.fileextensions.tld=TLN
com.fortify.sca.fileextensions.vb=VB
com.fortify.sca.fileextensions.vbs=VBSCRIPT
com.fortify.sca.fileextensions.vbscript=VBSCRIPT
com.fortify.sca.fileextensions.wadcfg=XML
com.fortify.sca.fileextensions.wsdd=XML
com.fortify.sca.fileextensions.wsdl=XML
com.fortify.sca.fileextensions.xcfg=XML
com.fortify.sca.fileextensions.xhtml=JSPX
com.fortify.sca.fileextensions.xmi=XML
com.fortify.sca.fileextensions.xml=XML
com.fortify.sca.fileextensions.xsd=XML
com.fortify.sca.jsp.UseNativeParser=true
com.fortify.sca.parser.python.ignore.module.1=test.badsyntax_future3
com.fortify.sca.parser.python.ignore.module.2=test.badsyntax_future4
com.fortify.sca.parser.python.ignore.module.3=test.badsyntax_future5
com.fortify.sca.parser.python.ignore.module.4=test.badsyntax_future6
com.fortify.sca.parser.python.ignore.module.5=test.badsyntax_future7
com.fortify.sca.parser.python.ignore.module.6=test.badsyntax_future8
com.fortify.sca.parser.python.ignore.module.7=test.badsyntax_future9
com.fortify.sca.parser.python.ignore.module.8=test.badsyntax_nocaret
com.fortify.search.defaultSyntaxVer=2
com.sun.management.jmxremote=true
dotnet.install.dir=C:\Windows\Microsoft.NET\Framework64
dotnet.v30.referenceAssemblies=C:\Program Files\Reference Assemblies\Microsoft\Framework\v3.0
dotnet.v35.referenceAssemblies=C:\Program Files\Reference Assemblies\Microsoft\Framework\v3.5
file.encoding=Cp1252
file.encoding.pkg=sun.io
file.separator=\
java.awt.graphicsenv=sun.awt.Win32GraphicsEnvironment
java.awt.headless=true
java.awt.printerjob=sun.awt.windows.WPrinterJob
java.class.path=C:\Program Files\HP_Fortify\HP_Fortify_SCA_and_Apps_4.30\Core\lib\exe\sca-exe.jar
java.class.version=51.0
java.endorsed.dirs=C:\Program Files\HP_Fortify\HP_Fortify_SCA_and_Apps_4.30\jre\lib\endorsed
java.ext.dirs=C:\Program Files\HP_Fortify\HP_Fortify_SCA_and_Apps_4.30\jre\lib\ext;C:\WINDOWS\Sun\Java\lib\ext
java.home=C:\Program Files\HP_Fortify\HP_Fortify_SCA_and_Apps_4.30\jre
java.io.tmpdir=C:\Users\MHUSSA~1\AppData\Local\Temp\1\
java.library.path=C:\Program
Files\HP_Fortify\HP_Fortify_SCA_and_Apps_4.30\jre\bin;C:\WINDOWS\Sun\Java\bin;C:\WINDOWS\system32;C:\WINDOW
S;C:/Program Files/Java/jre1.8.0_25/bin/server;C:/Program Files/Java/jre1.8.0_25/bin;C:/Program
Files/Java/jre1.8.0_25/lib/amd64;C:\Program
```


Files\HP_Fortify\HP_Fortify_SCA_and_Apps_4.30\bin;C:\Users\mhussaini\Database\product\12.1.0\dbhome_1\bin;C:\Program Data\Oracle\Java\javapath;C:\Users\app\oracle\product\11.2.0\client_1\bin;C:\WINDOWS\system32;C:\WINDOWS;C:\WINDOWS\System32\Wbem;C:\WINDOWS\System32\WindowsPowerShell\v1.0\;C:\Program Files (x86)\ActivIdentity\ActivClient\;C:\Program Files\ActivIdentity\ActivClient\;C:\Program Files\Java\jdk1.7.0_60\bin;C:\Users\mhussaini\apache-maven-3.2.2\bin;C:\Program Files (x86)\MySQL\MySQL Utilities 1.4.3\;C:\Program Files (x86)\MySQL\MySQL Utilities 1.4.3\Doctrine extensions for PHP\;C:\Program Files (x86)\Java\jre1.8.0_25\;C:\Users\mhussaini\apache-ant-1.9.4\bin;C:\Users\mhussaini\bin;C:\Program Files\nodejs\;C:\WINDOWS\System32\WindowsPowerShell\v1.0\;C:\Users\mhussaini\AppData\Roaming\npm;C:\Users\mhussaini\Eclipse Luna With Git\eclipse;;.

java.rmi.server.randomIDs=true

java.runtime.name=Java(TM) SE Runtime Environment

java.runtime.version=1.7.0_45-b18

java.specification.name=Java Platform API Specification

java.specification.vendor=Oracle Corporation

java.specification.version=1.7

java.vendor=Oracle Corporation

java.vendor.url=http://java.oracle.com/

java.vendor.url.bug=http://bugreport.sun.com/bugreport/

java.version=1.7.0_45

java.vm.info=mixed mode

java.vm.name=Java HotSpot(TM) 64-Bit Server VM

java.vm.specification.name=Java Virtual Machine Specification

java.vm.specification.vendor=Oracle Corporation

java.vm.specification.version=1.7

java.vm.vendor=Oracle Corporation

java.vm.version=24.45-b08

line.separator=

max.file.path.length=255

os.arch=amd64

os.name=Windows 7

os.version=6.1

path.separator=;

stderr.isatty=false

stdout.isatty=false

sun.arch.data.model=64

sun.boot.class.path=C:\Program Files\HP_Fortify\HP_Fortify_SCA_and_Apps_4.30\jre\lib\resources.jar;C:\Program Files\HP_Fortify\HP_Fortify_SCA_and_Apps_4.30\jre\lib\rt.jar;C:\Program Files\HP_Fortify\HP_Fortify_SCA_and_Apps_4.30\jre\lib\sunrsasign.jar;C:\Program Files\HP_Fortify\HP_Fortify_SCA_and_Apps_4.30\jre\lib\jsse.jar;C:\Program Files\HP_Fortify\HP_Fortify_SCA_and_Apps_4.30\jre\lib\jce.jar;C:\Program Files\HP_Fortify\HP_Fortify_SCA_and_Apps_4.30\jre\lib\charsets.jar;C:\Program Files\HP_Fortify\HP_Fortify_SCA_and_Apps_4.30\jre\lib\jfr.jar;C:\Program Files\HP_Fortify\HP_Fortify_SCA_and_Apps_4.30\jre\classes

sun.boot.library.path=C:\Program Files\HP_Fortify\HP_Fortify_SCA_and_Apps_4.30\jre\bin

sun.cpu.endian=little

sun.cpu.isalist=amd64

sun.desktop=windows

sun.io.unicode.encoding=UnicodeLittle

sun.java.command=C:\Program Files\HP_Fortify\HP_Fortify_SCA_and_Apps_4.30\Core\lib\exe\sca-exe.jar -scan -pid-file C:\Users\MHUSSA~1\AppData\Local\Temp\1\PID415539547166147323.tmp

@C:\Users\mhussaini\AppData\Local\Fortify\Eclipse.Plugin-4.30\EPDS_Web\EPDS_WebScan.txt
sun.java.launcher=SUN_STANDARD
sun.jnu.encoding=Cp1252
sun.management.compiler=HotSpot 64-Bit Tiered Compilers
sun.os.patch.level=Service Pack 1
user.country=US
user.dir=C:\Users\mhussaini\Eclipse Luna With Git\eclipse
user.home=C:\Users\mhussaini
user.language=en
user.name=MHussaini
user.script=
user.timezone=America/Denver
user.variant=
win32.LocalAppdata=C:\Users\mhussaini\AppData\Local

Commandline Arguments

-scan
-pid-file
C:\Users\MHUSSA~1\AppData\Local\Temp\1\PID415539547166147323.tmp
-b
EPDS_Web
-machine-output
-format
fpr
-f
C:\Users\mhussaini\Gitworkspace\EPDS_Web\EPDS_Web_scan.fpr

Warnings

[10002] Unable to parse T-SQL at C:\Users\mhussaini\Gitworkspace\EPDS_Web\WebContent\scripts\vendor\DataTables-1.10.10\examples\server_side\scripts\mysql.sql:8:27.
[10002] Unable to parse T-SQL at C:\Users\mhussaini\Gitworkspace\EPDS_Web\WebContent\scripts\vendor\DataTables-1.10.10\examples\server_side\scripts\postgres.sql:0.
[10002] Unable to parse T-SQL at C:\Users\mhussaini\Gitworkspace\EPDS_Web\WebContent\scripts\vendor\DataTables-1.10.10\examples\server_side\scripts\sqlite.sql:0.
[10002] Unable to parse T-SQL at C:\Users\mhussaini\Gitworkspace\EPDS_Web\WebContent\scripts\vendor\DataTables-1.10.10\examples\server_side\scripts\sqlite.sql:13:13.
[10002] Unable to parse T-SQL at C:\Users\mhussaini\Gitworkspace\EPDS_Web\WebContent\scripts\vendor\DataTables-1.10.10\examples\server_side\scripts\mysql.sql:0.
[10002] Unable to parse T-SQL at C:\Users\mhussaini\Gitworkspace\EPDS_Web\WebContent\scripts\vendor\DataTables-1.10.10\examples\server_side\scripts\postgres.sql:13:13.
[1001] Unexpected exception while parsing file (javascript)
C:\Users\mhussaini\Gitworkspace\EPDS_Web\WebContent\scripts\vendor\angular-1.4.8/angular-mocks.js: Parse error at line 803, column 13. Encountered: reflows
[236] Your license does not allow access to Fortify SCA for Python


Issue Count by Category

Issues by Category

Password Management: Hardcoded Password	11
Privacy Violation: Autocomplete	9
Password Management: Insecure Submission	8
Cross-Site Scripting: DOM	4
Open Redirect	3
Password Management: Empty Password	2
Cross-Site Scripting: Reflected	1
Header Manipulation: Cookies	1
Path Manipulation	1

Issue Breakdown by Analysis

Issues by Analysis



● <none>