


In one line: Putting the token in the Keychain secures *one* copy. The OS makes more copies for you: the **keyboard** learns what is typed, the **app switcher** photographs the screen, **URLCache** writes API responses to `Cache.db`, **logs**, **backups**, the **pasteboard**, **notifications**, **Spotlight** and your **SDKs** keep theirs. MASVS-STORAGE-2 (“prevents leakage”) and PLATFORM-3 (“UI used securely”) are about *those* copies — and logout must delete every one.



The mechanisms

- **Keyboard:** autocorrect / predictive text learn from non-secure fields. Secret → `isSecureTextEntry` (no copy; system keyboard only; no learning (*unverified*)). Sensitive but visible (IBAN, card) → `autocorrectionType = .no`, `spellCheckingType = .no`. Block custom keyboards: `shouldAllowExtensionPointIdentifier` → false for `.keyboard`. Android: `flagNoPersonalizedLearning`.
- **Snapshot:** Apple — after the background delegate *returns*, `UIKit` takes the image shown in the switcher and at relaunch. Hide it in `sceneDidEnterBackground`; `SwiftUI`: overlay unless `scenePhase` is `.active`.
- **Capture:** iOS only *tells* you — `userDidTakeScreenshotNotification` (after the fact); `UIScreen.isCaptured` (iOS 11, deprecated in 27) → `sceneCaptureState` trait (iOS 17) for recording + mirroring. Android `FLAG_SECURE` *blocks* screenshots, recording and the Recents thumbnail; 14 detects screenshots, 15 recording.
- **URLCache:** `URLSession.shared.caches` cacheable responses in memory + on disk. Fix at the source (`no-store`), or per session (`.ephemeral`: nothing on disk), or per response (`willCacheResponse` → `nil`).
- **Backups:** Documents + Library (not `Caches/tmp`) go to `iCloud / Finder`; Keychain items restore to another device unless `...ThisDeviceOnly`. `isExcludedFromBackup` is for caches/support files — Apple: edits to user documents can reset it. Android: `allowBackup` defaults true (Auto Backup, 25 MB/app, Google Drive); 12+: `dataExtractionRules` splits `<cloud-backup>` / `<device-transfer>` — `allowBackup="false"` may not stop device-to-device transfer.
- **Pasteboard:** `setItems(_:options:) + .localOnly` (no Universal Clipboard) + `.expirationDate`. iOS 16+ prompts before a programmatic paste (`UIPasteControl` doesn't). Android 13+: `EXTRA_IS_SENSITIVE` hides the preview.

Example — the logout wipe (server first, then every copy)

```
func logout() async {
    try? await api.revokeSession() // refresh token + push token
    Keychain.deleteAll(service: "auth") // SecItemDelete
    URLCache.shared.removeAllCachedResponses() // Cache.db
    HTTPCookieStorage.shared.removeCookies(since: .distantPast)
    await WKWebsiteDataStore.default().removeData(
        ofTypes: WKWebsiteDataStore.allWebsiteDataTypes(),
        modifiedSince: .distantPast) // WebView store
    UserDefaults.standard.removePersistentDomain(
        forName: Bundle.main.bundleIdentifier!)
    try? FileManager.default.removeItem(at: userDir) // DB, drafts
    imageCache.clearDisk(); memoryCaches.removeAll()
    try? await CSSearchableIndex.default().deleteAllSearchableItems() // Spotlight
    UIPasteboard.general.items = [] // only if WE put a secret there
    router.reset() // no stale screens in memory
}
```

Put per-user data under **one directory** (+ one App Group folder for extensions) so “delete the user” is one call — then test it: logout, grep the container.

Also leaks

Android accessibility services read the screen · exported content providers · App Group containers + widgets · `WebView` form data · the state-restoration archive (same rule as the snapshot).

Traps

- ! “The token is in the Keychain, done” — the *response* that carried it may sit in `Cache.db`, a log line, a crash breadcrumb.
- ! Covering the UI in `applicationWillTerminate` — not called on suspend; the snapshot follows `sceneDidEnterBackground`.
- ! “We block screenshots on iOS” — you can’t; detect, and hide while captured.
- ! `Library/Caches` is not *backed up* but is still *on the device* — a filesystem dump reads it.
- ! Logout that only drops the in-memory token: the refresh token still works server-side.
- ! RN: `AsyncStorage` is a plain unencrypted store — never tokens.

Remember

“Seen, stored, sent.” Every secret has copies the user sees (screen, keyboard, clipboard), the OS *stores* (cache, logs, backups) and SDKs *send*. Logout = server revoke + delete every copy.