



# DESENVOLVIMENTO WEB

FULL STACK

# CSS3 TRANSITIONS

- Através de CSS 3 é possível aplicar animações de transição entre propriedades, dando um aspecto mais fluído a interface.

```
div {  
    -webkit-transition: width 2s, height 4s; /* Safari */  
    transition: width 2s, height 4s;  
}
```

# CSS 3 – ESPECIFICANDO A CURVA DE VELOCIDADE

- Além disso você pode especificar a curva de velocidade de uma animação:
  - Ease
  - Linear
  - Ease-in
  - Ease-out
  - Ease-in-out
  - Cubic-bezier(n,n,n)

An abstract graphic on the left side of the slide, consisting of a network of thin, light-blue lines and small circles, resembling a circuit board or a neural network diagram. The lines are vertical and horizontal, with some diagonal connections, and the circles are placed at various points along these lines.

EXEMPLO

# EXERCÍCIO 1

- Criar um código CSS com transições que quando ao passar o mouse troque de cor.

## EXERCÍCIO 2

- Adicione efeitos de transição ao exercício do baralho.

An abstract graphic on the left side of the slide, consisting of a network of thin, light-blue lines and small circles, resembling a circuit board or a neural network. The lines are vertical and horizontal, with some diagonal connections, and the circles are placed at various points along these lines.

# CASE

## EXERCÍCIO 3

The image features a dark blue background with a subtle gradient. In the corners, there are decorative white line art elements resembling circuit boards or neural networks, with lines and small circles connecting them. The central focus is a URL displayed in a bright cyan color.

[HTTPS://MARVELAPP.COM/1G6A14I](https://marvelapp.com/1G6A14I)