


Teste 3


Artur Meireles de Sousa Falcão
2024130485

Pergunta 1

```
Router#show ntp associations
address      ref clock    st  when    poll    reach  delay      offset      disp
*~213.58.200.1 127.127.1.1  1   21      32     377    4.00      0.00      0.24
* sys.peer, # selected, + candidate, - outlyer, x falseticker, ~ configured
Router#show ntp status
Clock is synchronized, stratum 2, reference is 213.58.200.1
nominal freq is 250.0000 Hz, actual freq is 249.9990 Hz, precision is 2**24
reference time is EDA27617.00000023B (1:34:15.571 UTC Fri Jun 5 2026)
clock offset is 0.00 msec, root delay is 4.00 msec
root dispersion is 10.59 msec, peer dispersion is 0.24 msec.
loopfilter state is 'CTRL' (Normal Controlled Loop), drift is - 0.000001193 s/s system poll interval is 5, last
update was 31 sec ago.
Router#show clock
1:34:56.830 UTC Fri Jun 5 2026
```



Pergunta 2



PC0

Physical Config Desktop Programming Attributes

Command Prompt

```
Cisco Packet Tracer PC Command Line 1.0
C:\>tracert 192.168.20.1

Tracing route to 192.168.20.1 over a maximum of 30 hops:

  1  0 ms    0 ms    0 ms    192.168.30.254
  2  4 ms    4 ms    4 ms    50.50.50.1
  3  *        1 ms    2 ms    192.168.20.1

Trace complete.

C:\>tracert 213.58.200.1

Tracing route to 213.58.200.1 over a maximum of 30 hops:

  1  0 ms    0 ms    0 ms    192.168.30.254
  2  0 ms    0 ms    3 ms    192.100.85.5
  3  0 ms    0 ms    1 ms    213.58.200.1

Trace complete.


C:\>tracert 192.168.20.1

Tracing route to 192.168.20.1 over a maximum of 30 hops:

  1  0 ms    0 ms    0 ms    192.168.30.254
  2  4 ms    4 ms    7 ms    50.50.50.1
  3  3 ms    2 ms    2 ms    192.168.20.1


Trace complete.
```

Pergunta 3 – a)



squid.conf - Notepad

```
File Edit Format View Help
acl localnet src 192.168.85.0/24
```



Local Area Network (LAN) Settings

Automatic configuration
Automatic configuration may override manual settings. To ensure the use of manual settings, disable automatic configuration.


☒ Automatically detect settings
☐ Use automatic configuration script

Address:

Proxy server
☒ Use a proxy server for your LAN (These settings will not apply to dial-up or VPN connections).

Address: Port:

☒ Bypass proxy server for local addresses



ISEC - Instituto Superior de Engenharia de Coimbra

Candidaturas a Mestrado

1.ª Fase até 15 de julho de 2026

[Saber mais](#)


70% DE ALUNOS EMPREGADOS ANTES DE CONCLUIR O CURSO | 98% DE ALUNOS EMPREGADOS ATÉ 6 MESES APÓS A | 90% DE ALUNOS DE 2º CICLO EMPREGADOS NA ÁREA DE

b)

```
media21.txt - Notepad
File Edit Format View Help
.tsf.pt
.sic.pt
.rtp.pt
.tvi.pt
```


```
squid.conf - Notepad
File Edit Format View Help
acl block_media dstdomain "c:/squid/etc/media21.txt"
http_access deny block_media

acl block_words url_regex -i "c:/squid/etc/palavras21.txt"
http_access deny block_words
```




c)


```
palavras21.txt - Notepad
File Edit Format View Help
war
sex
```



d)



```
File Edit Format View Help
# Squid normally listens to port 3128
http_port 8080
```



Local Area Network (LAN) Settings

Automatic configuration
Automatic configuration may override manual settings. To ensure the use of manual settings, disable automatic configuration.

☒ Automatically detect settings
☐ Use automatic configuration script

Address:

Proxy server
☒ Use a proxy server for your LAN (These settings will not apply to dial-up or VPN connections).

Address: Port:

☒ Bypass proxy server for local addresses



ISEC - Instituto Superior

isec.pt/PT/Default.aspx

isec
Politécnico de Coimbra

Palestra "Cibersegurança: Resposta a Incidentes e Análise Forense"

9 de junho de 2026

[Saber mais](#)

70% DE ALUNOS EMPREGADOS ANTES DE CONCLUIR O CURSO	98% DE ALUNOS EMPREGADOS ATÉ 6 MESES APÓS A	90% DE ALUNOS DE 2º CICLO EMPREGADOS NA ÁREA DE
--	---	---

e)

```
squid.conf - Notepad
File Edit Format View Help
cache_dir ufs c:/squid/var/cache/teste21 254 64 128
```

Local Disk (C:) ▸ Squid ▸ var ▸ cache ▸ teste21 ▸				Search t
Name	Date modified	Type		
00	05/06/2026 14:08	File folder		
0A	05/06/2026 14:08	File folder		
0B	05/06/2026 14:08	File folder		
0C	05/06/2026 14:08	File folder		
0D	05/06/2026 14:08	File folder		
0E	05/06/2026 14:08	File folder		
0F	05/06/2026 14:08	File folder		
01	05/06/2026 14:08	File folder		
1A	05/06/2026 14:08	File folder		
1B	05/06/2026 14:08	File folder		
1C	05/06/2026 14:08	File folder		
1D	05/06/2026 14:08	File folder		
1E	05/06/2026 14:08	File folder		
1F	05/06/2026 14:08	File folder		
02	05/06/2026 14:08	File folder		
2A	05/06/2026 14:08	File folder		
2B	05/06/2026 14:08	File folder		
2C	05/06/2026 14:08	File folder		
2D	05/06/2026 14:08	File folder		
2E	05/06/2026 14:08	File folder		
2F	05/06/2026 14:08	File folder		
03	05/06/2026 14:08	File folder		

Pergunta 4 – c)

NTP Time Server Monitor by Meinberg 1.04

File Edit Help

NTP Service NTP Status NTP Configuration File Statistic Advanced Statistic Configuration Notification

Localhost



Current local NTP Status: Sync to: 185.134.42.7 Offset: -902.047ms Stratum: 3 Refresh Interval: 10 s

NTP Status:


	Remote	Refid	Stratum	Type	When	Poll	Reach	Delay	Offset	Jitter
*	185.134.42.7	150.214.94.5	2	Unicast server	42	64	001	26.967	-902.047	120.205
	172.233.111.193	81.104.22.229	2	Unicast server	-	64	001	43.475	-378.964	0.265
	84.77.195.114	162.159.200.123	4	Unicast server	1	64	001	63.319	-347.559	0.295
+	5.196.76.84	192.150.70.56	2	Unicast server	51	64	001	41.569	-748.550	596.696
+	109.190.177.205	PPS	1	Unicast server	52	64	001	51.618	-653.164	545.656

Polling Status: Running NTP Version: ntpd 4.2.8p18a-o Sep 12 16:26:53 (UTC+02:00) 2025 (1) DNS lookup Legend


d)



e)



f)



g)

NTP Time Server Monitor by Meinberg 1.04

File Edit Help

NTP Service | NTP Status | NTP Configuration File | Statistic | Advanced Statistic | Configuration | Notification

Notification:

Email configuration:

Mail Server: Port:

User Name:

Password:

From address:

To Address 1:

To Address 2:

NTP notification configuration:

Min. Stratum level:

Max. Offset: ms

Notification conditions:

	Triggers		
	Mail	SNMP	Syslog
NTP not sync:	☒	☐	☐
NTP stopped	☒	☐	☐
NTP Stratum level too large	☐	☐	☐
Max. Offset exceeded:	☐	☐	☐

☐ Send notification if condition abrogated