

Monitoring and Understanding Notebook-Based Learning with Jupyter

A Dashboard for Student Self-Assessment

ARTURO OLIVARES MARTOS, Universidad de Granada, Spain

LISA PAWLOWSKI, University of Duisburg-Essen, Germany

MOHAMED ABDELMAGIED, University of Duisburg-Essen, Germany

KAIMAO SHENG, University of Duisburg-Essen, Germany

IRENE-ANGELICA CHOUNTA, University of Duisburg-Essen, Germany

As programming becomes increasingly integrated into scientific and educational workflows, the need to understand how users interact with computational notebooks has grown. This project introduces a JupyterLab dashboard extension that monitors and visualizes notebook activity, including notebook openings, cell execution outcomes, errors, and retries. The system produces summary statistics and visual timelines that portray how the workflow unfolds. The dashboard is intended to be used by students for self-assessment and awareness of their coding patterns. A survey was conducted to gather user feedback on the dashboard's usability and usefulness. The insights gained from this evaluation serve as a pilot study, establishing a baseline for the tool's usability and paving the way for future research on its pedagogical impact.

CCS Concepts: • **Applied computing** → **Interactive learning environments**; • **Human-centered computing** → **Empirical studies in visualization**.

Additional Key Words and Phrases: Jupyter Notebooks, Learning Analytics, Educational Dashboards, Student Self-Assessment, Instructor Insights, Interactive Coding Environments

ACM Reference Format:

Arturo Olivares Martos, Lisa Pawlowski, Mohamed Abdelmagied, Kaimao Sheng, and Irene-Angelica Chounta. 2026. Monitoring and Understanding Notebook-Based Learning with Jupyter: A Dashboard for Student Self-Assessment. In *Proceedings of Make sure to enter the correct conference title from your rights confirmation email (Conference acronym 'XX)*. ACM, New York, NY, USA, 6 pages. <https://doi.org/XXXXXXX.XXXXXXX>

1 Introduction

This paper presents the design of a newly developed JupyterLab extension – a learner-facing dashboard that tracks detailed notebook interactions, such as cell-level execution histories and error patterns, to support self-reflection in programming education. Understanding the programming process is important because computational notebooks are central to modern data science education, yet instructors often lack visibility into how students work, and learners themselves rarely have opportunities to reflect on their own workflows, error patterns, or problem-solving behaviors [16,

Authors' Contact Information: Arturo Olivares Martos, arturoolivares@correo.ugr.es, arturo.olivares@stud.uni-due.de, Universidad de Granada, Granada, Spain; Lisa Pawlowski, lisa.pawlowski.99@stud.uni-due.de, University of Duisburg-Essen, Duisburg, Germany; Mohamed Abdelmagied, mohamed.abdelmagied@stud.uni-due.de, University of Duisburg-Essen, Duisburg, Germany; Kaimao Sheng, kaimao.sheng@uni-due.de, University of Duisburg-Essen, Duisburg, Germany; Irene-Angelica Chounta, irene-angelica.chounta@uni-due.de, University of Duisburg-Essen, Duisburg, Germany.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than the author(s) must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

Conference acronym 'XX, Woodstock, NY

© 2026 Copyright held by the owner/author(s). Publication rights licensed to ACM.

ACM ISBN 978-1-4503-XXXX-X/2018/06

<https://doi.org/XXXXXXX.XXXXXXX>

20]. Related research explores the use of learning dashboards to enhance students' self-awareness, foster reflection, and offer instructors actionable insights into learner behavior. However, the majority of existing dashboards focus on high-level learning management system data rather than fine-grained programming behavior within computational notebooks [15]. To address this gap, we develop a student-centered dashboard extension in JupyterLab and evaluate its usability, perceived usefulness, and cognitive workload through an exploratory study with 22 students using standardized evaluation instruments (SUS, TAM, and NASA-TLX) [7, 9, 11]. In particular, we aim to answer the following research question: *Whether the proposed dashboard extension is perceived by students as useful, easy to integrate into their workflow, and usable without imposing an excessive cognitive workload during programming tasks.*

This work has two contributions: 1) the design and implementation of a dashboard that captures programming behavior directly within JupyterLab, shifting focus from final code correctness to the learning process, and 2) empirical evidence on its acceptance, usability and cognitive impact, offering practical insights for building reflective tools in computational learning environments.

2 Related Work

Jupyter notebooks are widely used for scientific computing, data analysis, and programming education [16]. Their combination of executable code, narrative text, and visual output supports exploratory and iterative work practices in which learners repeatedly test, revise, and interpret code. At the same time, programming learners often struggle with error identification and debugging, frequently relying on trial-and-error strategies [20]. Prior work on notebook-based analytics shows that cell-level traces such as execution patterns, time on task, and navigation behavior can reveal retries, hesitation, and fragmented workflows that remain invisible in final notebook submissions [2, 24].

Learning dashboards have been discussed as tools for supporting awareness, reflection, and self-regulated learning [5, 22]. However, many existing dashboards rely on coarse-grained learning management system data, such as resource access, assignment completion, or overall activity patterns, which limits their ability to represent the step-by-step nature of programming work [15]. Existing approaches in programming education often remain instructor-facing, assignment-level, or performance-oriented, rather than supporting student-directed reflection on fine-grained coding behavior [10, 23]. For learner-facing dashboards, the central challenge is not only to visualize activity data, but to support students' sense-making and actionability. [13] show that students' interpretation of dashboard visualizations depends on factors such as transparency of design, reference frames, and support for action. In addition, dashboard information design may affect cognitive load and learning performance, making workload an important evaluation dimension [3].

3 Dashboard Design and Implementation

Our learner-facing dashboard extension is designed to help students reflect on their work and identify learning gaps during programming tasks within JupyterLab. A video demo of our extension can be found [here](#).

3.1 Data Collection Mechanism

Using JupyterLab's API [17, 18], the tool monitors active sessions and logs telemetry events in a relational SQLite database containing six core tables:

Users Stores anonymous personal codes and roles (student/teacher¹).

Notebooks Tracks notebook metadata (title, path, author).

¹The teacher role is there for potential future use.

Notebook Sessions Captures timestamps for when notebooks are opened and closed and by whom.

Cells Logs cell types (code, markdown, raw) and original content.

Active Cells Monitors active user focus with exact interaction durations.

Cell Executions Tracks code execution metrics, runtime outputs, and error counts/messages.

3.2 Data Visualization Panels

The user interface, accessible through the JupyterLab command palette, is organized into distinct panels² (each featuring a “Help” button for interpretation):

User Information Displays the user’s anonymous ID code and role.

Current Progress Shows a percentage metric tracking error-free code execution according to Equation (1).

$$\text{Progress} = \frac{\text{Number of code cells with an execution without errors}}{\text{Total number of code cells}} \times 100\% \quad (1)$$

Success/Error/Attempt Rate Classifies cells into three status categories and shows the rate of each category:

- *Successful*: Single execution, zero errors.
- *Attempted*: Multiple executions, but the final attempt was successful.
- *Error*: The final execution resulted in a failure.

Error Rate Displays overall execution failure rates using a dynamic color gradient scale (0% green to 100% red) according to Equation (2).

$$\text{Error Rate} = \frac{\text{Number of executions with errors}}{\text{Total number of executions}} \times 100\% \quad (2)$$

Top Error Cells Lists the top n cells with the most failed executions, including a jump-to-cell navigation link.

Top Attempt Cells Highlights the top n cells requiring the highest volume of total executions.

Top Time-Consuming Cells Ranks cells by total time active during the workspace session.

Top Common Error Types Tallies occurrences of specific Python exceptions (e.g., `SyntaxError`, `NameError`).

Execution Timeline A chronologically plotted dot graph of executions, color-coded by outcome (green for success, red for errors) to illustrate workflow trends over time.

4 Evaluation

To evaluate how students experience the dashboard as a learner-facing reflection interface, we conducted an exploratory, cross-sectional user study. The aim was to assess students’ perceptions of the dashboard in terms of usability, perceived usefulness, ease of use, and workload. Twenty-two (22) students participated in the study and interacted with the dashboard while solving Python exercises in JupyterLab. Participants differed in their prior experience with Jupyter Notebook and Python, allowing the dashboard to be evaluated by learners with varying programming backgrounds.

The study was approved by the Ethics Committee of the Faculty of Computer Science at the University of Duisburg-Essen³. After providing informed consent, participants first answered background questions on their previous experience with Jupyter Notebook and Python. They then used the JupyterLab dashboard during a programming task and subsequently completed standardized post-use questionnaires⁴. Usability was measured with the System Usability Scale

²The dashboard visualization is available [here](#).

³Ethics certificate ID: 2601CMPL2910.

⁴Questionnaires are available [here](#).

Table 1. Descriptive Statistics of Main Evaluation Measures ($N = 22$)

Measure	M	SD	Min	Max
System Usability Scale (SUS)	65.57	17.89	40.00	90.00
TAM Overall	5.36	0.88	3.25	6.75
Perceived Usefulness (PU)	4.93	1.18	3.33	7.00
Perceived Ease of Use (PEOU)	5.78	1.06	3.17	7.00
NASA-TLX	8.15	2.92	1.67	12.67

(SUS), a ten-item instrument resulting in a score from 0 to 100 [9]. Perceived usefulness and perceived ease of use were assessed using items based on the Technology Acceptance Model (TAM) [7]. Subjective workload was measured with the NASA Task Load Index (NASA-TLX), covering mental demand, physical demand, temporal demand, perceived performance, effort, and frustration [11].

The collected data were analyzed descriptively to summarize students’ perceptions of the dashboard. In addition, Spearman rank correlations were computed exploratively to examine relationships between usability, perceived usefulness, ease of use, and workload. This evaluation provides an initial empirical basis for understanding whether fine-grained notebook visualizations can be integrated into students’ programming workflows without imposing excessive cognitive burden.

5 Results

The final sample consisted of 22 students with varying prior experience in Jupyter Notebook and Python. On average, participants spent about 17 minutes testing the dashboard while solving Python exercises. All multi-item scales showed acceptable to excellent internal consistency (SUS: $\alpha = .794$; PU: $\alpha = .852$; PEOU: $\alpha = .941$). Descriptive statistics are reported in Table 1.

The mean SUS score (65.57) fell just below the common benchmark of 68, indicating generally usable but improvable interface design; presenting multiple fine-grained indicators at once may have raised perceived complexity for some users.

Technology acceptance was positive overall (TAM $M = 5.36$ on a seven-point scale), but Perceived Ease of Use exceeded Perceived Usefulness (5.78 vs. 4.93). Students thus found the dashboard easy to operate, while its immediate value for self-reflection was less evident. Qualitative comments echoed this: some participants saw the dashboard as more useful for instructors, or asked for more actionable support such as guidance on resolving specific errors.

Subjective workload was low to moderate (NASA-TLX $M = 8.15$ on a 0–20 scale), suggesting the dashboard did not impose excessive cognitive burden. Together, these results indicate that fine-grained notebook visualizations can be integrated into students’ workflows in a usable, low-workload manner, but that their reflective value depends on stronger interpretive and actionable support.

6 Conclusions

This study presented and evaluated a learner-facing JupyterLab dashboard that visualizes fine-grained notebook interactions to support students’ reflection on their programming processes. The results suggest these visualizations can be integrated into notebook-based workflows with good usability and low workload: students found the dashboard relatively easy to use and did not report excessive cognitive burden, though they rated its usefulness for self-reflection more moderately. Visibility is thus only the first step—learners also need support in interpreting the information and translating it into concrete next steps. This work contributes an initial learner-centered evaluation of fine-grained notebook visualizations as reflection interfaces in programming education.

References

- [1] Riordan Dervin Alfredo, Vanessa Echeverria, Linxuan Zhao, LuEttaMae Lawrence, Jie Xiang Fan, Lixiang Yan, Xinyu Li, Zachari Swiecki, Dragan Gašević, and Roberto Martinez-Maldonado. 2024. Designing a Human-Centred Learning Analytics Dashboard In-Use. *Journal of Learning Analytics* (2024). <https://learning-analytics.info/index.php/JLA/article/view/8487>
- [2] Zhenyu Cai, Richard Lee Davis, Raphaël Mariétan, Roland Tormey, and Pierre Dillenbourg. 2025. Jupyter Analytics: A Toolkit for Collecting, Analyzing, and Visualizing Distributed Student Activity in Jupyter Notebooks. In *Proceedings of the 56th ACM Technical Symposium on Computer Science Education V. 1 (SIGCSE TS 2025)*. ACM, Pittsburgh, PA, USA, 1–7. doi:10.1145/3641554.3701971
- [3] Nuo Cheng, Wei Zhao, Xiaoqing Xu, Hongxia Liu, and Jinhong Tao. 2024. The influence of learning analytics dashboard information design on cognitive load and performance. *Education and Information Technologies* (2024). doi:10.1007/s10639-024-12606-1
- [4] Andrew Chu, Dea Biancarelli, Mari-Lynn Drainoni, James H Liu, Jeffrey I Schneider, Ryan Sullivan, and Alexander Y Sheng. 2019. Usability of learning moment: features of an E-learning tool that maximize adoption by students. *Western Journal of Emergency Medicine* 21, 1 (2019), 78.
- [5] Linda Corrin and Paula De Barba. 2014. Exploring students' interpretation of feedback delivered through learning analytics dashboards. (2014).
- [6] Lee J Cronbach. 1951. Coefficient alpha and the internal structure of tests. *psychometrika* 16, 3 (1951), 297–334.
- [7] Fred D Davis et al. 1989. Technology acceptance model: TAM. *Al-Suqri, MN, Al-Aufi, AS: Information seeking behavior and technology adoption* 205, 219 (1989), 5.
- [8] Taijara Loiola de Santana, Paulo Anselmo da Mota Silveira Neto, Eduardo Santana de Almeida, and Iftekhar Ahmed. 2022. Bug Analysis in Jupyter Notebook Projects: An Empirical Study. *arXiv preprint arXiv:2210.06893* (2022).
- [9] German UPA. 2026. System Usability Scale (SUS). <https://germanupa.de/wissen/fragebogenmatrix/sus> Accessed: 2026-02-22.
- [10] Iris Groher, Michael Vierhauser, and Erik Hartl. 2024. A Learning Analytics Dashboard for Improved Learning Outcomes and Diversity in Programming Classes. In *CSEDU (2)*. 618–625.
- [11] Sandra G Hart and Lowell E Staveland. 1988. Development of NASA-TLX (Task Load Index): Results of empirical and theoretical research. In *Advances in psychology*. Vol. 52. Elsevier, 139–183.
- [12] Morten Hertzum. 2021. Reference values and subscale patterns for the task load index (TLX): a meta-analytic review. *Ergonomics* 64, 7 (2021), 869–878.
- [13] Ioana Jivet, Maren Scheffel, Marcel Schmitz, Stefan Robbers, Marcus Specht, and Hendrik Drachsler. 2020. From students with love: An empirical study on learner goals, self-regulated learning and sense-making of learning analytics in higher education. *The Internet and Higher Education* 47 (2020), 100758. doi:10.1016/j.iheduc.2020.100758
- [14] Maslin Masrom. 2007. Technology acceptance model and e-learning. *Technology* 21, 24 (2007), 81.
- [15] Lucas Paulsen and Euan Lindsay. 2024. Learning analytics dashboards are increasingly becoming about learning and not just analytics-A systematic review. *Education and Information Technologies* 29, 11 (2024), 14279–14308.
- [16] Jeffrey M Perkel. 2018. Why Jupyter is data scientists' computational notebook of choice. *Nature* 563, 7732 (2018), 145–147.
- [17] Project Jupyter. 2024. *JupyterLab Extension Tutorial*. Project Jupyter. https://jupyterlab.readthedocs.io/en/v4.5.x/extension/extension_tutorial.html Accessed: 2026-02-22.
- [18] Project Jupyter. 2024. jupyterlab/extension-template: A cookiecutter template for creating a JupyterLab extension. <https://github.com/jupyterlab/extension-template>.
- [19] Deepthi Raghunandan, Aayushi Roy, Shenzhi Shi, Niklas Elmqvist, and Leilani Battle. 2023. Code Evolution: Understanding How People Change Data Science Notebooks Over Time. In *Proceedings of the 2023 CHI Conference on Human Factors in Computing Systems*. 1–12. doi:10.1145/3544548.3580997
- [20] Derek Robinson, Neil A Ernst, Enrique Larios Vargas, and Margaret-Anne D Storey. 2022. Error identification strategies for Python Jupyter notebooks. In *Proceedings of the 30th IEEE/ACM International Conference on Program Comprehension*. 253–263.
- [21] María Jesús Rodríguez-Triana, Luis P Prieto, Andrii Vozniuk, Mina Shirvani Boroujeni, Beat A Schwendimann, Adrian Holzer, and Denis Gillet. 2017. Monitoring, awareness and reflection in blended technology enhanced learning: a systematic review. *International Journal of Technology Enhanced Learning* 9, 2-3 (2017), 126–150.
- [22] Beat A Schwendimann, María Jesús Rodríguez-Triana, Andrii Vozniuk, Luis P Prieto, Mina Shirvani Boroujeni, Adrian Holzer, Denis Gillet, and Pierre Dillenbourg. 2016. Perceiving learning at a glance: A systematic literature review of learning dashboard research. *IEEE transactions on learning technologies* 10, 1 (2016), 30–41.
- [23] Jigneshkumar Jitubhai Sondagar. 2021. *E-Learning - Analytics using Jupyter Notebooks*. Bachelor Thesis. Hochschule Merseburg (FH), Merseburg, Germany.

- [24] Manuel Valle Torre, Thom van der Velden, Marcus Specht, and Catharine Oertel. 2025. *JELAI: Integrating AI and Learning Analytics in Jupyter Notebooks*. Springer Nature Switzerland, 68–75. doi:10.1007/978-3-031-98465-5_9