Продвинутое использование git

Саруханов Артур Евгеньевич¹ 22 июня, 2024, Москва, Россия

¹Российский Университет Дружбы Народов

Цели и задачи работы —

Цель лабораторной работы

Получение навыков правильной работы с репозиториями git.

Задачи лабораторной работы

- 1 Выполнить работу для тестового репозитория.
- 2 Преобразовать рабочий репозиторий в репозиторий с git-flow и conventional commits.

Процесс выполнения лабораторной работы

Node.js

```
\oplus
                                           asarukhanov@asarukhanov:~
 asarukhanov@asarukhanov:~$ pnpm setup
Appended new lines to /home/asarukhanov/.bashrc
Next configuration changes were made:
export PNPM_HOME="/home/asarukhanov/.local/share/pnpm"
case ":$PATH:" in
 *":$PNPM HOME:"*) ;;
 *) export PATH="$PNPM_HOME:$PATH" ;;
esac
To start using pnpm, run:
source /home/asarukhanov/.bashrc
 asarukhanov@asarukhanov:~$ source ~/.bashrc
 asarukhanov@asarukhanov:~$
```

Рис. 1: Node.js

commitizen

```
sarukhanov@asarukhanov:~$ pnpm add -g commitizen
                   Update available! 8.12.0 → 9.4.0.
      Changelog: https://github.com/pnpm/pnpm/releases/tag/v9.4.0
                   Run "pnpm add -g pnpm" to update.
        Follow @pnpmjs for updates: https://twitter.com/pnpmjs
WARN
                                          glob@7.2.3, inflight@1.0.6
Packages: +153
Progress: resolved 153, reused 0, downloaded 153, added 153, done
 commitizen 4.3.0
Done in 5.7s
asarukhanov@asarukhanov:~$
```

Рис. 2: установка commitizen

standard-changelog

```
asarukhanov/losarukhanov:-$ pnpm add -g standard-changelog
MARM 2 deprecated subdependencies found: glob@7.2.3, inflight@1.0.6
Packages: *42

Progress: resolved 195, reused 153, downloaded 42, added 42, done
/home/asarukhanov/.local/share/pnpm/global/5:
*standard-changelog 6.0.0

Done in 6.5s
asarukhanov@asarukhanov:-$
```

Рис. 3: установка standard-changelog

package.json

```
package.json
  Открыть ▼ +
1 {
 2
      "name": "git-extended",
      "version": "1.0.0".
      "description": "Git repo for educational purposes",
 5
      "main": "index.js",
 6
      "repository": "git@github.com:artursarukhanov/git-extended.git",
      "author": "artursarukhanov",
      "license": "CC-BY-4.0",
      "config": {
10
          "commitizen": {
11
              "path": "cz-conventional-changelog"
12
13
14 }
15
```

Рис. 4: package.json

Использование commitizen

```
arukhanov@asarukhanov:~/git-extended$ git add .
cz-cli04.3.0. cz-conventional-changelog03.3.0
 Select the type of change that you're committing: chore: Other changes that don't modify src or test
 What is the scope of this change (e.g. component or file name): (press enter to skip)
 Write a short, imperative tense description of the change (max 93 chars):
 Provide a longer description of the change: (press enter to skip)
 Are there any breaking changes? No
 Does this change affect any open issues? No
 master 9cfb2e91 chore: test
1 file changed, 15 insertions(+)
create mode 100644 package.json
sarukhanov@asarukhanov:-/git-extendeds git push
Перечисление объектов: 4. готово.
Подсчет объектов: 100% (4/4), готово.
При сжатии изменений используется до 6 потоков
Сжатие объектов: 100% (3/3), готово
Запись объектов: 100% (3/3), 1.12 КиБ | 1.12 МиБ/с, готово.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:artursarukhanov/git-extended.git
  ccc96f3..9cfb2e9 master -> master
 arukhanov@asarukhanov:~/git-extended$
```

Рис. 5: Отправка

```
sarukhanov@asarukhanov:~/git-extended$ git flow init
Which branch should be used for bringing forth production releases?
Branch name for production releases: [master]
Branch name for "next release" development: [develop]
How to name your supporting branch prefixes?
Feature branches? [feature/]
Bugfix branches? [bugfix/]
Release branches? [release/]
Hotfix branches? [hotfix/]
Support branches? [support/]
Version tag prefix? []
Hooks and filters directory?∬/home/asarukhanov/git-extended/.git/hooks]
asarukhanov@asarukhanov:~/git-extended$ git branch
asarukhanov@asarukhanov:~/git-extended$ git push --all
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Create a pull request for 'develop' on GitHub by visiting:
remote:
            https://github.com/artursarukhanov/git-extended/pull/new/develop
To github.com:artursarukhanov/git-extended.git
* [new branch] develop -> develop
 sarukhanov@asarukhanov:~/git-extendedS
```

Рис. 6: Инициализация и загрузка изменений

git-flow




Рис. 7: Завершение релиза

Отправим данные на github

```
sarukhanov@asarukhanov:~/git-extended$ git push --all
Перечисление объектов: 6. готово.
Подсчет объектов: 100% (6/6), готово.
При сжатии изменений используется до 6 потоков
Сжатие объектов: 100% (4/4), готово.
Запись объектов: 100% (5/5), 2.68 КиБ | 914.00 КиБ/с, готово.
Total 5 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:artur¶arukhanov/git-extended.git
   9cfb2e9..cf10a91 develop -> develop
   9cfb2e9..9e0fdad master -> master
 asarukhanov@asarukhanov:~/git-extended$ git push --tags
Перечисление объектов: 1, готово.
Подсчет объектов: 100% (1/1), готово.
Запись объектов: 100% (1/1), 157 байтов | 157.00 КиБ/с, готово.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com;artursarukhanov/git-extended.git
 * [new tag]
                     1.0.0 -> 1.0.0
asarukhanov@asarukhanov:~/git-extended$ gh release create v1.0.0 -F CHANGELOG.md
https://github.com/artursarukhanov/git-extended/releases/tag/v1.0.0
 sarukhanov@asarukhanov:~/git-extended$
```

Рис. 8: Отправка

Объединение веток

```
sarukhanov@asarukhanov:-/git-extended$ gh release create v1.0.0 -F CHANGELOG.md
https://github.com/artursarukhanov/git-extended/releases/tag/v1.0.0
 isarukhanov@asarukhanov:~/git-extended$ git flow feature start feature_branch
Переключились на новую ветку «feature/feature_branch»
Summary of actions:
- A new branch 'feature/feature_branch' was created, based on 'develop'
 You are now on branch 'feature/feature_branch'
Now, start committing on your feature. When done, use:
     git flow feature finish feature_branch
asarukhanov@asarukhanov:~/git-extended$ touch test2
asarukhanov@asarukhanov:~/git-extended$ git flow feature finish feature_branch
Переключились на ветку «develop»
Эта ветка соответствует «origin/develop».
Уже актуально.
Ветка feature/feature_branch удалена (была cf10a91).
Summary of actions:
- The feature branch 'feature/feature_branch' was merged into 'develop'
- Feature branch 'feature/feature_branch' has been locally deleted

    You are now on branch 'develop'

asarukhanov@asarukhanov:~/git-extended$
```

Рис. 9: Объединение веток

git-flow

```
∄
                                    asarukhanov@asarukhanov:~/qit-extended
Эта ветка соответствует «origin/develop».
Merge made by the 'ort' strategy.
CHANGELOG.md | 4 ****
package.json | 2 *
2 files changed, 5 insertions(+), 1 deletion(-)
Ветка release/1.2.3 удалена (была edd09bc).
Summary of actions:
 Release branch 'release/1.2.3' has been merged into 'master'
 The release was tagged '1.2.3'
 Release tag '1.2.3' has been back-merged into 'develop'
 Release branch 'release/1.2.3' has been locally deleted
 You are now on branch 'develop'
Перечисление объектов: 9. готово.
Тодсчет объектов: 186% (9/9), готово.
1ри сжатии изменений используется до 6 потоков
Сжатие объектов: 100% (6/6), готово
Запись объектов: 100% (6/6), 2.79 КиБ | 715.00 КиБ/с, готово.
Total 6 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 180% (1/1), completed with 1 local object.
Fo github.com:artursarukhanov/git-extended.git
  cf10a91..9abcf73 develop -> develop
  9e0fdad..003fa6d master -> master
 arukhanov@asarukhanov:~/git-extended$ git push --tags
Перечисление объектов: 1, готово.
Подсчет объектов: 100% (1/1), готово.
Запись объектов: 100% (1/1), 157 байтов | 157,00 КиБ/с, готово.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:artursarukhanov/git-extended.git
* [new tag]
  arukhanov@asarukhanov:-/git-extended$ gh release create v1.2.3 -F CHANGELOG.md
https://github.com/artursarukhanov/git-extended/releases/tag/v1.2.3
   ukhanov@asarukhanov:~/git-extended$
```

Рис. 10: Завершение релиза

Подготовка рабочего репозитория

```
arukhanov@asarukhanov:~/work/study/2023-2024/Операционные системы/os-intro$ git add .
cz-cli@4.3.0, cz-conventional-changelog@3.3.0
 Select the type of change that you're committing: chore: Other changes that don't modify arc or test
 What is the scope of this change (e.g. component or file name): (press enter to skip)
 Write a short, imperative tense description of the change (max 93 chars):
 Provide a longer description of the change: (press enter to skip)
 Are there any breaking changes? No
 Does this change affect any open issues? No
 master 937ad54] chore: test
 1 file changed, 14 insertions(+)
create mode 100644 package.ison
           /wasarukhanov:~/work/study/2023-2024/Операционные системы/os-intro$ git push
Перечисление объектов: 4, готово.
Подсчет объектов: 100% (4/4), готово.
При сжатии изменений используется до 6 потоков
Сжатие объектов: 100% (3/3), готово
Запись объектов: 100% (3/3), 1.12 КиБ | 1.12 МиБ/с, готово.
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:artursarukhanov/os-intro.git
  e64b976..937ad54 master -> master
     khanov@asarukhanov:~/work/study/2023-2024/Операционные системы/os-intro$
```

Рис. 11: package.json и коммит

Подготовка рабочего репозитория




Рис. 12: Завершение релиза

Выводы по проделанной работе

Вывод

Мы приобрели практические навыки взаимодействия с дополнительными функциями гитхаб.