

Successful registration via phone number with SMS OTP verification

Priority	Severity	Behavior	Type
High	Critical	Positive	Smoke
Layer	Is Flaky	Is Muted	Automation
E2E	No	No	Manual
Status	Milestone		
Actual	-		
Tags			
smoke, critical_path			

Steps to reproduce

#	Step	Action	Expected Result
1	Open the registration page on ozon.ru (the "Войти" button in the site header).		The phone number input form is displayed.
2	Enter a phone number not previously registered in the system and tap "Получить код."		The number is accepted, the SMS code input field is displayed, and an SMS with a one-time code is sent to the specified number.
3	Enter the received confirmation code.		The code is accepted without errors.
4	Complete registration.		The user has been successfully authenticated; the "Личный кабинет" tab is available in the "Мой Ozon" section.
5	Open "Личный кабинет" > "Моя учетная запись".		The specified phone number is saved as the primary contact for the new account.

Successful login by a registered user via OTP

Priority	Severity	Behavior	Type
High	Critical	Positive	Smoke
Layer	Is Flaky	Is Muted	Automation
E2E	No	No	Manual
Status	Milestone		
Actual	-		
Tags			
smoke, critical_path			

Steps to reproduce

#	Step	Action	Expected Result
1	Open the login page.		The phone number input form is displayed.

#	Step	Action	Expected Result
2	Enter the phone number of a registered user and tap "Получить код".	Phone number of an existing account	An SMS with the code arrives; the input field is displayed.
3	Enter the correct confirmation code.		The code is accepted without errors.
4	Verify the login result.		The user is logged in: the header shows their name/avatar; "Личный кабинет" shows the history of their previous orders.

OWA-3 / Registration & Authentication

Log in via OAuth provider (VK ID)

Priority	Severity	Behavior	Type
Medium	Major	Positive	Regression
Layer	Is Flaky	Is Muted	Automation
API	No	No	Manual
Status	Milestone		
Actual	-		
Tags			
regression			

Steps to reproduce

#	Step	Action	Expected Result
1	On the login page, select the "VK ID" authentication method.		The user is redirected to the VK ID authorization page (separate page or pop-up window).
2	Enter valid VK ID credentials and confirm granting access to the OZON app and linking your email to OZON.		VK ID redirects the user back to ozon.ru.
3	Verify the session state on OZON.		The user is logged in to the OZON account linked to VK ID; on first login via VK ID, the user is prompted to confirm/complete contact details.

Entering an expired or incorrect OTP code

Priority	Severity	Behavior	Type
High	Major	Negative	Regression
Layer	Is Flaky	Is Muted	Automation
API	No	No	Manual
Status	Milestone		
Actual	-		
Tags			
regression			

Steps to reproduce

#	Step	Action	Expected Result
1	Request an SMS code for a phone number.		The code is sent.
2	Enter a deliberately incorrect code that does not match the one sent.		Ан "неверный код" error message is displayed; login is not completed.
3	Wait for the code to expire, then enter the previously sent (now expired) code.		A message indicating the code has expired is displayed, prompting the user to request a new one.

Preserving the user session after a page refresh

Priority	Severity	Behavior	Type
High	Major	Positive	Regression
Layer	Is Flaky	Is Muted	Automation
E2E	No	No	Manual
Status	Milestone		
Actual	-		
Tags			
regression			

Steps to reproduce

#	Step	Action	Expected Result
1	Log in using any available method.		The user is logged in.
2	Refresh the page (browser reload).		The session persists; login status is not reset.
3	Open a new tab in the same browser and navigate to ozon.ru.		The user is also logged in in the new tab (shared browser session).

Logging out from all devices terminates all active sessions.

Priority	Severity	Behavior	Type
High	Critical	Positive	Regression
Layer	Is Flaky	Is Muted	Automation
E2E	No	No	Manual
Status	Milestone		
Actual	-		
Tags			
regression			

Steps to reproduce

#	Step	Action	Expected Result
1	Log in with one account on device/browser A.		Active session A is created.
2	Log in with the same account on device/browser B.		Active session B is created; if available, both sessions are visible under "Личный кабинет" > "Безопасность".
3	On device A, perform the "Выйти со всех устройств" ("Log out of all devices") action.		A confirmation prompt is shown before the action is executed.
4	Check the state of device B (refresh the page or perform an action requiring authentication).		The session on device B is terminated; the user is redirected to the login page.

Full-text search returns relevant results for a valid query.

Priority	Severity	Behavior	Type
High	Major	Positive	Smoke
Layer	Is Flaky	Is Muted	Automation
E2E	No	No	Manual
Status	Milestone		
Actual	-		
Tags			
smoke, critical_path			

Steps to reproduce

#	Step	Action	Expected Result
1	Enter the name of a product/category that exists in the catalog into the search bar and press Enter.		The search results page is displayed.

#	Step	Action	Expected Result
2	Check the relevance and number of results found.		Results include products matching the query; a count of found items is displayed.

OWA-9 / Catalog & Search

A search with a typo offers spell-correction.

Priority	Severity	Behavior	Type
Medium	Minor	Positive	Regression
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		
Tags			
regression			

Steps to reproduce

#	Step	Action	Expected Result
1	Enter a query with a deliberate typo in a well-known product/brand name into the search bar.		The search executes without error.
2	Review the results page.		A "Вы искали ...?" suggestion with the corrected query is shown, and/or results are already based on the corrected query.

OWA-10 / Catalog & Search

The combination of filters (price, brand, rating) correctly narrows down the search results.

Priority	Severity	Behavior	Type
Medium	Major	Positive	Regression
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		
Tags			
regression			

Steps to reproduce

#	Step	Action	Expected Result
1	Go to a broad product category.		A product list with a filter panel is displayed.

#	Step	Action	Expected Result
2	Apply a price range filter.		The list updates, leaving only products within the specified range.
3	Additionally apply a brand filter.		The list narrows further to products of the selected brand within the price filter.
4	Additionally apply a rating filter.		The list narrows further to products meeting all three conditions simultaneously; the results counter updates correctly.

OWA-11 / Catalog & Search

Sort search results by price (ascending and descending)

Priority	Severity	Behavior	Type
Medium	Minor	Positive	Regression
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Tags

regression

Steps to reproduce

#	Step	Action	Expected Result
1	Open a product list (search results or category).		The list is displayed with a sort option available.
2	Select "сортировать по возрастанию".		The list is rebuilt, products ordered from lowest to highest price.
3	Select "сортировать по убыванию".		The list is rebuilt, products ordered from highest to lowest price.

OWA-12 / Catalog & Search

Navigating the category tree via breadcrumbs

Priority	Severity	Behavior	Type
Medium	Minor	Positive	Regression
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		

Tags

regression

Steps to reproduce

#	Step	Action	Expected Result
1	Go to the catalog and open a nested category (2-3 levels deep).		The category's product list is displayed along with a breadcrumb trail reflecting the path through the category tree.
2	Click an intermediate level in the breadcrumb trail.		Navigates to the corresponding parent category with an updated (shortened) breadcrumb trail.

OWA-13 / Catalog & Search

Searching for a non-existent product displays a "no results" status.

Priority	Severity	Behavior	Type
Medium	Minor	Negative	Regression
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		
Tags			
regression			

Steps to reproduce

#	Step	Action	Expected Result
1	Enter a deliberately meaningless/non-existent query into the search bar.		The search executes without a page error.
2	Review the results page.		A "По вашему запросу ничего не найдено." state is displayed, the product list is empty; alternative suggestions/popular categories may be shown if available.

OWA-14 / Product Page

The product card displays the price, availability, and the delivery timeframe and cost.

Priority	Severity	Behavior	Type
High	Major	Positive	Smoke
Layer	Is Flaky	Is Muted	Automation
E2E	No	No	Manual
Status	Milestone		
Actual	-		
Tags			
critical_path, smoke			

Steps to reproduce

#	Step	Action	Expected Result
1	Open the product page for an item that is in stock.		The product page loads fully, without errors.
2	Check the price block.		The current product price is displayed.
3	Check the availability and delivery block.		Stock status is displayed along with the minimum delivery timeframe and cost for the default address.

OWA-15 / Product Page

Selecting a product variant (size/color) updates the price and availability without reloading the page.

Priority	Severity	Behavior	Type
High	Major	Positive	Regression
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		
Tags			
regression			

Steps to reproduce

#	Step	Action	Expected Result
1	Open the product page for an item that has variants (e.g., size and/or color).		Variant selectors are displayed; one available variant is selected by default.
2	Select a different available variant.		Without reloading the page, the price and/or availability update for the selected variant.
3	Select a variant that is out of stock (if available).		The interface clearly shows the item is unavailable in this variant (e.g., grayed out/marked "out of stock"); the "Добавить в корзину" button is disabled or shows a warning.

OWA-16 / Product Page

Adding an item to the cart from the product page

Priority	Severity	Behavior	Type
High	Critical	Positive	Smoke
Layer	Is Flaky	Is Muted	Automation
E2E	No	No	Manual
Status	Milestone		
Actual	-		
Tags			
critical_path, smoke			

Steps to reproduce

#	Step	Action	Expected Result
1	Open the product page for an item in stock.		The "Добавить в корзину" button is enabled.
2	Tap "Добавить в корзину".		The item is added to the cart without a page reload; visual confirmation is shown, the cart counter in the header updates.
3	Open the cart.		The added item is present in the list with quantity 1 and the price matching the product page.

OWA-17 / Product Page

The "Купить сейчас" button leads directly to the checkout process.

Priority	Severity	Behavior	Type
High	Critical	Positive	Regression
Layer	Is Flaky	Is Muted	Automation
E2E	No	No	Manual
Status	Milestone		
Actual	-		
Tags			
critical_path, regression			

Steps to reproduce

#	Step	Action	Expected Result
1	Open the product page for an item in stock.		The "Купить сейчас" button is visible and enabled.
2	Tap "Купить сейчас".		The user is redirected directly to the checkout page, bypassing a separate cart review step.
3	Check the order contents on the checkout page.		The order contains exactly the item (and variant) used to initiate the flow, in quantity 1.

OWA-18 / Product Page

Navigate to the seller's storefront via their rating

Priority	Severity	Behavior	Type
Medium	Minor	Positive	Regression
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		
Tags			
regression			

Steps to reproduce

#	Step	Action	Expected Result
1	Open the product page for an item sold by a third-party seller.		A block with the seller's name and rating is displayed.
2	Tap the seller's name/rating.		Navigates to that seller's storefront.
3	Check the storefront contents.		Displays the list of products from that seller and their overall rating/reviews.

OWA-19 / Cart & Checkout

The shopping cart is preserved after an authorized user logs out and logs back in.

Priority	Severity	Behavior	Type
High	Critical	Positive	Regression
Layer	Is Flaky	Is Muted	Automation
E2E	No	No	Manual
Status	Milestone		
Actual	-		
Tags			
regression			

Steps to reproduce

#	Step	Action	Expected Result
1	Log in and add one or more items to the cart.		Items appear in the cart.
2	Log out of the account.		The user is logged out.
3	Log in again with the same account.		The user is logged in; previously added items are present in the cart in the same quantity.

OWA-20 / Cart & Checkout

Items from different sellers or with different delivery types are grouped into separate shipments.

Priority	Severity	Behavior	Type
Medium	Major	Positive	Regression
Layer	Is Flaky	Is Muted	Automation
E2E	No	No	Manual
Status	Milestone		
Actual	-		
Tags			
regression			

Steps to reproduce

#	Step	Action	Expected Result
1	Add items to the cart from at least two different sellers and/or with different delivery types.		Items are successfully added to the cart.
2	Open the cart / checkout page.		Items are visually grouped into separate shipment blocks by seller and/or delivery method; each group shows its own cost and delivery timeframe.

OWA-21 / Cart & Checkout

Select a delivery method at checkout: courier, pickup point, or parcel locker.

Priority	Severity	Behavior	Type
High	Critical	Positive	Smoke
Layer	Is Flaky	Is Muted	Automation
E2E	No	No	Manual
Status	Milestone		
Actual	-		
Tags			
critical_path, smoke			

Steps to reproduce

#	Step	Action	Expected Result
1	Proceed to checkout with item(s) in the cart.		The delivery method selection step is displayed.
2	Select "Courier" and specify an address.		The timeframe and cost of courier delivery to the specified address are displayed.
3	Switch to "Пункт выдачи заказов".		A map/list of available pickup points is displayed; selecting a specific point updates the timeframe and cost.
4	Switch to "Постамат".		A map/list of available parcel lockers is displayed; selecting a specific locker updates the timeframe and cost.

Cart total below the minimum blocks the process or triggers a warning at the checkout stage.

Priority	Severity	Behavior	Type
High	Major	Negative	Regression
Layer	Is Flaky	Is Muted	Automation
E2E	No	No	Manual
Status	Milestone		
Actual	-		
Tags			
regression			

Steps to reproduce

#	Step	Action	Expected Result
1	Build a cart with a total below the minimum order threshold.		Items are in the cart.
2	Proceed to checkout.		A warning is shown that the order total is below the minimum, and/or proceeding to the next checkout step is blocked until the total is increased.

Applying a valid promo code during checkout reduces the final amount.

Priority	Severity	Behavior	Type
High	Major	Positive	Regression
Layer	Is Flaky	Is Muted	Automation
E2E	No	No	Manual
Status	Milestone		
Actual	-		
Tags			
regression			

Steps to reproduce

#	Step	Action	Expected Result
1	Build a cart and proceed to checkout.		The order total and a promo code input field are displayed.
2	Enter a valid, applicable promo code and tap "Подтвердить".	A valid promo code	The promo code is applied; the order total is reduced by the discount amount, shown as a separate line item.

The use of an invalid or expired promo code is rejected with an error.

Priority	Severity	Behavior	Type
Medium	Minor	Negative	Regression
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		
Tags			
regression			

Steps to reproduce

#	Step	Action	Expected Result
1	Proceed to checkout.		The promo code input field is available.
2	Enter a non-existent or expired promo code and tap "Подтвердить".	An invalid/expired promo code	An error message is displayed («неверный промокод» / «срок действия промокода истек»); the order total does not change.

All available payment methods are displayed at checkout

Priority	Severity	Behavior	Type
High	Critical	Positive	Smoke
Layer	Is Flaky	Is Muted	Automation
E2E	No	No	Manual
Status	Milestone		
Actual	-		
Tags			
critical_path, smoke			

Preconditions

Cart with items eligible for standard delivery.

Steps to reproduce

#	Step	Action	Expected Result
1	Add item(s) to cart, proceed to checkout, reach payment step.		
2	Observe the list of offered payment methods.		Card, SBP, Ozon Card/Ozon Bank balance, and cash/card on delivery (where regionally applicable) are all listed

OWA-26 / Payment

Payment methods correctly filtered by region/delivery method

Priority	Severity	Behavior	Type
Medium	Normal	Positive	Regression
Layer	Is Flaky	Is Muted	Automation
E2E	No	No	Manual
Status	Milestone		
Actual	-		
Tags			
critical_path, regression			

Steps to reproduce

#	Step	Action	Expected Result
1	Select a delivery address/region known to restrict certain payment types		
2	Reach the payment step.		Unavailable methods for that region/delivery type are either hidden or shown disabled, not selectable.

OWA-27 / Payment

Unavailable method shows a reason

Priority	Severity	Behavior	Type
Medium	Normal	Negative	Regression
Layer	Is Flaky	Is Muted	Automation
E2E	No	No	Manual
Status	Milestone		
Actual	-		
Tags			
regression			

Steps to reproduce

#	Step	Action	Expected Result
1	Attempt to select a payment method disabled per OWA-26.		Method is not selectable; no unexplained blank state or crash.

OWA-39 / Payment

Malformed card number rejected client-side

Priority	Severity	Behavior	Type
Medium	Major	Negative	Functional
Layer	Is Flaky	Is Muted	Automation
E2E	No	No	Manual
Status	Milestone		
Actual	-		

Steps to reproduce

#	Step	Action	Expected Result
1	Enter a card number that fails basic format validation (wrong length) before submitting.		Form-level validation error appears; no request reaches the payment gateway; no order created.

OWA-40 / Payment

Re-viewing confirmation from order history

Priority	Severity	Behavior	Type
Low	Minor	Positive	Functional
Layer	Is Flaky	Is Muted	Automation
E2E	No	No	Manual
Status	Milestone		
Actual	-		

Tags

regression

Steps to reproduce

#	Step	Action	Expected Result
1	Click the button "Мои заказы"		"Мои заказы" > order details shows order number, status, delivery date.

The order status is displayed and updated in the order history after the order is placed.

Priority	Severity	Behavior	Type
High	Normal	Positive	Smoke
Layer	Is Flaky	Is Muted	Automation
Not set	No	No	Manual
Status	Milestone		
Actual	-		
Tags			
critical_path, smoke			

Steps to reproduce

#	Step	Action	Expected Result
1	Place and pay for an order.		The order is created.
2	Open "Мои заказы".		The order appears in the list with the correct number, contents, and current status (e.g., "processing").
3	Wait for/trigger a change in order status (e.g., "shipped").		The order status in the history updates accordingly, without needing to re-place the order.

Cancellation of a single item from a multi-item order prior to shipment

Priority	Severity	Behavior	Type
Medium	Major	Positive	Regression
Layer	Is Flaky	Is Muted	Automation
API	No	No	Manual
Status	Milestone		
Actual	-		
Tags			
regression			

Steps to reproduce

#	Step	Action	Expected Result
1	Place an order containing at least two different items, status pre-shipment.		An order with two line items is created.
2	In the order details, select "Закрыць" for one of the items.		The system asks for confirmation of the cancellation for that specific item.
3	Confirm the cancellation.		The selected item is marked as canceled; the second item remains active and continues processing; the order total/refund is recalculated correctly.

Rescheduling the delivery date or changing the pickup point before order shipment

Priority	Severity	Behavior	Type
Medium	Major	Positive	Regression
Layer	Is Flaky	Is Muted	Automation
E2E	No	No	Manual
Status	Milestone		
Actual	-		
Tags			
regression			

Steps to reproduce

#	Step	Action	Expected Result
1	Open an active order (pre-shipment) in "Мои заказы".		А «Изменить доставку» / «Перенести дату» action is available.
2	Select a new available delivery date.		The system confirms the change; the new date is shown in the order details.
3	Alternatively, change the previously selected pickup point to a different available one.		The pickup point in the order updates; the order status is not reset.

Initiating a return from order history with reason selection

Priority	Severity	Behavior	Type
High	Critical	Positive	Regression
Layer	Is Flaky	Is Muted	Automation
E2E	No	No	Manual
Status	Milestone		
Actual	-		
Tags			
critical_path, regression			

Steps to reproduce

#	Step	Action	Expected Result
1	Open an order with "delivered" status in "Мои заказы".		An "Оформить возврат" action is available.
2	Select the item(s) to return and specify a reason from the provided list.		The form accepts the selection; a comment/photo may be requested if needed.
3	Confirm the return request.		The request is created, its number and status "на рассмотрении" / «ожидает отправки») are displayed; the request appears in the "Returns" section.

Tracking refund status after refund approval

Priority	Severity	Behavior	Type
High	Major	Positive	Regression
Layer	Is Flaky	Is Muted	Automation
E2E	No	No	Manual
Status	Milestone		
Actual	-		
Tags			
regression			

Steps to reproduce

#	Step	Action	Expected Result
1	Have a previously submitted and approved return request.		The request status is "approved".
2	Open the "Returns" section and select the request.		The current refund processing status is displayed, along with the expected crediting timeframe, if available.
3	Wait for the status to change to "refund completed".		The status updates in the interface; refund amount and method details are available to the user.

Adding, editing, and deleting a saved delivery address

Priority	Severity	Behavior	Type
Medium	Major	Positive	Regression
Layer	Is Flaky	Is Muted	Automation
E2E	No	No	Manual
Status	Milestone		
Actual	-		
Tags			
regression			

Steps to reproduce

#	Step	Action	Expected Result
1	Go to "Личный кабинет" > "Адреса доставки" .		The list of saved addresses is displayed (may be empty).
2	Add a new address, filling in the required fields, and save.		The address appears in the list.
3	Edit the added address and save the changes.		Changes are saved; the list shows the updated version of the address.

#	Step	Action	Expected Result
4	Delete the address.		The system asks for delete confirmation; after confirming, the address disappears from the list.

OWA-35 / My Account

Reorder "Заказать снова" from order history

Priority	Severity	Behavior	Type
High	Critical	Positive	Regression
Layer	Is Flaky	Is Muted	Automation
E2E	No	No	Manual
Status	Milestone		
Actual	-		
Tags			
regression			

Steps to reproduce

#	Step	Action	Expected Result
1	Open "Мои заказы" and find a previously placed (delivered) order.		The order has a "Заказать снова" button available.
2	Tap "Заказать снова".		The system attempts to add all items from that order to the cart.
3	Check the cart contents.		Items from the old order are added at current availability and current price; if an item is no longer available, the user is explicitly notified which items were not added.

OWA-37 / Reviews & Ratings

The option to leave a review is available only after confirmed delivery.

Priority	Severity	Behavior	Type
Medium	Major	Positive	Regression
Layer	Is Flaky	Is Muted	Automation
E2E	No	No	Manual
Status	Milestone		
Actual	-		
Tags			
regression			

Steps to reproduce

#	Step	Action	Expected Result
1	Open the product page for an item the user has not ordered (or an order that has not yet been delivered).		The review button/form is unavailable or absent for this user.

#	Step	Action	Expected Result
2	Place an order for this item and wait for "delivered" status.		The order status is "delivered".
3	Reopen the product page (or "Мои заказы" > this order).		The review form (rating and text field) becomes available.

OWA-38 / Reviews & Ratings

An attempt to leave a review without a verified purchase is blocked.

Priority	Severity	Behavior	Type
High	Major	Negative	Regression
Layer	Is Flaky	Is Muted	Automation
E2E	No	No	Manual
Status	Milestone		
Actual	-		
Tags			
regression			

Steps to reproduce

#	Step	Action	Expected Result
1	Open the product page for an item the user has not purchased.		The product page displays correctly.
2	Attempt to invoke the review submission form.		The system does not allow submitting a review: the form is unavailable/hidden, or submission returns an error.