

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show

☒ source

☐ outline

☐ image report

Options...

Check by

text input

☐ css

```
</script>
  <script src="http://localhost:8000/popper/popper.min.js"></script>
  <script src="http://localhost:8000/js/activate_popovers.js" defer>
</script>
</head>

<body>
  <header id="headerFixed" class="navbar row">
    <div class="col col-md-3 col-lg-3 col-xl-1 mt-auto mb-auto">
      <a href="http://localhost:8000">
        
      </a>
    </div>
    <!-- Search -->
    <div class="col-xl-4 d-none d-xl-block mt-auto mb-auto">
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Error

 Duplicate ID `headerSearchIcon`.
[From line 93, column 109; to line 93, column 160](#)

```
<i id="headerSearchIcon" class="fas fa-search mr-2"></i>
```
- Warning

 The first occurrence of ID `headerSearchIcon` was here.
[From line 38, column 17; to line 38, column 68](#)

```
<i id="headerSearchIcon" class="fas fa-search mr-2"></i>
```
- Warning

 Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).
[From line 109, column 5; to line 109, column 38](#)

```
nav">    <section id="breadcrumbContainer">    <
```

4. **Error** The element `button` must not appear as a descendant of the `a` element.

[From line 118, column 55; to line 119, column 55](#)

```
user/ssn"><button class="btn btnMediaSmall btn-blue">Accoun
```

5. **Error** The element `button` must not appear as a descendant of the `a` element.

[From line 122, column 112; to line 123, column 55](#)

```
urchases"><button class="btn btnMediaSmall btn-blue">Purcha
```

6. **Error** The element `button` must not appear as a descendant of the `a` element.

[From line 127, column 62; to line 128, column 64](#)

```
n/offers"><button class="btn btnMediaSmall btn-blue btn-blue">Offers
```

7. **Error** The element `button` must not appear as a descendant of the `a` element.

[From line 131, column 110; to line 132, column 69](#)

```
/reports"><button class="btn btnMediaSmall btn-blue btn-blue-full">Report
```

8. **Error** Duplicate ID `content`.

[From line 136, column 7; to line 136, column 47](#)

```
r"><div id="content" class="container mt-5"><
```

9. **Warning** The first occurrence of ID `content` was here.

[From line 135, column 11; to line 135, column 50](#)

```
</nav> <section id="content" class="container">
```

10. **Error** Duplicate ID `userOffersTable`.

[From line 187, column 29; to line 187, column 74](#)

```
<table id="userOffersTable" class="table p-0">
```

11. **Warning** The first occurrence of ID `userOffersTable` was here.

[From line 149, column 29; to line 149, column 74](#)

```
<table id="userOffersTable" class="table p-0">
```

12. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

[From line 234, column 9; to line 234, column 45](#)

```
>␣␣␣<section class="col ml-auto my-auto">␣␣␣
```

13. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

[From line 217, column 5; to line 217, column 25](#)

```
<hr>␣␣␣<article class="row">␣␣␣
```

Document checking completed.

Source

```
1. <!DOCTYPE html>␣␣␣
2. ␣␣␣
3. <html lang="en">␣␣␣
4. ␣␣␣
5. <head>␣␣␣
6.   <meta charset="utf-8">␣␣␣
7.   <meta http-equiv="X-UA-Compatible" content="IE=edge">␣␣␣
8.   <meta name="viewport" content="width=device-width, initial-scale=1">␣␣␣
9.   <!-- CSRF Token -->␣␣␣
10.  <meta name="csrf-token"
11.  content="vVndLX3Uo7fdmmPNgdeMURtuQgtxFB4MmBL4fU0g">␣␣␣
12.  <title>KeyShare - ssn Reports</title>␣␣␣
13.  <!-- Styles -->␣␣␣
14.  <link href="http://localhost:8000/css/common.css" rel="stylesheet">␣␣␣
15.  <link href="http://localhost:8000/css/feedback.css" rel="stylesheet">␣␣␣
16.  <link href="http://localhost:8000/css/product.css" rel="stylesheet">␣␣␣
17.  <link href="http://localhost:8000/bootstrap/css/bootstrap.min.css"
18.  rel="stylesheet">␣␣␣
19.  <link href="http://localhost:8000/fontawesome/css/all.min.css"
20.  rel="stylesheet">␣␣␣
21.  <!-- fonts -->␣␣␣
22.  <link href="http://localhost:8000/css/montserrat.css"
23.  rel="stylesheet">␣␣␣
24.  <script src="http://localhost:8000/jquery/jquery.slim.js"></script>␣␣␣
25.  <script
26.  src="http://localhost:8000/bootstrap/js/bootstrap.bundle.min.js">
27.  </script>␣␣␣
28.  <script src="http://localhost:8000/fontawesome/js/fontawesome.min.js">
29.  </script>␣␣␣
30.  <script src="http://localhost:8000/popper/popper.min.js"></script>␣␣␣
31.  <script src="http://localhost:8000/js/activate_popovers.js" defer>
32.  </script>␣␣␣
33. </head>␣␣␣
34. ␣␣␣
35. <body>␣␣␣
36.   <header id="headerFixed" class="navbar row">␣␣␣
37.     <div class="col col-md-3 col-lg-3 col-xl-1 mt-auto mb-auto">␣␣␣
38.       <a href="http://localhost:8000">␣␣␣
39.         ␣␣␣
42.       </a>␣␣␣
43.     </div>␣␣␣
44.     <!-- Search -->␣␣␣
45.     <div class="col-xl-4 d-none d-xl-block mt-auto mb-auto">␣␣␣
46.       <form id="query-form" class="form-inline"
47.       action="http://localhost:8000/search" method="get">␣␣␣
48.       <a class="ml-auto">␣␣␣
```

```

38.         <i id="headerSearchIcon" class="fas fa-search mr-2">
39.     </i>
40.     </a>
41.     <input class="form-control mr-auto mt-auto mb-
42. auto mr-auto searchBar" type="search" placeholder="Search"
43.     aria-label="Search" name="query" id="query" value="">
44. </div>
45. <!--Buttons-->
46. <div class="col d-none d-xl-block mt-auto mb-auto">
47.     <div class="row justify-content-end">
48.         <a href="http://localhost:8000/search" class="btn btn-
49. outline-light mr-5 pl-4 pr-4 navbarButton"
50.         role="button">Explore</a>
51.         <a href="http://localhost:8000/offer" class="btn
52. btn-orange navbarButton pl-4 pr-4" role="button">Sell Now</a>
53.         <!-- User Image -->
54.         <button class="btn btn-outline-light ml-5 navbarButton
55. dropdown-toggle" id="dropdownMenuButton"
56.         data-toggle="dropdown" aria-haspopup="true" aria-
57. expanded="false">
58.              ssn
62.         </button>
63.         <div class="dropdown-menu dropdown-menu-right " aria-
64. labelledby="dropdownMenuButton">
65.             <a class="dropdown-item"
66. href="http://localhost:8000/user/ssn">My
67.             Profile</a>
68.             <a class="dropdown-item"
69. href="http://localhost:8000/user/purchases">My Purchases</a>
70.             <a class="dropdown-item"
71. href="http://localhost:8000/user/ssn/offers">My
72.             Offers</a>
73.             <a class="dropdown-item"
74. href="http://localhost:8000/user/reports">Reports</a>
75.             <div class="dropdown-divider"></div>
76.             <form action="http://localhost:8000/logout"
77.             method="POST">
78.                 <input type="hidden" name=" token"
79.                 value="vVndLX3Uo7fdmmPNgdeMUrtuQgtxFB4MmBL4fU0g">
80.                 <input type="submit" class="dropdown-item" value="Log out">
81.             </form>
82.         </div>
83.     </div>
84. </div>
85. <!-- Cart icon -->
86. <div class="col d-none col-xl-2 d-xl-block mt-auto mb-auto">
87.     <div class="row">
88.         <a href="http://localhost:8000/cart" class="mt-auto mb-auto
89. ml-auto mr-3">
90.             <i class="fas fa-shopping-cart headerIcon cl-orange">
91. </i>
92.             <span id="shopping_cart_item_counter"
93.             class="badge badge-secondary">4</span>
94.         </a>
95.     </div>
96. </div>
97. <!--Button Collapse Small -->
98. <div class="col d-xl-none text-right pos-f-t">
99.     <button id="navbarHamburger" type="button" class="navbar-
100. toggler ml-auto" data-toggle="collapse"
101.     data-target="#hamburgerContentNavSmall" aria-
102. controls="hamburgerContentNavSmall" aria-expanded="false"
103.     aria-label="Toggle navigation">
104.         <span class="navbar-toggler-icon"></span>
105.     </button>
106. </div>
107. </header>
108. <div id="hamburgerContentNavSmall" class="collapse sticky-top pt-3 pb-
109. 3">
110.     <div class="col w-100">

```

```

92.         <form class="form-inline" action="http://localhost:8000/search"
method="get">
93.             <input type="hidden" name=" token"
value="vVndLX3Uo7fdmmPNqdeMUrtu0qtxFB4MmBL4fU0q">
id="headerSearchIcon" class="fas fa-search mr-2"></i>
94.             <input class="form-control mr-auto mt-auto mb-auto mr-auto
searchBar" type="search" placeholder="Search"
95.                 aria-label="Search" name="query" />
96.         </form>
97.         <div class="row flex-nowrap justify-content-around mt-3">
98.             <a href="http://localhost:8000/search"
class="btn btn-outline-light navbarButtonSmall"
role="button">Explore</a>
99.             <a id="sellNowButtonNavbar"
href="http://localhost:8000/offer" class="btn btn-outline-light
navbarButtonSmall"
100.                 role="button">Sell Now</a>
101.             <a id="shoppingCartIconHamburguer"
href="http://localhost:8000/cart" class="mt-auto mb-auto mr-2"><i>
102.                 class="fas fa-shopping-cart headerIcon cl-orange">
</i><span>
103.                     class="badge badge-secondary"></span></a>
104.         </div>
105.     </div>
106. </div>
107. <main id="wrapper">
108.     <nav id="navbar" class="nav">
109.         <section id="breadcrumbContainer">
110.             <ol class="breadcrumb">
111.                 <li class="breadcrumb-item"><a href="/"><i class="fas fa-home">
</i>Home</a></li>
112.                 <li class="breadcrumb-item"><a
href="http://localhost:8000/user/ssn">User</a></li>
113.                 <li class="breadcrumb-item"><a
href="http://localhost:8000/user/reports">Reports</a></li>
114.             </ol>
115.         </section>
        <ul id="userNavbar" class="nav nav-tabs ml-auto mr-auto p-
3 flex-nowrap">
116.             <li class="nav-item">
117.                 <a class="nav-link deco-none ml-1 mr-1 userNavbarItem"
href="http://localhost:8000/user/ssn"><button
118.                     class="btn btnMediaSmall btn-blue">Account</button>
119.                 </a>
120.             </li>
121.             <li class="nav-item">
122.                 <a class="nav-link deco-none ml-1 mr-1 userNavbarItem"
href="http://localhost:8000/user/purchases"><button
123.                     class="btn btnMediaSmall btn-
blue">Purchases</button></a>
124.             </li>
125.             <li class="nav-item">
126.                 <a class="nav-link deco-none ml-1 mr-1 userNavbarItem"
href="http://localhost:8000/user/ssn/offers"><button
127.                     class="btn btnMediaSmall btn-blue btn-
blue">Offers</button></a>
128.             </li>
129.             <li class="nav-item">
130.                 <a class="nav-link deco-none ml-1 mr-1 userNavbarItem"
href="http://localhost:8000/user/reports"><button
131.                     class="btn btnMediaSmall btn-blue btn-blue-
full">Reports</button></a>
132.             </li>
133.         </ul>
134.     </nav>
    <section id="content" class="container">
135.         <div id="content" class="container mt-5">
136.             <div class="row mt-5">
137.                 <div class="col-sm-12 usercontent-left">
138.                     <div class="row px-3">
139.                         <div class="col-sm-9 " style="display:flex; align-
140.                             items: center;">
141.                             <h4 class="text-left">My Reports<span class="badge
ml-1 badge-secondary"
142.                                 0</span></h4>
143.                         </div>
144.                     </div>
145.                 <div class="container mt-3 mb-3">

```

```

146.         <div class="row ">
147.             <div class="col-12">
148.                 <div class="table-responsive table-striped
tableFixHead mt-3">
149.                     <table id="userOffersTable" class="table p-
0">
150.                         <thead>
151.                             <tr>
152.                                 <th scope="col" class="border-0
bg-light">
153.                                     <div class="p-2 px-3 text-
uppercase">Product Bought</div>
154.                                 </th>
155.                                 <th scope="col" class="border-0
bg-light text-center">
156.                                     <div class="p-2 px-3 text-
uppercase">Buy date</div>
157.                                 </th>
158.                                 <th scope="col" class="border-0
bg-light text-center">
159.                                     <div class="py-2 text-
uppercase">Report Date</div>
160.                                 </th>
161.                                 <th scope="col" class="border-0
bg-light text-center">
162.                                     <div class="py-2 text-
uppercase">Options</div>
163.                                 </th>
164.                             </tr>
165.                         </thead>
166.                         <tbody>
167.
</tbody>
168.                     </table>
169.                 </div>
170.             </div>
171.         </div>
172.     </div>
173. </div>
174.
175.     <div class="col-sm-12 usercontent-left mt-5">
176.         <div class="row px-3">
177.             <div class="col-sm-12">
178.                 <h4 class="text-left">Reports against me<
<span class="badge ml-1 badge-
secondary">0</span>
180.                 </h4>
181.             </div>
182.         </div>
183.         <div class="container mt-3 mb-3">
184.             <div class="row ">
185.                 <div class="col-12">
186.                     <div class="table-responsive table-striped
tableFixHead mt-3 mt-3">
187.                         <table id="userOffersTable" class="table p-
0">
188.                             <thead>
189.                                 <tr>
190.                                     <th scope="col" class="border-0
bg-light">
191.                                         <div class="p-2 px-3 text-
uppercase">Product Sold</div>
192.                                     </th>
193.                                     <th scope="col" class="border-0
bg-light text-center">
194.                                         <div class="py-2 text-
uppercase">Report Date</div>
195.                                     </th>
196.                                     <th scope="col" class="border-0
bg-light text-center">
197.                                         <div class="py-2 text-
uppercase">Reporter</div>
198.                                     </th>
199.                                     <th scope="col" class="border-0
bg-light text-center">

```

```

200.                                     <div class="py-2 text-
uppercase">Options</div>↵
201.                                     </th>↵
202. ↵
203.                                     </tr>↵
204.                                     </thead>↵
205.                                     <tbody>↵
206.
</tbody>↵
207.                                     </table>↵
208.                                     </div>↵
209.                                     </div>↵
210.                                     </div>↵
211.                                     </div>↵
212.                                     </div>↵
213.                                     </div>↵
214. </div> </section>↵
215. <footer id="footerGeneric" class="container">↵
216. <hr>↵
217. <article class="row">↵
218.     <section class="col">↵
219.         <h5 class="title"> More</h5>↵
220.         <ul class="list-unstyled">↵
221.             <li><a href=http://localhost:8000/faq> Help</a></li>↵
222.             <li><a href=http://localhost:8000/contact> Contact</a>
</li>↵
223.             <li><a href=http://localhost:8000/about> About us</a>
</li>↵
224.         </ul>↵
225.     </section>↵
226.     <section class="col">↵
227.         <h5 class="title"> Shortcuts </h5>↵
228.         <ul class="list-unstyled">↵
229.             <li><a href=http://localhost:8000/user/ssn>
230.                 Profile</a></li>
                <li><a
href=http://localhost:8000> Homepage</a></li>↵
231.             <li><a href=http://localhost:8000/search> All
products</a></li>↵
232.         </ul>↵
233.     </section>↵
234.     <section class="col ml-auto my-auto">↵
235.         <p>© Copyright 2020 Key Share. All rights reserved.</p>↵
236.     </section>↵
237. </article>↵
238. </footer> </main>↵
239. </body>↵
240. ↵
241. </html>

```

Used the HTML parser.

Total execution time 176 milliseconds.

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show

☒ source

☐ outline

☐ image report

Options...

Check by

text input

☐ css

```
<!DOCTYPE html>

<html lang="en">

<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <!-- CSRF Token -->
  <meta name="csrf-token"
content="vVndLX3Uo7fdmmPNgdeMURtuQgtxFB4MmBL4fU0g">
  <title>KeyShare - ssn Offers</title>
  <!-- Styles -->
  <link href="http://localhost:8000/css/common.css" rel="stylesheet">
  <link href="http://localhost:8000/css/feedback.css" rel="stylesheet">
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Error

Duplicate ID

headerSearchIcon.

[From line 94, column 109; to line 94, column 160](#)

```
<i id="headerSearchIcon" class="fas fa-search mr-2"></i>
```
- Warning

The first occurrence of ID

headerSearchIcon

was here.

[From line 39, column 17; to line 39, column 68](#)

```
<i id="headerSearchIcon" class="fas fa-search mr-2"></i>
```
- Warning

Section lacks heading. Consider using

h2

-

h6

elements to

[add identifying headings to all sections.](#)

[From line 110, column 5; to line 110, column 38](#)

```
nav"><section id="breadcrumbContainer"><
```


4. **Error** The element `button` must not appear as a descendant of the `a` element.

[From line 119, column 55; to line 120, column 55](#)

```
user/ssn"><button class="btn btnMediaSmall btn-blue">Accoun
```

5. **Error** The element `button` must not appear as a descendant of the `a` element.

[From line 123, column 112; to line 124, column 55](#)

```
urchases"><button class="btn btnMediaSmall btn-blue">Purcha
```

6. **Error** The element `button` must not appear as a descendant of the `a` element.

[From line 128, column 62; to line 129, column 69](#)

```
n/offers"><button class="btn btnMediaSmall btn-blue btn-blue-full">Offers
```

7. **Error** The element `button` must not appear as a descendant of the `a` element.

[From line 132, column 110; to line 133, column 64](#)

```
/reports"><button class="btn btnMediaSmall btn-blue btn-blue">Report
```

8. **Error** Duplicate ID `content`.

[From line 137, column 7; to line 137, column 47](#)

```
r"><div id="content" class="container mt-5"><
```

9. **Warning** The first occurrence of ID `content` was here.

[From line 136, column 11; to line 136, column 50](#)

```
</nav> <section id="content" class="container">
```

10. **Error** The `scope` attribute on the `td` element is obsolete. Use the `scope` attribute on a `th` element instead.

[From line 174, column 91; to line 175, column 86](#)

```
offer112"><td scope="row" class="border-0 align-middle">
```

11. **Error** The `scope` attribute on the `td` element is obsolete. Use the `scope` attribute on a `th` element instead.

[From line 215, column 91; to line 216, column 86](#)


```
<img
src=http://localhost:8000/pictures/games/fdala4aab3b10a57b2cf50ce834648
40.png alt="Game Picture" width=" 150" class="img-fluid
```

19. **Error** Bad value `/product/RED DEAD REDEMPTION 2/XBOXONE` for attribute `href` on element `a`: Illegal character in path segment: space is not allowed.

[From line 323, column 49; to line 325, column 42](#)

```
ne-block"><a href="/product/RED DEAD
REDEMPTION 2/XBOXONE" class="text-dark">RED DE
```

20. **Error** The `scope` attribute on the `td` element is obsolete. Use the `scope` attribute on a `th` element instead.

[From line 338, column 82; to line 339, column 50](#)

```
<tr> <td scope="row" class="border-0 align-middle">
```

21. **Error** Bad value `150` for attribute `width` on element `img`: Expected a digit but saw instead.

[From line 341, column 13; to line 342, column 97](#)

```
<img
src=http://localhost:8000/pictures/games/261f44e3020433d5f0b8693688ae44
b5.png alt="Game Picture" width=" 150" class="img-fluid
```

22. **Error** Bad value `/product/GTA V/NINTENDO` for attribute `href` on element `a`: Illegal character in path segment: space is not allowed.

[From line 344, column 49; to line 346, column 42](#)

```
ne-block"><a href="/product/GTA V/NINTENDO"
class="text-dark">GTA V<
```

23. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

[From line 387, column 9; to line 387, column 45](#)

```
> <section class="col ml-auto my-auto">
```

24. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

[From line 370, column 5; to line 370, column 25](#)

```
<hr> <article class="row">
```

Source

```
1. <!DOCTYPE html>↵
2. ↵
3. <html lang="en">↵
4. ↵
5. <head>↵
6.     <meta charset="utf-8">↵
7.     <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
8.     <meta name="viewport" content="width=device-width, initial-scale=1">↵
9.     <!-- CSRF Token -->↵
10.    <meta name="csrf-token"
content="vVndLX3Uo7fdmmPNgdeMURtuQgtxFB4MmBL4fU0g">↵
11.    <title>KeyShare - ssn Offers</title>↵
12.    <!-- Styles -->↵
13.    <link href="http://localhost:8000/css/common.css" rel="stylesheet">↵
14.    <link href="http://localhost:8000/css/feedback.css" rel="stylesheet">↵
15.    <link href="http://localhost:8000/css/product.css" rel="stylesheet">↵
16.    <link href="http://localhost:8000/bootstrap/css/bootstrap.min.css"
rel="stylesheet">↵
17.    <link href="http://localhost:8000/fontawesome/css/all.min.css"
rel="stylesheet">↵
18.    <!-- fonts -->↵
19.    <link href="http://localhost:8000/css/montserrat.css"
rel="stylesheet">↵
20.    <script src="http://localhost:8000/jquery/jquery.slim.js"></script>↵
21.    <script
src="http://localhost:8000/bootstrap/js/bootstrap.bundle.min.js">
</script>↵
22.    <script src="http://localhost:8000/fontawesome/js/fontawesome.min.js">
</script>↵
23.    <script src="http://localhost:8000/popper/popper.min.js"></script>↵
24.    <script src="http://localhost:8000/js/activate_popovers.js" defer>
</script>↵
25.    <script src="http://localhost:8000/js/user/offers.js" defer></script>↵
26. </head>↵
27. ↵
28. <body>↵
29.     <header id="headerFixed" class="navbar row">↵
30.         <div class="col col-md-3 col-lg-3 col-xl-1 mt-auto mb-auto">↵
31.             <a href="http://localhost:8000">↵
32.                 ↵
33.             </a>↵
34.         </div>↵
35.         <!-- Search -->↵
36.         <div class="col-xl-4 d-none d-xl-block mt-auto mb-auto">↵
37.             <form id="query-form" class="form-inline"
action="http://localhost:8000/search" method="get">↵
38.                 <a class="ml-auto">↵
39.                     <i id="headerSearchIcon" class="fas fa-search mr-2">
</i>↵
40.                 </a>↵
41.                 ↵
42.                 <input class="form-control mr-auto mt-auto mb-
auto mr-auto searchBar" type="search" placeholder="Search"↵
43.                     aria-label="Search" name="query" id="query" value="">↵
44.                 </form>↵
45.             </div>↵
46.             <!-- Buttons -->↵
47.             <div class="col d-none d-xl-block mt-auto mb-auto">↵
48.                 <div class="row justify-content-end">↵
49.                     <a href="http://localhost:8000/search" class="btn btn-
outline-light mr-5 pl-4 pr-4 navbarButton"↵
50.                         role="button">Explore</a>↵
51.                     <a href="http://localhost:8000/offer" class="btn
btn-orange navbarButton pl-4 pr-4" role="button">Sell Now</a>↵
52.                     <!-- User Image -->↵
53.                     <button class="btn btn-outline-light ml-5 navbarButton
dropdown-toggle" id="dropdownMenuButton"↵
54.                         data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">↵
```

```

55.          ssn
57.         </button>
58.         <div class="dropdown-menu dropdown-menu-right " aria-
labelledby="dropdownMenuButton">
59.             <a class="dropdown-item"
href="http://localhost:8000/user/ssn">My
60.                 Profile</a>
61.             <a class="dropdown-item"
href="http://localhost:8000/user/purchases">My Purchases</a>
62.             <a class="dropdown-item"
href="http://localhost:8000/user/ssn/offers">My
63.                 Offers</a>
64.             <a class="dropdown-item"
href="http://localhost:8000/user/reports">Reports</a>
65.             <div class="dropdown-divider"></div>
66.             <form action="http://localhost:8000/logout"
method="POST">
67.                 <input type="hidden" name=" token"
value="vVndLX3Uo7fdmmPNgdeMURtuQgtxFB4MmBL4fU0g">
<input type="submit" class="dropdown-item" value="Log out">
68.             </form>
69.         </div>
70.     </div>
71. </div>
72. <!-- Cart icon -->
73. <div class="col d-none col-xl-2 d-xl-block mt-auto mb-auto">
74.     <div class="row">
75.         <a href="http://localhost:8000/cart" class="mt-auto mb-auto
ml-auto mr-3">
76.             <i class="fas fa-shopping-cart headerIcon cl-orange">
</i>
77.             <span id="shopping_cart_item_counter"
class="badge badge-secondary">4</span>
78.         </a>
79.     </div>
80. </div>
81. </div>
82. <!-- Button Collapse Small -->
83. <div class="col d-xl-none text-right pos-f-t">
84.     <button id="navbarHamburger" type="button" class="navbar-
toggler ml-auto" data-toggle="collapse"
85.         data-target="#hamburgerContentNavSmall" aria-
controls="hamburgerContentNavSmall" aria-expanded="false"
86.         aria-label="Toggle navigation">
87.         <span class="navbar-toggler-icon"></span>
88.     </button>
89. </div>
90. </header>
91. <div id="hamburgerContentNavSmall" class="collapse sticky-top pt-3 pb-
3">
92.     <div class="col w-100">
93.         <form class="form-inline" action="http://localhost:8000/search"
method="get">
94.             <input type="hidden" name=" token"
value="vVndLX3Uo7fdmmPNgdeMURtuQgtxFB4MmBL4fU0g">
95.             <input class="form-control mr-auto mt-auto mb-auto mr-auto
searchBar" type="search" placeholder="Search"
96.                 aria-label="Search" name="query" />
97.         </form>
98.         <div class="row flex-nowrap justify-content-around mt-3">
99.             <a href="http://localhost:8000/search"
class="btn btn-outline-light navbarButtonSmall"
role="button">Explore</a>
100.             <a id="sellNowButtonNavbar"
href="http://localhost:8000/offer" class="btn btn-outline-light
navbarButtonSmall"
101.                 role="button">Sell Now</a>
102.             <a id="shoppingCartIconHamburger"
href="http://localhost:8000/cart" class="mt-auto mb-auto mr-2"><i
103.                 class="fas fa-shopping-cart headerIcon cl-orange">
</i><span
104.                 class="badge badge-secondary"></span></a>
105.         </div>

```

[illegible]

```

162.                                     <th scope="col" class="border-0
    bg-light text-center">↵
163.                                     <div class="py-2 text-
    uppercase">Start Date</div>↵
164.                                     </th>↵
165.                                     <th scope="col" class="border-0
    bg-light text-center">↵
166.                                     <div class="py-2 text-
    uppercase">Current Price</div>↵
167.                                     </th>↵
168.                                     <th scope="col" class="border-0
    bg-light text-center">↵
169.                                     <div class="py-2 text-
    uppercase">Options</div>↵
170.                                     </th>↵
171.                                     </tr>↵
172.                                     </thead>↵
173.                                     <tbody>↵
174.
175.                                     <td scope="row" class="border-0
    align-middle">↵
176.                                     <div class="p-2">↵
177.                                     ↵
180.                                     <div class="ml-3 d-
    inline-block align-middle flex-nowrap">↵
181.                                     <h5 class="mb-0 d-
    inline-block"><a↵
182.                                     href="http://localhost:8000/product/MINECRAFT/PS4"↵
183.                                     class="
    text-dark">MINECRAFT</a>↵
184.                                     </h5>↵
185.                                     <span↵
186.                                     class="text-
    muted font-weight-normal font-italic d-inline-block">↵
187.                                     [PS4]↵
188.                                     </span>↵
189.                                     <h6>Stock: 3
    keys</h6>↵
190.                                     </div>↵
191.                                     </div>↵
192.                                     </td>↵
193.                                     <td class="text-center align-
    middle">2019-10-17</td>↵
194.
    <td class="text-center align-middle"><strong>$17.63</strong>↵
195.                                     </td>↵
196.
    <td class="align-middle">↵
197.                                     <div class="btn-group-
    justified btn-group-md">↵
198.                                     <a
    href="http://localhost:8000/offer/112"↵
199.                                     class="btn btn-blue
    btn-block flex-nowrap" role="button">↵
200.                                     <i class="fas fa-
    edit d-inline-block"> </i>↵
201.                                     <span class="d-none
    d-md-inline-block"> Edit Offer </span>↵
202.                                     </a>↵
203.                                     <form
    action="http://localhost:8000/offer/112"↵
204.                                     method="POST">↵
205.                                     <input type="hidden"
    name=" token" value="vVndLX3Uo7fdmmPNgdeMUrtuQgtxFB4MmBL4fU0g"> <input
    type="hidden" name=" method" value="DELETE">
    <button type="submit"↵
206.                                     class=" btn btn-
    red btn-block flex-nowrap mt-2">↵

```



```

207.         offer-btn">␣                                     id="delete-
208.                                     <i class="fas
209. fa-trash-alt"></i>␣                                     <span class="d-
210. none d-md-inline-block"> Delete Offer </span>␣         </button>␣
211.                                                         </form>␣
212.                                                         </div>␣
213.                                                         </td>␣
214.                                                         </tr>␣
215.
216. <tr id="offer113">␣                                     <td scope="row" class="border-0
217.         align-middle">␣                                     <div class="p-2">␣
218.                                                         ␣ <div class="ml-3 d-
223. inline-block align-middle flex-nowrap">␣                 <h5 class="mb-0 d-
224. inline-block"><a␣                                                         class="
225. href="http://localhost:8000/product/MINECRAFT/NINTENDO"␣
226. text-dark">MINECRAFT</a>␣                                     </h5>␣
227.                                                         <span␣
228. muted font-weight-normal font-italic d-inline-block">␣     class="text-
229.                                                         [NINTENDO]␣
230.                                                         </span>␣
231. keys</h6>␣                                                         <h6>Stock: 3
232.                                                         </div>␣
233.                                                         </td>␣
234. middle">2019-10-17</td>␣         <td class="text-center align-
235. <td class="text-center align-middle"><strong>$17.63</strong>␣
236.                                                         </td>␣
237. <td class="align-middle">␣                                     <div class="btn-group-
238. justified btn-group-md">␣                                     <a
239. href="http://localhost:8000/offer/113"␣                         class="btn btn-blue
240. btn-block flex-nowrap" role="button">␣                         <i class="fas fa-
241. edit d-inline-block"> </i>␣                                     <span class="d-none
242. d-md-inline-block"> Edit Offer </span>␣                         </a>␣
243.                                                         </form
244. action="http://localhost:8000/offer/113"␣                     method="POST">␣
245.                                                         <input type="hidden"
246. name=" token" value="vVndLX3Uo7fdmmPNgdeMURtuQgtxFB4MmBL4fU0g"> <input
247. type="hidden" name=" method" value="DELETE">␣
248. <button type="submit"␣                                     class=" btn btn-
249. red btn-block flex-nowrap mt-2">␣                             id="delete-
250. offer-btn">␣                                     <i class="fas
251. fa-trash-alt"></i>␣                                     <span class="d-
252. none d-md-inline-block"> Delete Offer </span>␣         </button>␣

```

[illegible]

```

309.         <!-- <a data-toggle="modal" data-target="#" ><span
class="text-muted font-weight-normal font-italic d-
block">nightwalker123</span> </a> -->
310.         </section>
311.     </td>
312.     <td class="text-center align-middle">2019-10-17</td>
313.     <td class="text-center align-middle">2020-12-02</td>
314.     <td class="text-center align-middle">17.63</td>
315.     <td class="text-center align-middle"><strong>67.14</strong>
316.     </td>
317. </tr>
<tr>
318.     <td scope="row" class="border-0 align-middle">
319.         <section class="p-2">
320.             <img
src=http://localhost:8000/pictures/games/fda1a4aab3b10a57b2cf50ce8346484
0.png alt="Game Picture" width=" 150"
321.             class="img-fluid rounded shadow-sm d-none d-sm-inline
userOffersTableEntryImage">
322.             <div class="ml-3 d-inline-block align-middle flex-nowrap">
323.                 <h5 class="mb-0 d-inline-block"><a
324.                     href="/product/RED DEAD REDEMPTION 2/XBOXONE"
325.                     class="text-dark">RED DEAD REDEMPTION 2</a>
</h5>
326.                 <span class="text-muted font-weight-normal font-italic
d-inline-block">
327.                     [XBOXONE]</span>
328.                 <h6>Keys sold: 0</h6>
329.             </div>
330.             <!-- <a data-toggle="modal" data-target="#" ><span
class="text-muted font-weight-normal font-italic d-
block">nightwalker123</span> </a> -->
331.             </section>
332.         </td>
333.         <td class="text-center align-middle">2019-10-17</td>
334.         <td class="text-center align-middle">2020-12-02</td>
335.         <td class="text-center align-middle">17.63</td>
336.         <td class="text-center align-middle"><strong>67.14</strong>
337.         </td>
338.     </tr>
<tr>
339.     <td scope="row" class="border-0 align-middle">
340.         <section class="p-2">
341.             <img
src=http://localhost:8000/pictures/games/261f44e3020433d5f0b8693688ae44b
5.png alt="Game Picture" width=" 150"
342.             class="img-fluid rounded shadow-sm d-none d-sm-inline
userOffersTableEntryImage">
343.             <div class="ml-3 d-inline-block align-middle flex-nowrap">
344.                 <h5 class="mb-0 d-inline-block"><a
345.                     href="/product/GTA V/NINTENDO"
346.                     class="text-dark">GTA V</a></h5>
347.                 <span class="text-muted font-weight-normal font-italic
d-inline-block">
348.                     [NINTENDO]</span>
349.                 <h6>Keys sold: 0</h6>
350.             </div>
351.             <!-- <a data-toggle="modal" data-target="#" ><span
class="text-muted font-weight-normal font-italic d-
block">nightwalker123</span> </a> -->
352.             </section>
353.         </td>
354.         <td class="text-center align-middle">2019-10-17</td>
355.         <td class="text-center align-middle">2020-12-02</td>
356.         <td class="text-center align-middle">17.63</td>
357.         <td class="text-center align-middle"><strong>67.14</strong>
358.         </td>
359.     </tr>
</tbody>
360. </table>
361. </div>
362. </div>
363. </div>
364. </div>
365. </div>
366. </div>

```

```

367. </div>    </section>↵
368.    <footer id="footerGeneric" class="container">↵
369.    <hr>↵
370.    <article class="row">↵
371.        <section class="col">↵
372.            <h5 class="title"> More</h5>↵
373.            <ul class="list-unstyled">↵
374.                <li><a href=http://localhost:8000/faq> Help</a></li>↵
375.                <li><a href=http://localhost:8000/contact> Contact</a>
</li>↵
376.                <li><a href=http://localhost:8000/about> About us</a>
</li>↵
377.            </ul>↵
378.        </section>↵
379.        <section class="col">↵
380.            <h5 class="title"> Shortcuts </h5>↵
381.            <ul class="list-unstyled">↵
382.                <li><a href=http://localhost:8000/user/ssn>↵
383.                    Profile</a></li>                <li><a
href=http://localhost:8000> Homepage</a></li>↵
384.                <li><a href=http://localhost:8000/search> All
products</a></li>↵
385.            </ul>↵
386.        </section>↵
387.        <section class="col ml-auto my-auto">↵
388.            <p>© Copyright 2020 Key Share. All rights reserved.</p>↵
389.        </section>↵
390.    </article>↵
391. </footer> </main>↵
392. </body>↵
393. ↵
394. </html>

```

Used the HTML parser.

Total execution time 432 milliseconds.

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by text input ☐ css

```
<!DOCTYPE html>

<html lang="en">

<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <!-- CSRF Token -->
  <meta name="csrf-token"
content="vVndLX3Uo7fdmmPNgdeMURtuQgtxFB4MmBL4fU0g">
  <title>KeyShare - ssn Purchases</title>
  <!-- Styles -->
  <link href="http://localhost:8000/css/common.css" rel="stylesheet">
  <link href="http://localhost:8000/css/feedback.css" rel="stylesheet">
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Error Duplicate ID** `headerSearchIcon`.
[From line 94, column 109; to line 94, column 160](#)
`<i id="headerSearchIcon" class="fas fa-search mr-2"></i>`
- Warning The first occurrence of ID** `headerSearchIcon` **was here.**
[From line 39, column 17; to line 39, column 68](#)
`<i id="headerSearchIcon" class="fas fa-search mr-2"></i>`
- Warning Section lacks heading. Consider using** `h2` `-` `h6` **elements to** [add identifying headings to all sections.](#)
[From line 110, column 5; to line 110, column 38](#)
`nav">` `<section id="breadcrumbContainer">` `<`

4. **Error** The element `button` must not appear as a descendant of the `a` element.

[From line 119, column 55; to line 120, column 55](#)

```
user/ssn"><button class="btn btnMediaSmall btn-blue">Accoun
```

5. **Error** The element `button` must not appear as a descendant of the `a` element.

[From line 123, column 112; to line 124, column 60](#)

```
urchases"><button class="btn btnMediaSmall btn-blue-full">Purcha
```

6. **Error** The element `button` must not appear as a descendant of the `a` element.

[From line 128, column 62; to line 129, column 64](#)

```
n/offers"><button class="btn btnMediaSmall btn-blue btn-blue">Offers
```

7. **Error** The element `button` must not appear as a descendant of the `a` element.

[From line 132, column 110; to line 133, column 64](#)

```
/reports"><button class="btn btnMediaSmall btn-blue btn-blue">Report
```

8. **Error** Duplicate ID `content`.

[From line 137, column 7; to line 137, column 47](#)

```
r"><div id="content" class="container mt-5"><
```

9. **Warning** The first occurrence of ID `content` was here.

[From line 136, column 11; to line 136, column 50](#)

```
</nav> <section id="content" class="container">
```

10. **Error** The `scope` attribute on the `td` element is obsolete. Use the `scope` attribute on a `th` element instead.

[From line 167, column 101; to line 168, column 82](#)

```
<tr><td scope="row" class="border-0 align-middle">
```

11. **Error** Start tag `div` seen in `table`.

[From line 212, column 38; to line 213, column 90](#)

```

        </tr>␣
        <div id="modalSeeKey178"
class="modal fade" role="dialog">␣
    <

```

12. **Fatal Error** Cannot recover after last error. Any further errors will be ignored.

[From line 212, column 38; to line 213, column 90](#)

```

        </tr>␣
        <div id="modalSeeKey178"
class="modal fade" role="dialog">␣
    <

```

Document checking completed.

Source

```

1. <!DOCTYPE html>␣
2. ␣
3. <html lang="en">␣
4. ␣
5. <head>␣
6.     <meta charset="utf-8">␣
7.     <meta http-equiv="X-UA-Compatible" content="IE=edge">␣
8.     <meta name="viewport" content="width=device-width, initial-scale=1">␣
9.     <!-- CSRF Token -->␣
10.    <meta name="csrf-token"
content="vVndLX3Uo7fdmmPNgdeMUrtuQgtxFB4MmBL4fU0g">␣
11.    <title>KeyShare - ssn Purchases</title>␣
12.    <!-- Styles -->␣
13.    <link href="http://localhost:8000/css/common.css" rel="stylesheet">␣
14.    <link href="http://localhost:8000/css/feedback.css" rel="stylesheet">␣
15.    <link href="http://localhost:8000/css/product.css" rel="stylesheet">␣
16.    <link href="http://localhost:8000/bootstrap/css/bootstrap.min.css"
rel="stylesheet">␣
17.    <link href="http://localhost:8000/fontawesome/css/all.min.css"
rel="stylesheet">␣
18.    <!-- fonts -->␣
19.    <link href="http://localhost:8000/css/montserrat.css"
rel="stylesheet">␣
20.    <script src="http://localhost:8000/jquery/jquery.slim.js"></script>␣
21.    <script
src="http://localhost:8000/bootstrap/js/bootstrap.bundle.min.js">
</script>␣
22.    <script src="http://localhost:8000/fontawesome/js/fontawesome.min.js">
</script>␣
23.    <script src="http://localhost:8000/popper/popper.min.js"></script>␣
24.    <script src="http://localhost:8000/js/activate_popovers.js" defer>
</script>␣
25.    <script src="http://localhost:8000/js/user/purchases.min.js" defer>
</script>␣
26. </head>␣
27. ␣
28. <body>␣
29.     <header id="headerFixed" class="navbar row">␣
30.         <div class="col col-md-3 col-lg-3 col-xl-1 mt-auto mb-auto">␣
31.             <a href="http://localhost:8000">␣
32.                 ␣
33.             </a>␣
34.         </div>␣
35.         <!-- Search -->␣
36.         <div class="col-xl-4 d-none d-xl-block mt-auto mb-auto">␣
37.             <form id="query-form" class="form-inline"
action="http://localhost:8000/search" method="get">␣
38.                 <a class="ml-auto">␣
39.                     <i id="headerSearchIcon" class="fas fa-search mr-2">
</i>␣
40.                 </a>␣

```



```

41. ↵
42.             <input class="form-control mr-auto mt-auto mb-
auto mr-auto searchBar" type="search" placeholder="Search"↵
43.                 aria-label="Search" name="query" id="query" value="">↵
44.             </form>↵
45.         </div>↵
46.         <!-- Buttons -->↵
47.         <div class="col d-none d-xl-block mt-auto mb-auto">↵
48.             <div class="row justify-content-end">↵
49.                 <a href="http://localhost:8000/search" class="btn btn-
outline-light mr-5 pl-4 pr-4 navbarButton"↵
50.                     role="button">Explore</a>↵
51.                 <a href="http://localhost:8000/offer" class="btn
btn-orange navbarButton pl-4 pr-4" role="button">Sell Now</a>↵
52.                 <!-- User Image -->↵
53.                 <button class="btn btn-outline-light ml-5 navbarButton
dropdown-toggle" id="dropdownMenuButton"↵
54.                     data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">↵
55.                      ssn↵
57.                     </button>↵
58.                     <div class="dropdown-menu dropdown-menu-right " aria-
labelledby="dropdownMenuButton">↵
59.                         <a class="dropdown-item"
href="http://localhost:8000/user/ssn">My↵
60.                             Profile</a>↵
61.                         <a class="dropdown-item"
href="http://localhost:8000/user/purchases">My Purchases</a>↵
62.                         <a class="dropdown-item"
href="http://localhost:8000/user/ssn/offers">My↵
63.                             Offers</a>↵
64.                         <a class="dropdown-item"
href="http://localhost:8000/user/reports">Reports</a>↵
65.                         <div class="dropdown-divider"></div>↵
66.                         <form action="http://localhost:8000/logout"
method="POST">↵
67.                             <input type="hidden" name=" token"
value="vVndLX3Uo7fdmmPNgdeMUrtuQgtxFB4MmBL4fU0g">↵
68.                             <input type="submit" class="dropdown-item" value="Log out">↵
69.                         </form>↵
70.                     </div>↵
71.                 </div>↵
72.                 <!-- Cart icon -->↵
73.                 <div class="col d-none col-xl-2 d-xl-block mt-auto mb-auto">↵
74.                     <div class="row">↵
75.                         <a href="http://localhost:8000/cart" class="mt-auto mb-auto
ml-auto mr-3">↵
76.                             <i class="fas fa-shopping-cart headerIcon cl-orange">
</i>↵
77.                             <span id="shopping_cart_item_counter"↵
78.                                 class="badge badge-secondary">4</span>↵
79.                         </a>↵
80.                     </div>↵
81.                 </div>↵
82.                 <!-- Button Collapse Small -->↵
83.                 <div class="col d-xl-none text-right pos-f-t">↵
84.                     <button id="navbarHamburger" type="button" class="navbar-
toggler ml-auto" data-toggle="collapse"↵
85.                         data-target="#hamburgerContentNavSmall" aria-
controls="hamburgerContentNavSmall" aria-expanded="false"↵
86.                         aria-label="Toggle navigation">↵
87.                         <span class="navbar-toggler-icon"></span>↵
88.                     </button>↵
89.                 </div>↵
90.             </header>↵
91.             <div id="hamburgerContentNavSmall" class="collapse sticky-top pt-3 pb-
3">↵
92.                 <div class="col w-100">↵
93.                     <form class="form-inline" action="http://localhost:8000/search"
method="get">↵
94.                         <input type="hidden" name=" token"
value="vVndLX3Uo7fdmmPNgdeMUrtuQgtxFB4MmBL4fU0g">

```

<i

```

    id="headerSearchIcon" class="fas fa-search mr-2"></i>↵
95.         <input class="form-control mr-auto mt-auto mb-auto mr-auto
searchBar" type="search" placeholder="Search"↵
96.             aria-label="Search" name="query" />↵
97.     </form>↵
98.     <div class="row flex-nowrap justify-content-around mt-3">↵
99.         <a href="http://localhost:8000/search"
class="btn btn-outline-light navbarButtonSmall"
role="button">Explore</a>↵
100.        <a id="sellNowButtonNavbar"
href="http://localhost:8000/offer" class="btn btn-outline-light
navbarButtonSmall"↵
101.            role="button">Sell Now</a>↵
102.        <a id="shoppingCartIconHamburger"
href="http://localhost:8000/cart" class="mt-auto mb-auto mr-2"><i↵
103.            class="fas fa-shopping-cart headerIcon cl-orange">
</i><span↵
104.                class="badge badge-secondary"></span></a>↵
105.    </div>↵
106. </div>↵
107. </div>↵
108. <main id="wrapper">↵
109.     <nav id="navbar" class="nav">↵
110.         <section id="breadcrumbContainer">↵
111.             <ol class="breadcrumb">↵
112.                 <li class="breadcrumb-item"><a href="/"><i class="fas fa-home">
</i>Home</a></li>↵
113.                 <li class="breadcrumb-item"><a
href="http://localhost:8000/user/ssn">User</a></li>↵
114.                 <li class="breadcrumb-item"><a
href="http://localhost:8000/user/purchases">Purchases</a></li>↵
115.             </ol>↵
116.         </section>
<ul id="userNavbar" class="nav nav-tabs ml-auto mr-auto p-
3 flex-nowrap">↵
117.             <li class="nav-item">↵
118.                 <a class="nav-link deco-none ml-1 mr-1 userNavbarItem"↵
119.                     href="http://localhost:8000/user/ssn"><button↵
120.                         class="btn btnMediaSmall btn-blue">Account</button>
</a>↵
121.             </li>↵
122.             <li class="nav-item">↵
123.                 <a class="nav-link deco-none ml-1 mr-1 userNavbarItem"
href="http://localhost:8000/user/purchases"><button↵
124.                     class="btn btnMediaSmall btn-blue-
full">Purchases</button></a>↵
125.             </li>↵
126.             <li class="nav-item">↵
127.                 <a class="nav-link deco-none ml-1 mr-1 userNavbarItem"↵
128.                     href="http://localhost:8000/user/ssn/offers"><button↵
129.                         class="btn btnMediaSmall btn-blue btn-
blue">Offers</button></a>↵
130.             </li>↵
131.             <li class="nav-item">↵
132.                 <a class="nav-link deco-none ml-1 mr-1 userNavbarItem"
href="http://localhost:8000/user/reports"><button↵
133.                     class="btn btnMediaSmall btn-blue btn-
blue">Reports</button></a>↵
134.             </li>↵
135.         </ul>↵
136.     </nav>
<section id="content" class="container">↵
137.         <div id="content" class="container mt-5">↵
138.             <div class="row">↵
139.                 <div class="col-sm-12">↵
140.                     <div class="row ">↵
141.                         <div class="col-sm-12">↵
142.                             <h4 class="text-left">Purchase
History <span↵
143.                                 class="badge ml-1 badge-secondary">2</span>
</h4>↵
144.                         </div>↵
145.                     </div>↵
146.                 </div>
<div class="row">↵
147.                     <div class="col">↵
148.                         <div class="table-responsive table-striped
tableFixHead mt-3">↵
149.                             <table id="userOffersTable" class="table p-0">↵

```

```

150.                                     <thead>↵
151.                                     <tr>↵
152.                                     <th scope="col" class="border-0 bg-
light">↵
153.                                     <div class="p-2 px-3 text-
uppercase">Product Details</div>↵
154.                                     </th>↵
155.                                     <th scope="col" class="border-0 bg-
light text-center">↵
156.                                     <div class="py-2 text-
uppercase">Date</div>↵
157.                                     </th>↵
158.                                     <th scope="col" class="border-0 bg-
light text-center">↵
159.                                     <div class="py-2 text-
uppercase">Price</div>↵
160.                                     </th>↵
161.                                     <th scope="col" class="border-0 bg-
light text-center">↵
162.                                     <div class="py-2 text-
uppercase">Options</div>↵
163.                                     </th>↵
164.                                     </tr>↵
165.                                     </thead>↵
166.                                     <tbody>↵
167.
168.                                     <tr>↵
169.                                     <td scope="row" class="border-0
align-middle">↵
170.                                     <div class="p-2">↵
171.                                     ↵
174.                                     <div class="ml-3 d-inline-
block align-middle">↵
175.                                     <h5 class="mb-0 d-
inline-block"><a↵
176.                                     href="http://localhost:8000/product/15/3"↵
177.                                     class="text-
dark">EUROPA UNIVERSALIS IV</a></h5><span↵
178.                                     class="text-muted
font-weight-normal font-italic d-inline-block">↵
179.                                     <a
href="http://localhost:8000/user/swidocks12"><span↵
180.                                     class="text-
muted font-weight-normal font-italic d-block">swidocks12</span>↵
181.                                     </a>↵
182.                                     </div>↵
183.                                     </div>↵
184.                                     </td>↵
185.                                     <td class="text-center align-
middle">2019-08-18</td>↵
186.                                     <td class="text-center align-
middle"><strong>17.44€</strong></td>↵
187.                                     <td class="align-middle">↵
188.                                     <div class="btn-group-justified
btn-group-md">↵
189.                                     <button type="button"
class="btn btn-blue btn-block flex-nowrap"↵
190.                                     data-toggle="modal"
data-target="#modalSeeKey178">↵
191.                                     <i class="fas fa-key d-
inline-block"></i>↵
192.                                     <span class="d-none d-
md-inline-block"> See key </span>↵
193.                                     </button>↵
194.                                     <button type="button"↵
195.                                     class="btn btn-blue btn-
block flex-nowrap modal-feedback-opener">

```

196.	data-key-id="178"↵	data-toggle="modal"
197.		data-order-number="501"↵
198.	target="#modalGiveFeedback ">↵	data-
199.	comment-alt d-inline-block"></i>↵	<i class="far fa-
200.	md-inline-block">Leave feedback↵	<span class="d-none d-
201.		</button>↵
202.	<button type="button"↵	
203.	block flex-nowrap modal-report-opener"↵	class="btn btn-red btn-
204.	data-key-id="178"↵	data-toggle="modal"
205.		data-order-number="501"↵
206.	target="#modalGiveReport ">↵	data-
207.	slash d-inline-block"></i>↵	<i class="fas fa-user-
208.	md-inline-block"> Report Seller ↵	<span class="d-none d-
209.		</button>↵
210.	</div>↵	
211.		</td>↵
212.		</tr>↵
213.	fade" role="dialog">↵	<div id="modalSeeKey178" class="modal
214.	<div class="modal-dialog">↵	
215.	<div class="modal-content">↵	
216.	<div class="modal-header row mx-0">↵	
217.	<div class="col-9 col-md-6">↵	
218.	 <i class="fas fa-key d-	
219.	inline-block"></i>↵	<h5 class="d-inline-block">Key info </h5>↵
220.		↵
221.	</div>↵	
222.	<div cl	

Used the HTML parser.

Total execution time 412 milliseconds.

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show

☒ source

☐ outline

☐ image report

Options...

Check by

text input

☐ css

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <!-- CSRF Token -->
  <meta name="csrf-token"
content="vVndLX3Uo7fdmmPNgdeMURtuQgtxFB4MmBL4fU0g">
  <title>KeyShare - Products</title>
  <!-- Styles -->
  <link href="http://localhost:8000/css/common.css" rel="stylesheet">
  <link href="http://localhost:8000/css/feedback.css" rel="stylesheet">
  <link href="http://localhost:8000/css/product.css" rel="stylesheet">
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Error

 An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).
[From line 32, column 9; to line 32, column 95](#)

```
> <img class="img-fluid logo mx-auto"
src=http://localhost:8000/pictures/logo/logo.png />
```
- Warning

 The `button` role is unnecessary for element `button`.
[From line 35, column 101; to line 35, column 179](#)

```
> <button type="submit" class="btn btn-outline-light
navbarButton" role="button">Logout
```
- Error

 Bad value `reset` for attribute `type` on element `a`: Subtype missing.

[From line 118, column 13; to line 118, column 72](#)

```
<article id="modal-delete" class="modal fade" role="dialog">
<
```

11. **Error** Bad value `dialog` for attribute `role` on element `article`.

[From line 163, column 13; to line 163, column 72](#)

```
<article id="modal-delete" class="modal fade"
role="dialog">
<
```

12. **Error** The `scope` attribute on the `td` element is obsolete. Use the `scope` attribute on a `th` element instead.

[From line 186, column 42; to line 187, column 62](#)

```
<tr>
<td scope="row" class="border-0 text-center align-
middle">
```

13. **Error** Bad value `button mt-5 mb-5` for attribute `type` on element `button`.

[From line 203, column 13; to line 204, column 44](#)

```
<button type="button mt-5 mb-5 " class="btn btn-red btn-
block" data-toggle="modal" data-target="#modal-
delete">
```

14. **Error** Duplicate ID `modal-delete`.

[From line 208, column 13; to line 208, column 72](#)

```
<article id="modal-delete" class="modal fade"
role="dialog">
<
```

15. **Warning** The first occurrence of ID `modal-delete` was here.

[From line 118, column 13; to line 118, column 72](#)

```
<article id="modal-delete" class="modal fade" role="dialog">
<
```

16. **Error** Bad value `dialog` for attribute `role` on element `article`.

[From line 208, column 13; to line 208, column 72](#)

```
<article id="modal-delete" class="modal fade"
role="dialog">
<
```

17. **Error** The `scope` attribute on the `td` element is obsolete. Use the `scope` attribute on a `th` element instead.

[From line 231, column 42; to line 232, column 62](#)

```
<tr>
<td scope="row" class="border-0 text-center align-
middle">
```


18. **Error** Bad value `button mt-5 mb-5` for attribute `type` on element `button`.

[From line 248, column 13; to line 249, column 44](#)

```
<button type="button mt-5 mb-5 " class="btn btn-red btn-  
block" data-toggle="modal" data-target="#modal-  
delete">
```

19. **Error** Duplicate ID `modal-delete`.

[From line 253, column 13; to line 253, column 72](#)

```
<article id="modal-delete" class="modal fade"  
role="dialog">
```

20. **Warning** The first occurrence of ID `modal-delete` was here.

[From line 118, column 13; to line 118, column 72](#)

```
<article id="modal-delete" class="modal fade" role="dialog">  
<
```

21. **Error** Bad value `dialog` for attribute `role` on element `article`.

[From line 253, column 13; to line 253, column 72](#)

```
<article id="modal-delete" class="modal fade"  
role="dialog">
```

22. **Error** The `scope` attribute on the `td` element is obsolete. Use the `scope` attribute on a `th` element instead.

[From line 276, column 42; to line 277, column 62](#)

```
<tr> <td scope="row" class="border-0 text-center align-  
middle">
```

23. **Error** Bad value `button mt-5 mb-5` for attribute `type` on element `button`.

[From line 293, column 13; to line 294, column 44](#)

```
<button type="button mt-5 mb-5 " class="btn btn-red btn-  
block" data-toggle="modal" data-target="#modal-  
delete">
```

24. **Error** Duplicate ID `modal-delete`.

[From line 298, column 13; to line 298, column 72](#)

```
<article id="modal-delete" class="modal fade"  
role="dialog">
```

25. **Warning** The first occurrence of ID `modal-delete` was here.
[From line 118, column 13; to line 118, column 72](#)

```
<article id="modal-delete" class="modal fade" role="dialog">
<
```
26. **Error** Bad value `dialog` for attribute `role` on element `article`.
[From line 298, column 13; to line 298, column 72](#)

```
<article id="modal-delete" class="modal fade"
role="dialog">
<
```
27. **Error** The `scope` attribute on the `td` element is obsolete. Use the `scope` attribute on a `th` element instead.
[From line 321, column 42; to line 322, column 62](#)

```
<tr>
<td scope="row" class="border-0 text-center align-
middle">
```
28. **Error** Bad value `button mt-5 mb-5` for attribute `type` on element `button`.
[From line 338, column 13; to line 339, column 44](#)

```
<button type="button mt-5 mb-5 " class="btn btn-red btn-
block" data-toggle="modal" data-target="#modal-
delete">
```
29. **Error** Duplicate ID `modal-delete`.
[From line 343, column 13; to line 343, column 72](#)

```
<article id="modal-delete" class="modal fade"
role="dialog">
<
```
30. **Warning** The first occurrence of ID `modal-delete` was here.
[From line 118, column 13; to line 118, column 72](#)

```
<article id="modal-delete" class="modal fade" role="dialog">
<
```
31. **Error** Bad value `dialog` for attribute `role` on element `article`.
[From line 343, column 13; to line 343, column 72](#)

```
<article id="modal-delete" class="modal fade"
role="dialog">
<
```
32. **Error** The `scope` attribute on the `td` element is obsolete. Use the `scope` attribute on a `th` element instead.
[From line 366, column 42; to line 367, column 62](#)

```
<tr>
  <td scope="row" class="border-0 text-center align-
middle">
```

33. **Error** Bad value `button mt-5 mb-5` for attribute `type` on element `button`.

[From line 383, column 13; to line 384, column 44](#)

```
<button type="button mt-5 mb-5 " class="btn btn-red btn-
block" data-toggle="modal" data-target="#modal-
delete">
```

34. **Error** Duplicate ID `modal-delete`.

[From line 388, column 13; to line 388, column 72](#)

```
<article id="modal-delete" class="modal fade"
role="dialog">
```

35. **Warning** The first occurrence of ID `modal-delete` was here.

[From line 118, column 13; to line 118, column 72](#)

```
<article id="modal-delete" class="modal fade" role="dialog">
```

36. **Error** Bad value `dialog` for attribute `role` on element `article`.

[From line 388, column 13; to line 388, column 72](#)

```
<article id="modal-delete" class="modal fade"
role="dialog">
```

37. **Error** The `scope` attribute on the `td` element is obsolete. Use the `scope` attribute on a `th` element instead.

[From line 411, column 42; to line 412, column 62](#)

```
<tr>
  <td scope="row" class="border-0 text-center align-
middle">
```

38. **Error** Bad value `button mt-5 mb-5` for attribute `type` on element `button`.

[From line 428, column 13; to line 429, column 44](#)

```
<button type="button mt-5 mb-5 " class="btn btn-red btn-
block" data-toggle="modal" data-target="#modal-
delete">
```

39. **Error** Duplicate ID `modal-delete`.

[From line 433, column 13; to line 433, column 72](#)

```
<article id="modal-delete" class="modal fade"
role="dialog">
```

40. **Warning** The first occurrence of ID `modal-delete` was here.

[From line 118, column 13; to line 118, column 72](#)

```
<article id="modal-delete" class="modal fade" role="dialog">
<
```

41. **Error** Bad value `dialog` for attribute `role` on element `article`.

[From line 433, column 13; to line 433, column 72](#)

```
<article id="modal-delete" class="modal fade"
role="dialog">
<
```

42. **Error** The `scope` attribute on the `td` element is obsolete. Use the `scope` attribute on a `th` element instead.

[From line 456, column 42; to line 457, column 62](#)

```
<tr>
<td scope="row" class="border-0 text-center align-
middle">
```

43. **Error** Bad value `button mt-5 mb-5` for attribute `type` on element `button`.

[From line 473, column 13; to line 474, column 44](#)

```
<button type="button mt-5 mb-5 " class="btn btn-red btn-
block" data-toggle="modal" data-target="#modal-
delete">
```

44. **Error** Duplicate ID `modal-delete`.

[From line 478, column 13; to line 478, column 72](#)

```
<article id="modal-delete" class="modal fade"
role="dialog">
<
```

45. **Warning** The first occurrence of ID `modal-delete` was here.

[From line 118, column 13; to line 118, column 72](#)

```
<article id="modal-delete" class="modal fade" role="dialog">
<
```

46. **Error** Bad value `dialog` for attribute `role` on element `article`.

[From line 478, column 13; to line 478, column 72](#)

```
<article id="modal-delete" class="modal fade"
role="dialog">
<
```

47. **Error** The `scope` attribute on the `td` element is obsolete. Use the `scope` attribute on a `th` element instead.

```
<tr>
  <td scope="row" class="border-0 text-center align-
middle">
```

- From line 518, column 13; to line 519, column 44

```
<button type="button mt-5 mb-5 " class="btn btn-red btn-
block" data-toggle="modal" data-target="#modal-
delete">
```

- From line 523, column 13; to line 523, column 72

```
<article id="modal-delete" class="modal fade"
role="dialog"> <
```

- From line 118, column 13; to line 118, column 72

```
<article id="modal-delete" class="modal fade" role="dialog">...
```

- From line 523, column 13; to line 523, column 72

```
<article id="modal-delete" class="modal fade"
role="dialog"> <
```

- From line 551, column 13; to line 551, column 53

```
<ul class="pagination" role="navigation">
```

- From line 553, column 21; to line 553, column 102

```
<li class="page-item disabled" aria-disabled="true" aria-label="&laquo; Previous">
```

- From line 70, column 1; to line 70, column 26

a></div><article class="col mt-4"><

55. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

From line 37, column 18; to line 37, column 50

```
r> <section class="container-fluid">
```

Document checking completed.

Source

```

1. <!DOCTYPE html>↵
2. <html lang="en">↵
3. ↵
4. <head>↵
5.     <meta charset="utf-8">↵
6.     <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
7.     <meta name="viewport" content="width=device-width, initial-
scale=1">↵
8.     <!-- CSRF Token -->↵
9.     <meta name="csrf-token"
content="vVndLX3Uo7fdmmPNgdeMUrtuQgtxFB4MmBL4fU0g">↵
10.    <title>KeyShare - Products</title>↵
11.    <!-- Styles -->↵
12.    <link href="http://localhost:8000/css/common.css" rel="stylesheet">↵
13.    <link href="http://localhost:8000/css/feedback.css"
rel="stylesheet">↵
14.    <link href="http://localhost:8000/css/product.css"
rel="stylesheet">↵
15.    <link href="http://localhost:8000/bootstrap/css/bootstrap.min.css"
rel="stylesheet">↵
16.    <link href="http://localhost:8000/fontawesome/css/all.min.css"
rel="stylesheet">↵
17.    <!-- fonts -->↵
18.    <link href="https://fonts.googleapis.com/css?
family=Montserrat&display=swap" rel="stylesheet">↵
19.    <script src="http://localhost:8000/jquery/jquery.slim.js"></script>↵
20.    <script
src="http://localhost:8000/bootstrap/js/bootstrap.bundle.min.js">
</script>↵
21.    <script
src="http://localhost:8000/fontawesome/js/fontawesome.min.js"></script>↵
22.    <script src="http://localhost:8000/popper/popper.min.js"></script>↵
23.    <script src="http://localhost:8000/js/activate_popovers.js" defer>
</script>↵
24. </head>↵
25. ↵
26. <body>↵
27.     <main id="wrapper">↵
28.         <header id="headerFixed" class="navbar row justify-content-
between">↵
29.             <a href=http://localhost:8000/admin class="btn btn-outline-light
navbarButton d-none d-md-block"
role="button">Dashboard</a>↵
30.             <a href=http://localhost:8000/admin>↵
31.                 <b
src=http://localhost:8000/pictures/logo/logo.png />↵
32.             </a>↵
33.             <form action=http://localhost:8000/admin/logout method="POST">↵
34.                 <input type="hidden" name="token"
value="vVndLX3Uo7fdmmPNqdeMUrtuQgtxFB4MmBL4fU0g">↵
35.                 <btype="submit" class="btn btn-outline-light navbarButton"
role="button">Logout</button>↵
36.             </form>↵
37.         </header>↵
38.         <section class="container-fluid">↵
39.             <div class="row pt-3">↵
40.                 <nav class="col-md-3">↵
41.                     <nav class="card">↵

```

```

42.         <li><a href="http://localhost:8000/admin" class="list-group-item
bg-active">Dashboard </a> </li><
43.         <li><a href="http://localhost:8000/admin/products" class="list-
group-item"> Products </a> </li><
44.         <li><a href="http://localhost:8000/admin/category" class="list-
group-item"> Categories </a> </li><
45.         <li><a href="http://localhost:8000/admin/genre" class="list-
group-item"> Genres </a> </li><
46.         <li><a href="http://localhost:8000/admin/platform" class="list-
group-item"> Platforms </a> </li><
47.         <li><a href="http://localhost:8000/admin/user" class="list-
group-item"> Users </a> </li><
48.         <li><a href="http://localhost:8000/admin/report" class="list-
group-item"> Reports </a> </li><
49.         <li><a href="http://localhost:8000/admin/appeal" class="list-
group-item"> Ban Appeals </a> </li><
50.         <li><a href="http://localhost:8000/admin/transaction"
class="list-group-item"> Transactions </a> </li><
51.         <li><a href="http://localhost:8000/admin/feedback" class="list-
group-item"> User Feedback </a> </li><
52.         <li><a href="http://localhost:8000/admin/faq" class="list-group-
item"> FAQ </a> </li><
53.     </ul><
54. </nav>
55.         <section class="col-md-9">
56.             <div class="row justify-content-between flex-
nowrap">
57.                 <h3 class="col-6">Products</h3>
58.                 <form action="http://localhost:8000/admin/products" method="get"
class="col-5 d-inline-flex">
59.                     <input class="form-control" name="query" type="text"
placeholder="Search" aria-label="Search"
60.                     value="">
61.                     <button type="submit" class="form-control ml-1 btn btn-outline-
dark w-25"><i class="fas fa-search"></i></button>
62.                     <a href="http://localhost:8000/admin/products" type="reset"
class="form-control ml-1 btn btn-outline-dark w-25"><i
63.                     class="fas fa-times"></i></a>
64.                 </form>
65.                 <a href="http://localhost:8000/admin/product" class="btn btn-orange
text-white">
66.                     <i class="mr-1 fas fa-plus"></i>
67.                     <span class="d-none d-md-inline-block">Add Product</span>
68.                 </a>
69.             </div>
70.             <article class="col mt-4">
71.                 <div class="table-responsive table-striped tableFixHead">
72.                     <table class="table p-0">
73.                         <thead>
74.                             <tr>
75.                                 <th scope="col" class="border-0 bg-light">
76.                                     <div class="p-2 px-3 text-
uppercase">Image</div>
77.                                 </th>
78.                                 <th scope="col" class="border-0 bg-light text-
center">
79.                                     <div class="py-2 text-uppercase">Name</div>
80.                                 </th>
81.                                 <th scope="col" class="border-0 bg-light text-
center">
82.                                     <div class="py-2 text-
uppercase">Categories</div>
83.                                 </th>
84.                                 <th scope="col" class="border-0 bg-light text-
center">
85.                                     <div class="py-2 text-uppercase">Genres</div>
86.                                 </th>
87.                                 <th scope="col" class="border-0 bg-light text-
center">
88.                                     <div class="py-2 text-uppercase">Platform</div>
89.                                 </th>
90.                                 <th scope="col" class="border-0 bg-light text-
center">
91.                                     <div class="py-2 text-uppercase">Actions</div>
92.                                 </th>
93.                             </tr>

```



```

94.         </thead>↵
95.         <tbody>↵
96.             <tr>↵
97.                 <td scope="row" class="border-0 text-center align-middle">↵
98.                     <img
src=http://localhost:8000/pictures/games/a6d0c4bda26c0a6ddd9bc170d2f73ed
7.png↵
99.                     class="img-fluid rounded shadow-sm adminTableImagePreview"
alt="Game Picture">↵
100.                 </td>↵
101.                 <td class="text-center align-middle">ROCKET LEAGUE</td>↵
102.                 <td class="text-center align-middle">DLC</td>↵
103.                 <td class="text-center align-middle">↵
104.                     ACTION,RACING,CO-OP,MULTIPLAYER    </td>↵
105.                 <td class="text-center align-middle">↵
106.                     PC,PS4,XBOXONE,XBOX360    </td>↵
107.                 <td class="align-middle">↵
108.                     <div class="btn-group-justified btn-group-md">↵
109.                         <a href=/admin/product/4 class="btn btn-blue btn-block">↵
110.                             <i class="fas fa-edit d-inline-block"></i> <span
class="d-none d-lg-inline-block">↵
111.                                 Edit Product </span>↵
112.                         </a>↵
113.                         <button type="button mt-5 mb-5 " class="btn btn-red btn-
block" data-toggle="modal"
data-target="#modal-delete">↵
114.                             <i class="fas fa-trash-alt"></i> <span class="d-none d-
lg-inline-block"> Delete
Product </span>↵
115.                         </button>↵
116.                         <article id="modal-delete" class="modal fade"
role="dialog">↵
117.                             <div class="modal-dialog">↵
118.                                 <!-- Modal content-->↵
119.                                 <div class="modal-content">↵
120.                                     <div class="modal-header">↵
121.                                         <h6 class="modal-title">Delete Confirmation</h6>↵
122.                                         <button type="button" class="close" data-
dismiss="modal">&times;</button>↵
123.                                     </div>↵
124.                                     <div class="modal-body text-left">↵
125.                                         <span>Are you sure you want to delete this?</span>↵
126.                                     </div>↵
127.                                     <div class="modal-footer">↵
128.                                         <form class="col text-left"
action=http://localhost:8000/admin/product/4 method="POST">↵
129.                                             <input type="hidden" name=" token"
value="vVndLX3Uo7fdmmPNgdeMURtuQgtxFB4MmBL4fU0g">↵
130.                                             <input type="hidden" name=" method" value="delete">↵
131.                                             <button type="submit" class="btn btn-blue"><i class="fas fa-check mr-2">
Confirm</i> </button>↵
132.                                         </form>↵
133.                                         <div class="col text-right">↵
134.                                             <button class="btn btn-blue" data-dismiss="modal"><i
class="fas fa-times mr-2"></i> Cancel </button>↵
135.                                         </div>↵
136.                                     </div>↵
137.                                 </div>↵
138.                             </div>↵
139.                         </article>↵
140.                     </td>↵
141.                 </tr>↵
142.                 <td scope="row" class="border-0 text-center align-middle">↵
143.                     <img
src=http://localhost:8000/pictures/games/1a5ae8867077dd2ae4b913a76b271f4
a.png↵
144.                     class="img-fluid rounded shadow-sm adminTableImagePreview"
alt="Game Picture">↵
145.                 </td>↵
146.                 <td class="text-center align-middle">GRAND THEFT AUTO III</td>↵
147.                 <td class="text-center align-middle">DLC</td>↵
148.                 <td class="text-center align-middle">↵
149.                     SPORT,SHOOTER,ANIME,RACING    </td>↵
150.                 <td class="text-center align-middle">↵
151.                     PS4,XBOX360    </td>↵
152.                 <td class="align-middle">↵

```

[illegible]

```

211.         <div class="modal-content">↵
212.             <div class="modal-header">↵
213.                 <h6 class="modal-title">Delete Confirmation</h6>↵
214.                 <button type="button" class="close" data-
dismiss="modal">&times;</button>↵
215.             </div>↵
216.             <div class="modal-body text-left">↵
217.                 <span>Are you sure you want to delete this?"</span>↵
218.             </div>↵
219.             <div class="modal-footer">↵
220.                 <form class="col text-left"
action=http://localhost:8000/admin/product/28 method="POST">↵
221.                     <input type="hidden" name=" token"
value="vVndLX3Uo7fdmmPNgdeMUrtuQgtxFB4MmBL4fU0g">↵
<input type="hidden" name="_method" value="delete">↵
<button type="submit" class="btn btn-blue"><i class="fas fa-check mr-2">
</i> Confirm</button>↵
222.                 </form>↵
223.                 <div class="col text-right">↵
224.                     <button class="btn btn-blue" data-dismiss="modal"><i
class="fas fa-times mr-2"></i> Cancel </button>↵
225.                 </div>↵
226.             </div>↵
227.         </div>↵
228.     </div>↵
229. </article>         </div>↵
230. </td>↵
231. </tr>         <tr>↵
232.             <td scope="row" class="border-0 text-center align-middle">↵
233.                 <img
src=http://localhost:8000/pictures/games/6aeb7836dcb2ba2b4269accb3c2e64c
7.png↵
234.                 class="img-fluid rounded shadow-sm adminTableImagePreview"
alt="Game Picture">↵
235.             </td>↵
236.             <td class="text-center align-middle">SHENMUE I & II</td>↵
237.             <td class="text-center align-middle">DLC</td>↵
238.             <td class="text-center align-middle">↵
239.                 ACTION,ANIME         </td>↵
240.             <td class="text-center align-middle">↵
241.                 PC         </td>↵
242.             <td class="align-middle">↵
243.                 <div class="btn-group-justified btn-group-md">↵
244.                     <a href=/admin/product/29 class="btn btn-blue btn-block">↵
245.                         <i class="fas fa-edit d-inline-block"></i> <span
class="d-none d-lg-inline-block">↵
246.                             Edit Product </span>↵
247.                     </a>↵
248.                     <button type="button mt-5 mb-5 " class="btn btn-red btn-
block" data-toqqle="modal">↵
249.                         data-target="#modal-delete">↵
250.                         <i class="fas fa-trash-alt"></i> <span class="d-none d-
lg-inline-block"> Delete↵
251.                             Product </span>↵
252.                     </button>↵
253.                 <article id="modal-delete" class="modal fade"
role="dialog">↵
254.                     <div class="modal-dialog">↵
255.                         <!-- Modal content-->↵
256.                         <div class="modal-content">↵
257.                             <div class="modal-header">↵
258.                                 <h6 class="modal-title">Delete Confirmation</h6>↵
259.                                 <button type="button" class="close" data-
dismiss="modal">&times;</button>↵
260.                             </div>↵
261.                             <div class="modal-body text-left">↵
262.                                 <span>Are you sure you want to delete this?"</span>↵
263.                             </div>↵
264.                             <div class="modal-footer">↵
265.                                 <form class="col text-left"
action=http://localhost:8000/admin/product/29 method="POST">↵
266.                                     <input type="hidden" name=" token"
value="vVndLX3Uo7fdmmPNgdeMUrtuQgtxFB4MmBL4fU0g">↵
<input type="hidden" name="_method" value="delete">↵
<button type="submit" class="btn btn-blue"><i class="fas fa-check mr-2">
</i> Confirm</button>↵

```

```

267.         </form>↵
268.         <div class="col text-right">↵
269.             <button class="btn btn-blue" data-dismiss="modal"><i
class="fas fa-times mr-2"></i> Cancel </button>↵
270.         </div>↵
271.     </div>↵
272. </div>↵
273. </div>↵
274. </article>         </div>↵
275. </td>↵
276. </tr>         <tr>↵
277.     <td scope="row" class="border-0 text-center align-middle">↵
278.         <img
src=http://localhost:8000/pictures/games/69b4252d8b1b8ed83fed1c4333a5f39
e.png↵
279.         class="img-fluid rounded shadow-sm adminTableImagePreview"
alt="Game Picture">↵
280.     </td>↵
281.     <td class="text-center align-middle">PRO CYCLING MANAGER 2019</td>↵
282.     <td class="text-center align-middle">DLC</td>↵
283.     <td class="text-center align-middle">↵
284.         SPORT,RACING,MULTIPLAYER </td>↵
285.     <td class="text-center align-middle">↵
286.         PC,PS4,XBOXONE </td>↵
287.     <td class="align-middle">↵
288.         <div class="btn-group-justified btn-group-md">↵
289.             <a href=/admin/product/11 class="btn btn-blue btn-block">↵
290.                 <i class="fas fa-edit d-inline-block"></i> <span
class="d-none d-lg-inline-block">↵
291.                     Edit Product </span>↵
292.             </a>↵
293.             <button type="button" mt-5 mb-5 " class="btn btn-red btn-
block" data-toqqle="modal">↵
294.                 data-target="#modal-delete">↵
295.                 <i class="fas fa-trash-alt"></i> <span class="d-none d-
lg-inline-block"> Delete↵
296.                     Product </span>↵
297.             </button>↵
298.             <article id="modal-delete" class="modal fade"
role="dialog">↵
299.                 <div class="modal-dialog">↵
300.                     <!-- Modal content-->↵
301.                     <div class="modal-content">↵
302.                         <div class="modal-header">↵
303.                             <h6 class="modal-title">Delete Confirmation</h6>↵
304.                             <button type="button" class="close" data-
dismiss="modal">&times;</button>↵
305.                         </div>↵
306.                         <div class="modal-body text-left">↵
307.                             <span>Are you sure you want to delete this?"</span>↵
308.                         </div>↵
309.                         <div class="modal-footer">↵
310.                             <form class="col text-left"
action=http://localhost:8000/admin/product/11 method="POST">↵
311.                                 <input type="hidden" name=" token"
value="vVndLX3Uo7fdmmPNGdeMUrtuQgtxFB4MmBL4fU0g"↵
<input type="hidden" name="_method" value="delete">↵
<button type="submit" class="btn btn-blue"><i class="fas fa-check mr-2">
</i> Confirm</button>↵
312.                             </form>↵
313.                             <div class="col text-right">↵
314.                                 <button class="btn btn-blue" data-dismiss="modal"><i
class="fas fa-times mr-2"></i> Cancel </button>↵
315.                             </div>↵
316.                         </div>↵
317.                     </div>↵
318.                 </div>↵
319.             </article>         </div>↵
320.         </td>↵
321.     </tr>         <tr>↵
322.     <td scope="row" class="border-0 text-center align-middle">↵
323.         <img
src=http://localhost:8000/pictures/games/5353286093c4de6d762effd4d84f325
9.png↵
324.         class="img-fluid rounded shadow-sm adminTableImagePreview"
alt="Game Picture">↵

```

[illegible]


```

385.         <i class="fas fa-trash-alt"></i> <span class="d-none d-
lg-inline-block"> Delete
386.             Product </span>
387.         </button>
388.         <article id="modal-delete" class="modal fade"
role="dialog">
389.             <div class="modal-dialog">
390.                 <!-- Modal content-->
391.                 <div class="modal-content">
392.                     <div class="modal-header">
393.                         <h6 class="modal-title">Delete Confirmation</h6>
394.                         <button type="button" class="close" data-
dismiss="modal">&times;</button>
395.                     </div>
396.                     <div class="modal-body text-left">
397.                         <span>Are you sure you want to delete this?"</span>
398.                     </div>
399.                     <div class="modal-footer">
400.                         <form class="col text-left"
action=http://localhost:8000/admin/product/19 method="POST">
401.                             <input type="hidden" name="token"
value="vVndLX3Uo7fdmmPNgdeMURtuQgtxFB4MmBL4fU0g">
<input type="hidden" name="_method" value="delete">
<button type="submit" class="btn btn-blue"><i class="fas fa-check mr-2">
</i> Confirm</button>
402.                             </form>
403.                             <div class="col text-right">
404.                                 <button class="btn btn-blue" data-dismiss="modal"><i
class="fas fa-times mr-2"></i> Cancel </button>
405.                             </div>
406.                         </div>
407.                     </div>
408.                 </div>
409.             </article>
410.         </td>
411. </tr>
412.         <td scope="row" class="border-0 text-center align-middle">
413.             <img
src=http://localhost:8000/pictures/games/8f6e9443a4df277f7bb8bebebc94d8
2.png
414.             class="img-fluid rounded shadow-sm adminTableImagePreview"
alt="Game Picture">
415.         </td>
416.         <td class="text-center align-middle">THE SIMS 4 - CATS & DOGS
1</td>
417.         <td class="text-center align-middle">GAME</td>
418.         <td class="text-center align-middle">
419.             OPEN-WORLD,ADVENTURE
420.         <td class="text-center align-middle">
421.             PC
422.         <td class="align-middle">
423.             <div class="btn-group-justified btn-group-md">
424.                 <a href=/admin/product/25 class="btn btn-blue btn-block">
425.                     <i class="fas fa-edit d-inline-block"></i> <span
class="d-none d-lg-inline-block">
426.                         Edit Product </span>
427.                 </a>
428.                 <button type="button mt-5 mb-5 " class="btn btn-red btn-
block" data-toggle="modal"
data-target="#modal-delete">
429.                     <i class="fas fa-trash-alt"></i> <span class="d-none d-
lg-inline-block"> Delete
430.                         Product </span>
431.                     </button>
432.                     <article id="modal-delete" class="modal fade"
role="dialog">
433.                         <div class="modal-dialog">
434.                             <!-- Modal content-->
435.                             <div class="modal-content">
436.                                 <div class="modal-header">
437.                                     <h6 class="modal-title">Delete Confirmation</h6>
438.                                     <button type="button" class="close" data-
dismiss="modal">&times;</button>
439.                                 </div>
440.                                 <div class="modal-body text-left">
441.                                     <span>Are you sure you want to delete this?"</span>
442.                                 </div>

```

```

443.         </div>↵
444.         <div class="modal-footer">↵
445.             <form class="col text-left"
446. action=http://localhost:8000/admin/product/25 method="POST">↵
447.                 <input type="hidden" name=" token"
448. value="vVndLX3Uo7fdmmPNgdeMUrtuQgtxFB4MmBL4fU0g">↵
449.                 <input type="hidden" name=" method" value="delete">
450.                 <button type="submit" class="btn btn-blue"><i class="fas fa-check mr-2">
451.                 </i> Confirm</button>↵
452.             </form>↵
453.             <div class="col text-right">↵
454.                 <button class="btn btn-blue" data-dismiss="modal"><i
455. class="fas fa-times mr-2"></i> Cancel </button>↵
456.             </div>↵
457.         </div>↵
458.     </div>↵
459. </div>↵
460. </article>↵
461. </td>↵
462. </tr>↵
463. <tr>↵
464.     <td scope="row" class="border-0 text-center align-middle">↵
465.         <img
466. src=http://localhost:8000/pictures/games/5427b3c4946d24d90cd0a91ad4934a5
467. 3.png↵
468.         class="img-fluid rounded shadow-sm adminTableImagePreview"
469. alt="Game Picture">↵
470.     </td>↵
471.     <td class="text-center align-middle">FIFA 20</td>↵
472.     <td class="text-center align-middle">DLC</td>↵
473.     <td class="text-center align-middle">↵
474.     SPORT,FOOTBALL,MULTIPLAYER </td>↵
475.     <td class="text-center align-middle">↵
476.     PC,PS4,XBOXONE </td>↵
477.     <td class="align-middle">↵
478.         <div class="btn-group-justified btn-group-md">↵
479.             <a href=/admin/product/7 class="btn btn-blue btn-block">↵
480.                 <i class="fas fa-edit d-inline-block"></i> <span
481. class="d-none d-lg-inline-block">↵
482.                 Edit Product </span>↵
483.             </a>↵
484.             <button type="button mt-5 mb-5 " class="btn btn-red btn-
485. block" data-toggle="modal"
486. data-target="#modal-delete">↵
487.                 <i class="fas fa-trash-alt"></i> <span class="d-none d-
488. lg-inline-block"> Delete
489.                 Product </span>↵
490.             </button>↵
491.             <article id="modal-delete" class="modal fade"
492. role="dialog">↵
493.                 <div class="modal-dialog">↵
494.                     <!-- Modal content-->↵
495.                     <div class="modal-content">↵
496.                         <div class="modal-header">↵
497.                             <h6 class="modal-title">Delete Confirmation</h6>↵
498.                             <button type="button" class="close" data-
499. dismiss="modal">&times;</button>↵
500.                         </div>↵
501.                         <div class="modal-body text-left">↵
502.                             <span>Are you sure you want to delete this?"</span>↵
503.                         </div>↵
504.                         <div class="modal-footer">↵
505.                             <form class="col text-left"
506. action=http://localhost:8000/admin/product/7 method="POST">↵
507.                                 <input type="hidden" name=" token"
508. value="vVndLX3Uo7fdmmPNgdeMUrtuQgtxFB4MmBL4fU0g">↵
509.                                 <input type="hidden" name=" method" value="delete">
510.                                 <button type="submit" class="btn btn-blue"><i class="fas fa-check mr-2">
511.                                 </i> Confirm</button>↵
512.                             </form>↵
513.                             <div class="col text-right">↵
514.                                 <button class="btn btn-blue" data-dismiss="modal"><i
515. class="fas fa-times mr-2"></i> Cancel </button>↵
516.                             </div>↵
517.                         </div>↵
518.                     </div>↵
519.                 </article>↵
520.             </td>↵
521.         </tr>↵
522.     </tbody>↵
523. </table>↵
524. </div>↵
525. </div>↵
526. </div>↵
527. </div>↵
528. </div>↵
529. </div>↵
530. </div>↵
531. </div>↵
532. </div>↵
533. </div>↵
534. </div>↵
535. </div>↵
536. </div>↵
537. </div>↵
538. </div>↵
539. </div>↵
540. </div>↵
541. </div>↵
542. </div>↵
543. </div>↵
544. </div>↵
545. </div>↵
546. </div>↵
547. </div>↵
548. </div>↵
549. </div>↵
550. </div>↵
551. </div>↵
552. </div>↵
553. </div>↵
554. </div>↵
555. </div>↵
556. </div>↵
557. </div>↵
558. </div>↵
559. </div>↵
560. </div>↵
561. </div>↵
562. </div>↵
563. </div>↵
564. </div>↵
565. </div>↵
566. </div>↵
567. </div>↵
568. </div>↵
569. </div>↵
570. </div>↵
571. </div>↵
572. </div>↵
573. </div>↵
574. </div>↵
575. </div>↵
576. </div>↵
577. </div>↵
578. </div>↵
579. </div>↵
580. </div>↵
581. </div>↵
582. </div>↵
583. </div>↵
584. </div>↵
585. </div>↵
586. </div>↵
587. </div>↵
588. </div>↵
589. </div>↵
590. </div>↵
591. </div>↵
592. </div>↵
593. </div>↵
594. </div>↵
595. </div>↵
596. </div>↵
597. </div>↵
598. </div>↵
599. </div>↵
600. </div>↵
601. </div>↵
602. </div>↵
603. </div>↵
604. </div>↵
605. </div>↵
606. </div>↵
607. </div>↵
608. </div>↵
609. </div>↵
610. </div>↵
611. </div>↵
612. </div>↵
613. </div>↵
614. </div>↵
615. </div>↵
616. </div>↵
617. </div>↵
618. </div>↵
619. </div>↵
620. </div>↵
621. </div>↵
622. </div>↵
623. </div>↵
624. </div>↵
625. </div>↵
626. </div>↵
627. </div>↵
628. </div>↵
629. </div>↵
630. </div>↵
631. </div>↵
632. </div>↵
633. </div>↵
634. </div>↵
635. </div>↵
636. </div>↵
637. </div>↵
638. </div>↵
639. </div>↵
640. </div>↵
641. </div>↵
642. </div>↵
643. </div>↵
644. </div>↵
645. </div>↵
646. </div>↵
647. </div>↵
648. </div>↵
649. </div>↵
650. </div>↵
651. </div>↵
652. </div>↵
653. </div>↵
654. </div>↵
655. </div>↵
656. </div>↵
657. </div>↵
658. </div>↵
659. </div>↵
660. </div>↵
661. </div>↵
662. </div>↵
663. </div>↵
664. </div>↵
665. </div>↵
666. </div>↵
667. </div>↵
668. </div>↵
669. </div>↵
670. </div>↵
671. </div>↵
672. </div>↵
673. </div>↵
674. </div>↵
675. </div>↵
676. </div>↵
677. </div>↵
678. </div>↵
679. </div>↵
680. </div>↵
681. </div>↵
682. </div>↵
683. </div>↵
684. </div>↵
685. </div>↵
686. </div>↵
687. </div>↵
688. </div>↵
689. </div>↵
690. </div>↵
691. </div>↵
692. </div>↵
693. </div>↵
694. </div>↵
695. </div>↵
696. </div>↵
697. </div>↵
698. </div>↵
699. </div>↵
700. </div>↵
701. </div>↵
702. </div>↵
703. </div>↵
704. </div>↵
705. </div>↵
706. </div>↵
707. </div>↵
708. </div>↵
709. </div>↵
710. </div>↵
711. </div>↵
712. </div>↵
713. </div>↵
714. </div>↵
715. </div>↵
716. </div>↵
717. </div>↵
718. </div>↵
719. </div>↵
720. </div>↵
721. </div>↵
722. </div>↵
723. </div>↵
724. </div>↵
725. </div>↵
726. </div>↵
727. </div>↵
728. </div>↵
729. </div>↵
730. </div>↵
731. </div>↵
732. </div>↵
733. </div>↵
734. </div>↵
735. </div>↵
736. </div>↵
737. </div>↵
738. </div>↵
739. </div>↵
740. </div>↵
741. </div>↵
742. </div>↵
743. </div>↵
744. </div>↵
745. </div>↵
746. </div>↵
747. </div>↵
748. </div>↵
749. </div>↵
750. </div>↵
751. </div>↵
752. </div>↵
753. </div>↵
754. </div>↵
755. </div>↵
756. </div>↵
757. </div>↵
758. </div>↵
759. </div>↵
760. </div>↵
761. </div>↵
762. </div>↵
763. </div>↵
764. </div>↵
765. </div>↵
766. </div>↵
767. </div>↵
768. </div>↵
769. </div>↵
770. </div>↵
771. </div>↵
772. </div>↵
773. </div>↵
774. </div>↵
775. </div>↵
776. </div>↵
777. </div>↵
778. </div>↵
779. </div>↵
780. </div>↵
781. </div>↵
782. </div>↵
783. </div>↵
784. </div>↵
785. </div>↵
786. </div>↵
787. </div>↵
788. </div>↵
789. </div>↵
790. </div>↵
791. </div>↵
792. </div>↵
793. </div>↵
794. </div>↵
795. </div>↵
796. </div>↵
797. </div>↵
798. </div>↵
799. </div>↵
800. </div>↵

```



```

499. </article>                </div>↵
500.     </td>↵
501. </tr>                                <tr>↵
502.     <td scope="row" class="border-0 text-center align-middle">↵
503.         <img
src=http://localhost:8000/pictures/games/ff4a0493cae3168be2ef6117e62e706
7.png↵
504.         class="img-fluid rounded shadow-sm adminTableImagePreview"
alt="Game Picture">↵
505.     </td>↵
506.     <td class="text-center align-middle">BATTLEFIELD V</td>↵
507.     <td class="text-center align-middle">DLC</td>↵
508.     <td class="text-center align-middle">↵
509.         ACTION,RACING,MULTIPLAYER    </td>↵
510.     <td class="text-center align-middle">↵
511.         PC,PS4,XBOXONE    </td>↵
512.     <td class="align-middle">↵
513.         <div class="btn-group-justified btn-group-md">↵
514.             <a href=/admin/product/5 class="btn btn-blue btn-block">↵
515.                 <i class="fas fa-edit d-inline-block"></i> <span
class="d-none d-lg-inline-block">↵
516.                     Edit Product </span>↵
517.             </a>↵
518.             <button type="button mt-5 mb-5 " class="btn btn-red btn-
block" data-toggle="modal"↵
519.                 data-target="#modal-delete">↵
520.                 <i class="fas fa-trash-alt"></i> <span class="d-none d-
lg-inline-block"> Delete↵
521.                     Product </span>↵
522.             </button>↵
523.             <article id="modal-delete" class="modal fade"
role="dialog">↵
524.                 <div class="modal-dialog">↵
525.                     <!-- Modal content-->↵
526.                     <div class="modal-content">↵
527.                         <div class="modal-header">↵
528.                             <h6 class="modal-title">Delete Confirmation</h6>↵
529.                             <button type="button" class="close" data-
dismiss="modal">&times;</button>↵
530.                         </div>↵
531.                         <div class="modal-body text-left">↵
532.                             <span>Are you sure you want to delete this?"</span>↵
533.                         </div>↵
534.                         <div class="modal-footer">↵
535.                             <form class="col text-left"
action=http://localhost:8000/admin/product/5 method="POST">↵
536.                                 <input type="hidden" name=" token"
value="vVndLX3Uo7fdmmPNgdeMURtuQgtxFB4MmBL4fU0g">↵
<input type="hidden" name=" method" value="delete">↵
<button type="submit" class="btn btn-blue"><i class="fas fa-check mr-2">
</i> Confirm</button>↵
537.                                 </form>↵
538.                                 <div class="col text-right">↵
539.                                     <button class="btn btn-blue" data-dismiss="modal"><i
class="fas fa-times mr-2"></i> Cancel </button>↵
540.                                 </div>↵
541.                             </div>↵
542.                         </div>↵
543.                     </div>↵
544.                 </article>                </div>↵
545.             </td>↵
546.         </tr>                                </tbody>↵
547.     </table>↵
548. </div>↵
549. <div class="row mt-5">↵
550.     <div class="ml-auto">↵
551.         <ul class="pagination" role="navigation">↵
552.             ↵
553.                 <li class="page-item disabled" aria-disabled="true"
aria-label="&laquo; Previous">↵
554.                     <span class="page-link" aria-hidden="true">&lsaquo;
</span>↵
555.                 </li>↵
556.             ↵
557.             ↵
558.                 ↵

```

```

559.         ↵
560.         ↵
561.     <li class="page-item active" aria-current="page"><span class="page-
link">1</span></li>↵
562.     <li class="page-item"><a class="page-link" href="/admin/products?
page=2">2</a></li>↵
563.     <li class="page-item"><a class="page-link" href="/admin/products?
page=3">3</a></li>↵
564.                                     ↵
565.         ↵
566.             <li class="page-item">↵
567.                 <a class="page-link" href="/admin/products?page=2"
rel="next" aria-label="Next &raquo;">&rsaquo;</a>↵
568.                 </li>↵
569.             </ul>↵
570. ↵
571.         </div>↵
572.     </div>↵
573. </article>↵
574.             </section>↵
575.         </div>↵
576.     </section>↵
577. </main>↵
578. </body>↵
579. ↵
580. </html>

```

Used the HTML parser.

Total execution time 472 milliseconds.

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show

☒ source

☐ outline

☐ image report

Options...

Check by

text input

☐ css

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <!-- CSRF Token -->
  <meta name="csrf-token"
content="VVndLX3Uo7fdmmPNgdeMURtuQgtxFB4MmBL4fU0g">
  <title>KeyShare - Dashboard</title>
  <!-- Styles -->
  <link href="http://localhost:8000/css/common.css" rel="stylesheet">
  <link href="http://localhost:8000/css/feedback.css" rel="stylesheet">
  <link href="http://localhost:8000/css/product.css" rel="stylesheet">
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Error

 An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).
[From line 32, column 9; to line 32, column 95](#)

```
> <img class="img-fluid logo mx-auto"
src=http://localhost:8000/pictures/logo/logo.png />
```
- Warning

 The `button` role is unnecessary for element `button`.
[From line 35, column 101; to line 35, column 179](#)

```
"> <button type="submit" class="btn btn-outline-light
navbarButton" role="button">Logout
```
- Warning

 Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

[From line 37, column 18; to line 37, column 50](#)

```
r>      <section class="container-fluid">␣
```

Document checking completed.

Source

```
1. <!DOCTYPE html>␣
2. <html lang="en">␣
3. ␣
4. <head>␣
5.     <meta charset="utf-8">␣
6.     <meta http-equiv="X-UA-Compatible" content="IE=edge">␣
7.     <meta name="viewport" content="width=device-width, initial-
scale=1">␣
8.     <!-- CSRF Token -->␣
9.     <meta name="csrf-token"
content="vVndLX3Uo7fdmmPNgdeMUrtuQgtxFB4MmBL4fU0g">␣
10.    <title>KeyShare - Dashboard</title>␣
11.    <!-- Styles -->␣
12.    <link href="http://localhost:8000/css/common.css" rel="stylesheet">␣
13.    <link href="http://localhost:8000/css/feedback.css"
rel="stylesheet">␣
14.    <link href="http://localhost:8000/css/product.css"
rel="stylesheet">␣
15.    <link href="http://localhost:8000/bootstrap/css/bootstrap.min.css"
rel="stylesheet">␣
16.    <link href="http://localhost:8000/fontawesome/css/all.min.css"
rel="stylesheet">␣
17.    <!-- fonts -->␣
18.    <link href="https://fonts.googleapis.com/css?
family=Montserrat&display=swap" rel="stylesheet">␣
19.    <script src="http://localhost:8000/jquery/jquery.slim.js"></script>␣
20.    <script
src="http://localhost:8000/bootstrap/js/bootstrap.bundle.min.js">
</script>␣
21.    <script
src="http://localhost:8000/fontawesome/js/fontawesome.min.js"></script>␣
22.    <script src="http://localhost:8000/popper/popper.min.js"></script>␣
23.    <script src="http://localhost:8000/js/activate_popovers.js" defer>
</script>␣
24. </head>␣
25. ␣
26. <body>␣
27.     <main id="wrapper">␣
28.         <header id="headerFixed" class="navbar row justify-content-
between">␣
29.             <a href=http://localhost:8000/admin class="btn btn-outline-light
navbarButton d-none d-md-block"
role="button">Dashboard</a>␣
30.             <a href=http://localhost:8000/admin>␣
31.                 <img class="img-fluid logo mx-auto"
src=http://localhost:8000/pictures/logo/logo.png />␣
32.             </a>␣
33.             <form action=http://localhost:8000/admin/logout method="POST">␣
34.                 <input type="hidden" name="token"
value="vVndLX3Uo7fdmmPNgdeMUrtuQgtxFB4MmBL4fU0g">␣
35.                 <button
type="submit" class="btn btn-outline-light navbarButton"
role="button">Logout</button>␣
36.             </form>␣
37.         </header>␣
38.         <section class="container-fluid">␣
39.             <div class="row pt-3">␣
40.                 <nav class="col-md-3">␣
41.                     <nav class="card">␣
42.                         <ul class="list-unstyled m-0">␣
43.                             <li><a href="http://localhost:8000/admin" class="list-group-item
bg-active">Dashboard </a> </li>␣
44.                             <li><a href="http://localhost:8000/admin/products" class="list-
group-item"> Products </a> </li>␣
```

```

44.         <li><a href="http://localhost:8000/admin/category" class="list-
group-item"> Categories </a> </li>↵
45.         <li><a href="http://localhost:8000/admin/genre" class="list-
group-item"> Genres </a> </li>↵
46.         <li><a href="http://localhost:8000/admin/platform" class="list-
group-item"> Platforms </a> </li>↵
47.         <li><a href="http://localhost:8000/admin/user" class="list-
group-item"> Users </a> </li>↵
48.         <li><a href="http://localhost:8000/admin/report" class="list-
group-item"> Reports </a> </li>↵
49.         <li><a href="http://localhost:8000/admin/appeal" class="list-
group-item"> Ban Appeals </a> </li>↵
50.         <li><a href="http://localhost:8000/admin/transaction"
class="list-group-item"> Transactions </a> </li>↵
51.         <li><a href="http://localhost:8000/admin/feedback" class="list-
group-item"> User Feedback </a> </li>↵
52.         <li><a href="http://localhost:8000/admin/faq" class="list-group-
item"> FAQ </a> </li>↵
53.     </ul>↵
54. </nav>↵
55.         <section class="col-md-9">↵
56.             <h2>Dashboard</h2>↵
57. <article class="col-sm-12 col-md-12 col-lg-9 mt-4">↵
58.     <div class="card mb-4">↵
59.         <h4 class="pl-3 py-2">Tasks to be done</h4>↵
60.         <p class="pl-5 py-2">Active Reports: 4</p>↵
61.         <p class="pl-5 py-2">Ban Appeals: 5</p>↵
62.     </div>↵
63.     <div class="card mb-4">↵
64.         <h4 class="pl-3 py-2">Daily Statistics</h4>↵
65.         <p class="pl-5 py-2">Transactions made:
0</p>↵
66.         <p class="pl-5 py-2">Money made: 0 US$</p>↵
67.     </div>↵
68.     <div class="card mb-4">↵
69.         <h4 class="pl-3 py-2">Monthly Statistics</h4>↵
70.         <p class="pl-5 py-2">Transactions made:
0</p>↵
71.         <p class="pl-5 py-2">Money made: 0 US$</p>↵
72.     </div>↵
73. </article>↵
74.     </div>↵
75. </section>↵
76. </main>↵
77. </body>↵
78. ↵
79. </html>

```

Used the HTML parser.

Total execution time 28 milliseconds.

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show

☒ source

☐ outline

☐ image report

Options...

Check by

text input

☐ css

```
<!DOCTYPE html>

<html lang="en">

<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <!-- CSRF Token -->
  <meta name="csrf-token"
content="vVndLX3Uo7fdmmPNgdeMURtuQgtxFB4MmBL4fU0g">
  <title>KeyShare - FAQ</title>
  <!-- Styles -->
  <link href="http://localhost:8000/css/common.css" rel="stylesheet">
  <link href="http://localhost:8000/css/feedback.css" rel="stylesheet">
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Error** Duplicate ID `headerSearchIcon`.
[From line 93, column 109; to line 93, column 160](#)
`<i id="headerSearchIcon" class="fas fa-search mr-2"></i>`
- Warning** The first occurrence of ID `headerSearchIcon` was here.
[From line 38, column 17; to line 38, column 68](#)
`<i id="headerSearchIcon" class="fas fa-search mr-2"></i>`
- Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).
[From line 108, column 9; to line 108, column 42](#)
`>` `<section id="breadcrumbContainer">` `<`
- Error** Duplicate ID `content`.
[From line 114, column 11; to line 114, column 46](#)

```
<div id="content" class="container">␣<
```

5. **Warning** The first occurrence of ID `content` was here.

[From line 113, column 15; to line 113, column 54](#)

```
ction>␣<section id="content" class="container">␣
```

6. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

[From line 222, column 9; to line 222, column 45](#)

```
>␣␣<section class="col ml-auto my-auto">␣
```

7. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

[From line 205, column 5; to line 205, column 25](#)

```
<hr>␣␣<article class="row">␣
```

Document checking completed.

Source

```
1. <!DOCTYPE html>␣
2. ␣
3. <html lang="en">␣
4. ␣
5. <head>␣
6.   <meta charset="utf-8">␣
7.   <meta http-equiv="X-UA-Compatible" content="IE=edge">␣
8.   <meta name="viewport" content="width=device-width, initial-scale=1">␣
9.   <!-- CSRF Token -->␣
10.  <meta name="csrf-token"
    content="vVndLX3Uo7fdmmPNgdeMUrtuQgtxFB4MmBL4fU0g">␣
11.  <title>KeyShare - FAQ</title>␣
12.  <!-- Styles -->␣
13.  <link href="http://localhost:8000/css/common.css" rel="stylesheet">␣
14.  <link href="http://localhost:8000/css/feedback.css" rel="stylesheet">␣
15.  <link href="http://localhost:8000/css/product.css" rel="stylesheet">␣
16.  <link href="http://localhost:8000/bootstrap/css/bootstrap.min.css"
    rel="stylesheet">␣
17.  <link href="http://localhost:8000/fontawesome/css/all.min.css"
    rel="stylesheet">␣
18.  <!-- fonts -->␣
19.  <link href="http://localhost:8000/css/montserrat.css"
    rel="stylesheet">␣
20.  <script src="http://localhost:8000/jquery/jquery.slim.js"></script>␣
21.  <script
    src="http://localhost:8000/bootstrap/js/bootstrap.bundle.min.js">
</script>␣
22.  <script src="http://localhost:8000/fontawesome/js/fontawesome.min.js">
</script>␣
23.  <script src="http://localhost:8000/popper/popper.min.js"></script>␣
24.  <script src="http://localhost:8000/js/activate_popovers.js" defer>
</script>␣
25. </head>␣
26. ␣
27. <body>␣
28.   <header id="headerFixed" class="navbar row">␣
29.     <div class="col col-md-3 col-lg-3 col-xl-1 mt-auto mb-auto">␣
30.       <a href="http://localhost:8000">␣
```



```

31.         
32.     </a>
33. </div>
34. <!-- Search -->
35. <div class="col-xl-4 d-none d-xl-block mt-auto mb-auto">
36.     <form id="query-form" class="form-inline"
action="http://localhost:8000/search" method="get">
37.         <a class="ml-auto">
38.             <i id="headerSearchIcon" class="fas fa-search mr-2">
</i>
39.         </a>
40.
41.         <input class="form-control mr-auto mt-auto mb-
auto mr-auto searchBar" type="search" placeholder="Search"
42.             aria-label="Search" name="query" id="query" value="">
43.         </form>
44.     </div>
45. <!-- Buttons -->
46. <div class="col d-none d-xl-block mt-auto mb-auto">
47.     <div class="row justify-content-end">
48.         <a href="http://localhost:8000/search" class="btn btn-
outline-light mr-5 pl-4 pr-4 navbarButton"
49.             role="button">Explore</a>
50.         <a href="http://localhost:8000/offer" class="btn
btn-orange navbarButton pl-4 pr-4" role="button">Sell Now</a>
51.     <!-- User Image -->
52.     <button class="btn btn-outline-light ml-5 navbarButton
dropdown-toggle" id="dropdownMenuButton"
53.         data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">
54.          ssn
56.     </button>
57.     <div class="dropdown-menu dropdown-menu-right " aria-
labelledby="dropdownMenuButton">
58.         <a class="dropdown-item"
href="http://localhost:8000/user/ssn">My
59.             Profile</a>
60.         <a class="dropdown-item"
href="http://localhost:8000/user/purchases">My Purchases</a>
61.         <a class="dropdown-item"
href="http://localhost:8000/user/ssn/offers">My
62.             Offers</a>
63.         <a class="dropdown-item"
href="http://localhost:8000/user/reports">Reports</a>
64.         <div class="dropdown-divider"></div>
65.         <form action="http://localhost:8000/logout"
method="POST">
66.             <input type="hidden" name=" token"
value="vVndLX3Uo7fdmmPNgdeMUrtuQgtxFB4MmBL4fU0g">
<input type="submit" class="dropdown-item" value="Log out">
67.         </form>
68.     </div>
69.     </div>
70. </div>
71. <!-- Cart icon -->
72. <div class="col d-none col-xl-2 d-xl-block mt-auto mb-auto">
73.     <div class="row">
74.         <a href="http://localhost:8000/cart" class="mt-auto mb-auto
ml-auto mr-3">
75.             <i class="fas fa-shopping-cart headerIcon cl-orange">
</i>
76.             <span id="shopping_cart_item_counter"
class="badge badge-secondary">4</span>
77.         </a>
78.     </div>
79. </div>
80. </div>
81. <!-- Button Collapse Small -->
82. <div class="col d-xl-none text-right pos-f-t">
83.     <button id="navbarHamburger" type="button" class="navbar-
toggler ml-auto" data-toggle="collapse">

```

```

84.         data-target="#hamburgerContentNavSmall" aria-
controls="hamburgerContentNavSmall" aria-expanded="false">
85.         aria-label="Toggle navigation">
86.         <span class="navbar-toggler-icon"></span>
87.     </button>
88. </div>
89. </header>
90. <div id="hamburgerContentNavSmall" class="collapse sticky-top pt-3 pb-
3">
91.     <div class="col w-100">
92.         <form class="form-inline" action="http://localhost:8000/search"
method="get">
93.             <input type="hidden" name="token"
value="vVndLX3Uo7fdmmPNqdeMUrtu0qtxFB4MmBL4fU0q">             <i
id="headerSearchIcon" class="fas fa-search mr-2"></i>
94.             <input class="form-control mr-auto mt-auto mb-auto mr-auto
searchBar" type="search" placeholder="Search"
95.                 aria-label="Search" name="query" />
96.         </form>
97.         <div class="row flex-nowrap justify-content-around mt-3">
98.             <a href="http://localhost:8000/search"
class="btn btn-outline-light navbarButtonSmall"
role="button">Explore</a>
99.             <a id="sellNowButtonNavbar"
href="http://localhost:8000/offer" class="btn btn-outline-light
navbarButtonSmall"
role="button">Sell Now</a>
100.             <a id="shoppingCartIconHamburger"
href="http://localhost:8000/cart" class="mt-auto mb-auto mr-2"><i>
101.                 class="fas fa-shopping-cart headerIcon cl-orange">
102.             </i><span>
class="badge badge-secondary"></span></a>
103.         </div>
104.     </div>
105. </div>
106. <main id="wrapper">
107.     <section id="breadcrumbContainer">
108.         <ol class="breadcrumb">
109.             <li class="breadcrumb-item"><a href="/"><i class="fas fa-home">
110.                 </i>Home</a></li>
111.             <li class="breadcrumb-item"><a
href="http://localhost:8000/faq">FAQ</a></li>
112.         </ol>
113.     </section>
114.     <section id="content" class="container">
115.         <div id="content" class="container">
116.             <div class="row text-center pt-5">
117.                 <div class="col mb-5">
118.                     <h1> KeyShare FAQ</h1>
119.                 </div>
120.                 <div class="col-10 mx-auto">
121.                     <div class="accordion" id="faq">
122.                         <div class="card my-2">
123.                             <div class="card-header p-2" id="faq1Q">
124.                                 <h5>
<button class="btn btn-link cl-orange2"
data-toggle="collapse"
125.                                     data-target="#faq1A" aria-
expanded="false" aria-controls="faq1A">
126.                                     WHAT IS KEYSHARE?
127.                                 </button>
128.                             </h5>
129.                         </div>
130.                         <div id="faq1A" class="collapse" aria-
labelledby="faq1Q" data-parent="#faq">
131.                             <div class="card-body"> <b>Answer:</b> KeyShare
is a global marketplace which specializes in the sale of gaming related
digital products using redemption keys </div>
132.                             </div>
133.                         </div>
134.                         <div class="card my-2">
135.                             <div class="card-header p-2" id="faq2Q">
136.                                 <h5>
137.                                 <button class="btn btn-link cl-orange2"
data-toggle="collapse"
138.                                     data-target="#faq2A" aria-
expanded="false" aria-controls="faq2A">

```

```

139.                                     WHAT PAYMENT METHODS CAN I USE TO MAKE
PURCHASE ON THE KEYSHARE WEBSITE?↵
140.                                     </button>↵
141.                                     </h5>↵
142.                                     </div>↵
143.                                     <div id="faq2A" class="collapse" aria-
labelledby="faq2Q" data-parent="#faq">↵
144.                                     <div class="card-body"> <b>Answer:</b> The only
available payment method Paypal </div>↵
145.                                     </div>↵
146.                                     </div>↵
147.                                     <div class="card my-2">↵
148.                                     <div class="card-header p-2" id="faq3Q">↵
149.                                     <h5>↵
150.                                     <button class="btn btn-link cl-orange2"
data-toggle="collapse"↵
151.                                     data-target="#faq3A" aria-
expanded="false" aria-controls="faq3A">↵
152.                                     WHY DO I NEED TO CREATE AN ACCOUNT ON
THE KEYSHARE WEBSITE?↵
153.                                     </button>↵
154.                                     </h5>↵
155.                                     </div>↵
156.                                     <div id="faq3A" class="collapse" aria-
labelledby="faq3Q" data-parent="#faq">↵
157.                                     <div class="card-body"> <b>Answer:</b> Even
though you can buy products without an account, if you register you can
see your purchase history, have a savable cart, give feedback, etc
</div>↵
158.                                     </div>↵
159.                                     </div>↵
160.                                     <div class="card my-2">↵
161.                                     <div class="card-header p-2" id="faq4Q">↵
162.                                     <h5>↵
163.                                     <button class="btn btn-link cl-orange2"
data-toggle="collapse"↵
164.                                     data-target="#faq4A" aria-
expanded="false" aria-controls="faq4A">↵
165.                                     DO I NEED TO PAY ANY EXTRA TAX AFTER
MAKEING A PURCHASE ON THE keyHARE WEBSITE?↵
166.                                     </button>↵
167.                                     </h5>↵
168.                                     </div>↵
169.                                     <div id="faq4A" class="collapse" aria-
labelledby="faq4Q" data-parent="#faq">↵
170.                                     <div class="card-body"> <b>Answer:</b> The full
price is as listed, so no! </div>↵
171.                                     </div>↵
172.                                     </div>↵
173.                                     <div class="card my-2">↵
174.                                     <div class="card-header p-2" id="faq5Q">↵
175.                                     <h5>↵
176.                                     <button class="btn btn-link cl-orange2"
data-toggle="collapse"↵
177.                                     data-target="#faq5A" aria-
expanded="false" aria-controls="faq5A">↵
178.                                     DO I HAVE THE RIGHT TO A REFUND IN CASE
A PRODUCT IS NOT WORKING?↵
179.                                     </button>↵
180.                                     </h5>↵
181.                                     </div>↵
182.                                     <div id="faq5A" class="collapse" aria-
labelledby="faq5Q" data-parent="#faq">↵
183.                                     <div class="card-body"> <b>Answer:</b> In case a
product does not work, you should report the seller and the admin will
analyze yoyr situation </div>↵
184.                                     </div>↵
185.                                     </div>↵
186.                                     <div class="card my-2">↵
187.                                     <div class="card-header p-2" id="faq6Q">↵
188.                                     <h5>↵
189.                                     <button class="btn btn-link cl-orange2"
data-toggle="collapse"↵
190.                                     data-target="#faq6A" aria-
expanded="false" aria-controls="faq6A">↵

```

```

191. DO I HAVE ACCESS TO THE GAMES I BUY ON
THE KEYSHARE WEBISTE FOREVER?↵
192.         </button>↵
193.         </h5>↵
194.     </div>↵
195.     <div id="faq6A" class="collapse" aria-
labelledby="faq6Q" data-parent="#faq">↵
196.         <div class="card-body"> <b>Answer:</b> Yes,
after buying any product, the key will work forever. If it does not,
then you should report the seller </div>↵
197.         </div>↵
198.     </div>↵
199.         </div>↵
200.     </div>↵
201. </div>↵
202. </div> </section>↵
203.     <footer id="footerGeneric" class="container">↵
204.         <hr>↵
205.         <article class="row">↵
206.             <section class="col">↵
207.                 <h5 class="title"> More</h5>↵
208.                 <ul class="list-unstyled">↵
209.                     <li><a href=http://localhost:8000/faq> Help</a></li>↵
210.                     <li><a href=http://localhost:8000/contact> Contact</a>
</li>↵
211.                     <li><a href=http://localhost:8000/about> About us</a>
</li>↵
212.                 </ul>↵
213.             </section>↵
214.             <section class="col">↵
215.                 <h5 class="title"> Shortcuts </h5>↵
216.                 <ul class="list-unstyled">↵
217.                     <li><a href=http://localhost:8000/user/ssn>
Profile</a></li>↵
218.                     <li><a href=http://localhost:8000> Homepage</a></li>↵
219.                     <li><a href=http://localhost:8000/search> All
products</a></li>↵
220.                 </ul>↵
221.             </section>↵
222.             <section class="col ml-auto my-auto">↵
223.                 <p>© Copyright 2020 Key Share. All rights reserved.</p>↵
224.             </section>↵
225.         </article>↵
226.     </footer> </main>↵
227. </body>↵
228. ↵
229. </html>

```

Used the HTML parser.

Total execution time 161 milliseconds.

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show

☒ source

☐ outline

☐ image report

Options...

Check by

text input

☐ css

```
<!DOCTYPE html>

<html lang="en">

<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <!-- CSRF Token -->
  <meta name="csrf-token"
content="vVndLX3Uo7fdmmPNgdeMURtuQgtxFB4MmBL4fU0g">
  <title>KeyShare - Add an offer</title>
  <!-- Styles -->
  <link href="http://localhost:8000/css/common.css" rel="stylesheet">
  <link href="http://localhost:8000/css/feedback.css" rel="stylesheet">
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Error** Duplicate ID `headerSearchIcon`.
[From line 94, column 109; to line 94, column 160](#)
`<i id="headerSearchIcon" class="fas fa-search mr-2"></i>`
- Warning** The first occurrence of ID `headerSearchIcon` was here.
[From line 39, column 17; to line 39, column 68](#)
`<i id="headerSearchIcon" class="fas fa-search mr-2"></i>`
- Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).
[From line 110, column 5; to line 110, column 38](#)
`t-3">` `<section id="breadcrumbContainer">` `<`
- Error** Duplicate ID `content`.
[From line 116, column 15; to line 116, column 51](#)

```
<form id="content" class="container"><
```

5. **Warning** The first occurrence of ID content was here.

From line 115, column 21; to line 115, column 60

</nav> <section id="content" class="container">

6. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 124, column 13; to line 124, column 114

```

```

7. **Error** Element `h4` not allowed as child of element `label` in this context.
(Suppressing further errors from this subtree.)

From line 130, column 25; to line 130, column 28

Select

Content model for element label:

Phrasing content, but with no descendant labelable elements unless it is the element's labeled control, and no descendant label elements.

8. **Error** Element `h4` not allowed as child of element `label` in this context.
(Suppressing further errors from this subtree.)

From line 217, column 25; to line 217, column 28

Select

Content model for element label:

Phrasing content, but with no descendant labelable elements unless it is the element's labeled control, and no descendant label elements.

9. **Error** A select element with a required attribute, and without a multiple attribute, and without a size attribute whose value is greater than 1, must have a child option element.

From line 221, column 21; to line 221, column 29

```
</select>
```

10. **Warning** The `date` input type is not supported in all browsers. Please be sure to test, and consider using a polyfill.

From line 265, column 29; to line 265, column 95

```
<td><input type="date" class="mx-auto form-control" value="2020-06-03"></td>
```

11. **Warning** The `date` input type is not supported in all browsers. Please be sure to test, and consider using a polyfill.

[From line 266, column 29; to line 267, column 51](#)

```
<td><input type="date" class="mx-auto form-control"
value="2020-06-04"></td>
```

12. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

[From line 327, column 9; to line 327, column 45](#)

```
>
<section class="col ml-auto my-auto">
```

13. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

[From line 310, column 5; to line 310, column 25](#)

```
<hr>
<article class="row">
```

14. **Error** The value of the `for` attribute of the `label` element must be the ID of a non-hidden form control.

[From line 293, column 17; to line 293, column 61](#)

```
<label for="paypal" class="font-weight-bold">
```

Document checking completed.

Source

```
1. <!DOCTYPE html>
2.
3. <html lang="en">
4.
5. <head>
6.   <meta charset="utf-8">
7.   <meta http-equiv="X-UA-Compatible" content="IE=edge">
8.   <meta name="viewport" content="width=device-width, initial-scale=1">
9.   <!-- CSRF Token -->
10.  <meta name="csrf-token"
content="vVndLX3Uo7fdmmPNgdeMUrtuQgtxFB4MmBL4fU0g">
11.  <title>KeyShare - Add an offer</title>
12.  <!-- Styles -->
13.  <link href="http://localhost:8000/css/common.css" rel="stylesheet">
14.  <link href="http://localhost:8000/css/feedback.css" rel="stylesheet">
15.  <link href="http://localhost:8000/css/product.css" rel="stylesheet">
16.  <link href="http://localhost:8000/bootstrap/css/bootstrap.min.css"
rel="stylesheet">
17.  <link href="http://localhost:8000/fontawesome/css/all.min.css"
rel="stylesheet">
18.  <!-- fonts -->
19.  <link href="http://localhost:8000/css/montserrat.css"
rel="stylesheet">
20.  <script src="http://localhost:8000/jquery/jquery.slim.js"></script>
21.  <script
src="http://localhost:8000/bootstrap/js/bootstrap.bundle.min.js">
</script>
22.  <script src="http://localhost:8000/fontawesome/js/fontawesome.min.js">
</script>
```



```

23. <script src="http://localhost:8000/popper/popper.min.js"></script>↵
24. <script src="http://localhost:8000/js/activate_popovers.js" defer>
</script>↵
25. <script src="http://localhost:8000/js/offer/add.min.js" defer>
</script>↵
26. </head>↵
27. ↵
28. <body>↵
29. <header id="headerFixed" class="navbar row">↵
30. <div class="col col-md-3 col-lg-3 col-xl-1 mt-auto mb-auto">↵
31. <a href="http://localhost:8000">↵
32. ↵
33. </a>↵
34. </div>↵
35. <!-- Search -->↵
36. <div class="col-xl-4 d-none d-xl-block mt-auto mb-auto">↵
37. <form id="query-form" class="form-inline"
action="http://localhost:8000/search" method="get">↵
38. <a class="ml-auto">↵
39. <i id="headerSearchIcon" class="fas fa-search mr-2">
</i>↵
40. </a>↵
41. ↵
42. <input class="form-control mr-auto mt-auto mb-
auto mr-auto searchBar" type="search" placeholder="Search"↵
43. aria-label="Search" name="query" id="query" value="">↵
44. </form>↵
45. </div>↵
46. <!-- Buttons -->↵
47. <div class="col d-none d-xl-block mt-auto mb-auto">↵
48. <div class="row justify-content-end">↵
49. <a href="http://localhost:8000/search" class="btn btn-
outline-light mr-5 pl-4 pr-4 navbarButton"↵
50. role="button">Explore</a>↵
51. <a href="http://localhost:8000/offer" class="btn
btn-orange navbarButton pl-4 pr-4" role="button">Sell Now</a>↵
52. <!-- User Image -->↵
53. <button class="btn btn-outline-light ml-5 navbarButton
dropdown-toggle" id="dropdownMenuButton"↵
54. data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">↵
55.  ssn↵
57. </button>↵
58. <div class="dropdown-menu dropdown-menu-right " aria-
labelledby="dropdownMenuButton">↵
59. <a class="dropdown-item"
href="http://localhost:8000/user/ssn">My↵
60. Profile</a>↵
61. <a class="dropdown-item"
href="http://localhost:8000/user/purchases">My Purchases</a>↵
62. <a class="dropdown-item"
href="http://localhost:8000/user/ssn/offers">My↵
63. Offers</a>↵
64. <a class="dropdown-item"
href="http://localhost:8000/user/reports">Reports</a>↵
65. <div class="dropdown-divider"></div>↵
66. <form action="http://localhost:8000/logout"
method="POST">↵
67. <input type="hidden" name=" token"
value="vVndLX3Uo7fdmmPNgdeMURtuQgtxFB4MmBL4fU0g">↵
<input type="submit" class="dropdown-item" value="Log out">↵
68. </form>↵
69. </div>↵
70. </div>↵
71. </div>↵
72. <!-- Cart icon -->↵
73. <div class="col d-none col-xl-2 d-xl-block mt-auto mb-auto">↵
74. <div class="row">↵
75. <a href="http://localhost:8000/cart" class="mt-auto mb-auto
ml-auto mr-3">↵

```

```

76.         <i class="fas fa-shopping-cart headerIcon cl-orange">
77.             <span id="shopping_cart_item_counter"
78.                 class="badge badge-secondary">4</span>
79.         </a>
80.     </div>
81. </div>
82. <!-- Button Collapse Small -->
83. <div class="col d-xl-none text-right pos-f-t">
84.     <button id="navbarHamburguer" type="button" class="navbar-
toggler ml-auto" data-toggle="collapse"
85.         data-target="#hamburguerContentNavSmall" aria-
controls="hamburguerContentNavSmall" aria-expanded="false"
86.         aria-label="Toggle navigation">
87.         <span class="navbar-toggler-icon"></span>
88.     </button>
89. </div>
90. </header>
91. <div id="hamburguerContentNavSmall" class="collapse sticky-top pt-3 pb-
3">
92.     <div class="col w-100">
93.         <form class="form-inline" action="http://localhost:8000/search"
method="get">
94.             <input type="hidden" name="token"
value="vVndLX3Uo7fdmmPNgdeMURtuQqtxFB4MmBL4fU0q">
95.             <input class="form-control mr-auto mt-auto mb-auto mr-auto
searchBar" type="search" placeholder="Search"
96.                 aria-label="Search" name="query" />
97.         </form>
98.         <div class="row flex-nowrap justify-content-around mt-3">
99.             <a href="http://localhost:8000/search"
class="btn btn-outline-light navbarButtonSmall"
role="button">Explore</a>
100.             <a id="sellNowButtonNavbar"
href="http://localhost:8000/offer" class="btn btn-outline-light
navbarButtonSmall"
role="button">Sell Now</a>
101.             <a id="shoppingCartIconHamburguer"
href="http://localhost:8000/cart" class="mt-auto mb-auto mr-2">
102.                 <i class="fas fa-shopping-cart headerIcon cl-orange">
103.                 </i><span
class="badge badge-secondary"></span></a>
104.             </div>
105.         </div>
106.     </div>
107. </div>
108. <main id="wrapper">
109.     <nav id="navbar" class="nav pt-3">
110.         <section id="breadcrumbContainer">
111.             <ol class="breadcrumb">
112.                 <li class="breadcrumb-item"><a href="/"><i class="fas fa-home">
</i>Home</a></li>
113.                 <li class="breadcrumb-item"><a
href="http://localhost:8000/offer">Add Offer</a></li>
114.             </ol>
115.         </section></nav>
116.         <section id="content" class="container">
117.             <form id="content" class="container">
118.                 <input type="hidden" name="token"
value="vVndLX3Uo7fdmmPNgdeMURtuQgtxFB4MmBL4fU0g">
119.                 <div class="row mt-
5">
120.                     <div class="col">
121.                         <h3>Choose a Game</h3>
122.                     </div>
123.                     <div class="row">
124.                         <div class="col-5 mt-3 my-auto d-none d-md-block">
125.                             
126.                         </div>
127.                         <div class="col-12 col-md-7 mt-2">
128.                             <section class="row">
129.                                 <div class="col-12 form-group">
130.                                     <label for="product-selection">
131.                                         <h4>Select Product</h4>
132.                                     </label>

```

```

132.         <select id="product-selection" name="product"
class="form-control form-control-md" required>↵
133.             <option disabled selected value class="d-
none">Select a product</option>↵
134.                 <option value="4" data-
img="http://localhost:8000/pictures/games/a6d0c4bda26c0a6ddd9bc170d2f73e
d7.png"↵
135.                     data-platforms="
[{"&quot;id&quot;;1,&quot;name&quot;;&quot;PC&quot;},
{"&quot;id&quot;;2,&quot;name&quot;;&quot;PS4&quot;},
{"&quot;id&quot;;4,&quot;name&quot;;&quot;XBOXONE&quot;},
{"&quot;id&quot;;9,&quot;name&quot;;&quot;XBOX360&quot;}]">↵
136.                     ROCKET LEAGUE</option>↵
137.                 <option value="22" data-
img="http://localhost:8000/pictures/games/1a5ae8867077dd2ae4b913a76b271f
4a.png"↵
138.                     data-platforms="
[{"&quot;id&quot;;2,&quot;name&quot;;&quot;PS4&quot;},
{"&quot;id&quot;;9,&quot;name&quot;;&quot;XBOX360&quot;}]">↵
139.                     GRAND THEFT AUTO III</option>↵
140.                 <option value="11" data-
img="http://localhost:8000/pictures/games/69b4252d8b1b8ed83fed1c4333a5f3
9e.png"↵
141.                     data-platforms="
[{"&quot;id&quot;;1,&quot;name&quot;;&quot;PC&quot;},
{"&quot;id&quot;;2,&quot;name&quot;;&quot;PS4&quot;},
{"&quot;id&quot;;4,&quot;name&quot;;&quot;XBOXONE&quot;}]">↵
142.                     PRO CYCLING MANAGER 2019</option>↵
143.                 <option value="24" data-
img="http://localhost:8000/pictures/games/5353286093c4de6d762effd4d84f32
59.png"↵
144.                     data-platforms="
[{"&quot;id&quot;;1,&quot;name&quot;;&quot;PC&quot;}]>↵
145.                     WITCHER 3</option>↵
146.                 <option value="19" data-
img="http://localhost:8000/pictures/games/5fd9a24f8770576b18c7266167179e
93.png"↵
147.                     data-platforms="
[{"&quot;id&quot;;1,&quot;name&quot;;&quot;PC&quot;},
{"&quot;id&quot;;2,&quot;name&quot;;&quot;PS4&quot;},
{"&quot;id&quot;;4,&quot;name&quot;;&quot;XBOXONE&quot;}]">↵
148.                     MINECRAFT</option>↵
149.                 <option value="25" data-
img="http://localhost:8000/pictures/games/8f6e9443a4df277f7bb8bebebc94d
82.png"↵
150.                     data-platforms="
[{"&quot;id&quot;;1,&quot;name&quot;;&quot;PC&quot;}]>↵
151.                     THE SIMS 4 - CATS & DOGS 1</option>↵
152.                 <option value="7" data-
img="http://localhost:8000/pictures/games/5427b3c4946d24d90cd0a91ad4934a
53.png"↵
153.                     data-platforms="
[{"&quot;id&quot;;1,&quot;name&quot;;&quot;PC&quot;},
{"&quot;id&quot;;2,&quot;name&quot;;&quot;PS4&quot;},
{"&quot;id&quot;;4,&quot;name&quot;;&quot;XBOXONE&quot;}]">↵
154.                     FIFA 20</option>↵
155.                 <option value="5" data-
img="http://localhost:8000/pictures/games/ff4a0493cae3168be2ef6117e62e70
67.png"↵
156.                     data-platforms="
[{"&quot;id&quot;;1,&quot;name&quot;;&quot;PC&quot;},
{"&quot;id&quot;;2,&quot;name&quot;;&quot;PS4&quot;},
{"&quot;id&quot;;4,&quot;name&quot;;&quot;XBOXONE&quot;}]">↵
157.                     BATTLEFIELD V</option>↵
158.                 <option value="13" data-
img="http://localhost:8000/pictures/games/942f3505aadd31c7953628370d00bf
22.png"↵
159.                     data-platforms="
[{"&quot;id&quot;;1,&quot;name&quot;;&quot;PC&quot;},
{"&quot;id&quot;;2,&quot;name&quot;;&quot;PS4&quot;},
{"&quot;id&quot;;4,&quot;name&quot;;&quot;XBOXONE&quot;}]">↵
160.                     AGE OF EMPIRES 2: DEFINITIVE
EDITION</option>↵
161.                 <option value="17" data-
img="http://localhost:8000/pictures/games/14e93deeb687d1302180f7129d8a75
a3.png"↵

```

```

162.         data-platforms="
[{"&quot;id&quot;;:1,&quot;name&quot;:&quot;PC&quot;},
{"&quot;id&quot;;:2,&quot;name&quot;:&quot;PS4&quot;},
{"&quot;id&quot;;:4,&quot;name&quot;:&quot;XBOXONE&quot;}]">
163.         WATCH DOGS 2</option>
164.         <option value="1" data-
img="http://localhost:8000/pictures/games/261f44e3020433d5f0b8693688ae44
b5.png">
165.         data-platforms="
[{"&quot;id&quot;;:1,&quot;name&quot;:&quot;PC&quot;},
{"&quot;id&quot;;:2,&quot;name&quot;:&quot;PS4&quot;},
{"&quot;id&quot;;:5,&quot;name&quot;:&quot;PS3&quot;},
{"&quot;id&quot;;:4,&quot;name&quot;:&quot;XBOXONE&quot;}]">
166.         GTA V</option>
167.         <option value="3" data-
img="http://localhost:8000/pictures/games/34bf0e63edc4b2e4949b49b63d1da5
c0.png">
168.         data-platforms="
[{"&quot;id&quot;;:1,&quot;name&quot;:&quot;PC&quot;}]">
169.         PAYDAY 2</option>
170.         <option value="23" data-
img="http://localhost:8000/pictures/games/3744b3689b77e0b216c3f76ba7eb0e
cf.png">
171.         data-platforms="
[{"&quot;id&quot;;:1,&quot;name&quot;:&quot;PC&quot;}]">
172.         THE ELDER SCROLLS V</option>
173.         <option value="9" data-
img="http://localhost:8000/pictures/games/10ad90a11279f840d1f308d29b532a
d4.png">
174.         data-platforms="
[{"&quot;id&quot;;:1,&quot;name&quot;:&quot;PC&quot;},
{"&quot;id&quot;;:2,&quot;name&quot;:&quot;PS4&quot;},
{"&quot;id&quot;;:4,&quot;name&quot;:&quot;XBOXONE&quot;}]">
175.         DIRT RALLY</option>
176.         <option value="2" data-
img="http://localhost:8000/pictures/games/fdala4aab3b10a57b2cf50ce834648
40.png">
177.         data-platforms="
[{"&quot;id&quot;;:1,&quot;name&quot;:&quot;PC&quot;},
{"&quot;id&quot;;:2,&quot;name&quot;:&quot;PS4&quot;},
{"&quot;id&quot;;:5,&quot;name&quot;:&quot;PS3&quot;},
{"&quot;id&quot;;:4,&quot;name&quot;:&quot;XBOXONE&quot;}]">
178.         RED DEAD REDEMPTION 2</option>
179.         <option value="12" data-
img="http://localhost:8000/pictures/games/d3d2bc681cef6a0631f32299b25da8
7d.png">
180.         data-platforms="
[{"&quot;id&quot;;:1,&quot;name&quot;:&quot;PC&quot;},
{"&quot;id&quot;;:2,&quot;name&quot;:&quot;PS4&quot;},
{"&quot;id&quot;;:4,&quot;name&quot;:&quot;XBOXONE&quot;}]">
181.         MOUNT & BLADE 2</option>
182.         <option value="21" data-
img="http://localhost:8000/pictures/games/8aeccc1d837017adc065bcbcb0163aa
a0.png">
183.         data-platforms="
[{"&quot;id&quot;;:1,&quot;name&quot;:&quot;PC&quot;},
{"&quot;id&quot;;:2,&quot;name&quot;:&quot;PS4&quot;},
{"&quot;id&quot;;:4,&quot;name&quot;:&quot;XBOXONE&quot;}]">
184.         ASSASSIN S CREED UNITY</option>
185.         <option value="20" data-
img="http://localhost:8000/pictures/games/7c7a700123deef94dcee679725acd9
92.png">
186.         data-platforms="
[{"&quot;id&quot;;:1,&quot;name&quot;:&quot;PC&quot;},
{"&quot;id&quot;;:2,&quot;name&quot;:&quot;PS4&quot;},
{"&quot;id&quot;;:4,&quot;name&quot;:&quot;XBOXONE&quot;}]">
187.         THE CREW 2</option>
188.         <option value="18" data-
img="http://localhost:8000/pictures/games/c4ec383184df526c005f4a26a14043
49.png">
189.         data-platforms="
[{"&quot;id&quot;;:1,&quot;name&quot;:&quot;PC&quot;},
{"&quot;id&quot;;:2,&quot;name&quot;:&quot;PS4&quot;},
{"&quot;id&quot;;:4,&quot;name&quot;:&quot;XBOXONE&quot;}]">
190.         ASSASSINS CREED BROTHERHOOD</option>

```

```

191. img="http://localhost:8000/pictures/games/7684fb3f03509f9bc99149488016db
192. 68.png"↵
193. data-platforms="
194. [{"id":1,"name":"PC"}]>↵
195. EURO TRUCK SIMULATOR 2 - VIVE LA
196. FRANCE</option>↵
197. <option value="10" data-
198. img="http://localhost:8000/pictures/games/cfd24ee575794d52a83151b0162b19
199. d5.png"↵
200. data-platforms="
201. [{"id":1,"name":"PC"},
202. {"id":2,"name":"PS4"},
203. {"id":4,"name":"XBOXONE"}]>↵
204. PROJECT CARS 2</option>↵
205. <option value="27" data-
206. img="http://localhost:8000/pictures/games/0afbae6ad65703271103dc8f392a73
207. 04.png"↵
208. data-platforms="
209. [{"id":1,"name":"PC"},
210. {"id":2,"name":"PS4"},
211. {"id":4,"name":"XBOXONE"}]>↵
212. EUROPA UNIVERSALIS IV - WEALTH OF NATIONS
213. EXPANSION</option>↵
214. <option value="8" data-
215. img="http://localhost:8000/pictures/games/4be39b743bb0015f7dab201fa5eb7a
216. 79.png"↵
217. data-platforms="
218. [{"id":1,"name":"PC"},
219. {"id":2,"name":"PS4"},
220. {"id":4,"name":"XBOXONE"}]>↵
221. F1 2019</option>↵
222. <option value="16" data-
223. img="http://localhost:8000/pictures/games/ec886fbf9042af6ded4f786ce5e24e
224. 5a.png"↵
225. data-platforms="
226. [{"id":1,"name":"PC"},
227. {"id":2,"name":"PS4"},
228. {"id":4,"name":"XBOXONE"}]>↵
229. CIVILIZATION V</option>↵
230. <option value="14" data-
231. img="http://localhost:8000/pictures/games/7f1144248c995587e4dd4368b3bd73
232. ce.png"↵
233. data-platforms="
234. [{"id":1,"name":"PC"},
235. {"id":2,"name":"PS4"},
236. {"id":4,"name":"XBOXONE"}]>↵
237. CITIES: SKYLINES</option>↵
238. <option value="6" data-
239. img="http://localhost:8000/pictures/games/b5e294ae186ce239a940349e91c825
240. ec.png"↵
241. data-platforms="
242. [{"id":1,"name":"PC"},
243. {"id":2,"name":"PS4"},
244. {"id":3,"name":"NINTENDO"}]>↵
245. BATTLEFIELD 4</option>↵
246. <option value="15" data-
247. img="http://localhost:8000/pictures/games/b644be6b0f7e7be8977c5a43f37fd2
248. 6f.png"↵
249. data-platforms="
250. [{"id":1,"name":"PC"},
251. {"id":2,"name":"PS4"},
252. {"id":4,"name":"XBOXONE"}]>↵
253. EUROPA UNIVERSALIS IV</option>↵
254. </select>↵
255. <label for="platform-selection" class="mt-3">↵
256. <h4>Select Platform</h4>↵
257. </label>↵
258. <select id="platform-selection" name="platform"
259. class="form-control form-control-md" required>↵
260. ↵
261. </select>↵
262. </div>↵
263. </section>↵
264. <section id="key-input" class="row mt-2">↵
265. <div class="col-12 flex-nowrap">↵
266. <div class="form-group">↵
267. <h4>Keys</h4>↵

```



```

228.         <div id="key-input-added">↵
229.         </div>↵
230.         <div class="input-group mt-2">↵
231.             <input type="text" id="key-input-add"
class="form-control mr-2" placeholder="New key"
232.                 value="">↵
233.         </div>↵
234.         <span id="key-input-error" class="error">
</span>↵
235.         <div class="row mt-3 flex-nowrap">↵
236.             <div class="col-12 text-center">↵
237.                 <button type="button" class="btn btn-
blue text-center">↵
238.                     <i class="fas fa-plus-circle ml-auto
mb-auto mt-auto d-inline-block"></i>↵
239.                     <span class="d-inline-block my-auto
mr-auto ml-3">Add Key</span>↵
240.                 </button>↵
241.             </div>↵
242.         </div>↵
243.     </div>↵
244. </div>↵
245. </section>↵
246. </div>↵
247. </div>↵
248. <hr>↵
249. <div class="row">↵
250.     <section class="col mt-5" id="discount-input">↵
251.         <h3>Discounts</h3>↵
252.         <table class="table table-responsive mt-2 text-center">↵
253.             <thead>↵
254.                 <tr>↵
255.                     <th scope="col">Number</th>↵
256.                     <th scope="col">Start Date</th>↵
257.                     <th scope="col">End Date</th>↵
258.                     <th scope="col">Percentage</th>↵
259.                     <th></th>↵
260.                 </tr>↵
261.             </thead>↵
262.             <tbody>↵
263.                 <tr id="discount-input-add">↵
264.                     <th scope="row"></th>↵
265.                     <td><input type="date" class="mx-auto form-
control" value="2020-06-03"></td>↵
266.                     <td><input type="date" class="mx-auto form-
control"
value="2020-06-04"></td>↵
267.                     <td class="w-25"><input type="number" class="mx-
auto form-control" min="1" max="99" value="1">↵
268.                     <td></td>↵
269.                 </tr>↵
270.             </tbody>↵
271.         </table>↵
272.         <span id="discount-input-error" class="error"></span>↵
273.         <div class="row mt-1">↵
274.             <div class="col text-center">↵
275.                 <button type="button" class="btn btn-blue ml-2">↵
276.                     <i class="fas fa-plus-circle"></i>↵
277.                     <span class="my-auto mr-auto ml-3">Add
Discount</span>↵
278.                 </button>↵
279.             </div>↵
280.         </div>↵
281.     </div>↵
282. </section>↵
283. <div class="col mt-5">↵
284.     <h3>Billing</h3>↵
285.     <div class="input-group mt-5">↵
286.         <label for="price-input" class="pt-1 font-weight-bold">↵
287.             Price Per Key↵
288.         </label>↵
289.         <input type="number" id="price-input" name="price"
min="1" value="1" class="form-control ml-2" />↵
290.     </div>↵
291.     <div class="form-group mt-4">↵
292.         <label for="paypal" class="font-weight-bold">↵
293.

```

```

294.         Billing Email↵
295.     </label>↵
296. </div>↵
297. </div>↵
298. </div>↵
299. <div class="row mt-5">↵
300.     <div class="col-12 text-right">↵
301.         <div class="form-group">↵
302.             <button type="button" id="offer-submit" class="btn btn-
orange px-5 py-2">Submit Offer</button>↵
303.             <span id="offer-submit-error" class="error"></span>↵
304.         </div>↵
305.     </div>↵
306. </div>↵
307. </form> </section>↵
308.     <footer id="footerGeneric" class="container">↵
309.         <hr>↵
310.         <article class="row">↵
311.             <section class="col">↵
312.                 <h5 class="title"> More</h5>↵
313.                 <ul class="list-unstyled">↵
314.                     <li><a href=http://localhost:8000/faq> Help</a></li>↵
315.                     <li><a href=http://localhost:8000/contact> Contact</a>
</li>↵
316.                     <li><a href=http://localhost:8000/about> About us</a>
</li>↵
317.                 </ul>↵
318.             </section>↵
319.             <section class="col">↵
320.                 <h5 class="title"> Shortcuts </h5>↵
321.                 <ul class="list-unstyled">↵
322.                     <li><a href=http://localhost:8000/user/ssn>↵
323.                         Profile</a></li>
<li><a href=http://localhost:8000> Homepage</a></li>↵
324.                     <li><a href=http://localhost:8000/search> All
products</a></li>↵
325.                 </ul>↵
326.             </section>↵
327.             <section class="col ml-auto my-auto">↵
328.                 <p>© Copyright 2020 Key Share. All rights reserved.</p>↵
329.             </section>↵
330.         </article>↵
331.     </footer> </main>↵
332. </body>↵
333. ↵
334. </html>

```

Used the HTML parser.

Total execution time 331 milliseconds.

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show

☒ source

☐ outline

☐ image report

Options...

Check by

text input

☐ css

```
<!DOCTYPE html>

<html lang="en">

<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <!-- CSRF Token -->
  <meta name="csrf-token"
content="vVndLX3Uo7fdmmPNgdeMURtuQgtxFB4MmBL4fU0g">
  <title>KeyShare - ssn Profile</title>
  <!-- Styles -->
  <link href="http://localhost:8000/css/common.css" rel="stylesheet">
  <link href="http://localhost:8000/css/feedback.css" rel="stylesheet">
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Error

Duplicate ID

headerSearchIcon.

[From line 95, column 109; to line 95, column 160](#)

```
<i id="headerSearchIcon" class="fas fa-search mr-2"></i>
```
- Warning

The first occurrence of ID

headerSearchIcon

was here.

[From line 40, column 17; to line 40, column 68](#)

```
<i id="headerSearchIcon" class="fas fa-search mr-2"></i>
```
- Warning

Section lacks heading. Consider using

h2

-

h6

elements to

[add identifying headings to all sections.](#)

[From line 111, column 5; to line 111, column 38](#)

```
nav">    <section id="breadcrumbContainer">    <
```

4. **Error** The element `button` must not appear as a descendant of the `a` element.

[From line 120, column 55; to line 121, column 60](#)

```
user/ssn"><button class="btn btnMediaSmall btn-blue-full">Accoun
```

5. **Error** The element `button` must not appear as a descendant of the `a` element.

[From line 124, column 112; to line 125, column 55](#)

```
urchases"><button class="btn btnMediaSmall btn-blue">Purcha
```

6. **Error** The element `button` must not appear as a descendant of the `a` element.

[From line 129, column 62; to line 130, column 64](#)

```
n/offers"><button class="btn btnMediaSmall btn-blue btn-blue">Offers
```

7. **Error** The element `button` must not appear as a descendant of the `a` element.

[From line 133, column 110; to line 134, column 64](#)

```
/reports"><button class="btn btnMediaSmall btn-blue btn-blue">Report
```

8. **Error** Duplicate ID `content`.

[From line 138, column 7; to line 138, column 42](#)

```
r"> <div id="content" class="container"> <di
```

9. **Warning** The first occurrence of ID `content` was here.

[From line 137, column 11; to line 137, column 50](#)

```
</nav> <section id="content" class="container">
```

10. **Error** Duplicate attribute `id`.

[At line 149, column 72](#)

```
nline-block" id="exampleFormCo
```

11. **Error** Bad value `text-area` for attribute `type` on element `input`.

[From line 148, column 11; to line 150, column 58](#)

```
<input id="delete-account-confirmation-input" type="text-area" class="form-control userDetailsForm mt-2 d-inline-
```

12. **Error** Attribute `placeholder` is only allowed when the input type is `email`, `number`, `password`, `search`, `tel`, `text`, or `url`.
[From line 148, column 11; to line 150, column 58](#)

```
<input id="delete-account-confirmation-input" type="text-  
area" class="form-control userDetailsForm mt-2 d-inline-  
block" id="exampleFormControlTextarea1" placeholder="Type
```
13. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).
[From line 177, column 11; to line 177, column 59](#)

```
<section class="row justify-content-center mt-3">
```
14. **Error** Duplicate attribute `id`.
[At line 217, column 91](#)

```
DetailsForm" id="email"
```
15. **Error** Bad value `Password` for attribute `for` on element `label`: An ID must not contain whitespace.
[From line 246, column 15; to line 246, column 37](#)

```
<label for="Password ">Passwo
```
16. **Error** Bad value `dialog` for attribute `role` on element `article`.
[From line 277, column 7; to line 278, column 59](#)

```
iv></div><article class="modal fade bd-modal-lg" id="user-103"  
tabindex="-1" role="dialog" aria-labelledby="myLargeModalLabel"  
aria-hidden="true"> <
```
17. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).
[From line 288, column 17; to line 288, column 65](#)

```
<section class="col text-center mt-auto mb-auto">
```
18. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).
[From line 293, column 17; to line 293, column 37](#)

```
<section class="col">
```
19. **Error** Duplicate ID `userNavbar`.
[From line 300, column 17; to line 300, column 96](#)

```
<ul id="userNavbar" class="nav nav-tabs justify-content-  
around p-3 flex-nowrap">
```

20. **Warning** The first occurrence of ID `userNavbar` was here.
[From line 117, column 15; to line 117, column 87](#)
`ction> <ul id="userNavbar" class="nav nav-tabs ml-auto mr-auto p-3
flex-nowrap">`

21. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).
[From line 277, column 7; to line 278, column 59](#)

```
iv></div><article class="modal fade bd-modal-lg" id="user-103"  
tabindex="-1" role="dialog" aria-labelledby="myLargeModalLabel"  
aria-hidden="true"> <
```

22. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).
[From line 357, column 9; to line 357, column 45](#)

```
> <section class="col ml-auto my-auto">
```

23. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).
[From line 340, column 5; to line 340, column 25](#)

```
<hr> <article class="row">
```

24. **Error** The value of the `for` attribute of the `label` element must be the ID of a non-hidden form control.
[From line 216, column 15; to line 216, column 33](#)

```
<label for="email">Email
```

25. **Error** The value of the `for` attribute of the `label` element must be the ID of a non-hidden form control.
[From line 231, column 15; to line 231, column 39](#)

```
<label for="description">Descri
```

26. **Error** The value of the `for` attribute of the `label` element must be the ID of a non-hidden form control.
[From line 246, column 15; to line 246, column 37](#)

```
<label for="Password ">Passwo
```

27. **Error** The `aria-labelledby` attribute must point to an element in the same document.
[From line 277, column 7; to line 278, column 59](#)

```

iv></div><article class="modal fade bd-modal-lg" id="user-103"
tabindex="-1" role="dialog" aria-labelledby="myLargeModalLabel"
aria-hidden="true">

```

Document checking completed.

Source

```

1. <!DOCTYPE html>
2. 
3. <html lang="en">
4. 
5. <head>
6.     <meta charset="utf-8">
7.     <meta http-equiv="X-UA-Compatible" content="IE=edge">
8.     <meta name="viewport" content="width=device-width, initial-scale=1">
9.     <!-- CSRF Token -->
10.    <meta name="csrf-token"
content="vVndLX3Uo7fdmmPNgdeMUrtuQgtxFB4MmBL4fU0g">
11.    <title>KeyShare - ssn Profile</title>
12.    <!-- Styles -->
13.    <link href="http://localhost:8000/css/common.css" rel="stylesheet">
14.    <link href="http://localhost:8000/css/feedback.css" rel="stylesheet">
15.    <link href="http://localhost:8000/css/product.css" rel="stylesheet">
16.    <link href="http://localhost:8000/bootstrap/css/bootstrap.min.css"
rel="stylesheet">
17.    <link href="http://localhost:8000/fontawesome/css/all.min.css"
rel="stylesheet">
18.    <!-- fonts -->
19.    <link href="http://localhost:8000/css/montserrat.css"
rel="stylesheet">
20.    <script src="http://localhost:8000/jquery/jquery.slim.js"></script>
21.    <script
src="http://localhost:8000/bootstrap/js/bootstrap.bundle.min.js">
</script>
22.    <script src="http://localhost:8000/fontawesome/js/fontawesome.min.js">
</script>
23.    <script src="http://localhost:8000/popper/popper.min.js"></script>
24.    <script src="http://localhost:8000/js/activate_popovers.js" defer>
</script>
25.    <script src="http://localhost:8000/js/user/profile.min.js" defer>
</script>
26.    <script src="http://localhost:8000/js/feedback/feedback.min.js" defer>
</script>
27. </head>
28. 
29. <body>
30.     <header id="headerFixed" class="navbar row">
31.         <div class="col col-md-3 col-lg-3 col-xl-1 mt-auto mb-auto">
32.             <a href="http://localhost:8000">
33.                 
34.             </a>
35.         </div>
36.         <!-- Search -->
37.         <div class="col-xl-4 d-none d-xl-block mt-auto mb-auto">
38.             <form id="query-form" class="form-inline"
action="http://localhost:8000/search" method="get">
39.                 <a class="ml-auto">
40.                     <i id="headerSearchIcon" class="fas fa-search mr-2">
41.                         </i>
42.                     </a>
43.                     <input class="form-control mr-auto mt-auto mb-
auto mr-auto searchBar" type="search" placeholder="Search"
44.                         aria-label="Search" name="query" id="query" value="">
45.                     </form>
46.                 </div>

```

```

47.     <!--Buttons-->
48.     <div class="col d-none d-xl-block mt-auto mb-auto">
49.         <div class="row justify-content-end">
50.             <a href="http://localhost:8000/search" class="btn btn-
outline-light mr-5 pl-4 pr-4 navbarButton"
51.                 role="button">Explore</a>
52.             <a href="http://localhost:8000/offer" class="btn
btn-orange navbarButton pl-4 pr-4" role="button">Sell Now</a>
53.             <!-- User Image -->
54.             <button class="btn btn-outline-light ml-5 navbarButton
dropdown-toggle" id="dropdownMenuButton"
55.                 data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">
56.                  ssn
58.             </button>
59.             <div class="dropdown-menu dropdown-menu-right " aria-
labelledby="dropdownMenuButton">
60.                 <a class="dropdown-item"
href="http://localhost:8000/user/ssn">My
61.                     Profile</a>
62.                 <a class="dropdown-item"
href="http://localhost:8000/user/purchases">My Purchases</a>
63.                 <a class="dropdown-item"
href="http://localhost:8000/user/ssn/offers">My
64.                     Offers</a>
65.                 <a class="dropdown-item"
href="http://localhost:8000/user/reports">Reports</a>
66.                 <div class="dropdown-divider"></div>
67.                 <form action="http://localhost:8000/logout"
method="POST">
68.                     <input type="hidden" name=" token"
value="vVndLX3Uo7fdmmPNgdeMUrtuQgtxFB4MmBL4fU0g">
<input type="submit" class="dropdown-item" value="Log out">
69.                 </form>
70.             </div>
71.         </div>
72.     </div>
73.     <!-- Cart icon -->
74.     <div class="col d-none col-xl-2 d-xl-block mt-auto mb-auto">
75.         <div class="row">
76.             <a href="http://localhost:8000/cart" class="mt-auto mb-auto
ml-auto mr-3">
77.                 <i class="fas fa-shopping-cart headerIcon cl-orange">
</i>
78.                 <span id="shopping_cart_item_counter"
class="badge badge-secondary">4</span>
79.             </a>
80.         </div>
81.     </div>
82. </div>
83. <!-- Button Collapse Small -->
84. <div class="col d-none text-right pos-f-t">
85.     <button id="navbarHamburger" type="button" class="navbar-
toggler ml-auto" data-toggle="collapse"
86.         data-target="#hamburgerContentNavSmall" aria-
controls="hamburgerContentNavSmall" aria-expanded="false"
87.         aria-label="Toggle navigation">
88.         <span class="navbar-toggler-icon"></span>
89.     </button>
90. </div>
91. </header>
92. <div id="hamburgerContentNavSmall" class="collapse sticky-top pt-3 pb-
3">
93.     <div class="col w-100">
94.         <form class="form-inline" action="http://localhost:8000/search"
method="get">
95.             <input type="hidden" name=" token"
value="vVndLX3Uo7fdmmPNgdeMUrtuQgtxFB4MmBL4fU0g">
96.             <input class="form-control mr-auto mt-auto mb-auto mr-auto
searchBar" type="search" placeholder="Search"
97.                 aria-label="Search" name="query" />
98.         </form>
99.     <div class="row flex-nowrap justify-content-around mt-3">

```

[illegible]


```

155.         <button id="delete-account-confirmation" class="btn btn-
blue"><
156.             <i class="fas fa-check mr-2"></i>Yes<
157.         </button><
158.     </div><
159.     <div class="col text-right"><button class="btn btn-blue" data-
dismiss="modal"><
160.         <i class="fas fa-times mr-2"></i>Cancel</button><
161.     </div><
162. </div><
163. </div><
164. </div><
165. </div><
166. <div class="row mt-2"><
167.     <div class="col-sm-4 usercontent-left border rounded-top"><
168.         <div class="row "><
169.             <div class="col-sm-12 mt-3"><
170.                 <h4 id="username" class="text-center">ssn</h4><
171.             </div><
172.         </div><
173.         <div class="row"><
174.             <div class="col-sm-12 text-center"><
175.                 <img id="profile-image" class="rounded-circle img-fluid mt-3">
176.                 src="http://localhost:8000/pictures/profile/user.png"
alt="Profile image"><
177.                 <section class="row justify-content-center mt-3"><
178.                     <form id="form-img-upload" name="user-image-form"
enctype="multipart/form-data"><
179.                         <input type="hidden" name=" token"
value="vVndLX3Uo7fdmmPNgdeMURtuQgtxFB4MmBL4fU0g"> <span
class="btn btn-sm btn-blue btn-file"><
180.                             <i class="fas fa-camera-retro"></i><
181.                             Browse <input id="img-upload" name="picture"
type="file"><
182.                         </span><
183.                     </form><
184.                     <form action=http://localhost:8000/user/image method="POST"
class="ml-3"><
185.                         <input type="hidden" name=" token"
value="vVndLX3Uo7fdmmPNgdeMURtuQgtxFB4MmBL4fU0g"> <input type="hidden"
name=" method" value="DELETE"> <button type="submit"
class="btn btn-sm btn-red"><i class="fas fa-trash-alt"></i><
186.                         Delete</button><
187.                     </form><
188.                 </section><
189.             </div><
190.         </div><
191.         <div class="row mt-4"><
192.             <div class="col-sm-12 text-center"><
193.                 <p> <i class="fas fa-thumbs-up cl-success mr-1"></i>
<span class="font-weight-bold cl-success">
194.                 100%<
195.                 </span> | <span><i class="fas fa-shopping-
cart"></i>0</span><
196.             </p><
197.         </div><
198.     </div><
199.     <div class="row mt-2 mb-5"><
200.         <div class="col-sm-12 text-center"><
201.             <button type="button" data-toggle="modal" data-target="#user-
103" class="btn btn-blue btn-sm">See
202.             all feedback</button><
203.         </div><
204.     </div><
205. </div><
206. <div class="col-sm-7 ml-3 text-center border rounded-top-lg"><
207.     <div class="row"><
208.         <div class="col-sm-12 mt-3 text-center"><
209.             <h4 class="text-center">Account Details</h4><
210.         </div><
211.     </div><
212.     <div class="row"><
213.         <div class="col-sm-12 text-center"><
214.             <form id="form_update_user" class="needs-validation"
novalidate=""><

```

```

215.         <input type="hidden" name=" token"
value="vVndLX3Uo7fdmmPNgdeMURtuQgtxFB4MmBL4fU0g">           <div
class="mb-3 mt-3 text-left">↵
216.         <label for="email">Email <span class="text-muted"></span>
</label>↵
217.         <input id="email-input" type="email" class="form-control
userDetailsForm" id="email"↵
218.         value="up310021@g.uporto.pt"
placeholder="youremail@example.com" data-kwimpalastatus="alive"↵
219.         data-kwimpalaid="1583446459119-9" >↵
220.         <div id="email-invalid" class="invalid-feedback d-block">
</div>↵
221.         <div id="email-valid" class="valid-feedback d-block">
</div>↵
222.         <div class="text-right mt-3">↵
223.         <button id="button_submit_email" type="button"
class="btn btn-sm btn-blue"↵
224.         >↵
225.         <i class="fas fa-envelope"></i> Change email↵
226.         </button>↵
227.         </div>↵
228. ↵
229.     </div>↵
230.     <div class="mb-3 text-left">↵
231.         <label for="description">Description</label>↵
232.         <div class="input-group">↵
233.         <textarea id="description_textarea" class="form-control
userDetailsForm"↵
234.         placeholder="Write something about yourself!!"
rows="3"↵
235.         >Professor de LBAW</textarea></div>↵
236.         <div id="description-invalid" class="invalid-feedback">
</div>↵
237.         <div id="description-valid" class="valid-feedback">
</div>↵
238.         <div class="text-right mt-3">↵
239.         <button id="button_submit_description" type="button"
class="btn btn-sm btn-blue"↵
240.         ><i class="fas fa-save"></i> Save changes↵
241.         </button>↵
242.         </div>↵
243.     </div>↵
244. ↵
245.     <div class="mb-3 mt-0 text-left">↵
246.         <label for="Password ">Password (optional)</label>↵
247.         <input id="old-password-input" type="password"
class="form-control userDetailsForm mb-1"↵
248.         placeholder="Current password" data-
kwimpalastatus="alive" data-kwimpalaid="1583446459119-9">↵
249.         <div id="old-password-invalid" class="invalid-feedback">
</div>↵
250.         <input id="new-password-input" type="password"
class="form-control userDetailsForm mb-1"↵
251.         placeholder="New password" data-kwimpalastatus="alive"
data-kwimpalaid="1583446459119-9">↵
252.         <input id="confirm-password-input" type="password"
class="form-control userDetailsForm mb-1"↵
253.         placeholder="Confirm new password" data-
kwimpalastatus="alive" data-kwimpalaid="1583446459119-9">↵
254.         <div id="new-password-invalid" class="invalid-feedback d-
block"> </div>↵
255.         <div id="new-password-valid" class="valid-feedback">
</div>↵
256.     </div>↵
257.     <div class="text-right mt-3">↵
258.     <button id="button_submit_password" type="button"
class="btn btn-sm btn-blue">↵
259.     <i class="fas fa-key"></i> Change password↵
260.     </button>↵
261.     </div>↵
262. ↵
263.     <div class="mb-5 mt-5 text-center">↵
264.         <span class="invisible">Easter egg</span>↵
265.     </div>↵
266.     <div class="mb-5 mt-5 text-center flex-nowrap">↵

```

```

267.         <button id="deleteAccountButton" data-toggle="modal" data-
target="#modalConfirm" type="button">
268.             class="btn btn-sm btn-blue d-inline-block">
269.             <i class="fas fa-user-slash"></i>
270.             <span class="d-inline-block"> Delete Account</span>
</button>
271.         </div>
272.     </form>
273. </div>
274. </div>
275. </div>
276. </div>
277. </div><article class="modal fade bd-modal-lg" id="user-103"
tabindex="-1" role="dialog"
278.     aria-labelledby="myLargeModalLabel" aria-hidden="true">
279.     <div class="modal-dialog modal-lg" role="document">
280.         <div class="modal-content">
281.             <header class="modal-header row justify-content-around mt-2
row ml-0 mr-0">
282.                 <section class="text-left col">
283.                     <h4 class="row">ssn</h4>
284.                     <p class="row"><i class="fas fa-thumbs-up cl-
success"></i><span
285.                         class="font-weight-bold cl-success">100%
</span> | <i
286.                             class="fas fa-shopping-cart"></i> 0 </p>
287.                 </section>
288.                 <section class="col text-center mt-auto mb-auto">
289.                     <a href="http://localhost:8000/user/ssn" class="btn
btn-sm btn-blue"><i
290.                         class="fas fa-user-alt d-inline-block"></i>
<span class="d-inline-block">View profile
291.                     </span></a>
292.                 </section>
293.                 <section class="col">
294.                     <button class="close m-0" data-dismiss="modal" aria-
label="Close">
295.                         <span aria-hidden="true">&times;</span>
296.                     </button>
297.                 </section>
298.             </header>
299.             <div class="modal-body">
300.                 <ul id="userNavbar" class="nav nav-tabs justify-content-
around p-3 flex-nowrap">
301.                     <li class="nav-item"> <button class="btn all btn-blue-full active">All
reviews<span
302.                         class="badge badge-secondary d-none d-
sm-inline-block ml-2">0</span></button>
303.                     </li>
304.                     <li class="nav-item"> <button class="btn positive
btn-green"><i
305.                         class="fas fa-thumbs-up">
</i>Positive<span
306.                         class="badge badge-secondary d-none d-
sm-inline-block ml-2">0</span></button>
307.                     </li>
308.                     <li class="nav-item"> <button class="btn negative
btn-red"><i
309.                         class="fas fa-thumbs-down">
</i>Negative<span
310.                         class="badge badge-secondary d-none d-
sm-inline-block ml-2">0</span></button>
311.                     </li>
312.                 </ul>
313.                 <div class="col">
314.                     <div class="table-responsive tableFixHead mt-3">
315.                         <table class="table p-0">
316.                             <thead>
317.                                 <tr>
318.                                     <th scope="col" class="border-0 bg-
light text-center">
319.                                         <div class="p-2 px-3 text-
uppercase">Feedback</div>
320.                                     </th>

```

```

321.         <th scope="col" class="border-0 bg-
light text-center">↵
322.             <div class="py-2 text-
uppercase">Date</div>↵
323.         </th>↵
324.         <th scope="col" class="border-0 bg-
light text-center">↵
325.             <div class="py-2 text-
uppercase">Comment</div>↵
326.         </th>↵
327.     </tr>↵
328. </thead>↵
329. <tbody class="bg-white">↵
330.
331. </tbody>↵
332. </table>↵
333. </div>↵
334. </div>↵
335. </div>↵
336. </div>↵
337. </article> </section>↵
338. <footer id="footerGeneric" class="container">↵
339.     <hr>↵
340.     <article class="row">↵
341.         <section class="col">↵
342.             <h5 class="title"> More</h5>↵
343.             <ul class="list-unstyled">↵
344.                 <li><a href=http://localhost:8000/faq> Help</a></li>↵
345.                 <li><a href=http://localhost:8000/contact> Contact</a>
</li>↵
346.                 <li><a href=http://localhost:8000/about> About us</a>
</li>↵
347.             </ul>↵
348.         </section>↵
349.         <section class="col">↵
350.             <h5 class="title"> Shortcuts </h5>↵
351.             <ul class="list-unstyled">↵
352.                 <li><a href=http://localhost:8000/user/ssn>
353.                     Profile</a></li>
354.                 <li><a href=http://localhost:8000/> Homepage</a></li>↵
355.                 <li><a href=http://localhost:8000/search> All
products</a></li>↵
356.             </ul>↵
357.         </section>↵
358.         <section class="col ml-auto my-auto">↵
359.             <p>© Copyright 2020 Key Share. All rights reserved.</p>↵
360.         </section>↵
361.     </article>↵
362. </footer> </main>↵
363. </body>↵
364. </html>

```

Used the HTML parser.

Total execution time 277 milliseconds.

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show

☒ source

☐ outline

☐ image report

Options...

Check by

text input

☐ css

```
<!DOCTYPE html>

<html lang="en">

<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <!-- CSRF Token -->
  <meta name="csrf-token"
content="vVndLX3Uo7fdmmPNgdeMURtuQgtxFB4MmBL4fU0g">
  <title>KeyShare - BATTLEFIELD V [PC]</title>
  <!-- Styles -->
  <link href="http://localhost:8000/css/common.css" rel="stylesheet">
  <link href="http://localhost:8000/css/feedback.css" rel="stylesheet">
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Error

Duplicate ID headerSearchIcon.

[From line 95, column 109; to line 95, column 160](#)

```
<i id="headerSearchIcon" class="fas fa-search mr-2"></i>
```
- Warning

The first occurrence of ID headerSearchIcon was here.

[From line 40, column 17; to line 40, column 68](#)

```
<i id="headerSearchIcon" class="fas fa-search mr-2"></i>
```
- Warning

Section lacks heading. Consider using h2 - h6 elements to [add identifying headings to all sections](#).

[From line 110, column 5; to line 110, column 38](#)

```
per"> <section id="breadcrumbContainer"> <
```

4. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 118, column 9; to line 118, column 135](#)

```
>... ... <
```

5. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

[From line 116, column 7; to line 116, column 57](#)

```
r">... <article id="top-page" class="row ml-auto mr-auto">... <
```

6. **Error** The `scope` attribute on the `td` element is obsolete. Use the `scope` attribute on a `th` element instead.

[From line 179, column 126; to line 180, column 50](#)

```
= "offer" ">... <td scope="row" class="border-0 align-middle">...
```

7. **Error** Bad value `dialog` for attribute `role` on element `article`.

[From line 193, column 13; to line 194, column 59](#)

```
<article class="modal fade bd-modal-lg" id="user-68"
tabindex="-1" role="dialog"... aria-labelledby="myLargeModalLabel"
aria-hidden="true">... <
```

8. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

[From line 204, column 17; to line 204, column 65](#)

```
<section class="col text-center mt-auto mb-auto">...
```

9. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

[From line 209, column 17; to line 209, column 37](#)

```
<section class="col">...
```

10. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

[From line 193, column 13; to line 194, column 59](#)

```
<article class="modal fade bd-modal-lg" id="user-68"
tabindex="-1" role="dialog"... aria-labelledby="myLargeModalLabel"
aria-hidden="true">... <
```

11. **Error** End tag `article` seen, but there were open elements.
[From line 279, column 1; to line 279, column 10](#)
`</div></article> </`
12. **Error** Unclosed element `div`.
[From line 143, column 5; to line 143, column 27](#)
`ing"><div class="col-sm-12">`
13. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).
[From line 115, column 15; to line 115, column 54](#)
`ction> <section id="content" class="container">`
14. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).
[From line 299, column 9; to line 299, column 45](#)
`><section class="col ml-auto my-auto">`
15. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).
[From line 282, column 5; to line 282, column 25](#)
`<hr> <article class="row">`
16. **Error** The `aria-labelledby` attribute must point to an element in the same document.
[From line 193, column 13; to line 194, column 59](#)
`<article class="modal fade bd-modal-lg" id="user-68"
tabindex="-1" role="dialog" aria-labelledby="myLargeModalLabel"
aria-hidden="true"> <`

Document checking completed.

Source

```
1. <!DOCTYPE html>
2. 
3. <html lang="en">
4. 
5. <head>
6.   <meta charset="utf-8">
7.   <meta http-equiv="X-UA-Compatible" content="IE=edge">
8.   <meta name="viewport" content="width=device-width, initial-scale=1">
9.   <!-- CSRF Token -->
10.  <meta name="csrf-token"
11.    content="vVndLX3Uo7fdmmPNgdeMUrtuQgtxFB4MmBL4fU0g">
12.  <title>KeyShare - BATTLEFIELD V [PC]</title>
13.  <!-- Styles -->
```



```

13. <link href="http://localhost:8000/css/common.css" rel="stylesheet">↵
14. <link href="http://localhost:8000/css/feedback.css" rel="stylesheet">↵
15. <link href="http://localhost:8000/css/product.css" rel="stylesheet">↵
16. <link href="http://localhost:8000/bootstrap/css/bootstrap.min.css"
rel="stylesheet">↵
17. <link href="http://localhost:8000/fontawesome/css/all.min.css"
rel="stylesheet">↵
18. <!-- fonts -->↵
19. <link href="http://localhost:8000/css/montserrat.css"
rel="stylesheet">↵
20. <script src="http://localhost:8000/jquery/jquery.slim.js"></script>↵
21. <script
src="http://localhost:8000/bootstrap/js/bootstrap.bundle.min.js">
</script>↵
22. <script src="http://localhost:8000/fontawesome/js/fontawesome.min.js">
</script>↵
23. <script src="http://localhost:8000/popper/popper.min.js"></script>↵
24. <script src="http://localhost:8000/js/activate_popovers.js" defer>
</script>↵
25. <script src="http://localhost:8000/js/products/product.min.js" defer>
</script>↵
26. <script src="http://localhost:8000/js/feedback/feedback.min.js" defer>
</script>↵
27. </head>↵
28. ↵
29. <body>↵
30. <header id="headerFixed" class="navbar row">↵
31. <div class="col col-md-3 col-lg-3 col-xl-1 mt-auto mb-auto">↵
32. <a href="http://localhost:8000">↵
33. ↵
34. </a>↵
35. </div>↵
36. <!-- Search -->↵
37. <div class="col-xl-4 d-none d-xl-block mt-auto mb-auto">↵
38. <form id="query-form" class="form-inline"
action="http://localhost:8000/search" method="get">↵
39. <a class="ml-auto">↵
40. <i id="headerSearchIcon" class="fas fa-search mr-2">
</i>↵
41. </a>↵
42. ↵
43. <input class="form-control mr-auto mt-auto mb-
auto mr-auto searchBar" type="search" placeholder="Search"↵
44. aria-label="Search" name="query" id="query" value="">↵
45. </form>↵
46. </div>↵
47. <!--Buttons-->↵
48. <div class="col d-none d-xl-block mt-auto mb-auto">↵
49. <div class="row justify-content-end">↵
50. <a href="http://localhost:8000/search" class="btn btn-
outline-light mr-5 pl-4 pr-4 navbarButton"↵
51. role="button">Explore</a>↵
52. <a href="http://localhost:8000/offer" class="btn
btn-orange navbarButton pl-4 pr-4" role="button">Sell Now</a>↵
53. <!-- User Image -->↵
54. <button class="btn btn-outline-light ml-5 navbarButton
dropdown-toggle" id="dropdownMenuButton"↵
55. data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">↵
56.  ssn↵
58. </button>↵
59. <div class="dropdown-menu dropdown-menu-right " aria-
labelledby="dropdownMenuButton">↵
60. <a class="dropdown-item"
href="http://localhost:8000/user/ssn">My↵
61. Profile</a>↵
62. <a class="dropdown-item"
href="http://localhost:8000/user/purchases">My Purchases</a>↵
63. <a class="dropdown-item"
href="http://localhost:8000/user/ssn/offers">My↵
64. Offers</a>↵

```

```

65.         <a class="dropdown-item"
href="http://localhost:8000/user/reports">Reports</a>
66.         <div class="dropdown-divider"></div>
67.         <form action="http://localhost:8000/logout"
method="POST">
68.             <input type="hidden" name=" token"
value="vVndLX3Uo7fdmmPNgdeMUrtuQgtxFB4MmBL4fU0g">
<input type="submit" class="dropdown-item" value="Log out">
69.         </form>
70.     </div>
71. </div>
72. <!-- Cart icon -->
73. <div class="col d-none col-xl-2 d-xl-block mt-auto mb-auto">
74.     <div class="row">
75.         <a href="http://localhost:8000/cart" class="mt-auto mb-auto
ml-auto mr-3">
76.             <i class="fas fa-shopping-cart headerIcon cl-orange">
77. </i>
78.             <span id="shopping_cart_item_counter"
class="badge badge-secondary">4</span>
79.         </a>
80.     </div>
81. </div>
82. <!-- Button Collapse Small -->
83. <div class="col d-xl-none text-right pos-f-t">
84.     <button id="navbarHamburger" type="button" class="navbar-
toggler ml-auto" data-toggle="collapse"
85.         data-target="#hamburgerContentNavSmall" aria-
controls="hamburgerContentNavSmall" aria-expanded="false"
86.         aria-label="Toggle navigation">
87.         <span class="navbar-toggler-icon"></span>
88.     </button>
89. </div>
90. </header>
91. <div id="hamburgerContentNavSmall" class="collapse sticky-top pt-3 pb-
3">
92.     <div class="col w-100">
93.         <form class="form-inline" action="http://localhost:8000/search"
method="get">
94.             <input type="hidden" name=" token"
value="vVndLX3Uo7fdmmPNgdeMUrtuQgtxFB4MmBL4fU0g">
95.             <i
id="headerSearchIcon" class="fas fa-search mr-2"></i>
96.             <input class="form-control mr-auto mt-auto mb-auto mr-auto
searchBar" type="search" placeholder="Search"
97.                 aria-label="Search" name="query" />
98.         </form>
99.         <div class="row flex-nowrap justify-content-around mt-3">
100.             <a href="http://localhost:8000/search"
class="btn btn-outline-light navbarButtonSmall"
role="button">Explore</a>
101.             <a id="sellNowButtonNavbar"
href="http://localhost:8000/offer" class="btn btn-outline-light
navbarButtonSmall"
102.                 role="button">Sell Now</a>
103.             <a id="shoppingCartIconHamburger"
href="http://localhost:8000/cart" class="mt-auto mb-auto mr-2"><i
104.                 class="fas fa-shopping-cart headerIcon cl-orange">
</i><span>
105.                 class="badge badge-secondary"></span></a>
106.         </div>
107.     </div>
108. </div>
109. <main id="wrapper">
110.     <section id="breadcrumbContainer">
111.         <ol class="breadcrumb">
112.             <li class="breadcrumb-item"><a href="/"><i class="fas fa-home">
</i>Home</a></li>
113.             <li class="breadcrumb-item"><a
href="http://localhost:8000/product/BATTLEFIELD%20V/PC">BATTLEFIELD V
[PC]</a></li>
114.         </ol>
115.     </section>
116.     <section id="content" class="container">
117.         <article id="top-page" class="row ml-auto mr-auto">
<div class="col-5 mt-5 p-0">

```

```

118.         
119.     </div>
120.     <aside class="col-6 mt-5">
121.         <div class="row">
122.             <div class="col-12">
123.                 <h3 id="product_name_platform" data-product-
name="BATTLEFIELD V"
124.                     data-product-platform="PC">BATTLEFIELD V [PC]</h3>
125.             </div>
126.         </div>
127.         <div class="row mt-4 mb-4">
128.             <div class="col-12">
129.                 <h4 class="title-price d-inline-
block">Starting at: 53.68$</h4>
130.             </div>
131.         </div>
132.         <div class="row">
133.             <div class="col-12 d-none d-lg-inline ">
134.                 <p class="text-justify" id="text-readmore">
135.                     With Battlefield V, the series goes back to its
roots in a never-before-seen portrayal of World War 2. Take on physical,
all-out multiplayer with your squad in modes like the vast Grand
Operations and <span id="dots"></span><span id="more"
136.                     class="text-justify"> the cooperative
Combined Arms, or witness human drama set against global combat in the
single player War Stories. As you fight in epic, unexpected locations
across the globe, enjoy the richest and most immersive Battlefield
yet.World War 2 as youve never seen it before Get ready to immerse
yourself in iconic World War 2 0 - from paratrooper assaults to tank
warfare. Charge into pivotal battles in the early days of the war for an
experience unlike any other. This isnt the World War 2 youve come to
expect - this is Battlefield V. Customize your soldiersYour journey
through the world of Battlefield V starts with your Company - where
every soldier is unique. Create and customize soldiers, weapons and
vehicles, from the way they look to how they play.</span>
137.                     </p><a id="moreTextButton" href="#">Read more</a>
138.                 </div>
139.             </div>
140.         </aside>
141. </article>
142. <article class="row mt-5" id="offersListing">
143.     <div class="col-sm-12">
144.         <div class="row mt-4">
145.             <div class="col-6">
146.                 <h4>Offers <span id="counter-number-offers" class="badge
ml-1 badge-secondary">1</span>
147.             </h4>
148.             </div>
149.             <div id="radio-buttons" class="col-6 text-right ">
150.                 <h6 class="d-inline-block mr-3">Sort by: </h6>
151.                 <div style='display:inline;' class="mr-3">
152.                     <input type="radio" style='transform:scale(1.4);'
name="radio" id="radio_best_price" checked />
153.                     <label for="radio_best_price">Best Price</label>
154.                 </div>
155.                 <div style='display:inline;'>
156.                     <input type="radio" style='transform:scale(1.4);'
name="radio" id="radio_best_rating" />
157.                     <label for="radio_best_rating">Best Rating</label>
158.                 </div>
159.             </div>
160.         </div>
161.         <div class="row mt-2">
162.             <div class="col-12">
163.                 <div id="offers-content" class="table-responsive table-
striped ">
164.                     <table id="userOffersTable"
class="table p-0">
165.                         <thead>
166.                             <tr>
167.                                 <th scope="col" class="border-0 bg-
light">
168.                                     <div class="p-2 px-3 text-
uppercase">Seller Details</div>

```

```

169.                                     </th>↵
170.                                     <th scope="col" class="border-0 bg-light
text-center">↵
171.                                     <div class="py-2 text-
uppercase">Price</div>↵
172.                                     </th>↵
173.                                     <th scope="col" class="border-0 bg-light
text-center">↵
174.                                     <div class="py-3 text-uppercase">
</div>↵
175.                                     </th>↵
176.                                     </tr>↵
177.                                     </thead>↵
178.                                     <tbody id="offers_body">↵
179.
<tr id="entry-offer-115" class="offer ">↵
180.     <td scope="row" class="border-0 align-middle">↵
181.         <div class="p-2 m-0">↵
182.             <h4><a data-toggle="modal" data-target="#user-68" href="#"
class="seller"↵
183.                 style="color:black">nsalterneIt</a></h4>↵
184.                 <span class="font-weight-bold cl-success">↵
185.                     <i class="fas fa-thumbs-up"></i> 84↵
186.                 </span>↵
187.                 <span>↵
188.                     | <i class="fas fa-shopping-cart"></i> 9378 |↵
189.                 </span>↵
190.                 <span>↵
191.                     Stock:<span id="offer-115-stock">5</span>↵
192.                 </span>↵
193.                 <article class="modal fade bd-modal-lg" id="user-68"
tabindex="-1" role="dialog"↵
194.                     aria-labelledby="myLargeModalLabel" aria-hidden="true">↵
195.                     <div class="modal-dialog modal-lg" role="document">↵
196.                         <div class="modal-content">↵
197.                             <header class="modal-header row justify-content-around mt-2
row ml-0 mr-0">↵
198.                                 <section class="text-left col">↵
199.                                     <h4 class="row">nsalterneIt</h4>↵
200.                                     <p class="row"><i class="fas fa-thumbs-up cl-
success"></i><span↵
201.                                         class="font-weight-bold cl-success">84%
</span> | <i↵
202.                                             class="fas fa-shopping-cart"></i> 9378 </p>↵
203.                                     </section>↵
204.                                     <section class="col text-center mt-auto mb-auto">↵
205.                                         <a href="http://localhost:8000/user/nsalterneIt"
class="btn btn-sm btn-blue"><i↵
206.                                             class="fas fa-user-alt d-inline-block"></i>
<span class="d-inline-block">View profile↵
207.                                         </span></a>↵
208.                                     </section>↵
209.                                     <section class="col">↵
210.                                         <button class="close m-0" data-dismiss="modal" aria-
label="Close">↵
211.                                             <span aria-hidden="true">&times;</span>↵
212.                                         </button>↵
213.                                     </section>↵
214.                             </header>↵
215.                             <div class="modal-body">↵
216.                                 <ul id="userNavbar" class="nav nav-tabs justify-content-
around p-3 flex-nowrap">↵
217.                                     <li class="nav-item"> <button class="btn all btn-blue-full active">All
reviews<span↵
218.                                         class="badge badge-secondary d-none d-
sm-inline-block ml-2">0</span></button>↵
219.                                     </li>↵
220.                                     <li class="nav-item"> <button class="btn positive
btn-green"><i↵
221.                                         class="fas fa-thumbs-up">
</i>Positive<span↵
222.                                         class="badge badge-secondary d-none d-
sm-inline-block ml-2">0</span></button>↵
223.                                     </li>↵

```

```

224.         <li class="nav-item"> <button class="btn negative
btn-red"><i>
225.             class="fas fa-thumbs-down">
</i>Negative<span>
226.                 class="badge badge-secondary d-none d-
sm-inline-block ml-2">0</span></button>
227.             </li>
228.         </ul>
229.         <div class="col">
230.             <div class="table-responsive tableFixHead mt-3">
231.                 <table class="table p-0">
232.                     <thead>
233.                         <tr>
234.                             <th scope="col" class="border-0 bg-
light text-center">
235.                                 <div class="p-2 px-3 text-
uppercase">Feedback</div>
236.                             </th>
237.                             <th scope="col" class="border-0 bg-
light text-center">
238.                                 <div class="py-2 text-
uppercase">Date</div>
239.                             </th>
240.                             <th scope="col" class="border-0 bg-
light text-center">
241.                                 <div class="py-2 text-
uppercase">Comment</div>
242.                             </th>
243.                         </tr>
244.                     </thead>
245.                     <tbody class="bg-white">
246.
247.                 </tbody>
248.             </table>
249.         </div>
250.     </div>
251. </div>
252. </div>
253. </article>
254. </td>
255.     <td class="text-center align-middle"><strong>$53.68</strong>
</td>
256.     <td class="text-center align-middle">
257.         <div class="btn-group-justified">
258.             <button data-offer="115" class="btn btn-orange
button-offer">
259.                 <i class="fas fa-cart-plus"></i>
260.             </button>
261.         </div>
262.     </td>
263. </tr>
264. </tbody>
265. </table>
266. </div>
267. <div id="see-more-buttons" class="row mt-4 mx-auto d-none">
268.     <div class="col-12">
269.         <button id="see_more_offers" class="btn-blue btn-
primary"><i class="fas fa-angle-down"></i> See the
270.             other offers <i class="fas fa-angle-down"></i>
</button>
271.         <div id="loading_offers" class="spinner-border text-
primary" role="status">
272.             <span class="sr-only">Loading...</span>
273.         </div>
274.         <a id="close_more_offers" href="#top-page" class="btn-
blue btn-primary" style="display:none;"> <i
275.             class="fas fa-angle-up"></i> See first 10 offers
<i class="fas fa-angle-up"></i> </a>
276.         </div>
277.     </div>
278. </div>
279. </article>
280. <footer id="footerGeneric" class="container">
281.     <hr>

```

```

282.     <article class="row">↵
283.         <section class="col">↵
284.             <h5 class="title"> More</h5>↵
285.             <ul class="list-unstyled">↵
286.                 <li><a href=http://localhost:8000/faq> Help</a></li>↵
287.                 <li><a href=http://localhost:8000/contact> Contact</a>
288.             </li>↵
289.                 <li><a href=http://localhost:8000/about> About us</a>
290.             </li>↵
291.             </ul>↵
292.         </section>↵
293.         <section class="col">↵
294.             <h5 class="title"> Shortcuts </h5>↵
295.             <ul class="list-unstyled">↵
296.                 <li><a href=http://localhost:8000/user/ssn>↵
297.                     Profile</a></li>
298.                 <li><a href=http://localhost:8000> Homepage</a></li>↵
299.                 <li><a href=http://localhost:8000/search> All
300.                     products</a></li>↵
301.             </ul>↵
302.         </section>↵
303.     </article>↵
304. </footer> </main>↵
305. ↵
306. </html>

```

Used the HTML parser.

Total execution time 255 milliseconds.

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show

☒ source

☐ outline

☐ image report

Options...

Check by

text input

☐ css

```
<link href="http://localhost:8000/bootstrap/css/bootstrap.min.css"
rel="stylesheet">
<link href="http://localhost:8000/fontawesome/css/all.min.css"
rel="stylesheet">
<!-- fonts -->
<link href="http://localhost:8000/css/montserrat.css" rel="stylesheet">
<script src="http://localhost:8000/jquery/jquery.slim.js"></script>
<script src="http://localhost:8000/bootstrap/js/bootstrap.bundle.min.js">
</script>
<script src="http://localhost:8000/fontawesome/js/fontawesome.min.js">
</script>
<script src="http://localhost:8000/popper/popper.min.js"></script>
<script src="http://localhost:8000/js/activate_popovers.js" defer>
</script>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.

[From line 1, column 1; to line 2, column 86](#)

```
<link href="http://localhost:8000/bootstrap/css/bootstrap.min.css"
rel="stylesheet"><li
```

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

2. **Error** Start tag seen without seeing a doctype first. Expected `<!DOCTYPE html>`.

[From line 1, column 1; to line 2, column 86](#)

```
<link href="http://localhost:8000/bootstrap/css/bootstrap.min.css"
rel="stylesheet"><li
```


3. **Error** Element `head` is missing a required instance of child element `title`.
[From line 12, column 1; to line 12, column 7](#)

```
</script></head><body>
```

Content model for element `head`:
If the document is [an iframe srcdoc document](#) or if title information is available from a higher-level protocol: Zero or more elements of [metadata content](#), of which no more than one is a `title` element and no more than one is a `base` element.
Otherwise: One or more elements of [metadata content](#), of which exactly one is a `title` element and no more than one is a `base` element.

4. **Error** Duplicate ID `headerSearchIcon`.
[From line 80, column 109; to line 80, column 160](#)

```
<i id="headerSearchIcon" class="fas fa-search mr-2"></i>
```

5. **Warning** The first occurrence of ID `headerSearchIcon` was here.
[From line 25, column 17; to line 25, column 68](#)

```
<i id="headerSearchIcon" class="fas fa-search mr-2"></i>
```

6. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).
[From line 95, column 5; to line 95, column 38](#)

```
per"><section id="breadcrumbContainer"><
```

7. **Error** Element `h5` not allowed as child of element `button` in this context. (Suppressing further errors from this subtree.)
[From line 108, column 21; to line 108, column 52](#)

```
<h5 class="productSideBarTitle">Sort b
```

Content model for element `button`:
[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the `tabindex` attribute specified.

8. **Error** Element `h5` not allowed as child of element `button` in this context. (Suppressing further errors from this subtree.)
[From line 137, column 21; to line 137, column 57](#)

```
<h5 class="productSideBarTitle pb-2">Genres
```

Content model for element `button`:
[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the `tabindex` attribute specified.

9. **Error** Element `h5` not allowed as child of element `button` in this context.

(Suppressing further errors from this subtree.)

[From line 250, column 17; to line 250, column 48](#)

```
<h5 class="productSideBarTitle">Platfo
```

Content model for element `button`:

[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the [tabindex](#) attribute specified.

10. **Error** Element `h5` not allowed as child of element `button` in this context.

(Suppressing further errors from this subtree.)

[From line 326, column 9; to line 326, column 40](#)

```
> <h5 class="productSideBarTitle">Catego
```

Content model for element `button`:

[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the [tabindex](#) attribute specified.

11. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

[From line 362, column 5; to line 362, column 50](#)

```
</h5> <article class="form-check form-check-inline">
```

12. **Error** Duplicate ID `sidebar`.

[From line 383, column 21; to line 383, column 50](#)

```
<div id="sidebar" class="col">
```

13. **Warning** The first occurrence of ID `sidebar` was here.

[From line 102, column 5; to line 102, column 60](#)

```
t-5"> <div id="sidebar" class="col-3 d-none d-lg-block h-100">  
<
```

14. **Error** Element `h5` not allowed as child of element `button` in this context.

(Suppressing further errors from this subtree.)

[From line 390, column 41; to line 390, column 72](#)

```
<h5 class="productSideBarTitle">Sort b
```

Content model for element `button`:

[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the [tabindex](#) attribute specified.

15. **Error** Duplicate ID `collapseOrder`.

[From line 394, column 37; to line 394, column 82](#)

```
<div id="collapseOrder" class="collapse show">
```

16. **Warning** The first occurrence of ID `collapseOrder` was here.
[From line 110, column 17; to line 110, column 62](#)

```
<div id="collapseOrder" class="collapse show">␣
```

17. **Error** Element `h5` not allowed as child of element `button` in this context.
(Suppressing further errors from this subtree.)
[From line 422, column 41; to line 422, column 77](#)

```
<h5 class="productSideBarTitle pb-2">Genres
```


Content model for element `button`:
[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the [tabindex](#) attribute specified.

18. **Error** Duplicate ID `collapseGenres`.
[From line 425, column 37; to line 425, column 83](#)

```
<div id="collapseGenres" class="collapse show">␣
```

19. **Warning** The first occurrence of ID `collapseGenres` was here.
[From line 139, column 17; to line 139, column 63](#)

```
<div id="collapseGenres" class="collapse show">␣
```

20. **Error** Element `h5` not allowed as child of element `button` in this context.
(Suppressing further errors from this subtree.)
[From line 537, column 37; to line 537, column 68](#)

```
<h5 class="productSideBarTitle">Platfo
```


Content model for element `button`:
[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the [tabindex](#) attribute specified.

21. **Error** Duplicate ID `collapsePlatforms`.
[From line 539, column 33; to line 539, column 82](#)

```
<div id="collapsePlatforms" class="collapse show">␣
```

22. **Warning** The first occurrence of ID `collapsePlatforms` was here.
[From line 252, column 13; to line 252, column 62](#)

```
<div id="collapsePlatforms" class="collapse show">␣
```

23. **Error** Duplicate ID `noPlatform`.
[From line 541, column 41; to line 542, column 53](#)

```
<input type="radio" class="custom-control-input"
id="noPlatform" name="platform"
value="">
```

24. **Warning** The first occurrence of ID `noPlatform` was here.
[From line 254, column 21; to line 254, column 110](#)

```
<input type="radio" class="custom-control-input"
id="noPlatform" name="platform" value="">
```
25. **Error** Element `h5` not allowed as child of element `button` in this context.
(Suppressing further errors from this subtree.)
[From line 624, column 29; to line 624, column 60](#)

```
<h5 class="productSideBarTitle">Catego
```


Content model for element `button`:
[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the [tabindex](#) attribute specified.
26. **Error** Duplicate ID `collapseCategories`.
[From line 626, column 25; to line 626, column 75](#)

```
<div id="collapseCategories" class="collapse show">
```
27. **Warning** The first occurrence of ID `collapseCategories` was here.
[From line 328, column 5; to line 328, column 55](#)

```
tton> <div id="collapseCategories" class="collapse show">
```
28. **Error** Duplicate ID `noCategory`.
[From line 628, column 33; to line 629, column 45](#)

```
<input type="radio" class="custom-control-input"
id="noCategory" name="category"
value="">
```
29. **Warning** The first occurrence of ID `noCategory` was here.
[From line 330, column 13; to line 330, column 102](#)

```
<input type="radio" class="custom-control-input"
id="noCategory" name="category" value="">
```
30. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).
[From line 669, column 21; to line 669, column 66](#)

```
<article class="form-check form-check-inline">
```
31. **Error** Element `div` not allowed as child of element `button` in this context.
(Suppressing further errors from this subtree.)
[From line 690, column 13; to line 690, column 37](#)

```
<div class="flex-nowrap"><i cla
```


Contexts in which element `div` may be used:

Where [flow content](#) is expected.

As a child of a [dl](#) element.

Content model for element [button](#):

[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the [tabindex](#) attribute specified.

32. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 700, column 25; to line 700, column 159](#)

```

```

33. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 713, column 25; to line 713, column 159](#)

```

```

34. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 726, column 25; to line 726, column 159](#)

```

```

35. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 741, column 25; to line 741, column 159](#)

```

```

36. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 754, column 25; to line 754, column 159](#)

```

```

37. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 767, column 25; to line 767, column 159](#)

```

```

38. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 782, column 25; to line 782, column 159](#)

```

```

39. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 795, column 25; to line 795, column 159](#)

```

```

40. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

[From line 100, column 15; to line 100, column 54](#)

```
ction> <section id="content" class="container">
```

41. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

[From line 834, column 9; to line 834, column 45](#)

```
> <section class="col ml-auto my-auto">
```

42. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

[From line 817, column 5; to line 817, column 25](#)

```
<hr>
<article class="row">
```

Document checking completed.

Source

```
1.  ↵
2.  <link href="http://localhost:8000/bootstrap/css/bootstrap.min.css"
    rel="stylesheet">↵
3.  <link href="http://localhost:8000/fontawesome/css/all.min.css"
    rel="stylesheet">↵
4.  <!-- fonts -->↵
5.  <link href="http://localhost:8000/css/montserrat.css"
    rel="stylesheet">↵
6.  <script src="http://localhost:8000/jquery/jquery.slim.js"></script>↵
7.  <script
    src="http://localhost:8000/bootstrap/js/bootstrap.bundle.min.js">
    </script>↵
8.  <script src="http://localhost:8000/fontawesome/js/fontawesome.min.js">
    </script>↵
9.  <script src="http://localhost:8000/popper/popper.min.js"></script>↵
10. <script src="http://localhost:8000/js/activate_popovers.js" defer>
    </script>↵
11. <script src="http://localhost:8000/js/products/products.min.js" defer>
    </script>↵
12. </head>↵
13. ↵
14. <body>↵
15.   <header id="headerFixed" class="navbar row">↵
16.     <div class="col col-md-3 col-lg-3 col-xl-1 mt-auto mb-auto">↵
17.       <a href="http://localhost:8000">↵
18.         ↵
19.       </a>↵
20.     </div>↵
21.     <!-- Search -->↵
22.     <div class="col-xl-4 d-none d-xl-block mt-auto mb-auto">↵
23.       <form id="query-form" class="form-inline"
            action="http://localhost:8000/search" method="get">↵
24.         <a class="ml-auto">↵
25.           <i id="headerSearchIcon" class="fas fa-search mr-2">
26.             ↵
27.             </i>↵
28.             <input class="form-control mr-auto mt-auto mb-
                auto mr-auto searchBar" type="search" placeholder="Search"
                aria-label="Search" name="query" id="query" value="">↵
29.             </form>↵
30.           </div>↵
31.           <!-- Buttons -->↵
32.           <div class="col d-none d-xl-block mt-auto mb-auto">↵
33.             <div class="row justify-content-end">↵
34.               <a href="http://localhost:8000/search" class="btn btn-
                outline-light mr-5 pl-4 pr-4 navbarButton"
                role="button">Explore</a>↵
35.               <a href="http://localhost:8000/offer" class="btn
                btn-orange navbarButton pl-4 pr-4" role="button">Sell Now</a>↵
36.             <!-- User Image -->↵
37.             <button class="btn btn-outline-light ml-5 navbarButton
                dropdown-toggle" id="dropdownMenuButton"
                data-toggle="dropdown" aria-haspopup="true" aria-
                expanded="false">↵
38.                ssn↵
39.             </button>↵
40.             ↵
41.             ↵
42.             ↵
43.             </div>↵
```



```

44.         <div class="dropdown-menu dropdown-menu-right " aria-
labelledby="dropdownMenuButton">
45.             <a class="dropdown-item"
href="http://localhost:8000/user/ssn">My
46.                 Profile</a>
47.             <a class="dropdown-item"
href="http://localhost:8000/user/purchases">My Purchases</a>
48.             <a class="dropdown-item"
href="http://localhost:8000/user/ssn/offers">My
49.                 Offers</a>
50.             <a class="dropdown-item"
href="http://localhost:8000/user/reports">Reports</a>
51.             <div class="dropdown-divider"></div>
52.             <form action="http://localhost:8000/logout"
method="POST">
53.                 <input type="hidden" name=" token"
value="vVndLX3Uo7fdmmPNgdeMURtuQgtxFB4MmBL4fU0g">
<input type="submit" class="dropdown-item" value="Log out">
54.             </form>
55.         </div>
56.     </div>
57. </div>
58. <!-- Cart icon -->
59. <div class="col d-none col-xl-2 d-xl-block mt-auto mb-auto">
60.     <div class="row">
61.         <a href="http://localhost:8000/cart" class="mt-auto mb-auto
ml-auto mr-3">
62.             <i class="fas fa-shopping-cart headerIcon cl-orange">
</i>
63.             <span id="shopping_cart_item_counter"
class="badge badge-secondary">4</span>
64.         </a>
65.     </div>
66. </div>
67. </div>
68. <!-- Button Collapse Small -->
69. <div class="col d-xl-none text-right pos-f-t">
70.     <button id="navbarHamburger" type="button" class="navbar-
toggler ml-auto" data-toggle="collapse"
71.         data-target="#hamburgerContentNavSmall" aria-
controls="hamburgerContentNavSmall" aria-expanded="false"
72.         aria-label="Toggle navigation">
73.         <span class="navbar-toggler-icon"></span>
74.     </button>
75. </div>
76. </header>
77. <div id="hamburgerContentNavSmall" class="collapse sticky-top pt-3 pb-
3">
78.     <div class="col w-100">
79.         <form class="form-inline" action="http://localhost:8000/search"
method="get">
80.             <input type="hidden" name=" token"
value="vVndLX3Uo7fdmmPNgdeMURtuQgtxFB4MmBL4fU0g">
81.             <input class="form-control mr-auto mt-auto mb-auto mr-auto
searchBar" type="search" placeholder="Search"
82.                 aria-label="Search" name="query" />
83.         </form>
84.         <div class="row flex-nowrap justify-content-around mt-3">
85.             <a href="http://localhost:8000/search"
class="btn btn-outline-light navbarButtonSmall"
role="button">Explore</a>
86.             <a id="sellNowButtonNavbar"
href="http://localhost:8000/offer" class="btn btn-outline-light
navbarButtonSmall"
87.                 role="button">Sell Now</a>
88.             <a id="shoppingCartIconHamburger"
href="http://localhost:8000/cart" class="mt-auto mb-auto mr-2">
89.                 <i class="fas fa-shopping-cart headerIcon cl-orange">
</i><span>
90.                     class="badge badge-secondary"></span></a>
91.             </div>
92.         </div>
93.     </div>
94. <main id="wrapper">
95.     <section id="breadcrumbContainer">
96.         <ol class="breadcrumb">

```

```

97.         <li class="breadcrumb-item"><a href="/"><i class="fas fa-home">
</i>Home</a></li>↵
98.         <li class="breadcrumb-item"><a
href="http://localhost:8000/search">Products</a></li>↵
99.     </ol>↵
100. </section>     <section id="content" class="container">↵
101.     <div class="row pt-5">↵
102.         <div id="sidebar" class="col-3 d-none d-lg-block h-100">↵
103.             <form class="option">↵
104.                 <div class="col">↵
105.                     <section>↵
106.                         <button class="btn btn-primary showAllProductListSideBar
ml-3" type="button" data-toggle="collapse"↵
107.                             data-target="#collapseOrder" aria-expanded="true"
aria-controls="collapseOrder">↵
108.                             <h5 class="productSideBarTitle">Sort by<i class="fas
fa-caret-down ml-1"></i></h5>↵
109.                             </button>↵
110.                             <div id="collapseOrder" class="collapse show">↵
111.                                 <div class="custom-control custom-radio my-2 ml-3">↵
112.                                     <input type="radio" class="custom-control-input"
id="SortBy1" name="sort_by" value="1">↵
113.                                     >↵
114.                                     <label class="custom-control-label"
for="SortBy1">Highest Price</label>↵
115.                                 </div>↵
116.                                 <div class="custom-control custom-radio my-2 ml-3">↵
117.                                     <input type="radio" class="custom-control-input"
id="SortBy2" name="sort_by" value="2">↵
118.                                     >↵
119.                                     <label class="custom-control-label"
for="SortBy2">Lowest Price</label>↵
120.                                 </div>↵
121.                                 <div class="custom-control custom-radio my-2 ml-3">↵
122.                                     <input type="radio" class="custom-control-input"
id="SortBy3" name="sort_by" value="3">↵
123.                                     >↵
124.                                     <label class="custom-control-label"
for="SortBy3">Most popular</label>↵
125.                                 </div>↵
126.                                 <div class="custom-control custom-radio my-2 ml-3">↵
127.                                     <input type="radio" class="custom-control-input"
id="SortBy4" name="sort_by" value="4">↵
128.                                     >↵
129.                                     <label class="custom-control-label"
for="SortBy4">Most recent</label>↵
130.                                 </div>↵
131.                             </div>↵
132.                             <hr>↵
133.                         </section>↵
134.                         <section class="mt-4">↵
135.                             <button class="btn btn-primary showAllProductListSideBar
ml-3" type="button" data-toggle="collapse"↵
136.                                 data-target="#collapseGenres" aria-expanded="true"
aria-controls="collapseGenres">↵
137.                             <h5 class="productSideBarTitle pb-2">Genres<i
class="fas fa-caret-down ml-1"></i></h5>↵
138.                             </button>↵
139.                             <div id="collapseGenres" class="collapse show">↵
140.                                 <div class="custom-control custom-checkbox row ml-3
my-2">↵
141.                                     <input type="checkbox" name="genres[]"
class="custom-control-input" id="checkBoxGenre1"↵
142.                                     value="ACTION">↵
143.                                     >↵
144.                                     <label class="custom-control-label"
for="checkBoxGenre1">ACTION</label>↵
145.                                 ↵
146.                             </div>↵
147.                             <div class="custom-control custom-checkbox row ml-3 my-
2">↵
148.                                     <input type="checkbox" name="genres[]"
class="custom-control-input" id="checkBoxGenre2"↵
149.                                     value="SPORT">↵
150.                                     >↵
151.                                     <label class="custom-control-label">

```

```

153.         for="checkBoxGenre2">SPORT</label>↵
154. ↵
155.     </div>↵
156.     <div class="custom-control custom-checkbox row ml-3 my-
157. 2">↵
158.         <input type="checkbox" name="genres[]"
159. class="custom-control-input" id="checkBoxGenre3"↵
160.         value="ADVENTURE"↵
161.         >↵
162.         <label class="custom-control-label"↵
163.         for="checkBoxGenre3">ADVENTURE</label>↵
164. ↵
165.     </div>↵
166.     <div class="custom-control custom-checkbox row ml-3 my-
167. 2">↵
168.         <input type="checkbox" name="genres[]"
169. class="custom-control-input" id="checkBoxGenre4"↵
170.         value="PUZZLE"↵
171.         >↵
172.         <label class="custom-control-label"↵
173.         for="checkBoxGenre4">PUZZLE</label>↵
174. ↵
175.     </div>↵
176.     <div class="custom-control custom-checkbox row ml-3 my-
177. 2">↵
178.         <input type="checkbox" name="genres[]"
179. class="custom-control-input" id="checkBoxGenre5"↵
180.         value="FPS"↵
181.         >↵
182.         <label class="custom-control-label"↵
183.         for="checkBoxGenre5">FPS</label>↵
184. ↵
185.     </div>↵
186.     <div class="custom-control custom-checkbox row ml-3 my-
187. 2">↵
188.         <input type="checkbox" name="genres[]"
189. class="custom-control-input" id="checkBoxGenre6"↵
190.         value="SIMULATION"↵
191.         >↵
192.         <label class="custom-control-label"↵
193.         for="checkBoxGenre6">SIMULATION</label>↵
194. ↵
195.     </div>↵
196.     <div class="custom-control custom-checkbox row ml-3 my-
197. 2">↵
198.         <input type="checkbox" name="genres[]"
199. class="custom-control-input" id="checkBoxGenre7"↵
200.         value="SHOOTER"↵
201.         >↵
202.         <label class="custom-control-label"↵
203.         for="checkBoxGenre7">SHOOTER</label>↵
204. ↵
205.     </div>↵
206.     <div class="custom-control custom-checkbox row ml-3 my-
207. 2">↵
208.         <input type="checkbox" name="genres[]"
209. class="custom-control-input" id="checkBoxGenre8"↵
210.         value="RACING"↵
211.         >↵
212.         <label class="custom-control-label"↵
213.         for="checkBoxGenre8">RACING</label>↵
214. ↵
215.     </div>↵
216.     <div class="custom-control custom-checkbox row ml-3 my-
217. 2">↵
218.         <input type="checkbox" name="genres[]"
219. class="custom-control-input" id="checkBoxGenre9"↵
220.         value="FOOTBALL"↵
221.         >↵
222.         <label class="custom-control-label"↵
223.         for="checkBoxGenre9">FOOTBALL</label>↵
224. ↵
225.     </div>↵
226.     <div class="custom-control custom-checkbox row ml-3 my-
227. 2">↵
228.         <input type="checkbox" name="genres[]"
229. class="custom-control-input" id="checkBoxGenre10"↵
230.         value="HORROR"↵
231.         >↵
232.         <label class="custom-control-label"↵
233.         for="checkBoxGenre10">HORROR</label>↵
234. ↵
235.     </div>↵
236.     <div class="custom-control custom-checkbox row ml-3 my-
237. 2">↵
238.         <input type="checkbox" name="genres[]"
239. class="custom-control-input" id="checkBoxGenre11"↵
240.         value="MUSIC"↵
241.         >↵
242.         <label class="custom-control-label"↵
243.         for="checkBoxGenre11">MUSIC</label>↵
244. ↵
245.     </div>↵
246.     <div class="custom-control custom-checkbox row ml-3 my-
247. 2">↵
248.         <input type="checkbox" name="genres[]"
249. class="custom-control-input" id="checkBoxGenre12"↵
250.         value="COMEDY"↵
251.         >↵
252.         <label class="custom-control-label"↵
253.         for="checkBoxGenre12">COMEDY</label>↵
254. ↵
255.     </div>↵
256.     <div class="custom-control custom-checkbox row ml-3 my-
257. 2">↵
258.         <input type="checkbox" name="genres[]"
259. class="custom-control-input" id="checkBoxGenre13"↵
260.         value="ACTION"↵
261.         >↵
262.         <label class="custom-control-label"↵
263.         for="checkBoxGenre13">ACTION</label>↵
264. ↵
265.     </div>↵
266.     <div class="custom-control custom-checkbox row ml-3 my-
267. 2">↵
268.         <input type="checkbox" name="genres[]"
269. class="custom-control-input" id="checkBoxGenre14"↵
270.         value="SCIENCE_FICTION"↵
271.         >↵
272.         <label class="custom-control-label"↵
273.         for="checkBoxGenre14">SCIENCE_FICTION</label>↵
274. ↵
275.     </div>↵
276.     <div class="custom-control custom-checkbox row ml-3 my-
277. 2">↵
278.         <input type="checkbox" name="genres[]"
279. class="custom-control-input" id="checkBoxGenre15"↵
280.         value="THRILLER"↵
281.         >↵
282.         <label class="custom-control-label"↵
283.         for="checkBoxGenre15">THRILLER</label>↵
284. ↵
285.     </div>↵
286.     <div class="custom-control custom-checkbox row ml-3 my-
287. 2">↵
288.         <input type="checkbox" name="genres[]"
289. class="custom-control-input" id="checkBoxGenre16"↵
290.         value="FANTASY"↵
291.         >↵
292.         <label class="custom-control-label"↵
293.         for="checkBoxGenre16">FANTASY</label>↵
294. ↵
295.     </div>↵
296.     <div class="custom-control custom-checkbox row ml-3 my-
297. 2">↵
298.         <input type="checkbox" name="genres[]"
299. class="custom-control-input" id="checkBoxGenre17"↵
300.         value="WESTERN"↵
301.         >↵
302.         <label class="custom-control-label"↵
303.         for="checkBoxGenre17">WESTERN</label>↵
304. ↵
305.     </div>↵
306.     <div class="custom-control custom-checkbox row ml-3 my-
307. 2">↵
308.         <input type="checkbox" name="genres[]"
309. class="custom-control-input" id="checkBoxGenre18"↵
310.         value="Mystery"↵
311.         >↵
312.         <label class="custom-control-label"↵
313.         for="checkBoxGenre18">Mystery</label>↵
314. ↵
315.     </div>↵
316.     <div class="custom-control custom-checkbox row ml-3 my-
317. 2">↵
318.         <input type="checkbox" name="genres[]"
319. class="custom-control-input" id="checkBoxGenre19"↵
320.         value="Drama"↵
321.         >↵
322.         <label class="custom-control-label"↵
323.         for="checkBoxGenre19">Drama</label>↵
324. ↵
325.     </div>↵
326.     <div class="custom-control custom-checkbox row ml-3 my-
327. 2">↵
328.         <input type="checkbox" name="genres[]"
329. class="custom-control-input" id="checkBoxGenre20"↵
330.         value="Documentary"↵
331.         >↵
332.         <label class="custom-control-label"↵
333.         for="checkBoxGenre20">Documentary</label>↵
334. ↵
335.     </div>↵
336.     <div class="custom-control custom-checkbox row ml-3 my-
337. 2">↵
338.         <input type="checkbox" name="genres[]"
339. class="custom-control-input" id="checkBoxGenre21"↵
340.         value="History"↵
341.         >↵
342.         <label class="custom-control-label"↵
343.         for="checkBoxGenre21">History</label>↵
344. ↵
345.     </div>↵
346.     <div class="custom-control custom-checkbox row ml-3 my-
347. 2">↵
348.         <input type="checkbox" name="genres[]"
349. class="custom-control-input" id="checkBoxGenre22"↵
350.         value="Romance"↵
351.         >↵
352.         <label class="custom-control-label"↵
353.         for="checkBoxGenre22">Romance</label>↵
354. ↵
355.     </div>↵
356.     <div class="custom-control custom-checkbox row ml-3 my-
357. 2">↵
358.         <input type="checkbox" name="genres[]"
359. class="custom-control-input" id="checkBoxGenre23"↵
360.         value="Science_Fiction"↵
361.         >↵
362.         <label class="custom-control-label"↵
363.         for="checkBoxGenre23">Science_Fiction</label>↵
364. ↵
365.     </div>↵
366.     <div class="custom-control custom-checkbox row ml-3 my-
367. 2">↵
368.         <input type="checkbox" name="genres[]"
369. class="custom-control-input" id="checkBoxGenre24"↵
370.         value="Fantasy"↵
371.         >↵
372.         <label class="custom-control-label"↵
373.         for="checkBoxGenre24">Fantasy</label>↵
374. ↵
375.     </div>↵
376.     <div class="custom-control custom-checkbox row ml-3 my-
377. 2">↵
378.         <input type="checkbox" name="genres[]"
379. class="custom-control-input" id="checkBoxGenre25"↵
380.         value="Western"↵
381.         >↵
382.         <label class="custom-control-label"↵
383.         for="checkBoxGenre25">Western</label>↵
384. ↵
385.     </div>↵
386.     <div class="custom-control custom-checkbox row ml-3 my-
387. 2">↵
388.         <input type="checkbox" name="genres[]"
389. class="custom-control-input" id="checkBoxGenre26"↵
390.         value="Mystery"↵
391.         >↵
392.         <label class="custom-control-label"↵
393.         for="checkBoxGenre26">Mystery</label>↵
394. ↵
395.     </div>↵
396.     <div class="custom-control custom-checkbox row ml-3 my-
397. 2">↵
398.         <input type="checkbox" name="genres[]"
399. class="custom-control-input" id="checkBoxGenre27"↵
400.         value="Drama"↵
401.         >↵
402.         <label class="custom-control-label"↵
403.         for="checkBoxGenre27">Drama</label>↵
404. ↵
405.     </div>↵
406.     <div class="custom-control custom-checkbox row ml-3 my-
407. 2">↵
408.         <input type="checkbox
```

```

213.         <input type="checkbox" name="genres[]"
class="custom-control-input" id="checkBoxGenre10"↵
214.             value="CO-OP"↵
215.         >↵
216.         <label class="custom-control-label"↵
217.             for="checkBoxGenre10">CO-OP</label>↵
218.     ↵
219.     </div>↵
220.     <div class="custom-control custom-checkbox row ml-3 my-
2">↵
221.         <input type="checkbox" name="genres[]"
class="custom-control-input" id="checkBoxGenre11"↵
222.             value="MULTIPLAYER"↵
223.         >↵
224.         <label class="custom-control-label"↵
225.             for="checkBoxGenre11">MULTIPLAYER</label>↵
226.     ↵
227.     </div>↵
228.     <div class="custom-control custom-checkbox row ml-3 my-
2">↵
229.         <input type="checkbox" name="genres[]"
class="custom-control-input" id="checkBoxGenre12"↵
230.             value="OPEN-WORLD"↵
231.         >↵
232.         <label class="custom-control-label"↵
233.             for="checkBoxGenre12">OPEN-WORLD</label>↵
234.     ↵
235.     </div>↵
236.     <div class="custom-control custom-checkbox row ml-3 my-
2">↵
237.         <input type="checkbox" name="genres[]"
class="custom-control-input" id="checkBoxGenre13"↵
238.             value="ANIME"↵
239.         >↵
240.         <label class="custom-control-label"↵
241.             for="checkBoxGenre13">ANIME</label>↵
242.     ↵
243.     </div>↵
244.     </div>↵
245. </section>↵
246. <hr>↵
247. <section class="mt-4">↵
248.     <button class="btn btn-primary showAllProductListSideBar ml-
3" type="button" data-toggle="collapse"↵
249.         data-target="#collapsePlatforms" aria-expanded="true"
aria-controls="collapsePlatforms">↵
250.         <h5 class="productSideBarTitle">Platforms<i class="fas
fa-caret-down ml-1"></i></h5>↵
251.     </button>↵
252.     <div id="collapsePlatforms" class="collapse show">↵
253.         <div class="custom-control custom-radio row ml-3 my-2">↵
254.             <input type="radio" class="custom-control-input"
id="noPlatform" name="platform" value="">↵
255.             <label class="custom-control-label"
for="noPlatform">All</label>↵
256.         </div>↵
257.         <div class="custom-control custom-radio my-2 ml-3">↵
258.             <input type="radio" class="custom-control-input"
id="checkBoxPlatforms1" name="platform"↵
259.                 value="PC"↵
260.             >↵
261.             <label class="custom-control-label"↵
262.                 for="checkBoxPlatforms1">PC</label>↵
263.         </div>↵
264.         <div class="custom-control custom-radio my-2 ml-3">↵
265.             <input type="radio" class="custom-control-input"
id="checkBoxPlatforms2" name="platform"↵
266.                 value="PS4"↵
267.             >↵
268.             <label class="custom-control-label"↵
269.                 for="checkBoxPlatforms2">PS4</label>↵
270.         </div>↵
271.         <div class="custom-control custom-radio my-2 ml-3">↵
272.             <input type="radio" class="custom-control-input"
id="checkBoxPlatforms3" name="platform"↵
273.                 value="NINTENDO"↵

```

```

274.         >↵
275.         <label class="custom-control-label"↵
276.             for="checkBoxPlatforms3">NINTENDO</label>↵
277.     </div>↵
278.     <div class="custom-control custom-radio my-2 ml-3">↵
279.         <input type="radio" class="custom-control-input"↵
280.             id="checkBoxPlatforms4" name="platform"↵
281.             value="XBOXONE"↵
282.             >↵
283.         <label class="custom-control-label"↵
284.             for="checkBoxPlatforms4">XBOXONE</label>↵
285.     </div>↵
286.     <div class="custom-control custom-radio my-2 ml-3">↵
287.         <input type="radio" class="custom-control-input"↵
288.             id="checkBoxPlatforms5" name="platform"↵
289.             value="PS3"↵
290.             >↵
291.         <label class="custom-control-label"↵
292.             for="checkBoxPlatforms5">PS3</label>↵
293.     </div>↵
294.     <div class="custom-control custom-radio my-2 ml-3">↵
295.         <input type="radio" class="custom-control-input"↵
296.             id="checkBoxPlatforms6" name="platform"↵
297.             value="MAC"↵
298.             >↵
299.         <label class="custom-control-label"↵
300.             for="checkBoxPlatforms6">MAC</label>↵
301.     </div>↵
302.     <div class="custom-control custom-radio my-2 ml-3">↵
303.         <input type="radio" class="custom-control-input"↵
304.             id="checkBoxPlatforms7" name="platform"↵
305.             value="ANDROID"↵
306.             >↵
307.         <label class="custom-control-label"↵
308.             for="checkBoxPlatforms7">ANDROID</label>↵
309.     </div>↵
310.     <div class="custom-control custom-radio my-2 ml-3">↵
311.         <input type="radio" class="custom-control-input"↵
312.             id="checkBoxPlatforms8" name="platform"↵
313.             value="PS2"↵
314.             >↵
315.         <label class="custom-control-label"↵
316.             for="checkBoxPlatforms8">PS2</label>↵
317.     </div>↵
318.     <div class="custom-control custom-radio my-2 ml-3">↵
319.         <input type="radio" class="custom-control-input"↵
320.             id="checkBoxPlatforms9" name="platform"↵
321.             value="XBOX360"↵
322.             >↵
323.         <label class="custom-control-label"↵
324.             for="checkBoxPlatforms9">XBOX360</label>↵
325.     </div>↵
326. </div>↵
327. </section>↵
328. <hr>↵
329. <section class="mt-4">↵
330.     <button class="btn btn-primary showAllProductListSideBar ml-3"↵
331.         type="button" data-toggle="collapse"↵
332.         data-target="#collapseCategories" aria-expanded="true" aria-↵
333.         controls="collapseCategories">↵
334.         <h5 class="productSideBarTitle">Categories<i class="fas fa-↵
335.             caret-down ml-1"></i></h5>↵
336.     </button>↵
337.     <div id="collapseCategories" class="collapse show">↵
338.         <div class="custom-control custom-radio row ml-3 my-2">↵
339.             <input type="radio" class="custom-control-input"↵
340.                 id="noCategory" name="category" value="">↵
341.             <label class="custom-control-label"↵
342.                 for="noCategory">All</label>↵
343.         </div>↵
344.         <div class="custom-control custom-radio row ml-3 my-2">↵
345.             <input type="radio" class="custom-control-input"↵
346.                 id="checkBoxCategories1" name="category"↵
347.                 value="GAME"↵
348.                 >↵

```



```

337.         <label class="custom-control-label"
for="checkBoxCategories1">GAME</label>↵
338.     </div>↵
339.     <div class="custom-control custom-radio row ml-3 my-2">↵
340.         <input type="radio" class="custom-control-input"
id="checkBoxCategories2" name="category"↵
341.             value="DLC"↵
342.         >↵
343.         <label class="custom-control-label"
for="checkBoxCategories2">DLC</label>↵
344.     </div>↵
345.     <div class="custom-control custom-radio row ml-3 my-2">↵
346.         <input type="radio" class="custom-control-input"
id="checkBoxCategories3" name="category"↵
347.             value="PATCH"↵
348.         >↵
349.         <label class="custom-control-label"
for="checkBoxCategories3">PATCH</label>↵
350.     </div>↵
351.     <div class="custom-control custom-radio row ml-3 my-2">↵
352.         <input type="radio" class="custom-control-input"
id="checkBoxCategories4" name="category"↵
353.             value="EXPANSION"↵
354.         >↵
355.         <label class="custom-control-label"
for="checkBoxCategories4">EXPANSION</label>↵
356.     </div>↵
357. </div>↵
358. </section>↵
359. <hr>↵
360. <section class="mt-4">↵
361.     <h5 class="productSideBarTitle my-2 ml-3">Price Range</h5>↵
362.     <article class="form-check form-check-inline">↵
363.         <input class="form-control my-2 ml-3" type="number"↵
364.             value="" name="min_price" placeholder="Min">↵
365.         <input class="form-control my-2 ml-3" type="number"↵
366.             value="" name="max_price" placeholder="Max">↵
367.     </article>↵
368. </section>↵
369. </div>↵
370. </form>↵
371. </div> <!-- modal -->↵
372. <div id="sideBarFilterResponsive">↵
373.     <div class="modal left fade" id="sideBarFilterModal" tabindex="-1"
role="dialog"↵
374.         aria-labelledby="sideBarFilterModal">↵
375.         <div class="modal-dialog" role="document">↵
376.             <div class="modal-content">↵
377.                 <div class="modal-header">↵
378.                     <button type="button" class="close" data-
dismiss="modal" aria-label="Close">↵
379.                         <span aria-hidden="true">&times;</span>↵
380.                     </button>↵
381.                 </div>↵
382.                 <div class="modal-body">↵
383.                     <div id="sidebar" class="col">↵
384.                         <form class="option">↵
385.                             <div class="col">↵
386.                                 <section>↵
387.                                     <button class="btn btn-primary
showAllProductListSideBar ml-3" type="button"↵
388.                                         data-toggle="collapse" data-
target="#collapseOrder" aria-expanded="true"↵
389.                                         aria-controls="collapseOrder">↵
390.                                     <h5
class="productSideBarTitle">Sort by↵
391.                                         <i class="fas fa-caret-down
ml-1"></i>↵
392.                                     </h5>↵
393.                                     </button>↵
394.                                     <div id="collapseOrder"
class="collapse show">↵
395.                                     <div class="custom-control custom-radio my-2 ml-3">↵
396.                                         <input type="radio"
class="custom-control-input" id="SortBy11">↵

```

```

397.                                     name="sort_by" value="1"
398. >␣
398.                                     <label class="custom-
control-label" for="SortBy11">Highest Price</label>␣
399.                                     </div>␣
400.                                     <div class="custom-control
custom-radio my-2 ml-3">␣
401.                                     <input type="radio"
class="custom-control-input" id="SortBy22">␣
402.                                     name="sort_by" value="2"
403. >␣
403.                                     <label class="custom-
control-label" for="SortBy22">Lowest Price</label>␣
404.                                     </div>␣
405.                                     <div class="custom-control
custom-radio my-2 ml-3">␣
406.                                     <input type="radio"
class="custom-control-input" id="SortBy33">␣
407.                                     name="sort_by" value="3"
checked>␣
408.                                     <label class="custom-
control-label" for="SortBy33">Most popular</label>␣
409.                                     </div>␣
410.                                     <div class="custom-control
custom-radio my-2 ml-3">␣
411.                                     <input type="radio"
class="custom-control-input" id="SortBy44">␣
412.                                     name="sort_by" value="4"
413. >␣
413.                                     <label class="custom-
control-label" for="SortBy44">Most recent</label>␣
414.                                     </div>␣
415.                                     </div>␣
416.                                     <hr>␣
417.                                     </section>␣
418.                                     <section class="mt-4">␣
419.                                     <button class="btn btn-primary
showAllProductListSideBar ml-3" type="button">␣
420.                                     data-toggle="collapse" data-
target="#collapseGenres" aria-expanded="true">␣
421.                                     aria-controls="collapseGenres">␣
422.                                     <h5 class="productSideBarTitle
pb-2">Genres<i>␣
423.                                     class="fas fa-caret-down"
ml-1"></i></h5>␣
424.                                     </button>␣
425.                                     <div id="collapseGenres"
class="collapse show">␣
426.                                     <div>␣
427.                                     class="custom-control
custom-checkbox row ml-3 my-2">␣
428.                                     <input type="checkbox"
name="genres[]" class="custom-control-input">␣
429.                                     id="checkBoxGenre1_"
value="ACTION">␣
430.                                     >␣
431.                                     <label class="custom-
control-label">␣
432.                                     for="checkBoxGenre1_">ACTION</label>␣
433.                                     </div>␣
434.                                     <div>␣
435.                                     class="custom-control
custom-checkbox row ml-3 my-2">␣
436.                                     <input type="checkbox"
name="genres[]" class="custom-control-input">␣
437.                                     id="checkBoxGenre2_"
value="SPORT">␣
438.                                     >␣
439.                                     <label class="custom-
control-label">␣
440.                                     for="checkBoxGenre2_">SPORT</label>␣
441.                                     </div>␣
442.                                     </div>␣

```



```

443.                                     class="custom-control
444. custom-checkbox row ml-3 my-2">␣      <input type="checkbox"
445. name="genres[]" class="custom-control-input"␣      id="checkBoxGenre3_"
446. value="ADVENTURE"␣
447.                                     >␣
448.                                     <label class="custom-
449. control-label"␣
450. for="checkBoxGenre3_">ADVENTURE</label>␣
451.                                     </div>␣
452.                                     <div␣
453.                                     class="custom-control
454. custom-checkbox row ml-3 my-2">␣      <input type="checkbox"
455. name="genres[]" class="custom-control-input"␣      id="checkBoxGenre4_"
456. value="PUZZLE"␣
457.                                     >␣
458.                                     <label class="custom-
459. control-label"␣
460. for="checkBoxGenre4_">PUZZLE</label>␣
461.                                     </div>␣
462.                                     <div␣
463.                                     class="custom-control
464. custom-checkbox row ml-3 my-2">␣      <input type="checkbox"
465. name="genres[]" class="custom-control-input"␣      id="checkBoxGenre5_"
466. value="FPS"␣
467.                                     >␣
468.                                     <label class="custom-
469. control-label"␣
470. for="checkBoxGenre5_">FPS</label>␣
471.                                     </div>␣
472.                                     <div␣
473.                                     class="custom-control
474. custom-checkbox row ml-3 my-2">␣      <input type="checkbox"
475. name="genres[]" class="custom-control-input"␣      id="checkBoxGenre6_"
476. value="SIMULATION"␣
477.                                     >␣
478.                                     <label class="custom-
479. control-label"␣
480. for="checkBoxGenre6_">SIMULATION</label>␣
481.                                     </div>␣
482.                                     <div␣
483.                                     class="custom-control
484. custom-checkbox row ml-3 my-2">␣      <input type="checkbox"
485. name="genres[]" class="custom-control-input"␣      id="checkBoxGenre7_"
486. value="SHOOTER"␣
487.                                     >␣
488.                                     <label class="custom-
489. control-label"␣
490. for="checkBoxGenre7_">SHOOTER</label>␣
491.                                     </div>␣
492.                                     <div␣
493.                                     class="custom-control
494. custom-checkbox row ml-3 my-2">␣      <input type="checkbox"
495. name="genres[]" class="custom-control-input"␣      id="checkBoxGenre8_"
496. value="RACING"␣
497.                                     >␣
498.                                     <label class="custom-
499. control-label"␣
500. for="checkBoxGenre8_">RACING</label>␣

```

```

489.         </div><br>
490.         <div>
491.             class="custom-control
custom-checkbox row ml-3 my-2"><br>
492.             <input type="checkbox"
name="genres[]" class="custom-control-input"<br>
493.                 id="checkBoxGenre9_"
value="FOOTBALL"<br>
494.                 ><br>
495.             <label class="custom-
control-label"<br>
496.                 for="checkBoxGenre9_">FOOTBALL</label><br>
497.             </div><br>
498.         <div>
499.             class="custom-control
custom-checkbox row ml-3 my-2"><br>
500.             <input type="checkbox"
name="genres[]" class="custom-control-input"<br>
501.                 id="checkBoxGenre10_"
value="CO-OP"<br>
502.                 ><br>
503.             <label class="custom-
control-label"<br>
504.                 for="checkBoxGenre10_">CO-OP</label><br>
505.             </div><br>
506.         <div>
507.             class="custom-control
custom-checkbox row ml-3 my-2"><br>
508.             <input type="checkbox"
name="genres[]" class="custom-control-input"<br>
509.                 id="checkBoxGenre11_"
value="MULTIPLAYER"<br>
510.                 ><br>
511.             <label class="custom-
control-label"<br>
512.                 for="checkBoxGenre11_">MULTIPLAYER</label><br>
513.             </div><br>
514.         <div>
515.             class="custom-control
custom-checkbox row ml-3 my-2"><br>
516.             <input type="checkbox"
name="genres[]" class="custom-control-input"<br>
517.                 id="checkBoxGenre12_"
value="OPEN-WORLD"<br>
518.                 ><br>
519.             <label class="custom-
control-label"<br>
520.                 for="checkBoxGenre12_">OPEN-WORLD</label><br>
521.             </div><br>
522.         <div>
523.             class="custom-control
custom-checkbox row ml-3 my-2"><br>
524.             <input type="checkbox"
name="genres[]" class="custom-control-input"<br>
525.                 id="checkBoxGenre13_"
value="ANIME"<br>
526.                 ><br>
527.             <label class="custom-
control-label"<br>
528.                 for="checkBoxGenre13_">ANIME</label><br>
529.             </div><br>
530.         </div><br>
531.         <hr><br>
532.     </section><br>
533.     <section class="mt-4"><br>
534.         <button class="btn btn-primary
showAllProductListSideBar ml-3" type="button"<br>
535.             data-toggle="collapse" data-
target="#collapsePlatforms" aria-expanded="true"<br>
536.             aria-controls="collapsePlatforms"><br>

```

```

537.                                     <h5
class="productSideBarTitle">Platforms<i class="fas fa-caret-down ml-1">
</i></h5>↵
538.                                     </button>↵
539.                                     <div id="collapsePlatforms"
class="collapse show">↵
540.                                     <div class="custom-control custom-
radio row ml-3 my-2">↵
541.                                     <input type="radio"
class="custom-control-input" id="noPlatform" name="platform"↵
542.                                     value="">↵
543.                                     <label class="custom-control-
label" for="noPlatform">All</label>↵
544.                                     </div>↵
545.                                     <div↵
546.                                     class="custom-control custom-
radio my-2 ml-3">↵
547.                                     <input type="radio"
class="custom-control-input" id="checkBoxPlatforms1_"↵
548.                                     name="pTatform" value="PC"↵
549.                                     >↵
550.                                     <label class="custom-control-
label"↵
551.                                     for="checkBoxPlatforms1_">PC</label>↵
552.                                     </div>↵
553.                                     <div↵
554.                                     class="custom-control custom-
radio my-2 ml-3">↵
555.                                     <input type="radio"
class="custom-control-input" id="checkBoxPlatforms2_"↵
556.                                     name="pTatform" value="PS4"↵
557.                                     >↵
558.                                     <label class="custom-control-
label"↵
559.                                     for="checkBoxPlatforms2_">PS4</label>↵
560.                                     </div>↵
561.                                     <div↵
562.                                     class="custom-control custom-
radio my-2 ml-3">↵
563.                                     <input type="radio"
class="custom-control-input" id="checkBoxPlatforms3_"↵
564.                                     name="pTatform"
value="NINTENDO"↵
565.                                     >↵
566.                                     <label class="custom-control-
label"↵
567.                                     for="checkBoxPlatforms3_">NINTENDO</label>↵
568.                                     </div>↵
569.                                     <div↵
570.                                     class="custom-control custom-
radio my-2 ml-3">↵
571.                                     <input type="radio"
class="custom-control-input" id="checkBoxPlatforms4_"↵
572.                                     name="pTatform"
value="XBOXONE"↵
573.                                     >↵
574.                                     <label class="custom-control-
label"↵
575.                                     for="checkBoxPlatforms4_">XBOXONE</label>↵
576.                                     </div>↵
577.                                     <div↵
578.                                     class="custom-control custom-
radio my-2 ml-3">↵
579.                                     <input type="radio"
class="custom-control-input" id="checkBoxPlatforms5_"↵
580.                                     name="pTatform" value="PS3"↵
581.                                     >↵
582.                                     <label class="custom-control-
label"↵
583.                                     for="checkBoxPlatforms5_">PS3</label>↵
584.                                     </div>↵

```

```

585.         <div↵
586.             class="custom-control custom-
radio my-2 ml-3">↵
587.                 <input type="radio"
class="custom-control-input" id="checkBoxPlatforms6 "↵
588.                     name="pTatform" value="MAC"↵
589.                 >↵
590.                 <label class="custom-control-
label"↵
591. for="checkBoxPlatforms6_">MAC</label>↵
592.         </div>↵
593.         <div↵
594.             class="custom-control custom-
radio my-2 ml-3">↵
595.                 <input type="radio"
class="custom-control-input" id="checkBoxPlatforms7 "↵
596.                     name="pTatform"
value="ANDROID"↵
597.                 >↵
598.                 <label class="custom-control-
label"↵
599. for="checkBoxPlatforms7_">ANDROID</label>↵
600.         </div>↵
601.         <div↵
602.             class="custom-control custom-
radio my-2 ml-3">↵
603.                 <input type="radio"
class="custom-control-input" id="checkBoxPlatforms8 "↵
604.                     name="pTatform" value="PS2"↵
605.                 >↵
606.                 <label class="custom-control-
label"↵
607. for="checkBoxPlatforms8_">PS2</label>↵
608.         </div>↵
609.         <div↵
610.             class="custom-control custom-
radio my-2 ml-3">↵
611.                 <input type="radio"
class="custom-control-input" id="checkBoxPlatforms9 "↵
612.                     name="pTatform"
value="XB0X360"↵
613.                 >↵
614.                 <label class="custom-control-
label"↵
615. for="checkBoxPlatforms9_">XB0X360</label>↵
616.         </div>↵
617.     </div>↵
618.     <hr>↵
619. </section>↵
620.     <section class="mt-4">↵
621.         <button class="btn btn-primary
showAllProductListSideBar ml-3" type="button"↵
622.             data-toggle="collapse" data-
target="#collapseCategories" aria-expanded="true"↵
623.             aria-controls="collapseCategories">↵
624.             <h5 class="productSideBarTitle">Categories<i
class="fas fa-caret-down ml-1"></i></h5>↵
625.         </button>↵
626.         <div id="collapseCategories" class="collapse
show">↵
627.             <div class="custom-control custom-radio row
ml-3 my-2">↵
628.                 <input type="radio" class="custom-
control-input" id="noCategory" name="category"↵
629.                     value="">↵
630.                 <label class="custom-control-label"
for="noCategory">All</label>↵
631.             </div>↵
632.         </div>↵
633.         class="custom-control custom-radio row
ml-3 my-2">↵

```

```

634.         <input type="radio" class="custom-
control-input" id="checkBoxCategories1_ "
635.             name="category" value="GAME">
636.         >
637.         <label class="custom-control-label">
638.             for="checkBoxCategories1_ ">GAME</label>
639.     </div>
640.     <div
641.         class="custom-control custom-radio row
ml-3 my-2">
642.         <input type="radio" class="custom-
control-input" id="checkBoxCategories2_ "
643.             name="category" value="DLC">
644.         >
645.         <label class="custom-control-label">
646.             for="checkBoxCategories2_ ">DLC</label>
647.     </div>
648.     <div
649.         class="custom-control custom-radio row
ml-3 my-2">
650.         <input type="radio" class="custom-
control-input" id="checkBoxCategories3_ "
651.             name="category" value="PATCH">
652.         >
653.         <label class="custom-control-label">
654.             for="checkBoxCategories3_ ">PATCH</label>
655.     </div>
656.     <div
657.         class="custom-control custom-radio row
ml-3 my-2">
658.         <input type="radio" class="custom-
control-input" id="checkBoxCategories4_ "
659.             name="category" value="EXPANSION">
660.         >
661.         <label class="custom-control-label">
662.             for="checkBoxCategories4_ ">EXPANSION</label>
663.     </div>
664.         </div>
665.         <hr>
666.         </section>
667.         <section class="mt-4">
668.             <h5 class="productSideBarTitle my-2 ml-3">Price
Range</h5>
669.             <article class="form-check form-check-inline">
670.                 <input class="form-control my-2 ml-3"
type="number">
671.                     value="" name="min_price">
672.                     placeholder="Min">
673.                 <input class="form-control my-2 ml-3"
type="number">
674.                     value="" name="max_price">
675.                     placeholder="Max">
676.             </article>
677.         </section>
678.     </div>
679. </form>
680. </div>
681. </div>
682. </div>
683. </div>
684. </div>
685. <div> <section class="col">
686.     <div class="justify-content-between text-center d-lg-none">
687.         <div class="col-sm-5 col-md-4 mx-auto">
688.             <button class="btn btn-small px-5 btn-blue" type="button" data-
toggle="modal"
689.                 data-target="#sideBarFilterModal">
690.             <div class="flex-nowrap"><i class="fas fa-filter d-inline-
block"></i>
691.                 <div class="d-inline-block"> Filters </div>
692.             </div>
693.             </button>

```

```

694.     </div>↵
695. </div>↵           <div id="product_list" class="col ml-auto mr-
auto">↵
696.         <div class="row justify-content-between mx-auto flex-wrap">↵
697. <div class="card col-md-3 col-sm-4 col-10 cardProductList my-2 mx-
auto">↵
698.             <a↵
699. href="http://localhost:8000/product/MINECRAFT/PS4">↵
700.             ↵
701.             </a>↵
702.             <div class="card-body">↵
703.                 <h6 class="card-title"><a↵
704. href="http://localhost:8000/product/MINECRAFT/PS4"↵
705.                 class="text-decoration-none text-
secondary">MINECRAFT [PS4]</a>↵
706.                 </h6>↵
707.                 <h5 class="cl-orange2"> $17.63 </h5>↵
708.             </div>↵
709.         </div>↵
710.         <div class="card col-md-3 col-sm-4 col-10 cardProductList my-2 mx-auto">↵
711.             <a↵
712. href="http://localhost:8000/product/BATTLEFIELD%20V/PC">↵
713.             ↵
714.             </a>↵
715.             <div class="card-body">↵
716.                 <h6 class="card-title"><a↵
717. href="http://localhost:8000/product/BATTLEFIELD%20V/PC"↵
718.                 class="text-decoration-none text-
secondary">BATTLEFIELD V [PC]</a>↵
719.                 </h6>↵
720.                 <h5 class="cl-orange2"> $53.68 </h5>↵
721.             </div>↵
722.         </div>↵
723.         <div class="card col-md-3 col-sm-4 col-10 cardProductList my-2 mx-auto">↵
724.             <a↵
725. href="http://localhost:8000/product/PAYDAY%202/PC">↵
726.             ↵
727.             </a>↵
728.             <div class="card-body">↵
729.                 <h6 class="card-title"><a↵
730. href="http://localhost:8000/product/PAYDAY%202/PC"↵
731.                 class="text-decoration-none text-
secondary">PAYDAY 2 [PC]</a>↵
732.                 </h6>↵
733.                 <h5 class="cl-orange2"> $581.02 </h5>↵
734.             </div>↵
735.         </div>↵
736.     </div>↵
737.     <div class="row justify-content-between mx-auto flex-wrap
mt-2">↵
738.         <div class="card col-md-3 col-sm-4 col-
10 cardProductList my-2 mx-auto">↵
739.             <a↵
740. href="http://localhost:8000/product/MOUNT%20&%;20BLADE%202/PS4">↵
741.             
742.         </a>
743.         <div class="card-body">
744.             <h6 class="card-title"><a
745. href="http://localhost:8000/product/MOUNT%20&amp;%20BLADE%202/PS4"
746.             class="text-decoration-none text-
secondary">MOUNT &amp; BLADE 2 [PS4]</a>
747.             </h6>
748.             <h5 class="cl-orange2"> $308.98 </h5>
749.         </div>
750.     </div>
751.     <div
class="card col-md-3 col-sm-4 col-10 cardProductList my-2 mx-auto">
752.     <a
753. href="http://localhost:8000/product/THE%20CREW%202/PS4">
754.         
755.         </a>
756.         <div class="card-body">
757.             <h6 class="card-title"><a
758. href="http://localhost:8000/product/THE%20CREW%202/PS4"
759.             class="text-decoration-none text-
secondary">THE CREW 2 [PS4]</a>
760.             </h6>
761.             <h5 class="cl-orange2"> $23.4 </h5>
762.         </div>
763.     </div>
764.     <div
class="card col-md-3 col-sm-4 col-10 cardProductList my-2 mx-auto">
765.     <a
766. href="http://localhost:8000/product/PROJECT%20CARS%202/PS4">
767.         
768.         </a>
769.         <div class="card-body">
770.             <h6 class="card-title"><a
771. href="http://localhost:8000/product/PROJECT%20CARS%202/PS4"
772.             class="text-decoration-none text-
secondary">PROJECT CARS 2 [PS4]</a>
773.             </h6>
774.             <h5 class="cl-orange2"> $23.4 </h5>
775.         </div>
776.     </div>
777.     </div>
778.     <div class="row justify-content-between mx-auto flex-wrap
mt-2">
779.         <div class="card col-md-3 col-sm-4 col-
10 cardProductList my-2 mx-auto">
780.         <a
781. href="http://localhost:8000/product/F1%202019/PS4">
782.             
783.             </a>
784.             <div class="card-body">
785.                 <h6 class="card-title"><a
786. href="http://localhost:8000/product/F1%202019/PS4"
787.                 class="text-decoration-none text-
secondary">F1 2019 [PS4]</a>
788.                 </h6>
789.                 <h5 class="cl-orange2"> $63.68 </h5>
790.             </div>
791.         </div>

```



```

792.                                                                 <div
793. class="card col-md-3 col-sm-4 col-10 cardProductList my-2 mx-auto">↵
794. <a↵
795. href="http://localhost:8000/product/EUROPA%20UNIVERSALIS%20IV/XBOXONE">↵
796.     ↵
800.     </a>↵
801.     <div class="card-body">↵
802.         <h6 class="card-title"><a↵
803. href="http://localhost:8000/product/EUROPA%20UNIVERSALIS%20IV/XBOXONE"↵
804. class="text-decoration-none text-
805. secondary">EUROPA UNIVERSALIS IV [XBOXONE]</a>↵
806.         </h6>↵
807.         <h5 class="cl-orange2"> $63.68 </h5>↵
808.     </div>↵
809. </div>↵
810. </div>↵
811. </div>↵
812. </div>↵
813. </div>↵
814. </div><div class="my-auto mx-auto">↵
815.     <nav class="row justify-content-center mt-5" aria-label="Page
816. navigation example">↵
817.         <ul class="pagination">↵
818.             ↵
819.             </ul>↵
820.         </nav>↵
821.     </div>↵
822.     </section>↵
823.     <footer id="footerGeneric" class="container">↵
824.         <hr>↵
825.         <article class="row">↵
826.             <section class="col">↵
827.                 <h5 class="title"> More</h5>↵
828.                 <ul class="list-unstyled">↵
829.                     <li><a href=http://localhost:8000/faq> Help</a></li>↵
830.                     <li><a href=http://localhost:8000/contact> Contact</a>
831.                     </li>↵
832.                     <li><a href=http://localhost:8000/about> About us</a>
833.                     </li>↵
834.                 </ul>↵
835.             </section>↵
836.             <section class="col ml-auto my-auto">↵
837.                 <p>© Copyright 2020 Key Share. All rights reserved.</p>↵
838.             </section>↵
839.         </article>↵
840.     </footer> </main>↵
841. </body>↵
842. </html>

```

Used the HTML parser.

Total execution time 832 milliseconds.

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by text input ☐ css

```
<!DOCTYPE html>

<html lang="en">

<head>
  <meta charset="utf-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <!-- CSRF Token -->
  <meta name="csrf-token"
content="vVndLX3Uo7fdmmPNgdeMURtuQgtxFB4MmBL4fU0g">
  <title>KeyShare - My Cart</title>
  <!-- Styles -->
  <link href="http://localhost:8000/css/common.css" rel="stylesheet">
  <link href="http://localhost:8000/css/feedback.css" rel="stylesheet">
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Error Duplicate ID** `headerSearchIcon`.
[From line 94, column 109; to line 94, column 160](#)
`<i id="headerSearchIcon" class="fas fa-search mr-2"></i>`
- Warning The first occurrence of ID** `headerSearchIcon` **was here.**
[From line 39, column 17; to line 39, column 68](#)
`<i id="headerSearchIcon" class="fas fa-search mr-2"></i>`
- Warning Section lacks heading. Consider using** `h2` **elements to** [add identifying headings to all sections.](#)
[From line 110, column 5; to line 110, column 38](#)
`t-3">` `<section id="breadcrumbContainer">` `<`

4. **Error** The `scope` attribute on the `td` element is obsolete. Use the `scope` attribute on a `th` element instead.

[From line 153, column 86; to line 154, column 50](#)

```
id=row27> <td scope="row" class="border-0 align-middle">
```

5. **Error** Bad value `product/PAYDAY 2/PC` for attribute `href` on element `a`: Illegal character in path segment: space is not allowed.

[From line 156, column 13; to line 156, column 42](#)

```
<a href="product/PAYDAY 2/PC">
```

6. **Error** Bad value `150` for attribute `width` on element `img`: Expected a digit but saw instead.

[From line 157, column 17; to line 158, column 114](#)

```
<img  
src=http://localhost:8000/pictures/games/34bf0e63edc4b2e4949b49b63d1da5  
c0.png alt="Game Picture" width=" 150" class="img-
```

7. **Error** Bad value `product/PAYDAY 2/PC` for attribute `href` on element `a`: Illegal character in path segment: space is not allowed.

[From line 160, column 34; to line 161, column 58](#)

```
ss="mb-0"><a href="product/PAYDAY 2/PC"  
class=" text-dark d-inline-block">PAYDAY
```

8. **Error** Bad value `dialog` for attribute `role` on element `article`.

[From line 165, column 17; to line 166, column 59](#)

```
<article class="modal fade bd-modal-lg" id="user-25"  
tabindex="-1" role="dialog" aria-labelledby="myLargeModalLabel"  
aria-hidden="true"> <
```

9. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

[From line 176, column 17; to line 176, column 65](#)

```
<section class="col text-center mt-auto mb-auto">
```

10. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

[From line 181, column 17; to line 181, column 37](#)

```
<section class="col">
```

11. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

[From line 165, column 17; to line 166, column 59](#)

```
<article class="modal fade bd-modal-lg" id="user-25"
tabindex="-1" role="dialog" aria-labelledby="myLargeModalLabel"
aria-hidden="true"> <
```

12. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

[From line 155, column 9; to line 155, column 29](#)

```
> <section class="p-2">
```

13. **Error** Attribute `value_offer` not allowed on element `button` at this point.

[From line 232, column 13; to line 233, column 51](#)

```
<button class="btn btn-red btn-block flex-nowrap
remove_cart_button" value_offer=581.02 data_cart_id=27>
<i>
```

Attributes for element `button`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[formaction](#) — [URL](#) to use for [form submission](#)

[formenctype](#) — Entry list encoding type to use for [form submission](#)

[formmethod](#) — Variant to use for [form submission](#)

[formnovalidate](#) — Bypass form control validation for [form submission](#)

[formtarget](#) — [Browsing context](#) for [form submission](#)

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[type](#) — Type of button

[value](#) — Value to be used for [form submission](#)

14. **Error** Attribute `data_cart_id` not allowed on element `button` at this point.

[From line 232, column 13; to line 233, column 51](#)

```
<button class="btn btn-red btn-block flex-nowrap
remove_cart_button" value_offer=581.02 data_cart_id=27>
<i>
```

Attributes for element `button`:

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[formaction](#) — [URL](#) to use for [form submission](#)

[formenctype](#) — Entry list encoding type to use for [form submission](#)

[formmethod](#) — Variant to use for [form submission](#)

[formnovalidate](#) — Bypass form control validation for [form submission](#)

[formtarget](#) — [Browsing context](#) for [form submission](#)

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[type](#) — Type of button

[value](#) — Value to be used for [form submission](#)

15. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

[From line 231, column 9; to line 231, column 58](#)

```
>... <section class="btn-group-justified btn-group-md">...
```

16. **Error** The `scope` attribute on the `td` element is obsolete. Use the `scope` attribute on a `th` element instead.

[From line 237, column 91; to line 238, column 50](#)

```
id=row28>... <td scope="row" class="border-0 align-middle">...
```

17. **Error** Bad value `product/PAYDAY 2/PC` for attribute `href` on element `a`: Illegal character in path segment: space is not allowed.

[From line 240, column 13; to line 240, column 42](#)

```
<a href="product/PAYDAY 2/PC">...
```

18. **Error** Bad value `150` for attribute `width` on element `img`: Expected a digit but saw instead.

[From line 241, column 17; to line 242, column 114](#)

```
<img  
src=http://localhost:8000/pictures/games/34bf0e63edc4b2e4949b49b63d1da5  
c0.png alt="Game Picture" width=" 150" class="img-
```

19. **Error** Bad value `product/PAYDAY 2/PC` for attribute `href` on element `a`: Illegal character in path segment: space is not allowed.

[From line 244, column 34; to line 245, column 58](#)

```
ss="mb-0"><a href="product/PAYDAY 2/PC"  
class=" text-dark d-inline-block">PAYDAY
```

20. **Error** Duplicate ID `user-25`.

[From line 249, column 17; to line 250, column 59](#)

```
<article class="modal fade bd-modal-lg" id="user-25"  
tabindex="-1" role="dialog" aria-labelledby="myLargeModalLabel"  
aria-hidden="true"> <
```

21. **Warning** The first occurrence of ID `user-25` was here.
[From line 165, column 17; to line 166, column 59](#)
- ```
<article class="modal fade bd-modal-lg" id="user-25"
tabindex="-1" role="dialog" aria-labelledby="myLargeModalLabel"
aria-hidden="true"> <
```
22. **Error** Bad value `dialog` for attribute `role` on element `article`.  
[From line 249, column 17; to line 250, column 59](#)
- ```
<article class="modal fade bd-modal-lg" id="user-25"
tabindex="-1" role="dialog" aria-labelledby="myLargeModalLabel"
aria-hidden="true"> <
```
23. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).
[From line 260, column 17; to line 260, column 65](#)
- ```
<section class="col text-center mt-auto mb-auto">
```
24. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).  
[From line 265, column 17; to line 265, column 37](#)
- ```
<section class="col">
```
25. **Error** Duplicate ID `userNavbar`.
[From line 272, column 17; to line 272, column 96](#)
- ```
<ul id="userNavbar" class="nav nav-tabs justify-content-
around p-3 flex-nowrap">
```
26. **Warning** The first occurrence of ID `userNavbar` was here.  
[From line 188, column 17; to line 188, column 96](#)
- ```
<ul id="userNavbar" class="nav nav-tabs justify-content-
around p-3 flex-nowrap">
```
27. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).
[From line 249, column 17; to line 250, column 59](#)
- ```
<article class="modal fade bd-modal-lg" id="user-25"
tabindex="-1" role="dialog" aria-labelledby="myLargeModalLabel"
aria-hidden="true"> <
```
28. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).



>< <section class="p-2"><

- From line 316, column 13; to line 317, column 51

```
<button class="btn btn-red btn-block flex-nowrap
remove_cart_button" value_offer=581.02 data_cart_id=28>
</button>
```

## Global attributes

**form** — Associates the element with a **form** element

**formenctype** — Entry list encoding type to use for [form submission](#)

**formnovalidate** — Bypass form control validation for form submission

`formtarget` — Browsing context for form submission

**name** — Name of the element to use for [form submission](#) and in the [form.elements](#) API

**type** — Type of button

**value** — Value to be used for form submission

- From line 316, column 13; to line 317, column 51

```
<button class="btn btn-red btn-block flex-nowrap
remove_cart_button" value_offer=581.02 data_cart_id=28>
<i
```

## Global attributes

**disabled** — Whether the form control is disabled

**form** — Associates the element with a **form** element

formaction — URL to use for form submission

**formenctype** — Entry list encoding type to use for [form submission](#)

**formmethod** — Variant to use for form submission

`formnovalidate` — Bypass form control validation for `form` submission

**formtarget** — Browsing context for form submission

**name** — Name of the element to use for [form submission](#) and in the [form.elements](#) API

**type** — Type of button

**value** — Value to be used for form submission

31. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

[From line 315, column 9; to line 315, column 58](#)

```
>... <section class="btn-group-justified btn-group-md">...
```

32. **Error** The `scope` attribute on the `td` element is obsolete. Use the `scope` attribute on a `th` element instead.

[From line 321, column 91; to line 322, column 50](#)

```
id=row29>... <td scope="row" class="border-0 align-middle">...
```

33. **Error** Bad value `product/PAYDAY 2/PC` for attribute `href` on element `a`: Illegal character in path segment: space is not allowed.

[From line 324, column 13; to line 324, column 42](#)

```
...
```

34. **Error** Bad value `150` for attribute `width` on element `img`: Expected a digit but saw  instead.

[From line 325, column 17; to line 326, column 114](#)

```
<img
src=http://localhost:8000/pictures/games/34bf0e63edc4b2e4949b49b63d1da5
c0.png alt="Game Picture"
width=" 150" class="img-
```

35. **Error** Bad value `product/PAYDAY 2/PC` for attribute `href` on element `a`: Illegal character in path segment: space is not allowed.

[From line 328, column 34; to line 329, column 58](#)

```
ss="mb-0"><a href="product/PAYDAY 2/PC"
class=" text-dark d-inline-block">PAYDAY
```

36. **Error** Duplicate ID `user-25`.

[From line 333, column 17; to line 334, column 59](#)

```
<article class="modal fade bd-modal-lg" id="user-25"
tabindex="-1" role="dialog"
aria-labelledby="myLargeModalLabel"
aria-hidden="true"> <
```

37. **Warning** The first occurrence of ID `user-25` was here.

[From line 165, column 17; to line 166, column 59](#)

```
<article class="modal fade bd-modal-lg" id="user-25"
tabindex="-1" role="dialog"
aria-labelledby="myLargeModalLabel"
aria-hidden="true"> <
```

38. **Error** Bad value `dialog` for attribute `role` on element `article`.

[From line 333, column 17; to line 334, column 59](#)

```
<article class="modal fade bd-modal-lg" id="user-25"
tabindex="-1" role="dialog" aria-labelledby="myLargeModalLabel"
aria-hidden="true"> <
```

39. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

[From line 344, column 17; to line 344, column 65](#)

```
<section class="col text-center mt-auto mb-auto">
```

40. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

[From line 349, column 17; to line 349, column 37](#)

```
<section class="col">
```

41. **Error** Duplicate ID `userNavbar`.

[From line 356, column 17; to line 356, column 96](#)

```
<ul id="userNavbar" class="nav nav-tabs justify-content-
around p-3 flex-nowrap">
```

42. **Warning** The first occurrence of ID `userNavbar` was here.

[From line 188, column 17; to line 188, column 96](#)

```
<ul id="userNavbar" class="nav nav-tabs justify-content-
around p-3 flex-nowrap">
```

43. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

[From line 333, column 17; to line 334, column 59](#)

```
<article class="modal fade bd-modal-lg" id="user-25"
tabindex="-1" role="dialog" aria-labelledby="myLargeModalLabel"
aria-hidden="true"> <
```

44. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

[From line 323, column 9; to line 323, column 29](#)

```
> <section class="p-2">
```

45. **Error** Attribute `value_offer` not allowed on element `button` at this point.

[From line 400, column 13; to line 401, column 51](#)

```

<button class="btn btn-red btn-block flex-nowrap
remove_cart_button" value_offer=581.02 data_cart_id=29>
<i>

```

Attributes for element [button](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[formaction](#) — [URL](#) to use for [form submission](#)

[formenctype](#) — Entry list encoding type to use for [form submission](#)

[formmethod](#) — Variant to use for [form submission](#)

[formnovalidate](#) — Bypass form control validation for [form submission](#)

[formtarget](#) — [Browsing context](#) for [form submission](#)

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[type](#) — Type of button

[value](#) — Value to be used for [form submission](#)

46. **Error** Attribute `data_cart_id` not allowed on element `button` at this point.

[From line 400, column 13; to line 401, column 51](#)

```

<button class="btn btn-red btn-block flex-nowrap
remove_cart_button" value_offer=581.02 data_cart_id=29>
<i>

```

Attributes for element [button](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[formaction](#) — [URL](#) to use for [form submission](#)

[formenctype](#) — Entry list encoding type to use for [form submission](#)

[formmethod](#) — Variant to use for [form submission](#)

[formnovalidate](#) — Bypass form control validation for [form submission](#)

[formtarget](#) — [Browsing context](#) for [form submission](#)

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[type](#) — Type of button

[value](#) — Value to be used for [form submission](#)

47. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

[From line 399, column 9; to line 399, column 58](#)

```

><
<section class="btn-group-justified btn-group-md">

```

- Error** The `scope` attribute on the `td` element is obsolete. Use the `scope` attribute on a `th` element instead.  
[From line 405, column 91; to line 406, column 50](#)

```
id=row30><td scope="row" class="border-0 align-middle">
```

**Error** Bad value `product/PAYDAY 2/PC` for attribute `href` on element `a`: Illegal character in path segment: space is not allowed.  
[From line 408, column 13; to line 408, column 42](#)

```

```

**Error** Bad value `150` for attribute `width` on element `img`: Expected a digit but saw `.` instead.  
[From line 409, column 17; to line 410, column 114](#)

```
<img
src=http://localhost:8000/pictures/games/34bf0e63edc4b2e4949b49b63d1da5
c0.png alt="Game Picture" width=" 150" class="img-
```

**Error** Bad value `product/PAYDAY 2/PC` for attribute `href` on element `a`: Illegal character in path segment: space is not allowed.  
[From line 412, column 34; to line 413, column 58](#)

```
ss="mb-0"><a href="product/PAYDAY 2/PC"
class=" text-dark d-inline-block">PAYDAY
```

**Error** Duplicate ID `user-25`.  
[From line 417, column 17; to line 418, column 59](#)

```
<article class="modal fade bd-modal-lg" id="user-25"
tabindex="-1" role="dialog" aria-labelledby="myLargeModalLabel"
aria-hidden="true"> <
```

**Warning** The first occurrence of ID `user-25` was here.  
[From line 165, column 17; to line 166, column 59](#)

```
<article class="modal fade bd-modal-lg" id="user-25"
tabindex="-1" role="dialog" aria-labelledby="myLargeModalLabel"
aria-hidden="true"> <
```

**Error** Bad value `dialog` for attribute `role` on element `article`.  
[From line 417, column 17; to line 418, column 59](#)

```
<article class="modal fade bd-modal-lg" id="user-25"
tabindex="-1" role="dialog" aria-labelledby="myLargeModalLabel"
aria-hidden="true"> <
```

55. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

[From line 428, column 17; to line 428, column 65](#)

```
<section class="col text-center mt-auto mb-auto">␣
```

56. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

[From line 433, column 17; to line 433, column 37](#)

```
<section class="col">␣
```

57. **Error** Duplicate ID `userNavbar`.

[From line 440, column 17; to line 440, column 96](#)

```
<ul id="userNavbar" class="nav nav-tabs justify-content-around p-3 flex-nowrap">␣
```

58. **Warning** The first occurrence of ID `userNavbar` was here.

[From line 188, column 17; to line 188, column 96](#)

```
<ul id="userNavbar" class="nav nav-tabs justify-content-around p-3 flex-nowrap">␣
```

59. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

[From line 417, column 17; to line 418, column 59](#)

```
<article class="modal fade bd-modal-lg" id="user-25"
tabindex="-1" role="dialog"␣ aria-labelledby="myLargeModalLabel"
aria-hidden="true">␣ <
```

60. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

[From line 407, column 9; to line 407, column 29](#)

```
>␣ <section class="p-2">␣
```

61. **Error** Attribute `value_offer` not allowed on element `button` at this point.

[From line 484, column 13; to line 485, column 51](#)

```
<button class="btn btn-red btn-block flex-nowrap
remove_cart_button"␣ value_offer=581.02 data_cart_id=30>
<i␣
```

Attributes for element [button](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[formaction](#) — [URL](#) to use for [form submission](#)

[formenctype](#) — Entry list encoding type to use for [form submission](#)

[formmethod](#) — Variant to use for [form submission](#)

[formnovalidate](#) — Bypass form control validation for [form submission](#)

[formtarget](#) — [Browsing context](#) for [form submission](#)

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[type](#) — Type of button

[value](#) — Value to be used for [form submission](#)

62. **Error** Attribute `data_cart_id` not allowed on element `button` at this point.

[From line 484, column 13; to line 485, column 51](#)

```
<button class="btn btn-red btn-block flex-nowrap
remove_cart_button" value_offer=581.02 data_cart_id=30>
</>
```

Attributes for element [button](#):

[Global attributes](#)

[disabled](#) — Whether the form control is disabled

[form](#) — Associates the element with a [form](#) element

[formaction](#) — [URL](#) to use for [form submission](#)

[formenctype](#) — Entry list encoding type to use for [form submission](#)

[formmethod](#) — Variant to use for [form submission](#)

[formnovalidate](#) — Bypass form control validation for [form submission](#)

[formtarget](#) — [Browsing context](#) for [form submission](#)

[name](#) — Name of the element to use for [form submission](#) and in the [form.elements](#) API

[type](#) — Type of button

[value](#) — Value to be used for [form submission](#)

63. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

[From line 483, column 9; to line 483, column 58](#)

```
><section class="btn-group-justified btn-group-md">
```

64. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

[From line 529, column 9; to line 529, column 45](#)

```
><section class="col ml-auto my-auto">
```



65. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

[From line 512, column 5; to line 512, column 25](#)

```
<hr>
<article class="row">
```

66. **Error** The `aria-labelledby` attribute must point to an element in the same document.

[From line 165, column 17; to line 166, column 59](#)

```
<article class="modal fade bd-modal-lg" id="user-25"
tabindex="-1" role="dialog" aria-labelledby="myLargeModalLabel"
aria-hidden="true">
```

67. **Error** The `aria-labelledby` attribute must point to an element in the same document.

[From line 249, column 17; to line 250, column 59](#)

```
<article class="modal fade bd-modal-lg" id="user-25"
tabindex="-1" role="dialog" aria-labelledby="myLargeModalLabel"
aria-hidden="true">
```

68. **Error** The `aria-labelledby` attribute must point to an element in the same document.

[From line 333, column 17; to line 334, column 59](#)

```
<article class="modal fade bd-modal-lg" id="user-25"
tabindex="-1" role="dialog" aria-labelledby="myLargeModalLabel"
aria-hidden="true">
```

69. **Error** The `aria-labelledby` attribute must point to an element in the same document.

[From line 417, column 17; to line 418, column 59](#)

```
<article class="modal fade bd-modal-lg" id="user-25"
tabindex="-1" role="dialog" aria-labelledby="myLargeModalLabel"
aria-hidden="true">
```

Document checking completed.

## Source

```
1. <!DOCTYPE html>
2.
3. <html lang="en">
4.
5. <head>
6. <meta charset="utf-8">
7. <meta http-equiv="X-UA-Compatible" content="IE=edge">
```

```

8. <meta name="viewport" content="width=device-width, initial-scale=1">
9. <!-- CSRF Token -->
10. <meta name="csrf-token"
content="vVndLX3Uo7fdmmPNgdeMUrtuQgtxFB4MmBL4fU0g">
11. <title>KeyShare - My Cart</title>
12. <!-- Styles -->
13. <link href="http://localhost:8000/css/common.css" rel="stylesheet">
14. <link href="http://localhost:8000/css/feedback.css" rel="stylesheet">
15. <link href="http://localhost:8000/css/product.css" rel="stylesheet">
16. <link href="http://localhost:8000/bootstrap/css/bootstrap.min.css"
rel="stylesheet">
17. <link href="http://localhost:8000/fontawesome/css/all.min.css"
rel="stylesheet">
18. <!-- fonts -->
19. <link href="http://localhost:8000/css/montserrat.css"
rel="stylesheet">
20. <script src="http://localhost:8000/jquery/jquery.slim.js"></script>
21. <script
src="http://localhost:8000/bootstrap/js/bootstrap.bundle.min.js">
</script>
22. <script src="http://localhost:8000/fontawesome/js/fontawesome.min.js">
</script>
23. <script src="http://localhost:8000/popper/popper.min.js"></script>
24. <script src="http://localhost:8000/js/activate_popovers.js" defer>
</script>
25. <script src="http://localhost:8000/js/cart/cart.min.js" defer>
</script>
26. </head>
27.
28. <body>
29. <header id="headerFixed" class="navbar row">
30. <div class="col col-md-3 col-lg-3 col-xl-1 mt-auto mb-auto">
31.
32.
33.
34. </div>
35. <!-- Search -->
36. <div class="col-xl-4 d-none d-xl-block mt-auto mb-auto">
37. <form id="query-form" class="form-inline"
action="http://localhost:8000/search" method="get">
38.
39. <i id="headerSearchIcon" class="fas fa-search mr-2">
</i>
40.
41.
42. <input class="form-control mr-auto mt-auto mb-
auto mr-auto searchBar" type="search" placeholder="Search"
aria-label="Search" name="query" id="query" value="">
43. </form>
44. </div>
45. <!-- Buttons -->
46. <div class="col d-none d-xl-block mt-auto mb-auto">
47. <div class="row justify-content-end">
48. <a href="http://localhost:8000/search" class="btn btn-
outline-light mr-5 pl-4 pr-4 navbarButton"
role="button">Explore
49. <a href="http://localhost:8000/offer" class="btn
btn-orange navbarButton pl-4 pr-4" role="button">Sell Now
50. <!-- User Image -->
51. <button class="btn btn-outline-light ml-5 navbarButton
dropdown-toggle" id="dropdownMenuButton"
data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">
52. ssn
53. </button>
54. <div class="dropdown-menu dropdown-menu-right " aria-
labelledby="dropdownMenuButton">
55. <a class="dropdown-item"
href="http://localhost:8000/user/ssn">My
Profile

```

```

61. <a class="dropdown-item"
href="http://localhost:8000/user/purchases">My Purchases↵
62. <a class="dropdown-item"
href="http://localhost:8000/user/ssn/offers">My↵
63. Offers↵
64. <a class="dropdown-item"
href="http://localhost:8000/user/reports">Reports↵
65. <div class="dropdown-divider"></div>↵
66. <form action="http://localhost:8000/logout"
method="POST">↵
67. <input type="hidden" name=" token"
value="vVndLX3Uo7fdmmPNgdeMURtuQgtxFB4MmBL4fU0g">↵
<input type="submit" class="dropdown-item" value="Log out">↵
68. </form>↵
69. </div>↵
70. </div>↵
71. </div>↵
72. <!-- Cart icon -->↵
73. <div class="col d-none col-xl-2 d-xl-block mt-auto mb-auto">↵
74. <div class="row">↵
75. <a href="http://localhost:8000/cart" class="mt-auto mb-auto
ml-auto mr-3">↵
76. <i class="fas fa-shopping-cart headerIcon cl-orange">
</i>↵
77. <span id="shopping_cart_item_counter"↵
78. class="badge badge-secondary">4↵
79. ↵
80. </div>↵
81. </div>↵
82. <!-- Button Collapse Small -->↵
83. <div class="col d-xl-none text-right pos-f-t">↵
84. <button id="navbarHamburguer" type="button" class="navbar-
toggler ml-auto" data-toggle="collapse"↵
85. data-target="#hamburguerContentNavSmall" aria-
controls="hamburguerContentNavSmall" aria-expanded="false"↵
86. aria-label="Toggle navigation">↵
87. ↵
88. </button>↵
89. </div>↵
90. </header>↵
91. <div id="hamburguerContentNavSmall" class="collapse sticky-top pt-3 pb-
3">↵
92. <div class="col w-100">↵
93. <form class="form-inline" action="http://localhost:8000/search"
method="get">↵
94. <input type="hidden" name=" token"
value="vVndLX3Uo7fdmmPNgdeMURtuQgtxFB4MmBL4fU0g">↵
95. <input class="form-control mr-auto mt-auto mb-auto mr-auto
searchBar" type="search" placeholder="Search"↵
96. aria-label="Search" name="query" />↵
97. </form>↵
98. <div class="row flex-nowrap justify-content-around mt-3">↵
99. <a href="http://localhost:8000/search"
class="btn btn-outline-light navbarButtonSmall"
role="button">Explore↵
100. <a id="sellNowButtonNavbar"
href="http://localhost:8000/offer" class="btn btn-outline-light
navbarButtonSmall"↵
101. role="button">Sell Now↵
102. <a id="shoppingCartIconHamburguer"
href="http://localhost:8000/cart" class="mt-auto mb-auto mr-2"><i↵
103. class="fas fa-shopping-cart headerIcon cl-orange">
</i><span↵
104. class="badge badge-secondary">↵
105. </div>↵
106. </div>↵
107. </div>↵
108. <main id="wrapper">↵
109. <nav id="navbar" class="nav pt-3">↵
110. <section id="breadcrumbContainer">↵
111. <ol class="breadcrumb">↵
112. <li class="breadcrumb-item"><i class="fas fa-home">
</i>Home↵
113. <li class="breadcrumb-item">Cart↵

```

```

114. <
115. </section></nav> <section id="content" class="container">
116. <article>
117. <header class="row mt-4">
118. <div class="col-sm-6 text-left">
119. <h4>My Cart <span id="counter_products_cart" class="badge
badge-secondary">4</h4>
120. </div>
121. <div class="col-6 text-right">
122. <a id = "checkout-top-button" class="btn btn-lg
btn-orange deleteButtonCheckout align-right "
href="http://localhost:8000/cart/checkout"
123. role="button"><i class="fas fa-money-check-alt d-
inline"></i> Checkout
124.
125. </div>
126. </header>
127. <section class="row">
128. <div class="col-sm-12">
129. <div id="cart-no-entries" class="d-none">
130. <div class="card col-12 text-center cardProductList my-2
mx-auto">
131. <div class="card-body">
132. <h5 class="card-title">No items in the cart</h5>
133. <p class="card-text"> You can always explore games in the Homepage or <a
134. href="http://localhost:8000/search"> Product List
</p>
135. </div>
136. </div>
137. <div id="tableOffers" class="table-responsive table-striped
mt-3 ">
138. <table id="userOffersTable" class="table p-0">
139. <thead>
140. <tr>
141. <th scope="col" class="border-0 bg-light">
142. <div class="p-2 px-3 text-
uppercase">Product Details</div>
143. </th>
144. <th scope="col" class="border-0 bg-light
text-center">
145. <div class="py-2 text-
uppercase">Price</div>
146. </th>
147. <th scope="col" class="border-0 bg-light
text-center">
148. <div class="py-2 text-
uppercase">Remove</div>
149. </th>
150. </tr>
151. </thead>
152. <tbody>
153. <tr id=row27>
154. <td scope="row" class="border-0 align-middle">
155. <section class="p-2">
156.
157. <img
src=http://localhost:8000/pictures/games/34bf0e63edc4b2e4949b49b63d1da5c
0.png alt="Game Picture"
158. width=" 150" class="img-fluid rounded shadow-sm d-
none d-sm-inline userOffersTableEntryImage">
159. <section class="ml-3 d-inline-block align-middle">
160. <h5 class="mb-0"><a href="product/PAYDAY 2/PC"
class=" text-dark d-inline-block">PAYDAY 2
161. [PC]</h5><a href="#" data-toggle="modal"
162. data-target="#user-25"
163. class="text-muted font-weight-normal font-
italic">bchidley
164. <article class="modal fade bd-modal-lg id="user-25"
tabindex="-1" role="dialog"
165. aria-labelledby="myLargeModalLabel" aria-hidden="true">
166. <div class="modal-dialog modal-lg" role="document">
167. <div class="modal-content">
168. <header class="modal-header row justify-content-around mt-2
row ml-0 mr-0">

```

```

170. <section class="text-left col">↵
171. <h4 class="row">bchidleym</h4>↵
172. <p class="row"><i class="fas fa-thumbs-up cl-
173. success"></i><span↵
174. class="font-weight-bold cl-success">80%
175. | <i↵
176. class="fas fa-shopping-cart"></i> 4223 </p>↵
177. </section>↵
178. <section class="col text-center mt-auto mb-auto">↵
179. <a href="http://localhost:8000/user/bchidleym"
180. class="btn btn-sm btn-blue"><i↵
181. class="fas fa-user-alt d-inline-block"></i>
182. View profile↵
183. ↵
184. </section>↵
185. <section class="col">↵
186. <button class="close m-0" data-dismiss="modal" aria-
187. label="Close">↵
188. ×↵
189. </button>↵
190. </section>↵
191. </header>↵
192. <div class="modal-body">↵
193. <ul id="userNavbar" class="nav nav-tabs justify-content-
194. around p-3 flex-nowrap">↵
195. <li class="nav-item"> <button class="btn all btn-blue-full active">All
196. reviews<span↵
197. class="badge badge-secondary d-none d-
198. sm-inline-block ml-2">0</button>↵
199. ↵
200. <li class="nav-item"> <button class="btn positive
201. btn-green"><i↵
202. class="fas fa-thumbs-up">
203. </i>Positive<span↵
204. class="badge badge-secondary d-none d-
205. sm-inline-block ml-2">0</button>↵
206. ↵
207. <li class="nav-item"> <button class="btn negative
208. btn-red"><i↵
209. class="fas fa-thumbs-down">
210. </i>Negative<span↵
211. class="badge badge-secondary d-none d-
212. sm-inline-block ml-2">0</button>↵
213. ↵
214. ↵
215. <div class="col">↵
216. <div class="table-responsive tableFixHead mt-3">↵
217. <table class="table p-0">↵
218. <thead>↵
219. <tr>↵
220. <th scope="col" class="border-0 bg-
221. light text-center">↵
222. <div class="p-2 px-3 text-
223. uppercase">Feedback</div>↵
224. </th>↵
225. <th scope="col" class="border-0 bg-
226. light text-center">↵
227. <div class="py-2 text-
228. uppercase">Date</div>↵
229. </th>↵
230. <th scope="col" class="border-0 bg-
231. light text-center">↵
232. <div class="py-2 text-
233. uppercase">Comment</div>↵
234. </th>↵
235. </tr>↵
236. </thead>↵
237. <tbody class="bg-white">↵
238. </tbody>↵
239. </table>↵
240. </div>↵
241. </div>↵
242. </div>↵
243. </div>↵

```

```

224. </div>↵
225. </article>↵ </section>↵
226. </section>↵
227. </td>↵
228. <td class="text-center align-middle">$907.84
↵
229. <strong class="cl-green pl-2">$581.02</td>↵
230. <td class="align-middle">↵
231. <section class="btn-group-justified btn-group-md">↵
232. <button class="btn btn-red btn-block flex-nowrap
remove cart button"↵
233. value offer=581.02 data_cart_id=27><i↵
234. class="fa fa-trash cl-fail"></i> <span class="d-none
d-md-inline-block">Delete</button>↵
235. </section>↵
236. </td>↵
237. </tr>
<tr id=row28>↵
238. <td scope="row" class="border-0 align-middle">↵
239. <section class="p-2">↵
240. ↵
241. <img
src=http://localhost:8000/pictures/games/34bf0e63edc4b2e4949b49b63d1da5c
0.png alt="Game Picture"↵
242. width=" 150" class="img-fluid rounded shadow-sm d-
none d-sm-inline userOffersTableEntryImage">↵
243. <section class="ml-3 d-inline-block align-middle">↵
244. <h5 class="mb-0"><a href="product/PAYDAY 2/PC"↵
245. class=" text-dark d-inline-block">PAYDAY 2↵
246. [PC]</h5><a href="#" data-toggle="modal"↵
247. data-target="#user-25"↵
248. class="text-muted font-weight-normal font-
italic">bchidleym↵
249. <article class="modal fade bd-modal-lg" id="user-25"
tabindex="-1" role="dialog"↵
250. aria-labelledby="myLargeModalLabel" aria-hidden="true">↵
251. <div class="modal-dialog modal-lg" role="document">↵
252. <div class="modal-content">↵
253. <header class="modal-header row justify-content-around mt-2
row ml-0 mr-0">↵
254. <section class="text-left col">↵
255. <h4 class="row">bchidleym</h4>↵
256. <p class="row"><i class="fas fa-thumbs-up cl-
success"></i><span↵
257. class="font-weight-bold cl-success">80%
 | <i↵
258. class="fas fa-shopping-cart"></i> 4223 </p>↵
259. </section>↵
260. <section class="col text-center mt-auto mb-auto">↵
261. <a href="http://localhost:8000/user/bchidleym"
class="btn btn-sm btn-blue"><i↵
262. class="fas fa-user-alt d-inline-block"></i>
View profile↵
263. ↵
264. </section>↵
265. <section class="col">↵
266. <button class="close m-0" data-dismiss="modal" aria-
label="Close">↵
267. ×↵
268. </button>↵
269. </section>↵
270. </header>↵
271. <div class="modal-body">↵
272. <ul id="userNavbar" class="nav nav-tabs justify-content-
around p-3 flex-nowrap">↵
273. <li class="nav-item"> <button class="btn all btn-blue-full active">All
reviews<span↵
274. class="badge badge-secondary d-none d-
sm-inline-block ml-2">0</button>↵
275. ↵
276. <li class="nav-item"> <button class="btn positive
btn-green"><i↵
277. class="fas fa-thumbs-up">
</i>Positive

```



```

278. class="badge badge-secondary d-none d-
sm-inline-block ml-2">0</button>↵
279. ↵
280. <li class="nav-item"> <button class="btn negative
btn-red"><i↵
281. class="fas fa-thumbs-down">
</i>Negative<span↵
282. class="badge badge-secondary d-none d-
sm-inline-block ml-2">0</button>↵
283. ↵
284. ↵
285. <div class="col">↵
286. <div class="table-responsive tableFixHead mt-3">↵
287. <table class="table p-0">↵
288. <thead>↵
289. <tr>↵
290. <th scope="col" class="border-0 bg-
light text-center">↵
291. <div class="p-2 px-3 text-
uppercase">Feedback</div>↵
292. </th>↵
293. <th scope="col" class="border-0 bg-
light text-center">↵
294. <div class="py-2 text-
uppercase">Date</div>↵
295. </th>↵
296. <th scope="col" class="border-0 bg-
light text-center">↵
297. <div class="py-2 text-
uppercase">Comment</div>↵
298. </th>↵
299. </tr>↵
300. </thead>↵
301. <tbody class="bg-white">↵
302. </tbody>↵
303. </table>↵
304. </div>↵
305. </div>↵
306. </div>↵
307. </div>↵
308. </div>↵
309. </article> </section>↵
310. </section>↵
311. </td>↵
312. <td class="text-center align-middle">$907.84
↵
313. <strong class="cl-green pl-2">$581.02</td>↵
314. <td class="align-middle">↵
315. <section class="btn-group-justified btn-group-md">↵
316. <button class="btn btn-red btn-block flex-nowrap
remove cart button"↵
317. value_offer=581.02 data_cart_id=28><i↵
318. class="fa fa-trash cl-fail"></i> <span class="d-none
d-md-inline-block">Delete</button>↵
319. </section>↵
320. </td>↵
321. </tr>
<tr id=row29>↵
322. <td scope="row" class="border-0 align-middle">↵
323. <section class="p-2">↵
324. ↵
325. <img
src=http://localhost:8000/pictures/games/34bf0e63edc4b2e4949b49b63d1da5c
0.png alt="Game Picture"↵
326. width=" 150" class="img-fluid rounded shadow-sm d-
none d-sm-inline userOffersTableEntryImage">↵
327. <section class="ml-3 d-inline-block align-middle">↵
328. <h5 class="mb-0"><a href="product/PAYDAY 2/PC"↵
329. class=" text-dark d-inline-block">PAYDAY 2↵
330. [PC]</h5><a href="#" data-toggle="modal"↵
331. data-target="#user-25"↵
332. class="text-muted font-weight-normal font-
italic">bchidley↵
333. <article class="modal fade bd-modal-lg" id="user-25"
tabindex="-1" role="dialog"↵

```





```

387. </table>
388. </div>
389. </div>
390. </div>
391. </div>
392. </div>
393. </article>
394. </section>
395. </td>
396. <td class="text-center align-middle">$907.84
397. <strong class="cl-green pl-2">$581.02</td>
398. <td class="align-middle">
399. <section class="btn-group-justified btn-group-md">
400. <button class="btn btn-red btn-block flex-nowrap
401. remove cart button"
402. value offer=581.02 data cart id=29><i
403. class="fa fa-trash cl-fail"></i> <span class="d-none
404. d-md-inline-block">Delete</button>
405. </section>
406. </td>
407. </tr>
408. <tr id=row30>
409. <td scope="row" class="border-0 align-middle">
410. <section class="p-2">
411.
412. <img
413. src=http://localhost:8000/pictures/games/34bf0e63edc4b2e4949b49b63d1da5c
414. 0.png alt="Game Picture"
415. width=" 150" class="img-fluid rounded shadow-sm d-
416. none d-sm-inline userOffersTableEntryImage">
417. <section class="ml-3 d-inline-block align-middle">
418. <h5 class="mb-0"><a href="product/PAYDAY 2/PC"
419. class="text-dark d-inline-block">PAYDAY 2
420. [PC]</h5><a href="#" data-toggle="modal"
421. data-target="#user-25"
422. class="text-muted font-weight-normal font-
423. italic">bchidleym
424. <article class="modal fade bd-modal-lg id="user-25"
425. tabindex="-1" role="dialog"
426. aria-labelledby="myLargeModalLabel" aria-hidden="true">
427. <div class="modal-dialog modal-lg" role="document">
428. <div class="modal-content">
429. <header class="modal-header row justify-content-around mt-2
430. row ml-0 mr-0">
431. <section class="text-left col">
432. <h4 class="row">bchidleym</h4>
433. <p class="row"><i class="fas fa-thumbs-up cl-
434. success"></i>
435. class="font-weight-bold cl-success">80%
436. | <i
437. class="fas fa-shopping-cart"></i> 4223 </p>
438. </section>
439. <section class="col text-center mt-auto mb-auto">
440. <a href="http://localhost:8000/user/bchidleym"
441. class="btn btn-sm btn-blue"><i
442. class="fas fa-user-alt d-inline-block"></i>
443. View profile
444.
445. </section>
446. <section class="col">
447. <button class="close m-0" data-dismiss="modal" aria-
448. label="Close">
449. ×
450. </button>
451. </section>
452. </header>
453. <div class="modal-body">
454. <ul id="userNavbar" class="nav nav-tabs justify-content-
455. around p-3 flex-nowrap">
456. <li class="nav-item"> <button class="btn all btn-blue-full active">All
457. reviews
458. class="badge badge-secondary d-none d-
459. sm-inline-block ml-2">0</button>
460.

```

```

444. <li class="nav-item"> <button class="btn positive
btn-green"><i>
445. class="fas fa-thumbs-up">
</i>Positive
446. class="badge badge-secondary d-none d-
sm-inline-block ml-2">0</button>
447.
448. <li class="nav-item"> <button class="btn negative
btn-red"><i>
449. class="fas fa-thumbs-down">
</i>Negative
450. class="badge badge-secondary d-none d-
sm-inline-block ml-2">0</button>
451.
452. <div class="col">
453. <div class="table-responsive tableFixHead mt-3">
454. <table class="table p-0">
455. <thead>
456. <tr>
457. <th scope="col" class="border-0 bg-
light text-center">
458. <div class="p-2 px-3 text-
uppercase">Feedback</div>
459. </th>
460. <th scope="col" class="border-0 bg-
light text-center">
461. <div class="py-2 text-
uppercase">Date</div>
462. </th>
463. <th scope="col" class="border-0 bg-
light text-center">
464. <div class="py-2 text-
uppercase">Comment</div>
465. </th>
466. </tr>
467. </thead>
468. <tbody class="bg-white">
469.
470. </tbody>
471. </table>
472. </div>
473. </div>
474. </div>
475. </div>
476. </div>
477. </article> </section>
478. </section>
479. </td>
480. <td class="text-center align-middle">$907.84

481. <strong class="cl-green pl-2">$581.02</td>
482. <td class="align-middle">
483. <section class="btn-group-justified btn-group-md">
484. <button class="btn btn-red btn-block flex-nowrap
remove cart button"
485. value_offer=581.02 data_cart_id=30><i>
486. class="fa fa-trash cl-fail"></i> <span class="d-none
d-md-inline-block">Delete</button>
487. </section>
488. </td>
489. </tr>
490. </table>
491. </div>
492. </div>
493. </section>
494. <div id="total-price-div" class="">
495. <div class="row mt-4">
496. <div class="col text-right">
497. <h4>Total Price: 2324.08$</h4>
498. </div>
499. </div>
500. <div class="row mt-4">
501. <div class="col text-right">

```

```

502. <a class="btn btn-lg btn-orange
deleteButtonCheckout align-right"
href="http://localhost:8000/cart/checkout">
503. role="button"><i class="fas fa-money-check-alt d-
inline"></i> Checkout
504.
505. </div>
506. </div>
507. </div>
508.
509. </article> </section>
510. <footer id="footerGeneric" class="container">
511. <hr>
512. <article class="row">
513. <section class="col">
514. <h5 class="title"> More</h5>
515. <ul class="list-unstyled">
516. Help
517. Contact

518. About us

519.
520. </section>
521. <section class="col">
522. <h5 class="title"> Shortcuts </h5>
523. <ul class="list-unstyled">
524.
525. Profile
526. Homepage
527. All
products
528.
529. </section>
530. <section class="col ml-auto my-auto">
531. <p>© Copyright 2020 Key Share. All rights reserved.</p>
532. </section>
533. </article>
534. </footer> </main>
535.
536. </html>

```

Used the HTML parser.

Total execution time 521 milliseconds.

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by text input ☐ css

```
<!DOCTYPE html>

<html lang="en">

<head>
 <meta charset="utf-8">
 <meta http-equiv="X-UA-Compatible" content="IE=edge">
 <meta name="viewport" content="width=device-width, initial-scale=1">
 <!-- CSRF Token -->
 <meta name="csrf-token"
content="vVndLX3Uo7fdmmPNgdeMURtuQgtxFB4MmBL4fU0g">
 <title>KeyShare - Homepage</title>
 <!-- Styles -->
 <link href="http://localhost:8000/css/common.css" rel="stylesheet">
 <link href="http://localhost:8000/css/feedback.css" rel="stylesheet">
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Error Duplicate ID** `headerSearchIcon`.  
[From line 94, column 109; to line 94, column 160](#)  
`<i id="headerSearchIcon" class="fas fa-search mr-2"></i>`
- Warning The first occurrence of ID** `headerSearchIcon` **was here.**  
[From line 39, column 17; to line 39, column 68](#)  
`<i id="headerSearchIcon" class="fas fa-search mr-2"></i>`
- Warning Section lacks heading. Consider using** `h2` **elements to** [add identifying headings to all sections.](#)  
[From line 110, column 5; to line 110, column 38](#)  
`t-3">` `<section id="breadcrumbContainer">` `<`

4. **Error** Element `h5` not allowed as child of element `button` in this context.

(Suppressing further errors from this subtree.)

[From line 119, column 21; to line 119, column 52](#)

```
<h5 class="productSideBarTitle">Genres
```

Content model for element `button`:

[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the [tabindex](#) attribute specified.

5. **Error** Element `h5` not allowed as child of element `button` in this context.

(Suppressing further errors from this subtree.)

[From line 141, column 21; to line 141, column 52](#)

```
<h5 class="productSideBarTitle"> Platf
```

Content model for element `button`:

[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the [tabindex](#) attribute specified.

6. **Error** Element `h5` not allowed as child of element `button` in this context.

(Suppressing further errors from this subtree.)

[From line 169, column 21; to line 169, column 52](#)

```
<h5 class="productSideBarTitle">Catego
```

Content model for element `button`:

[Phrasing content](#), but there must be no [interactive content](#) descendant and no descendant with the [tabindex](#) attribute specified.

7. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

[From line 114, column 15; to line 114, column 71](#)

```
ction> <article class="col-8 d-none d-sm-block ml-auto mr-auto">...
```

8. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

[From line 220, column 5; to line 220, column 36](#)

```
... <section class="carousel-inner">...
```

9. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

[From line 187, column 11; to line 187, column 124](#)

```
<article id="carouselExampleIndicators" class="carousel slide ml-auto mr-auto row mx-3 my-5" data-ride="carousel">... <
```

10. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 291, column 13; to line 292, column 119](#)

```

```

11. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

[From line 287, column 113; to line 287, column 208](#)

```
<article class="card col-xs-8 col-sm-8 col-md-2 col-lg-2 col-
xl-2 mx-auto mx-sm-0 cardHomepage"> <
```

12. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 310, column 13; to line 311, column 119](#)

```

```

13. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

[From line 306, column 179; to line 306, column 274](#)

```
<article class="card col-xs-8 col-sm-8 col-md-2 col-lg-2 col-
xl-2 mx-auto mx-sm-0 cardHomepage"> <
```

14. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 329, column 13; to line 330, column 119](#)

```

```

15. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

[From line 325, column 179; to line 325, column 274](#)

```
<article class="card col-xs-8 col-sm-8 col-md-2 col-lg-2 col-
xl-2 mx-auto mx-sm-0 cardHomepage"> <
```



16. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 348, column 13; to line 349, column 119](#)

```

```

17. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

[From line 344, column 179; to line 344, column 274](#)

```
<article class="card col-xs-8 col-sm-8 col-md-2 col-lg-2 col-
xl-2 mx-auto mx-sm-0 cardHomepage"> <
```

18. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 367, column 13; to line 368, column 119](#)

```

```

19. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

[From line 363, column 179; to line 363, column 274](#)

```
<article class="card col-xs-8 col-sm-8 col-md-2 col-lg-2 col-
xl-2 mx-auto mx-sm-0 cardHomepage"> <
```

20. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 390, column 13; to line 391, column 119](#)

```

```

21. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

[From line 386, column 673; to line 386, column 768](#)

```
<article class="card col-xs-8 col-sm-8 col-md-2 col-lg-2 col-
xl-2 mx-auto mx-sm-0 cardHomepage"> <
```

22. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 409, column 13; to line 410, column 119](#)

```

```

23. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

[From line 405, column 179; to line 405, column 274](#)

```
<article class="card col-xs-8 col-sm-8 col-md-2 col-lg-2 col-
xl-2 mx-auto mx-sm-0 cardHomepage"> <
```

24. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 428, column 13; to line 429, column 119](#)

```

```

25. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

[From line 424, column 179; to line 424, column 274](#)

```
<article class="card col-xs-8 col-sm-8 col-md-2 col-lg-2 col-
xl-2 mx-auto mx-sm-0 cardHomepage"> <
```

26. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 477, column 13; to line 478, column 119](#)

```

```

27. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

[From line 473, column 113; to line 473, column 208](#)

```
<article class="card col-xs-8 col-sm-8 col-md-2 col-lg-2 col-
xl-2 mx-auto mx-sm-0 cardHomepage"><
```

28. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 496, column 13; to line 497, column 119

```

```

29. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

From line 492, column 179; to line 492, column 274

```
<article class="card col-xs-8 col-sm-8 col-md-2 col-lg-2 col-
xl-2 mx-auto mx-sm-0 cardHomepage"><
```

30. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 515, column 13; to line 516, column 119

```

```

31. **Warning** Article lacks heading. Consider using `h2`–`h6` elements to [add identifying headings to all articles](#).

From line 511, column 179; to line 511, column 274

```
<article class="card col-xs-8 col-sm-8 col-md-2 col-lg-2 col-
xl-2 mx-auto mx-sm-0 cardHomepage"> <
```

32. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 534, column 13; to line 535, column 119

```

```

33. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

[From line 530, column 179; to line 530, column 274](#)

```
<article class="card col-xs-8 col-sm-8 col-md-2 col-lg-2 col-
xl-2 mx-auto mx-sm-0 cardHomepage">... <
```

34. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 553, column 13; to line 554, column 119](#)

```
...
```

35. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

[From line 549, column 179; to line 549, column 274](#)

```
<article class="card col-xs-8 col-sm-8 col-md-2 col-lg-2 col-
xl-2 mx-auto mx-sm-0 cardHomepage">... <
```

36. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 576, column 13; to line 577, column 119](#)

```
...
```

37. **Warning** Article lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all articles](#).

[From line 572, column 673; to line 572, column 768](#)

```
<article class="card col-xs-8 col-sm-8 col-md-2 col-lg-2 col-
xl-2 mx-auto mx-sm-0 cardHomepage">... <
```

38. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 595, column 13; to line 596, column 119](#)

```
...
```



```

4. ↵
5. <head>↵
6. <meta charset="utf-8">↵
7. <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
8. <meta name="viewport" content="width=device-width, initial-scale=1">↵
9. <!-- CSRF Token -->↵
10. <meta name="csrf-token"
content="vVndLX3Uo7fdmmPNgdeMURtuQgtxFB4MmBL4fU0g">↵
11. <title>KeyShare - Homepage</title>↵
12. <!-- Styles -->↵
13. <link href="http://localhost:8000/css/common.css" rel="stylesheet">↵
14. <link href="http://localhost:8000/css/feedback.css" rel="stylesheet">↵
15. <link href="http://localhost:8000/css/product.css" rel="stylesheet">↵
16. <link href="http://localhost:8000/bootstrap/css/bootstrap.min.css"
rel="stylesheet">↵
17. <link href="http://localhost:8000/fontawesome/css/all.min.css"
rel="stylesheet">↵
18. <!-- fonts -->↵
19. <link href="http://localhost:8000/css/montserrat.css"
rel="stylesheet">↵
20. <script src="http://localhost:8000/jquery/jquery.slim.js"></script>↵
21. <script
src="http://localhost:8000/bootstrap/js/bootstrap.bundle.min.js">
</script>↵
22. <script src="http://localhost:8000/fontawesome/js/fontawesome.min.js">
</script>↵
23. <script src="http://localhost:8000/popper/popper.min.js"></script>↵
24. <script src="http://localhost:8000/js/activate_popovers.js" defer>
</script>↵
25. <script src="http://localhost:8000/js/homepage/homepage.min.js"
async></script>↵
26. </head>↵
27. ↵
28. <body>↵
29. <header id="headerFixed" class="navbar row">↵
30. <div class="col col-md-3 col-lg-3 col-xl-1 mt-auto mb-auto">↵
31. ↵
32. ↵
33. ↵
34. </div>↵
35. <!-- Search -->↵
36. <div class="col-xl-4 d-none d-xl-block mt-auto mb-auto">↵
37. <form id="query-form" class="form-inline"
action="http://localhost:8000/search" method="get">↵
38. ↵
39. <i id="headerSearchIcon" class="fas fa-search mr-2">
</i>↵
40. ↵
41. ↵
42. <input class="form-control mr-auto mt-auto mb-
auto mr-auto searchBar" type="search" placeholder="Search"↵
43. aria-label="Search" name="query" id="query" value="">↵
44. </form>↵
45. </div>↵
46. <!-- Buttons -->↵
47. <div class="col d-none d-xl-block mt-auto mb-auto">↵
48. <div class="row justify-content-end">↵
49. <a href="http://localhost:8000/search" class="btn btn-
outline-light mr-5 pl-4 pr-4 navbarButton"↵
50. role="button">Explore↵
51. <a href="http://localhost:8000/offer" class="btn
btn-orange navbarButton pl-4 pr-4" role="button">Sell Now↵
52. <!-- User Image -->↵
53. <button class="btn btn-outline-light ml-5 navbarButton
dropdown-toggle" id="dropdownMenuButton"↵
54. data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">↵
55. ssn↵
57. </button>↵
58. <div class="dropdown-menu dropdown-menu-right " aria-
labelledby="dropdownMenuButton">↵

```

```

59. <a class="dropdown-item"
href="http://localhost:8000/user/ssn">My
60. Profile
61. <a class="dropdown-item"
href="http://localhost:8000/user/purchases">My Purchases
62. <a class="dropdown-item"
href="http://localhost:8000/user/ssn/offers">My
63. Offers
64. <a class="dropdown-item"
href="http://localhost:8000/user/reports">Reports
65. <div class="dropdown-divider"></div>
66. <form action="http://localhost:8000/logout"
method="POST">
67. <input type="hidden" name=" token"
value="vVndLX3Uo7fdmmPNgdeMURtuQgtxFB4MmBL4fU0g">
<input type="submit" class="dropdown-item" value="Log out">
68. </form>
69. </div>
70. </div>
71. </div>
72. <!-- Cart icon -->
73. <div class="col d-none col-xl-2 d-xl-block mt-auto mb-auto">
74. <div class="row">
75. <a href="http://localhost:8000/cart" class="mt-auto mb-auto
ml-auto mr-3">
76. <i class="fas fa-shopping-cart headerIcon cl-orange">
</i>
77. <span id="shopping_cart_item_counter"
class="badge badge-secondary">4
78.
79. </div>
80. </div>
81. </div>
82. <!-- Button Collapse Small -->
83. <div class="col d-xl-none text-right pos-f-t">
84. <button id="navbarHamburger" type="button" class="navbar-
toggler ml-auto" data-toggle="collapse"
85. data-target="#hamburgerContentNavSmall" aria-
controls="hamburgerContentNavSmall" aria-expanded="false">
86. aria-label="Toggle navigation">
87.
88. </button>
89. </div>
90. </header>
91. <div id="hamburgerContentNavSmall" class="collapse sticky-top pt-3 pb-
3">
92. <div class="col w-100">
93. <form class="form-inline" action="http://localhost:8000/search"
method="get">
94. <input type="hidden" name=" token"
value="vVndLX3Uo7fdmmPNqdeMURtuQgtxFB4MmBL4fU0g">
<i
id="headerSearchIcon" class="fas fa-search mr-2"></i>
95. <input class="form-control mr-auto mt-auto mb-auto mr-auto
searchBar" type="search" placeholder="Search">
96. aria-label="Search" name="query" />
97. </form>
98. <div class="row flex-nowrap justify-content-around mt-3">
99. <a href="http://localhost:8000/search"
class="btn btn-outline-light navbarButtonSmall"
role="button">Explore
100. <a id="sellNowButtonNavbar"
href="http://localhost:8000/offer" class="btn btn-outline-light
navbarButtonSmall"
101. role="button">Sell Now
102. <a id="shoppingCartIconHamburger"
href="http://localhost:8000/cart" class="mt-auto mb-auto mr-2"><i>
103. class="fas fa-shopping-cart headerIcon cl-orange">
</i>
104. class="badge badge-secondary">
105. </div>
106. </div>
107. </div>
108. <main id="wrapper">
109. <nav id="navbar" class="nav pt-3">
110. <section id="breadcrumbContainer">
111. <ol class="breadcrumb">

```



```

112. <li class="breadcrumb-item"><i class="fas fa-home">
</i>Home↵
113. ↵
114. </section> <article class="col-8 d-none d-sm-block ml-auto mr-auto">↵
115. <section class="row">↵
116. <div class="dropdown show ml-auto">↵
117. <button class="btn btn-secondary homepageDropdownButton"
type="button" data-toggle="dropdown"↵
118. aria-haspopup="true" aria-expanded="false">↵
119. <h5 class="productSideBarTitle">Genres<i class="fas
fa-angle-down ml-1 homepageDropdownArrow"></i>↵
120. </h5>↵
121. </button>↵
122. <div id="collapseGenres" class="dropdown-menu">↵
123. <a class="dropdown-item"
href="http://localhost:8000/search?genres=ACTION">ACTION↵
124. <a class="dropdown-item"
href="http://localhost:8000/search?genres=SPORT">SPORT↵
125. <a class="dropdown-item"
href="http://localhost:8000/search?genres=ADVENTURE">ADVENTURE↵
126. <a class="dropdown-item"
href="http://localhost:8000/search?genres=PUZZLE">PUZZLE↵
127. <a class="dropdown-item"
href="http://localhost:8000/search?genres=FPS">FPS↵
128. <a class="dropdown-item"
href="http://localhost:8000/search?genres=SIMULATION">SIMULATION↵
129. <a class="dropdown-item"
href="http://localhost:8000/search?genres=SHOOTER">SHOOTER↵
130. <a class="dropdown-item"
href="http://localhost:8000/search?genres=RACING">RACING↵
131. <a class="dropdown-item"
href="http://localhost:8000/search?genres=FOOTBALL">FOOTBALL↵
132. <a class="dropdown-item"
href="http://localhost:8000/search?genres=CO-OP">CO-OP↵
133. <a class="dropdown-item"
href="http://localhost:8000/search?genres=MULTIPLAYER">MULTIPLAYER↵
134. <a class="dropdown-item"
href="http://localhost:8000/search?genres=OPEN-WORLD">OPEN-WORLD↵
135. <a class="dropdown-item"
href="http://localhost:8000/search?genres=ANIME">ANIME↵
136. </div>↵
137. </div>↵
138. <div class="dropdown show">↵
139. <button class="btn btn-secondary homepageDropdownButton"
type="button" data-toggle="dropdown"↵
140. aria-haspopup="false" aria-expanded="false">↵
141. <h5 class="productSideBarTitle">Platforms↵
142. <i class="fas fa-angle-down ml-1
homepageDropdownArrow"></i>↵
143. </h5>↵
144. </button>↵
145. <div id="collapsePlatforms" class="dropdown-menu">↵
146. ↵
147. href="http://localhost:8000/search?
platform=PC">PC↵
148. ↵
149. href="http://localhost:8000/search?
platform=PS4">PS4↵
150. ↵
151. href="http://localhost:8000/search?
platform=NINTENDO">NINTENDO↵
152. ↵
153. href="http://localhost:8000/search?
platform=XBOXONE">XBOXONE↵
154. ↵
155. href="http://localhost:8000/search?
platform=PS3">PS3↵
156. ↵
157. href="http://localhost:8000/search?
platform=MAC">MAC↵
158. ↵
159. href="http://localhost:8000/search?
platform=ANDROID">ANDROID↵
160. ↵
161. href="http://localhost:8000/search?
platform=PS2">PS2↵

```

```

162.
163. href="http://localhost:8000/search?
platform=XBOX360">XBOX360
164. </div>
165. </div>
166. <div class="dropdown show mr-auto">
167. <button class="btn btn-secondary homepageDropdownButton"
type="button" data-toggle="dropdown"
168. aria-haspopup="false" aria-expanded="false">
169. <h5 class="productSideBarTitle">Categories
170. <i class="fas fa-angle-down ml-1
homepageDropdownArrow"></i>
171. </h5>
172. </button>
173. <div id="collapseCategories" class="dropdown-menu">
174.
175. href="http://localhost:8000/search?
category=GAME">GAME
176.
177. href="http://localhost:8000/search?
category=DLC">DLC
178.
179. href="http://localhost:8000/search?
category=PATCH">PATCH
180.
181. href="http://localhost:8000/search?
category=EXPANSION">EXPANSION
182. </div>
183. </div>
184. </section>
185. </article>
186. </nav> <section id="content" class="container">
187. <article id="carouselExampleIndicators" class="carousel slide
ml-auto mr-auto row mx-3 my-5" data-ride="carousel">
188. <ol class="carousel-indicators">
189. <li data-target="#carouselExampleIndicators" data-slide-to="0"
190. class="active">
191.
192. <li data-target="#carouselExampleIndicators" data-slide-
to="1"
193. class="">
194.
195. <li data-target="#carouselExampleIndicators" data-slide-
to="2"
196. class="">
197.
198. <li data-target="#carouselExampleIndicators" data-slide-
to="3"
199. class="">
200.
201. <li data-target="#carouselExampleIndicators" data-slide-
to="4"
202. class="">
203.
204. <li data-target="#carouselExampleIndicators" data-slide-
to="5"
205. class="">
206.
207. <li data-target="#carouselExampleIndicators" data-slide-
to="6"
208. class="">
209.
210. <li data-target="#carouselExampleIndicators" data-slide-
to="7"
211. class="">
212.
213. <li data-target="#carouselExampleIndicators" data-slide-
to="8"
214. class="">
215.
216. <li data-target="#carouselExampleIndicators" data-slide-
to="9"
217. class="">
218.
219.
220. <section class="carousel-inner">

```

```

221. <div class="carousel-item active">↵
222. ↵
223. </div>↵
224. <div class="carousel-item ">↵
225. ↵
226. </div>↵
227. <div class="carousel-item ">↵
228. ↵
229. </div>↵
230. <div class="carousel-item ">↵
231. ↵
232. </div>↵
233. <div class="carousel-item ">↵
234. ↵
235. </div>↵
236. <div class="carousel-item ">↵
237. ↵
238. </div>↵
239. <div class="carousel-item ">↵
240. ↵
241. </div>↵
242. <div class="carousel-item ">↵
243. ↵
244. </div>↵
245. <div class="carousel-item ">↵
246. ↵
247. </div>↵
248. <div class="carousel-item ">↵
249. ↵
250. </div>↵
251. </section>↵
252. <a id="carouselArrowLeft" class="carousel-control-prev"
href="#carouselExampleIndicators" role="button"↵
253. data-slide="prev">↵
254.
↵
255. Previous↵
256. ↵
257. <a id="carouselArrowRight" class="carousel-control-next"
href="#carouselExampleIndicators" role="button"↵
258. data-slide="next">↵
259.
↵
260. Next↵
261. ↵
262. </article> <article>↵
263. <header class="row">↵
264. <div class="col-8">↵
265. <h5 class="title"> Most Popular↵
266. ↵
267. <small class="ml-3 d-inline-block"> See all</small>↵
268. ↵
269. </h5>↵
270. </div>↵
271. <div class="col-4 d-flex justify-content-end my-auto mw-100 mh-
100">↵

```

```

272. <a id="left-most-popular" href="#carouselPopular" data-
slide="prev">
273. class="btn btn-light rounded-circle ml-auto"
role="button" onclick="blur();">
274. <i class="fas fa-angle-left"></i>
275.
276. <a id="right-most-popular" href="#carouselPopular" data-
slide="next" class="btn btn-light rounded-circle"
277. role="button" onclick="blur();">
278. <i class="fas fa-angle-right"></i>
279.
280. </div>
281. </header>
282. <div class="row">
283. <div id="carouselPopular" class="carousel slide mb-5" data-
interval="false">
284. <div class="carousel-inner">
285. <div class="carousel-item active px-3">
286. <div class="row justify-
content-sm-center justify-content-md-between mt-3 mb-3 ml-auto mr-
auto">
287. <article class="card col-xs-8 col-sm-8 col-md-2 col-lg-2 col-xl-2 mx-
auto mx-sm-0 cardHomepage">
288. <header>
289. <a
290. href="http://localhost:8000/product/MINECRAFT/PS4">
291.
293.
294. </header>
295. <section class="card-body">
296. <h6 class="card-title">
297. <a href="http://localhost:8000/product/MINECRAFT/PS4"
298. class="text-decoration-none text-secondary">
299. Minecraft [PS4]
300.
301. </h6>
302. <h5 class="cl-orange2">
303. 17.63$</h5>
304. ↵
305. </section>
306. </article>
307. <article class="card col-xs-8 col-sm-8 col-md-2 col-lg-2 col-xl-2 mx-
auto mx-sm-0 cardHomepage">
308. <header>
309. <a
310. href="http://localhost:8000/product/BATTLEFIELD%20V/PC">
311.
313.
314. </header>
315. <section class="card-body">
316. <h6 class="card-title">
317. <a href="http://localhost:8000/product/BATTLEFIELD%20V/PC"
318. class="text-decoration-none text-secondary">
319. Battlefield V [PC]
320.
321. </h6>
322. <h5 class="cl-orange2">
323. 53.68$</h5>
324. ↵
325. </section>
326. </article>
327. <article class="card col-xs-8 col-sm-8 col-md-2 col-lg-2 col-xl-2 mx-
auto mx-sm-0 cardHomepage">
328. <header>
329. <a
330. href="http://localhost:8000/product/PAYDAY%202/PC">
331.
331.
332. </header>
333. <section class="card-body">
334. <h6 class="card-title">
335. <a href="http://localhost:8000/product/PAYDAY%20/PC"
336. class="text-decoration-none text-secondary">
337. Payday 2 [PC]
338.
339. </h6>
340. <h5 class="cl-orange2">
341. 581.02$</h5>
342.
343. </section>
344. </article>
<article class="card col-xs-8 col-sm-8 col-md-2 col-lg-2 col-xl-2 mx-
auto mx-sm-0 cardHomepage">
345. <header>
346. <a
347. href="http://localhost:8000/product/MOUNT%20&%20BLADE%20/PS4">
348.
350.
351. </header>
352. <section class="card-body">
353. <h6 class="card-title">
354. <a
355. href="http://localhost:8000/product/MOUNT%20&%20BLADE%20/PS4">
356. class="text-decoration-none text-secondary">
357. Mount & Blade 2 [PS4]
358.
359. </h6>
360. <h5 class="cl-orange2">
361. 308.98$</h5>
362.
363. </section>
364. </article>
<article class="card col-xs-8 col-sm-8 col-md-2 col-lg-2 col-xl-2 mx-
auto mx-sm-0 cardHomepage">
365. <header>
366. <a
367. href="http://localhost:8000/product/THE%20CREW%20/PS4">
368.
370.
371. </header>
372. <section class="card-body">
373. <h6 class="card-title">
374.
375. class="text-decoration-none text-secondary">
376. The Crew 2 [PS4]
377.
378. </h6>
379. <h5 class="cl-orange2">
380. 23.40$</h5>
381.
382. </section>
383. </article>
</div>
384.
385. <div class="carousel-item px-
3">
386.
387. <div class="row justify-
content-sm-center justify-content-md-between mt-3 mb-3 ml-auto mr-
auto">
388.
<article class="card col-xs-8 col-sm-8 col-md-2 col-lg-2 col-xl-2 mx-
auto mx-sm-0 cardHomepage">
389. <header>
390. <a

```



```

389. href="http://localhost:8000/product/PROJECT%20CARS%202/PS4">
390.
392.
393. </header>
394. <section class="card-body">
395. <h6 class="card-title">
396. <a
397. href="http://localhost:8000/product/PROJECT%20CARS%202/PS4"
398. class="text-decoration-none text-secondary">
399. Project Cars 2 [PS4]
400.
401. </h6>
402. <h5 class="cl-orange2">
403. 23.40$</h5>
404. </section>
405. </article>
406. <article class="card col-xs-8 col-sm-8 col-md-2 col-lg-2 col-xl-2 mx-
auto mx-sm-0 cardHomepage">
407. <header>
408. <a
409. href="http://localhost:8000/product/F1%202019/PS4"
410.
411.
412. </header>
413. <section class="card-body">
414. <h6 class="card-title">
415. <a href="http://localhost:8000/product/F1%202019/PS4"
416. class="text-decoration-none text-secondary">
417. F1 2019 [PS4]
418.
419. </h6>
420. <h5 class="cl-orange2">
421. 63.68$</h5>
422. </section>
423. </article>
424. <article class="card col-xs-8 col-sm-8 col-md-2 col-lg-2 col-xl-2 mx-
auto mx-sm-0 cardHomepage">
425. <header>
426. <a
427. href="http://localhost:8000/product/EUROPA%20UNIVERSALIS%20IV/XBOXONE">
428.
430.
431. </header>
432. <section class="card-body">
433. <h6 class="card-title">
434. <a
435. href="http://localhost:8000/product/EUROPA%20UNIVERSALIS%20IV/XBOXONE"
436. class="text-decoration-none text-secondary">
437. Europa Universalis Iv [XBOXONE]
438.
439. </h6>
440. <h5 class="cl-orange2">
441. 63.68$</h5>
442. </section>
443. </article>
444. </div>
445. </div>
446. </div>
447. </div>
448. </article>
449. <header class="row">

```

```

450. <div class="col-8">↵
451. <h5 class="title"> Most Recent↵
452. ↵
453. <small class="ml-3 d-inline-block"> See all</small>↵
454. ↵
455. </h5>↵
456. </div>↵
457. <div class="col-4 d-flex justify-content-end my-auto mw-100 mh-
100">↵
458. <a id="left-most-recent" href="#carouselRecent" data-
slide="prev"↵
459. class="btn btn-light rounded-circle ml-auto"
role="button" onclick="blur();">↵
460. <i class="fas fa-angle-left"></i>↵
461. ↵
462. <a id="right-most-recent" href="#carouselRecent" data-
slide="next" class="btn btn-light rounded-circle"↵
463. role="button" onclick="blur();">↵
464. <i class="fas fa-angle-right"></i>↵
465. ↵
466. </div>↵
467. </header>↵
468. <div class="row">↵
469. <div id="carouselRecent" class="carousel slide mb-5" data-
interval="false">↵
470. <div class="carousel-inner">↵
471. <div class="carousel-item active px-3">↵
472. <div class="row justify-
content-sm-center justify-content-md-between mt-3 mb-3 ml-auto mr-
auto">↵
473. <article class="card col-xs-8 col-sm-8 col-md-2 col-lg-2 col-xl-2 mx-
auto mx-sm-0 cardHomepage">↵
474. <header>↵
475. <a↵
476. href="http://localhost:8000/product/MINECRAFT/PS4">↵
477. ↵
479. ↵
480. </header>↵
481. <section class="card-body">↵
482. <h6 class="card-title">↵
483. <a href="http://localhost:8000/product/MINECRAFT/PS4"
class="text-decoration-none text-secondary">↵
484. Minecraft [PS4]↵
485. ↵
486. </h6>↵
487. <h5 class="cl-orange2">↵
488. 17.63$</h5>↵
489. ↵
490. </section>↵
491. </article>↵
492. <article class="card col-xs-8 col-sm-8 col-md-2 col-lg-2 col-xl-2 mx-
auto mx-sm-0 cardHomepage">↵
493. <header>↵
494. <a↵
495. href="http://localhost:8000/product/BATTLEFIELD%20V/PC">↵
496. ↵
498. ↵
499. </header>↵
500. <section class="card-body">↵
501. <h6 class="card-title">↵
502. <a href="http://localhost:8000/product/BATTLEFIELD%20V/PC"
class="text-decoration-none text-secondary">↵
503. Battlefield V [PC]↵
504. ↵
505. </h6>↵
506. <h5 class="cl-orange2">↵
507. 53.68$</h5>↵
508. ↵
509. </section>↵
510. </article>↵

```



```

511. </article>
512. <article class="card col-xs-8 col-sm-8 col-md-2 col-lg-2 col-xl-2 mx-
513. auto mx-sm-0 cardHomepage">↵
514. <header>↵
515. <a↵
516. href="http://localhost:8000/product/PAYDAY%20/PC">↵
517. ↵
520. ↵
521. </header>↵
522. <section class="card-body">↵
523. <h6 class="card-title">↵
524. <a href="http://localhost:8000/product/PAYDAY%20/PC"↵
525. class="text-decoration-none text-secondary">↵
526. Payday 2 [PC]↵
527. ↵
528. </h6>↵
529. <h5 class="cl-orange2">↵
530. 581.02$</h5>↵
531. </section>↵
532. </article>
533. <article class="card col-xs-8 col-sm-8 col-md-2 col-lg-2 col-xl-2 mx-
534. auto mx-sm-0 cardHomepage">↵
535. <header>↵
536. <a↵
537. href="http://localhost:8000/product/MOUNT%20&%;%20BLADE%20/PS4">↵
538. ↵
541. ↵
542. </header>↵
543. <section class="card-body">↵
544. <h6 class="card-title">↵
545. <a↵
546. href="http://localhost:8000/product/MOUNT%20&%;%20BLADE%20/PS4"↵
547. class="text-decoration-none text-secondary">↵
548. Mount & Blade 2 [PS4]↵
549. ↵
550. </h6>↵
551. <h5 class="cl-orange2">↵
552. 308.98$</h5>↵
553. </section>↵
554. </article>
555. <article class="card col-xs-8 col-sm-8 col-md-2 col-lg-2 col-xl-2 mx-
556. auto mx-sm-0 cardHomepage">↵
557. <header>↵
558. <a↵
559. href="http://localhost:8000/product/THE%20CREW%20/PS4">↵
560. ↵
563. ↵
564. </header>↵
565. <section class="card-body">↵
566. <h6 class="card-title">↵
567. <a href="http://localhost:8000/product/THE%20CREW%20/PS4"↵
568. class="text-decoration-none text-secondary">↵
569. The Crew 2 [PS4]↵
570. ↵
571. </h6>↵
572. <h5 class="cl-orange2">↵
573. 23.40$</h5>↵
574. </section>↵
575. </article>
576. </div>↵
577. </div>↵
578. </div>↵
579. <div class="carousel-item px-
580. 3">↵

```

```

571. <div class="row justify-
content-sm-center justify-content-md-between mt-3 mb-3 ml-auto mr-
auto">↵
572. <article class="card col-xs-8 col-sm-8 col-md-2 col-lg-2 col-xl-2 mx-
auto mx-sm-0 cardHomepage">↵
573. <header>↵
574. <a↵
575. href="http://localhost:8000/product/PROJECT%20CARS%20/PS4">↵
576. ↵
578. ↵
579. </header>↵
580. <section class="card-body">↵
581. <h6 class="card-title">↵
582. <a
href="http://localhost:8000/product/PROJECT%20CARS%20/PS4"↵
583. class="text-decoration-none text-secondary">↵
584. Project Cars 2 [PS4]↵
585. ↵
586. </h6>↵
587. <h5 class="cl-orange2">↵
588. 23.40$</h5>↵
589. ↵
590. </section>↵
591. </article>
<article class="card col-xs-8 col-sm-8 col-md-2 col-lg-2 col-xl-2 mx-
auto mx-sm-0 cardHomepage">↵
592. <header>↵
593. <a↵
594. href="http://localhost:8000/product/F1%202019/PS4">↵
595. ↵
597. ↵
598. </header>↵
599. <section class="card-body">↵
600. <h6 class="card-title">↵
601. <a href="http://localhost:8000/product/F1%202019/PS4"↵
602. class="text-decoration-none text-secondary">↵
603. F1 2019 [PS4]↵
604. ↵
605. </h6>↵
606. <h5 class="cl-orange2">↵
607. 63.68$</h5>↵
608. ↵
609. </section>↵
610. </article>
<article class="card col-xs-8 col-sm-8 col-md-2 col-lg-2 col-xl-2 mx-
auto mx-sm-0 cardHomepage">↵
611. <header>↵
612. <a↵
613. href="http://localhost:8000/product/EUROPA%20UNIVERSALIS%20IV/XBOXONE">↵
614. ↵
616. ↵
617. </header>↵
618. <section class="card-body">↵
619. <h6 class="card-title">↵
620. <a
href="http://localhost:8000/product/EUROPA%20UNIVERSALIS%20IV/XBOXONE"↵
621. class="text-decoration-none text-secondary">↵
622. Europa Universalis Iv [XBOXONE]↵
623. ↵
624. </h6>↵
625. <h5 class="cl-orange2">↵
626. 63.68$</h5>↵
627. ↵
628. </section>↵

```

```

629. </article>
630. </div>
631. </div>
632. </div>
633. </div>
634. </article> </section>
635. <footer id="footerGeneric" class="container">
636. <hr>
637. <article class="row">
638. <section class="col">
639. <h5 class="title"> More</h5>
640. <ul class="list-unstyled">
641. Help
642. Contact
643. About us
644.
645.
646. </section>
647. <section class="col">
648. <h5 class="title"> Shortcuts </h5>
649. <ul class="list-unstyled">
650.
 href=http://localhost:8000> Homepage
651. All
 products
652.
653. </section>
654. <section class="col ml-auto my-auto">
655. <p>© Copyright 2020 Key Share. All rights reserved.</p>
656. </section>
657. </article>
658. </footer> </main>
659. </body>
660.
661. </html>

```

Used the HTML parser.

Total execution time 616 milliseconds.