Status	Finished
Started	Saturday, 10 October 2026, 6:12 PM
Completed	Saturday, 10 October 2026, 6:23 PM
Duration	11 mins 37 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

A = {"A" : "Apple", "B" : "Ball", "C" : "Cat"} Which of the following statement will return : dict_items([('A', 'Apple'), ('B', 'Ball'), ('C', 'Cat')])

a. print(A.get)
b. print(A.Items) ✓
c. print(A.values)
d. print(A.keys)

Question **2**

Correct

Mark 1.00 out of 1.00

Traversing a dictionary can be done using ____.

a. if statement
b. None of the mentioned
c. loop ✓
d. jump statement

Question **3**

Correct

Mark 1.00 out of 1.00

Which one of the following is correct?

a. A dictionary can have two same keys or same values but cannot have two same key-value pair
b. A python, a dictionary can neither have two same keys nor two same values.
c. A dictionary can have two same values with different keys. ✓
d. A dictionary can have two same keys with different values.

Question **4**

Correct

Mark 1.00 out of 1.00

Which of the following function create a dictionary from a sequence of key-value pairs

- a. create
- b. convert
- c. dictionary
- d. dict ✓

Question **5**

Correct

Mark 1.00 out of 1.00

Which function/statement delete the dictionary from the memory?

- a. pop
- b. delete
- c. clear
- d. del ✓

Question **6**

Correct

Mark 1.00 out of 1.00

Which of the following is an example of dictionary?

- a. D = { } ✓
- b. C = ( )
- c. None of the mentioned
- d. L = [ ]

Question **7**

Incorrect

Mark 0.00 out of 1.00

We can repeat the values of Key in Dictionary?

- a. True
- b. False ✗

Question **8**

Correct

Mark 1.00 out of 1.00

What will be the Output of the following code?
dl={1:10, 2:20, 3:30, 4:40}
d2={5:50, 6:60, 7:70}
dl.update (d2)
print (dl)

a. [1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70]

b. {1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70} ✓

c. [(1, 10), (2, 20), (3, 30), (4, 40), (5, 50)]

d. {1:10, 2: 20, 4: 40, 5: 50, 6: 60, 7: 70}

Question **9**

Correct

Mark 1.00 out of 1.00

Which one of the following is correct?

a. A dictionary can have two same keys or same values but cannot have two same key-value pair

b. A dictionary can have two same values with different keys. ✓

c. A dictionary can have two same keys with different values.

d. A python, a dictionary can neither have two same keys nor two same values.

Question **10**

Correct

Mark 1.00 out of 1.00

To obtain the number of entries in dictionary which command is used?

a. d.size()

b. size(d)

c. d.len()

d. len(d) ✓

Question **11**

Correct

Mark 1.00 out of 1.00

Which of the following are immutable data type? A. String B. Tuple C. List D. Dictionary

a. c and d
b. a and c
c. a and b ✓
d. b and d

Question **12**

Correct

Mark 1.00 out of 1.00

Which statement is used to create an empty dictionary?

a. d1 = [ ]
b. d1 = dict{ }
c. d1 = { } ✓
d. d1 =

Question **13**

Correct

Mark 1.00 out of 1.00

Which of the following are true of Python dictionaries:

a) All the keys in a dictionary must be of the same type.
b) Items are accessed by their position in a dictionary.
c) A dictionary can contain any object type except another dictionary.
d) Dictionaries can be nested to any depth.
e) Dictionaries are mutable.
f) Dictionaries are accessed by key.

a. a,b
b. d,e,f ✓
c. b,c
d. c,d,e

Question **14**

Correct

Mark 1.00 out of 1.00

What does the following code print?

```
names = {'Janice': 5, 'Emily': 3, 'John': 7, 'Eleanor': 2}
list_o_names = []
names['Emily'] += 10
names['Erik'] = 22

for name in names:
    if names[name] > 5:
        list_o_names.append(name)
print(list_o_names)
```

a. ['Janice', 'Emily', 'John']

b. ['Janice', 'Emily', 'John', 'Eleanor']

c. ['Janice', 'John', 'Erik']

d. ['Emily', 'John', 'Erik'] ✓

Question **15**

Correct

Mark 1.00 out of 1.00

Which function/statement delete all the items of the dictionary?

a. clear( ) ✓

b. delete( )

c. del

d. pop( )