R Version Control

Vincent Arumadri

2025-07-08

R Version Control with Git/GitHub

Git/GitHub enables continuous software/code development by tracking code changes to the **initial commit**, tracking who made the changes and enabling code collaboration. Here I will go through the basics on how to step-up Git/GitHub for version control with R/RStudio.

Required programs

To start off, ensure you have the following programs installed:

- 1. Git the base program for tracking code changes.
 - Windows: You can download Git here. Double-click the downloaded .exe file to start the installation process.
 - macOS: First you need to install Homebrew. Copy and paste the Homebrew download link from (https://brew.sh/) to the Terminal and run.

If you already have Homebrew installed, open Terminal and type:

brew install git

- 2. \mathbf{R} the base R program
 - Windows: You can download R here
 - macOS: You can download R here
- 3. **RStudio** IDE (integrated development environment) for R
 - Windows and macOS: You can download RStudio here
- 4. GitHub Desktop for version control and collaboration
 - Windows and macOS: You can download GitHub Desktop here

Getting started

1. Sign up for GitHub – Got to GitHub and create a free account:





Figure 1: GitHub account setup

2. Create a Repository After signing in, click the + button to create a new repository:



3. Fill in the repository details (name, description, public/private, etc.) and click Create repository:




Figure 2: GitHub new repository details

Now you have set up your remote repository!!

4. Clone remote repository to local machine (laptop/desktop)

Inside the repository clike the <> Code button and select Open with GitHub Desktop in the drop down menu.





Figure 3: Clone remote to local

5. Select path for local repository



6. Add or (save your new r scripts/files) to this folder

This will initialize the **commit** and **push** prompt in GitHub Desktop to commit and push the changes respectively to the **remote repository**.

These prompts enable changes made to the folder (adding new files) or files (new edits to code) on the **local** machine to be **committed and pushed** to the **remote** for tracking and hence **version control**.

**

