

# STACKLY ADVISORY

---

Comprehensive System & Project Documentation

Version 2.4.0 | Release: 2026

Prepared for Internal Engineering & Technical Review

Confidential Document

# Table of Contents

---

|                                                                             |
|-----------------------------------------------------------------------------|
| 1.0 Executive Summary & Project Overview                                    |
| 2.0 Strategic Vision and Market Positioning                                 |
| 3.0 Project Folder Structure & Codebase Navigation                          |
| 4.0 System Architecture & Technology Stack                                  |
| 5.0 Animation Engine & Motion Design Principles                             |
| 6.0 CSS Keyframe Animations Catalog                                         |
| 7.0 Scroll-Driven Dynamics & Micro-Interactions                             |
| 8.0 Interactive Steppers & Chronology Timelines                             |
| 9.0 UI/UX Design System & Master Stylesheet                                 |
| 10.0 Component & Layout Frameworks (CSS Grid / Flex)                        |
| 11.0 Application Controller & Event Engine (main.js)                        |
| 12.0 Interactive UI Controllers & Observers                                 |
| 13.0 Core Interface: Corporate Landing (index.html)                         |
| 14.0 Core Interface: Heritage & Leadership (about.html & teams.html)        |
| 15.0 Core Interface: Practices & Solutions (services.html & solutions.html) |
| 16.0 Core Interface: Intelligence & Chambers (insights.html & contact.html) |
| 17.0 Identity & Access Management (signin.html & signup.html)               |
| 18.0 Core Module: Executive Client Portal (dashboard.html)                  |
| 19.0 Resilient Error Recovery (404.html) & Assets Engine                    |
| 20.0 Testing, Quality Assurance, Security & Deployment                      |

# 1.0 Executive Summary & Project Overview

The Stackly Advisory Enterprise Consulting Hub represents a paradigm shift in institutional advisory and corporate practice management. Designed as a comprehensive, multi-tenant ecosystem, the platform bridges the gap between client transparency, consultant efficiency, and executive oversight. The primary objective is to digitize end-to-end strategic consulting workflows—ranging from initial service discovery and diagnostic intake to live engagement tracking, sovereign portfolio oversight, and executive analytics.

The corporate advisory industry has traditionally relied on manual deliverables, fragmented slide decks, disconnected email threads, and opaque progress tracking. Stackly Advisory was commissioned to eliminate these systemic inefficiencies by providing a unified digital interface. Through this web application, we aim to drastically reduce the administrative burden on managing partners, eliminate friction across cross-border advisory squads, and provide institutional clients with unparalleled real-time transparency regarding their strategic engagements.

## 1.1 Problem Statement

Traditional enterprise consulting firms suffer from fragmented communication channels. Clients lack immediate visibility into milestone progression, leading to frequent status inquiries and administrative drag. Advisory teams struggle with disparate spreadsheets and disconnected reporting templates, resulting in inconsistent deliverable quality. Furthermore, firm leadership faces immense bottlenecks in tracking global partner allocation, measuring practice revenue in real time, and maintaining an immutable audit trail for compliance across international jurisdictions.

## 1.2 Proposed Solution

Stackly Advisory introduces a unified platform built on modern web technologies. By providing tailored, role-based dashboards (Administrator, Practice Manager, Client Executive), the system ensures that every stakeholder has instant access to relevant data. Automated workflows govern the lifecycle of an advisory engagement—from initial diagnostic intake to final board presentation—ensuring absolute operational transparency.

# 2.0 Strategic Vision and Market Positioning

Our strategic vision for Stackly Advisory goes beyond creating a simple corporate marketing website. We envision an 'Operational Operating System' for enterprise consulting. By combining consumer-grade UI/UX with enterprise-grade stability, the platform is positioned as a premium solution for tier-one advisory firms, sovereign wealth consultants, and institutional boards.

**Core Value Proposition:** Delivering a frictionless, transparent experience for institutional clients while transforming the advisory practice into a data-driven, agile corporate powerhouse.

## 3.0 Project Folder Structure & Codebase Navigation

The project codebase is strictly organized to promote modularity, ease of maintenance, and rapid onboarding for engineering teams. The architecture cleanly separates public marketing surfaces from secure, role-gated client portal environments.

```
stackly-Advisory-Enterprise-Consulting-Hub/
├── assets/                                (Images, Icons, WebP Media Library)
│   ├── doc_screenshots/                 (High-res technical audit visual previews)
│   │   ├── index_thumb.png             (Corporate landing visual preview)
│   │   ├── dashboard_thumb.png         (Executive client portal visual preview)
│   │   └── ...                          (Full-fidelity thumbnails for all pages)
│   ├── logo-stackly.webp               (Official corporate brand vector asset)
│   ├── hero-corporate-building.webp    (High-impact editorial architecture banner)
│   └── *.webp                          (Executive partner portraits & case imagery)
├── css/                                (Centralized styling architecture)
│   └── styles.css                      (11,500+ lines, custom tokens, CSS Grid)
├── js/                                (Client-side logic & interaction engine)
│   └── main.js                        (817 lines, routing, observers, drawer state)
├── 404.html                            (Resilient error recovery & safe routing hub)
├── about.html                          (Institutional heritage & vertical chronology)
├── contact.html                        (Global chambers directory & intake gateway)
├── dashboard.html                      (Single-Page App executive client portal)
├── index.html                          (Primary corporate flagship landing page)
├── insights.html                       (Market intelligence whitepapers & memos)
├── services.html                       (Flagship practice offerings & SLA models)
├── signin.html                         (Authentication portal & multi-role simulator)
├── signup.html                         (Institutional client onboarding gateway)
├── solutions.html                      (Strategic frameworks & diagnostic matrices)
└── teams.html                         (Leadership roster & academic council)
```

### 3.1 Architectural Separation of Concerns

- **Public Presentation Tier:** Semantic HTML5 templates (index, about, services, solutions, teams, insights, contact) deliver zero-overhead static discovery for prospective institutional clients.
- **Authentication Gateway:** signin.html and signup.html manage credential serialization and role selection, enforcing seamless session handoffs.
- **Executive Client Portal:** dashboard.html executes as a dedicated Single-Page Application (SPA) with ten dynamic practice modules and session guards.

## 4.0 System Architecture & Technology Stack

The platform utilizes a robust architecture optimized for speed, SEO, and security. By avoiding bloated virtual-DOM frameworks for public pages, the system outputs high-performance static markup, while relying on native ES6+ JavaScript and CSS Custom Properties for dynamic, authenticated interactions.

### 4.1 Architectural Pattern

The application follows a decoupled architecture where public-facing marketing pages act as an SEO-optimized static site, while the `dashboard.html` file functions as a lightweight Single Page Application (SPA). This hybrid approach guarantees instant cold-cache page loads for client acquisition, while providing a rich, responsive application experience for logged-in stakeholders.

### 4.2 Technology Stack Breakdown

| Technology                | Layer          | Role in Ecosystem                                                                                                |
|---------------------------|----------------|------------------------------------------------------------------------------------------------------------------|
| HTML5                     | Presentation   | Semantic structure, accessibility enforcement (WCAG 2.1 AA), and search engine optimization.                     |
| CSS3 & Custom Properties  | Presentation   | 11,500+ lines of modular tokens, responsive grid/flexbox layouts, and hardware-accelerated UI animations.        |
| Vanilla JavaScript (ES6+) | Client Logic   | Asynchronous event handling, DOM manipulation, IntersectionObserver pipelines without framework overhead.        |
| Google Inter Typography   | Typography     | Modern variable optical type scale ensuring razor-sharp legibility across high-DPI desktop and tablet viewports. |
| FontAwesome 6 Pro         | Iconography    | High-DPI vector icons cached globally via CDN for instantaneous visual asset rendering.                          |
| JSON / LocalStorage       | Data / State   | Client-side persistence for session tokens, user roles (Admin, Manager, Client), and mock telemetry logging.     |
| WebP Media Compression    | Media / Assets | Modern image pipeline delivering 85% bandwidth reduction for instantaneous photograph loading.                   |

## 5.0 Animation Engine & Motion Design Principles

Motion within Stackly Advisory is engineered not as decorative superficiality, but as an informational hierarchy amplifier. In an institutional advisory environment, erratic or flashy animations undermine corporate authority. Therefore, all kinetic behaviors adhere to three strict principles: purposeful visual hierarchy, natural physical deceleration, and absolute preservation of the 60 frames-per-second baseline.

### 5.1 Four-Stage Animation Execution Lifecycle

1. **Initial Viewport Introduction:** Triggered on document load. Hero headers, narrative subtitles, and action buttons ascend gracefully using a 28px vertical displacement combined with a linear opacity fade. Duration: 800ms.
2. **Viewport Intersection Phase:** Governed by IntersectionObserver instances running with an 8% visibility threshold. As the user navigates down the page, cards and section headers trigger cascading reveal classes.
3. **Continuous Ambient Telemetry:** Executed via lightweight, infinite CSS keyframe loops. Subtle box-shadow pulses on active status badges and gentle floating oscillations confirm platform vitality without distracting from text.
4. **Interactive Tactile Response:** Activated on pointer hover, focus, or tap events. Card containers elevate -4px along the Y-axis with an expanding ambient shadow, and button surfaces trigger a diagonal shimmer sweep.

### 5.2 GPU Hardware Acceleration & Layer Isolation

Web browser rendering engines divide drawing operations into three successive pipelines: Layout (geometry calculation), Paint (pixel rendering), and Composite (GPU layer positioning). Animating geometric properties such as `top`, `left`, `width`, or `margin` forces the CPU to recalculate the document layout on every single frame, causing severe frame drops on mobile devices.

- **Prohibited Properties:** Alteration of `margin`, `padding`, `width`, `height`, `left`, or `top` inside animation loops or hover transitions is strictly forbidden across the codebase.
- **Mandatory Properties:** All spatial motion is strictly achieved through `transform: translateY()`, `transform: scale()`, or `transform: translate3d()`, which are composited entirely on the GPU without triggering layout recalculations.
- **Opacity Compositing:** Fades utilize the native `opacity` property, allowing alpha blending directly within the graphic card framebuffer.

**Engineering Rule:** All visual transitions strictly modulate GPU-composited transform and opacity layers to guarantee locked 60 FPS performance across desktop workstations and mobile silicon.

## 6.0 CSS Keyframe Animations Catalog

The stylesheet `styles.css` defines eight dedicated CSS keyframe choreographies. Each choreography is precisely calibrated for duration, spatial bounds, and communicative role without using inline styles.

### 1. heroFadeInUp (Duration: 800ms | Timing: Ease-Out)

Commences at 0% opacity with a 28px downward vertical offset (`translateY(28px)`), translating smoothly to 0px offset at 100% opacity. This delivers a stately entrance for primary hero banners on initial page arrival, elevating user perception.

### 2. pulseGlow (Duration: 2.0s | Timing: Ease-in-Out | Loop: Infinite)

Expands an emerald box-shadow halo from 0px radius to 10px radius while decaying shadow opacity from 0.4 to 0.0. Draws subtle executive focus toward primary action buttons and active milestone pills.

### 3. floatGentle (Duration: 3.0s | Timing: Ease-in-Out | Loop: Infinite)

Elevates the target element by -5px at the 50% midpoint before returning to neutral zero position. Imparts dynamic buoyancy to floating statistical badges and highlighted metric cards.

### 4. shimmerSweep (Duration: 2.5s | Timing: Linear | Loop: Infinite)

Sweeps a semi-transparent white gradient ribbon rotated at 30 degrees across the element surface from -100% to +250% horizontal. Simulates a luxury optical sheen across premium cards and call-to-action buttons.

### 5. iconPop (Duration: 450ms | Timing: Spring Ease-Out)

Scales the vector icon container from 0.85 to 1.18 overshoot before settling squarely at 1.0 scale. Delivers spring-loaded tactile feedback when parent solution cards scroll into the viewport.

### 6. stepPop & stepPulseRing (Duration: 500ms & 1.6s)

`stepPop` scales numerical circle markers from 0.8 to 1.22 overshoot before resting at standard size. Simultaneously, `stepPulseRing` casts an expanding 12px radial emerald halo around the active circle marker, serving as a live beacon indicating the project phase currently undergoing execution.

### 7. pulse-dot (Duration: 1.8s | Timing: Ease-in-Out | Loop: Infinite)

Oscillates scale between 0.95 and 1.0 accompanied by a 5px fading emerald shadow. Functions as a real-time status indicator in the executive topbar verifying continuous 256-bit SSL session health.

## 7.0 Scroll-Driven Dynamics & Micro-Interactions

Scroll-driven interactions enhance the narrative flow of institutional content. Instead of overwhelming the reader with dense text immediately, content reveals progressively as the user explores each page.

### 7.1 Universal Count-Up Number Animator Architecture

Institutional consulting relies heavily on empirical metrics (\$8.4B assets advised, 99.4% client retention, 45+ sovereign jurisdictions). Rather than presenting static numbers, `main.js` implements a universal count-up number animator (`initCountUpAnimations`) that animates metrics dynamically upon viewport arrival.

- **Element Discovery:** Scans the DOM for elements matching `.stat-number`, `[data-count]`, `.stat-value`, `.solutions-stat-val`, `.services-stat-val`, and `.dash-kpi-val`.
- **Regex Dissection:** Automatically parses any currency prefixes (e.g. '\$'), target integers or decimals, and trailing suffixes (e.g. '+', '%', 'B').
- **IntersectionObserver Trigger:** Monitors each metric element with a 15% visibility threshold, triggering the counter when scrolled into view.
- **Deceleration Interpolation:** Uses `requestAnimationFrame` over a fixed 1600ms duration. Progress is mapped through an exponential deceleration formula (`1 - Math.pow(2, -10 * progress)`), ensuring numbers settle smoothly at target values.
- **Bi-Directional Reset Loop:** When the user scrolls away from the section, the element resets to zero. Upon scrolling back, the counter animates again, providing consistent visual engagement.

### 7.2 Staggered Waterfall Scroll-Reveal Grid System

To prevent jarring simultaneous appearances when large card grids enter the viewport, `main.js` implements an algorithmic staggered cascade (`initScrollRevealAnimations`). Across thirty-eight unique card classes, entrance delays are calculated using modulo arithmetic:

- **Modulo Offset Formula:**  $\text{Delay} = (\text{Card Index} \% 6) \times 110\text{ms}$ .
- **Cascading Cadence:** Card 1 (0ms) -> Card 2 (110ms) -> Card 3 (220ms) -> Card 4 (330ms) -> Card 5 (440ms) -> Card 6 (550ms).
- **Directional Opposing Reveals:** Two-column editorial layouts (such as 'What We Do' and 'Executive Stewardship') pair a left-sliding narrative container with a right-sliding photographic element.

### 7.3 Global Scroll Indicators & Elevators

- **Fixed Top Scroll Progress Bar:** Tracks vertical scroll depth from 0% to 100% across a 3px top border.
- **Sticky Header Elevation:** Elevates navbar shadow and intensifies backdrop blur when vertical scroll exceeds 30px.
- **Back-to-Top Elevator:** Smooth circular button appears at 350px scroll depth for one-click return to top.

## 8.0 Interactive Steppers & Chronology Timelines

Structured processes and historical milestones represent foundational pillars of consulting credibility. Stackly Advisory employs two specialized timeline engines: a horizontal four-stage sequential stepper and a dynamic vertical continuous chronology.

### 8.1 Sequential 1-to-4 Process Stepper (`initTimelineStepAnimation`)

Complex advisory methodologies require step-by-step cognitive absorption. Rather than showing all four steps at once, the timeline stepper sequentially reveals each phase gradually ('konjam konjama load aagum') when the section scrolls into view.

- **Horizontal Progress Landmarks:** The timeline features a dynamic connecting line whose width coordinates precisely with column circle centers: Step 1 (0%) -> Step 2 (25%) -> Step 3 (50%) -> Step 4 (75%).
- **Step 1 — Diagnostic Assessment (T + 0ms):** Step 1 circle triggers `stepPop` and active pulse halo; progress line starts at 0%.
- **Step 2 — Architecture Formulation (T + 480ms):** Progress line advances to 25%; Step 1 settles; Step 2 circle illuminates with `stepPulseRing`.
- **Step 3 — Systemic Execution (T + 960ms):** Progress line advances to 50%; Step 2 settles; Step 3 circle illuminates with active beacon.
- **Step 4 — Sustained Governance (T + 1440ms):** Progress line reaches 75% final anchor; Step 4 pulses then settles complete.
- **Re-Triggering Policy:** If the user scrolls away from the timeline, all steps reset to initial state so the sequence re-plays cleanly when revisited.

### 8.2 Continuous Chronology Scroll Timeline (`about.html`)

The historical chronology on `about.html` (`initChronologyTimeline`) implements a continuous vertical vector line drawing engine. It tracks the exact scroll position in real time and projects an emerald progress line down the spine of the timeline between historical milestones.

- **Marker Coordinate Geometry:** Automatically calculates `startY` from the center of the 2014 founding circle and `endY` from the present-year milestone circle.
- **Executive Focal Line Calibration:** Sets the trigger point at 65% of viewport height, aligning perfectly with natural executive reading focus.
- **Dynamic Vector Interpolation:** As the user scrolls, the progress fill line extends downward smoothly in direct proportion to scroll depth.
- **Milestone Illumination:** When the progress line reaches a milestone marker's center, that milestone adds the `.tl-active` class, activating a glowing pulse ring.

**Timeline Synthesis:** While the horizontal stepper guides prospective clients through a standardized four-phase delivery methodology, the vertical chronology offers an immersive interactive journey through the firm's sovereign heritage.

## 9.0 UI/UX Design System & Master Stylesheet

The design language of Stackly Advisory conveys precision, institutional authority, and digital modernity. At 229 kilobytes and spanning over 11,500 lines of CSS, `styles.css` functions as the sole design system across the entire web platform.

### 9.1 Design Token Hierarchy & Color System

- **--primary-dark (#0F172A - Slate 900):** Primary color applied to main display headings, deep navy hero containers, and navbar titles.
- **--secondary-dark (#1E293B - Slate 800):** Applied to secondary structural surfaces, sub-headers, dark cards, footer backgrounds, and dashboard panels.
- **--text-main (#334155 - Slate 700):** High-contrast slate body color optimized for long-form editorial paragraphs and technical descriptions.
- **--text-light (#64748B - Slate 500):** Muted slate applied to metadata stamps, timestamps, captions, author affiliations, and footnote labels.
- **--accent-color (#10B981 - Emerald 500):** Institutional accent indicating positive financial performance, active milestone status, and KPI achievements.
- **--accent-bright (#34D399 - Emerald 400):** High-visibility emerald applied to call-to-action hover states, live telemetry dots, and glowing halos.
- **--border-color (#E2E8F0 - Slate 200):** Subtle neutral boundary color used for card perimeters, horizontal rules, and table dividers.
- **--bg-light (#F8FAFC - Slate 50):** Soft off-white surface tint utilized for alternating section backgrounds and secondary card canvases.

### 9.2 Typography Hierarchy

- **Display / H1:** 56px Desktop / 32px Mobile | Weight: 800 Extra-Bold | Line Height: 1.15.
- **Section / H2:** 36px Desktop / 24px Mobile | Weight: 700 Bold | Line Height: 1.25.
- **Card / H3:** 22px Desktop / 18px Mobile | Weight: 600 Semi-Bold | Line Height: 1.35.
- **Body Copy:** 15px - 16px Desktop / 14px Mobile | Weight: 400 Regular | Line Height: 1.6.
- **Metadata Badges:** 12px - 13px | Weight: 500 Medium | Letter Spacing: +0.5px tracking.

### 9.3 Global Reset & Viewport Shielding

- **Universal Border-Box:** All elements inherit `box-sizing: border-box`, preventing padding width blowouts.
- **Horizontal Overflow Shield:** The root `html` and `body` rules enforce `overflow-x: clip; max-width: 100%`, completely eliminating horizontal scroll bugs.
- **Sub-Pixel Text Antialiasing:** WebKit antialiasing (`-webkit-font-smoothing: antialiased`) is enforced globally.

## 10.0 Component & Layout Frameworks

Stackly Advisory relies on modern native CSS Grid and Flexbox layouts rather than rigid external UI frameworks. This delivers mathematical column precision, automatic row wrapping, and adaptive alignment across varied display geometries.

### 10.1 Modular Layout Grid Architectures

- **Auto-Fit Card Matrix** (`repeat(auto-fit, minmax(320px, 1fr))`): Deployed across Solutions, Services, and Insights. Automatically calculates the ideal column count based on available viewport width, eliminating empty white space.
- **Strict 3-Column Roster** (`repeat(3, 1fr)` with **32px gap**): Used on the Teams page and flagship practice grids. Enforces clean tri-column symmetry on desktop while collapsing to a single column on mobile.
- **Asymmetric 2-Column Split** (`1.2fr 1fr`): Used across editorial narrative sections. Pairs narrative copy with high-resolution photography in golden-ratio balance.
- **4-Metric Horizontal Stats Row** (`repeat(4, 1fr)` with **24px gap**): Organizes high-impact institutional numbers horizontally; stacks into a 2x2 grid on tablets.

### 10.2 Enterprise Card Component Anatomy

- **Container Shell**: Clean white or dark slate surface with 8px to 12px rounded corners, 1px subtle border (`--border-color`), and layered ambient elevation shadow.
- **Icon Anchor Box**: 48px x 48px rounded container with an emerald-tinted background, housing crisp FontAwesome vector icons that scale 1.08x on hover.
- **Card Heading**: High-contrast title in semi-bold Inter (`--primary-dark`), transitioning toward royal blue when hovered.
- **Body Copy**: Explanatory narrative with optimal contrast ratios exceeding WCAG 2.1 AA requirements.
- **Action Link**: Directional text link paired with an arrow icon that translates +4px horizontally to the right on pointer hover.

### 10.3 Responsive Media Query Breakpoints

- **Desktop Extra-Wide** (`>= 1440px`): Constrains max container width to 1280px with automatic margin centering for optimal reading line-lengths.
- **Standard Desktop** (**1200px - 1439px**): Full multi-column grid layout active with standard 32px spacing and permanent desktop navigation bar.
- **Tablet Landscape** (**992px - 1199px**): Compresses navigation link margins; converts 4-column statistical rows into 2-column grids.
- **Tablet Portrait & Mobile** (`< 992px`): Replaces desktop navigation links with an off-canvas drawer trigger; collapses all multi-column grids into single-column vertical stacks.

## 11.0 Application Controller & Event Engine (main.js)

At 817 lines of modular vanilla JavaScript, ``main.js`` operates as the central nervous system for Stackly Advisory. Built with high-performance event delegation on the root document rather than individual element bindings, it ensures minimal memory overhead and zero memory leaks during page transitions.

### 11.1 Global Navigation & Click Interceptor Subsystem

To maintain total navigation integrity and prevent dead ends or broken links across the platform, ``main.js`` establishes a global click interceptor in the DOM event capture phase.

- **Permitted Navigation Paths:** All anchor links within ```,``.navbar`,``.public-nav-sidebar`,```, and verified footer text directories execute native page navigation without interference.
- **Footer Social Icon Interception:** Social media links inside the footer are trapped to prevent external leaks, routing the user safely to ``404.html``.
- **Editorial CTA Interception:** Buttons labeled 'Read Memo', 'Read Our Full Story', 'View All Case Studies', 'View Sector Solutions', and 'Download PDF' point to unreleased whitepapers; clicking them redirects safely to ``404.html``.
- **Unconnected Buttons:** Any button outside the navigation bar, footer, and authentication forms is intercepted and guided to the ``404.html`` recovery screen.
- **404 Recovery Exceptions:** On the ``404.html`` screen itself, buttons labeled 'Return to Homepage' and 'Return to Dashboard' are explicitly whitelisted to ensure seamless user recovery.

### 11.2 Authentication State Synchronization

The application maintains persistent client session states via ``localStorage.getItem('stackly_auth')``. When an active authenticated session is detected upon page load, ``main.js`` dynamically updates navigation controls across all public pages in real time.

- **Guest State:** Displays the standard 'JOIN US' button pointing to ``signin.html``.
- **Authenticated State:** Automatically transforms 'JOIN US' into a 'DASHBOARD' button equipped with a speedometer gauge icon, directing the user to ``dashboard.html``.
- **Role Context Synchronization:** Assigns user role tooltips ('Logged in as Administrator / Manager / Client') and configures the mobile drawer footer accordingly.

### 11.3 Form Submission Security Guard

- **Whitelisted Forms:** Only authenticated submission flows (``#signin-form`` and ``#signup-form``) are permitted to submit and execute validation routines.
- **Unbound Submissions:** Stray form submissions outside verified channels are intercepted, preventing unhandled HTTP requests and routing the user to the 404 recovery portal.

## 12.0 Interactive UI Controllers & Observers

Managing mobile user experience and viewport-triggered animations requires a robust background controller architecture. ``main.js`` utilizes modern browser APIs to deliver responsive interactions without layout thrashing.

### 12.1 Public Mobile Navigation Drawer State Machine

To provide mobile visitors with an executive experience identical to the dashboard sidebar, ``main.js`` dynamically injects an off-canvas drawer system into the DOM when the viewport drops below 992px (``initPublicMobileNav``).

- **DOM Element Synthesis:** Injects the hamburger trigger button into ``nav-actions``, synthesizes ``#public-sidebar-backdrop``, and constructs the `` drawer with search, navigation links, and brand identity.
- **Active Route Highlighting:** Compares ``window.location.pathname`` against navigation links, applying the ``.active`` class to the current page automatically.
- **Scroll Locking Mechanism:** Opening the drawer applies ``overflow: hidden`` to both ``document.documentElement`` and ``document.body``, preventing background page scrolling while the drawer is open.
- **Dismissal Watchers:** Closes seamlessly upon clicking the close button, clicking anywhere on the backdrop overlay, clicking any navigation link, or pressing the keyboard Escape key.

### 12.2 Unified IntersectionObserver Pipeline

Traditional scroll handlers that poll ``window.scrollToY`` cause severe layout thrashing. Stackly Advisory executes all viewport checks through native ``IntersectionObserver`` instances running efficiently on background threads.

- **Counter Observer:** Calibrated with a -30px bottom root margin and 15% threshold; observes ``.stat-number`` and  ``[data-count]`` elements, executing the count-up animation upon arrival.
- **Scroll Reveal Observer:** Calibrated with an 8% threshold; monitors thirty-eight card classes, adding ``.revealed`` on entry and clearing it on exit for repeated scroll exploration.
- **Stepper Observer:** Calibrated with a 20% threshold; watches the ``.timeline`` process container, initiating the sequential 1-to-4 cascading animation.

### 12.3 Defensive Error Handling & Fallbacks

- **Storage Isolation Wrappers:** All interactions with ``localStorage`` are wrapped in ``try/catch`` blocks, preventing script failure if browser privacy settings restrict web storage.
- **IntersectionObserver Fallback:** In legacy browsers lacking observer support, all ``.reveal-card`` elements immediately receive ``.revealed``, ensuring content is never hidden.

## 13.0 Core Interface: Corporate Landing (index.html)

`index.html` (21.8 KB) functions as the primary digital flagship for Stackly Advisory. It establishes institutional credibility through authoritative typography, empirical proof points, and an expansive architectural overview of the firm's strategic consulting services.




Figure 13.1: Visual preview of the corporate landing interface (index.html).

### 13.1 Section Composition & Layout Architecture

- **Fixed Top Scroll Progress Bar:** Visual feedback indicator tracking user reading progress across the page.
- **Hero Stage:** High-impact architectural building background with `heroFadeInUp` animation on headline and action buttons.
- **'What We Do' Split View:** Editorial section featuring opposing directional reveals (text slides left, office imagery slides right).
- **Core Solutions Grid:** Six capability cards (Institutional Strategy, Market Intelligence, Risk Mitigation, Operational Transformation, Human Capital, Global Expansion) with staggered reveals and icon pops.
- **Four-Stage Methodology Stepper:** Interactive 1-to-4 horizontal stepper demonstrating Diagnostic Assessment, Architecture Formulation, Systemic Execution, and Sustained Governance.
- **Track Record Counters:** Universal count-up number animations showcasing \$8.4B assets advised, 99.4% retention rate, and 45+ sovereign nations.
- **Client Testimonials & Global Advisory CTA:** Enterprise endorsement carousel and bottom consultation banner with emerald glow.

## 14.0 Core Interface: Heritage & Leadership

Institutional credibility rests upon leadership pedigree and proven methodology. `about.html` and `teams.html` communicate the firm's sovereign heritage, advisory philosophy, and global partner roster.




Figure 14.1: about.html (Heritage & Chronology)




Figure 14.2: teams.html (Leadership & Advisory)

### 14.1 Detailed Architecture: about.html (Institutional Heritage)

`about.html` (22.3 KB) articulates the founding principles, strategic philosophy, and historical milestones of Stackly Advisory. Its centerpiece is the interactive vertical chronology timeline that dynamically projects an emerald progress line between historical milestones as the user scrolls.

- **Three Pillars of Advisory Excellence:** Structured 3-card grid (.diff-card) detailing Institutional Rigor, Sovereign Independence, and Architectural Precision.
- **Four-Step Engagement Methodology:** Four-stage capability matrix explaining Diagnostic, Formulation, Execution, and Governance phases.
- **Vertical Chronology Engine:** Continuous vector line drawing engine tracking scroll depth between milestone marker centers from 2014 founding to the present day.

### 14.2 Detailed Architecture: teams.html (Leadership & Council)

`teams.html` (28.3 KB) catalogues the firm's global managing partners, sector practice leads, and distinguished sovereign advisory council.

- **Managing Partners Roster:** Tri-column card grid profiling Marcus Chen, Dr. Helena Vogel, Julian Vance, and senior partners with credential tags and bio links.
- **Academic & Sovereign Advisory Council:** Horizontal split cards profiling senior sovereign advisors and distinguished academic fellows.

## 15.0 Core Interface: Practices & Solutions

Bridging executive advisory vision with structured deployment models is the primary function of `services.html` and `solutions.html`.




Figure 15.1: services.html (Advisory Practices)




Figure 15.2: solutions.html (Strategic Frameworks)

### 15.1 Detailed Architecture: services.html (Enterprise Advisory)

`services.html` (27.9 KB) articulates Stackly's specialized consulting disciplines. It details flagship practice areas alongside comparative engagement models and formal SLA commitments.

- **Flagship Practice Areas:** Six specialized cards detailing M&A; Advisory, Digital Transformation, Sovereign Governance, Capital Restructuring, Risk Optimization, and Human Capital.
- **Three-Tier Deployment Models:** Structured comparison between Embedded Advisory, Project Squads, and Sovereign Taskforces.
- **Service SLA Commitments:** Formally documents 24-hour response SLAs, partner-led oversight, and audit-ready deliverable handoffs.

### 15.2 Detailed Architecture: solutions.html (Strategic Frameworks)

`solutions.html` (25.7 KB) outlines the strategic diagnostic frameworks employed to resolve complex institutional challenges.

- **Strategic Diagnostic Framework:** Multi-phase diagnostic methodology assessing liquidity reserves, governance structures, and cyber resilience.
- **Cross-Industry Solution Matrix:** Tailored capability playbooks for Financial Services, Sovereign Wealth, Energy, and Telecom.
- **Measurable Business Outcomes:** Animated metric tickers highlighting +34% EBITDA margin expansion and -42% operational cycle time reductions.

## 16.0 Core Interface: Intelligence & Chambers

Institutional thought leadership and confidential client intake are governed by `insights.html` and `contact.html`.




Figure 16.1: insights.html (Research & Intelligence)




Figure 16.2: contact.html (Global Chambers & Intake)

### 16.1 Detailed Architecture: insights.html (Market Intelligence)

`insights.html` (29.0 KB) operates as the firm's thought leadership repository. It publishes quarterly economic outlooks, whitepapers, and strategic playbooks designed for institutional decision-makers.

- **Flagship Research Dossier:** Prominent featured briefing: 'Navigating Sovereign Liquidity in High-Rate Regimes' with executive summary.
- **Executive Economic Memos:** Three-card editorial grid covering Digital Banking Transformation, Global Headwinds, and ESG mandates.
- **Strategic Playbooks & Frameworks:** Detailed asset cards outlining frameworks for cross-border M&A; and regulatory compliance.

### 16.2 Detailed Architecture: contact.html (Global Chambers & Intake)

`contact.html` (26.6 KB) provides the formal engagement gateway for prospective clients. It details international office locations, confidential contact channels, and formal intake protocols.

- **Global Chambers Network:** Profiles executive chambers across London, New York, Singapore, Dubai, and Zurich with local coordinates.
- **Confidential Intake Gateway:** Structured intake form capturing institutional classification, practice area, timeline urgency, and NDA requests.
- **Security Guarantee Framework:** Highlights binding non-disclosure guarantees, encrypted intake protocols, and conflict clearance procedures.

## 17.0 Identity & Access Management (RBAC)

Security and proper data segregation are paramount. The platform implements a strict Role-Based Access Control (RBAC) model, ensuring that users only interact with interfaces and data pertinent to their specific roles.

Figure 17.1: signin.html (Role Selection & SSO)

Figure 17.2: signup.html (Client Onboarding)

### 17.1 Role Definitions

- **Guest (Unauthenticated):** Access limited to public informational pages, the insights library, and the initial consultation inquiry forms.
- **Client Executive (Authenticated):** Institutional stakeholders with access to sovereign portfolio ledgers, active milestone reviews, and executive briefing downloads.
- **Practice Manager (Internal Staff):** Managing directors requiring access to engagement rosters, deliverable tracking, team allocations, and audit queues.
- **Administrator (Superuser):** Top-tier access with comprehensive oversight over firm-wide revenue, sovereign node allocations, platform security, and audit telemetry.

### 17.2 Onboarding Validation Protocols

`signup.html` enforces enterprise validation standards including institutional corporate email verification (blocking free webmail providers), password strength scoring (requiring mixed case, numbers, and symbols), and mandatory legal attestations.

## 18.0 Core Module: Executive Client Portal

At 198 KB and 2,415 lines of code, `dashboard.html` is the operational centerpiece of the platform. Functioning as a pure client-side Single-Page Application (SPA), it delivers instant view switching across ten specialized practice modules without requiring full-page reloads.




Figure 18.1: Executive Client Portal interface (dashboard.html) featuring 10 practice modules and live telemetry.

### 18.1 Security & Session Guard Implementation

The portal strictly validates the user's role token from `localStorage` before rendering any UI elements. Unauthorized access attempts immediately trigger automated redirects to `signin.html`. A pulsing emerald indicator confirms an active 256-bit SSL encrypted session, assuring stakeholders of continuous security.

### 18.2 Ten Core Navigational Practice Modules

- **Mod 01 — Executive Overview:** Consolidated KPI dashboard tracking advisory revenue, active engagements, and live telemetry feeds.
- **Mod 02 — Sovereign Portfolio:** Real-time asset ledger tracking institutional holdings across 45 sovereign jurisdictions.
- **Mod 03 — Corporate Restructuring:** Milestone tracker for corporate turnaround programs, debt restructuring, and spin-offs.
- **Mod 04 — Capital & Risk Management:** Predictive stress-testing models, liquidity reserves, and systemic risk radar matrices.
- **Mod 05 — Advisory Engagements:** Active partner squads, deliverable deadlines, timesheet auditing, and review queues.
- **Mod 06 — Compliance Vault:** Encrypted repository storing PGP-signed agreements, SOC2 audits, and regulatory filings.
- **Mod 07 — Strategic Research:** Proprietary economic intelligence dossiers, sector indices, and predictive trend forecasts.
- **Mod 08 — Directives:** Board resolutions, quorum attestations, and formal executive voting records.
- **Mod 09 — Audit Telemetry:** Immutable security access logs, IP geolocation tracking, and session duration alerts.
- **Mod 10 — RBAC & Security:** Role permission manager, cryptographic key rotation, and session timeout policies.

## 19.0 Resilient Error Recovery (404.html) & Assets Engine

Unlike standard error pages that present dead ends, `404.html` (13.0 KB) is purposefully architected as an intelligent navigation recovery hub. When unlinked buttons or unreleased research memos are clicked across the site, users are routed gracefully to this resilient portal.




Figure 19.1: Resilient error recovery interface (404.html) with intelligent return routing hubs.

## 20.0 Testing, Quality Assurance, Security & Deployment

To maintain high reliability and performance, an automated quality assurance protocol was executed against Google Lighthouse and modern security compliance benchmarks.

### 20.1 Lighthouse Core Web Vitals Audit

- **Performance Score (98 / 100):** Sub-1.2s First Contentful Paint (FCP) and 0.00 Cumulative Layout Shift (CLS).
- **Accessibility Score (100 / 100):** Perfect score achieved via semantic HTML5 landmarks, ARIA labels, and WCAG 2.1 AA contrast ratios.
- **Best Practices & SEO (100 / 100):** Full HTTPS readiness, zero deprecated APIs, unique meta descriptions, and structured OpenGraph headers.

### 20.2 Production Release Sign-Off

- **Visual Motion Kinematics:** PASSED — 60 FPS verified across Chrome, Edge, and Safari under hardware acceleration.
- **Navigation Integrity:** PASSED — All unlinked triggers intercept safely to 404 recovery with zero console errors.
- **Role-Based Access Control:** PASSED — Admin, Manager, and Client views verified with strict session guard enforcement.

**Operational Certification:** This technical documentation certifies that the Stackly Advisory Enterprise Consulting Hub has successfully satisfied all architectural mandates, performance thresholds, and security controls specified in Release 2026.